

**List of Cases to be submitted before 10th Consent Appraisal Committee Meeting of 2013  
scheduled on 19.08.2013 at 12:30 p.m.**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
<b>Resubmission Item</b>						
1	Sonal Alloyes Pvt. Ltd., Plot No. C-1, MIDC Lonand, Tal. Khandala, Dist. Satara	486.38 Crs.	Establish (Expansion)	JD(APC)	01-21	
2	Oakwood Premier, S.No.81, H.No. 1+4B+5A, Plot No. 4, Mundhwa, Pune	163.67 Crs.	Establish & Operate (Combine)	RO(HQ)	22-38	
3	WCL Penganga Opencast Project, Post Sakhara (Kol), Tal. Wani, Dist. Yavatmal	339.77 Crs.	Establish	JD(APC)	39-54	
4	Balkrishna Paper Mills Ltd., Ambivali, P.O. Mohane	81.50 Crs.	Operate	JD(WPC)	55-77	
5	Sheth Developers Pvt. Ltd., S. No. 48/1(p), 48/2(p), 48/4(p), 48/5(p), 49/1(p), 49/2(p), 49/3(p) etc. of village Panchpakhadi, Thane (W)	396.74 Crs.	1st Operate ( Part)	RO(HQ)	78-94	
6	Innoventive Industries Ltd., Gat No. 56/3m4,5, Shikrapur Chakan Road, Pimpale Jagtap, Tal. Shirur, Dist. Pune	349.28 Crs.	Renewal & 1st Operate (Expansion with Amalgamation)	JD(APC)	95-111	
7	Ghatge Patil Industries Ltd., S. No. 362 A/365, A/365, A/4B, A/P Uchgaon, Dist. Kolhapur	125.15 Crs.	Renewal & Operate (Expansion)	JD(APC)	112-130	
8	Bharat Forge Ltd., S. No. 72/76, Mundhwa, Pune	2230.75 Crs.	Renewal	JD(APC)	131-148	
9	Godrej & Boyce Mfg. Co. Ltd., Gat No. 600, 601, 605, A/P Wing, Tal. Khandala, Dist. Satara	137.78 Crs.	Renewal (Expansion)	JD(APC)	149-168	
10	Mumbai Port Trust, Port House Shoorji Vallabhdas Marg, Ballard Estate, Mumbai	267.73 Crs.	Renewal	RO(HQ)	169-209	
11	Vamona Developers Pvt. Ltd., S. No. 33/2A/2, 33/28/2 of Wadgaon Sheri, Vimannagar, Opp Gig Space, Pune	673.61 Crs.	Renewal	RO(HQ)	210-227	
12	Ambuja Cement Ltd., Unit Maratha Cement Works, At Upparwahi, Tal. Korpana, Dist. Chandrapur	1077.98 Crs.	Renewal	JD(APC)	228-265	
13	Greta Energy Ltd., A-28, MIDC Mul, Dist. Chandrapur	77.08 Crs.	Renewal	JD(APC)	266-288	
14	Grace Industries Ltd., A-23, MIDC Industrial Area, Tadali Growth Centre, Tal. & Dist. Chandrapur	161.77 Crs.	Renewal	JD(APC)	289-308	
15	Steel Authority of India Ltd., Chandrapur Ferro Alloy Plant, Mul Road, Chandrapur	93.35 Crs.	Renewal	JD(APC)	309-326	
16	Ordnance Factory, Ambajhari, Nagpur, Dist. Nagpur	365.54 Crs.	Renewal	JD(APC)	327-347	
17	Piramal Enterprises Ltd, Nirlon Complex, Goregaon (E), Mumbai		Renewal	AS(T)	348-363	
18	Shree Ramgiri Sugar Ltd, Savargaon, Tal Tuljapur Dist Osmanabad	190.00 Crs	Establish	JD(WPC)	364-397	
19	Pee Vee Textiles Ltd, Tal Samudrapur, Dist Wardha	70.03 Crs	Establish (Expansion)	JD(WPC)	398-412	

<b>Fresh Item</b>						
1	Nirmal Lifestyle Ltd., 491-A, 491-B, 491A/1 to 4,491A7 to 9, 491-E, Village Nahur, Mumbai	788.00 Crs.	Establish	RO(HQ)	413-445	
2	3M Indian Ltd., Plot No. B-20, MIDC Ranjangaon, Tal. Shirur, Dist. Pune	14.54 Crs.	Establish (Expansion)	AS(T)	446-460	
3	Castel Royale, Avinash Bhosale Group, S.No. 86,87,88,89,90 and CTS No. 2140, 2142, 2143, Bopodi, Near Pune University, Pune.	381.00 Crs.	Establish	RO(HQ)	461-468	
4	Om Omega Shelters, CS No. 2/136 (pt), 109pt & 110pt, Dainik Shivner Marg, Lower Parel Division, Dainik Shivner Marg, Mumbai	910.75 Crs.	Establish	RO(HQ)	469-482	
5	Nirlon Ltd., CTS No. 257/B, 257/C, 257/D, 257/E, 257/F, 557, 558, 559, 571,586/3, Part of 257E, Village Goregaon(E) Pahadi Taluka, Borivali, Mumbai.	581.48 Crs.	Operate & Establish (For Validation)	RO(HQ)	483-503	
6	Wockhardt Ltd (Biotech Park), MIDC Waluj, Aurangabad			AS(T)	504-514	
7	Acropolis Purple Developers (9 Hill), Mohamadwadi, Tal Haveli, Dist Pune	370.92	Establish	RO(HQ)	515-522	
<b>Review Item</b>						
1	Bit Graphics Paper Products Ltd., Unit Ballarpur, PO Ballarpur, Dist. Chandrapur	-	Bank Guarantee	JD(APC)	523-535	
2	Reliance Infrastructure Ltd., Dahanu Thermal Power Station, Dahanu Road, Thane	-		JD(APC)	536-547	
3	Vaidyanath SSK Ltd, Distillery, A/p Pangri, Dist Beed	-	Operation in Rainy season	JD(WPC)	548-555	
4	M/s. Radico NV Distillery, MIDC Shendra, Aurangabad	-	Operation in Rainy season	JD(WPC)	556-562	

<b>Section</b>	<b>No. of Cases</b>
JD(APC)	13
JD(WPC)	5
PSO	0
AST	3
RO(HQ)	9
Total	30

# MAHARASHTRA POLLUTION CONTROL BOARD

## RESUBMISSION

**CAC Item No. 01**

**Name of the Industry :- M/s. Sona Alloys Pvt. Ltd.  
Plot No. C-1, MIDC Lonand,  
Tal. Khandala, Dist. Satara**

- Applied for consent to establish for expansion
- Application received at SRO- Satara on dtd 18/04/2013 and at HQ on 20/05/2013.
- Existing plant consent is valid up to 30/11/2015
- Generation of industrial effluent will be NIL (Existing 37 CMD) ETP provided for existing.
- Domestic effluent generation will be 4.8 CMD (existing 21 CMD + Proposed 4.8 CMD)
- SRO reported that the industry has almost erected 80% GGBF's concrete mix plant (before applying for consent to Establish) by assembling and erecting readymade/pre-fabricated equipments, such as drying unit, feeding unit, crushing unit, packaging unit etc.
- RO Pune has recommended the case for grant of consent to establish with condition to obtain EC from MoEF & also recommended to issue the stop work directions as the industry has already started construction of plant.
- As per CAC meeting decision dtd. 12/7/2013 SCN was issued for refusal as industry has already started construction activity for expansion without obtaining prior C to E from Board & EC from competent authority.
- Industry has submitted reply to SCN on 22/7/2013 & reply seems to be not satisfactory.
- We may place the consent application before CAC for further consideration.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 02

Name of Industry: Panchshil Infrastructure Holding Pvt. Ltd.,  
"Oakwood Premier"  
S.No.81, H.No.1+4B+5A,  
Plot No.4, Mundhwa, Pune- 411036

- PP has applied for of consent to establish & operate for Hotel with 200 Rooms. [Built-up area-16,266.13 sq.mtrs]
- Date of commissioning of hotel is Oct. 2010
- Capital investment in 2010 was Rs.146.96 accordingly PP has paid Rs.293920 in 2010.
- Now capital investment as on 28.02.2013 was Rs 163.67.Cr. pp has paid total consent fees of Rs 11,28,980/- for period upto 31.10.2014
- Domestic water consumption is 66 CMD & waste water generated about 55 CMD for which pp has provided 25 CMD STP. **(Inadequate capacity of STP)**
- PP has provided ozone generator to swimming pool.
- Organic waste convertor is installed for disposal of Wet MSW waste.
- PP has installed DG set of capacity 750 & 380KVA capacity with APC.
- Hazardous Waste category 5.1- 750 Lit/Year is disposed to Auth Reprocessor
- SRO Pune has issued query letter on 30/03/2013 reply not received.
- RO Pune recommends the case for grant of consent; subject to reply of query letter.

**The case was discussed in CAC meeting held on 12/07/2013 during discussion it was decided to issue SCN for refusal for not providing adequate STP & not replying to the query letter issued on 30/03/2013 by SRO pune-1.**

- This office has issued SCN on 07/08/2013
- PP has submitted reply after hosting minutes of the meeting on website. PP stated that we have submitted reply of the query letter on 28/03/2013 (query letter issued on 20/03/2013).
- Also PP has stated that STP capacity at the project is of 25m<sup>3</sup> which is sufficient the need of the project being service apartment where most of the guests go out at the morning and comeback in the evening between 7 to 10hrs there is no consumption in apartment, also occupancy is never 100%. PP ready to increase the capacity and give the Undertaking for the same.
- Submitted for further discussion in CAC

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 03

**Name of the Industry:** M/s. WCL Penganga Opencast Project,  
Post: Sakhara (Kol), Tal: Wani, Dist: Yavatmal.

1. Applied for consent to Establish.
2. Industry has obtained Environmental Clearance from MoEF dated 31.01.2013.
3. Total Capital Investment of the industry is Rs.339.77 Crores.
4. Mine lease area is within 1.0 km from A-II Class river does not satisfy RRZ Policy.

The case was discussed in CAC meeting held on 5.7.2013 and consent to establish was not approved as the mine lease area is within 1 km from A-II of river Pengaonga and not satisfying RRZ Policy therefore it was decided to issue SCN for refusal of Consent to Establish. Accordingly the SCN was issued to the industry vide letter No.B-3219 dated 18.7.2013. Industry vide their letter dated 27.7.2013 received on 5.8.2013 has submitted the reply to show cause notice.

RRZ Policy not satisfies. We may refuse the Consent to Establish.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 04

**Name of Industry :** M/s. Balkrishna Paper Mills Ltd.,  
Ambivali PO. Mohane ,  
Tq Kalyan Dist. Thane.

Applied for consent to operate to co-generation plant.

- Category RED/LSI.
- Capital Investment of Paper Industry is Rs.28.08 Cr.
- Capital Investment of Co-generation plant is Rs.19.67 Cr.
- Total Investment is **Rs. 47.75 Cr.**
- Consent dtd. 29.06.2010 valid up to: 31.12.2012 of paper unit.
- Combined consent for dtd.27..02.2009 valid up to: 31.12.2009 for paper unit & Consent to establish for Captive Co-Generation plant, for 4.5 MW.
- Production capacity of paper unit 5250 MT/M.
- I.E. generation qty. 1580.0 CMD, disposal in river.
- D.E. generation qty 20.0 CMD, disposal on land for gardening.
- ETP provided Primary & Tertiary, additional collection tank with surface aerators provided
- Industry has reduced the water consumption , by providing double stage filter and krofta.
- JVS , collected on 6.8.12 exceeding the prescribed standards.
- Closure directions issued on 27.09.2012 & restart order given on 19.10.2012, subject to additional BG of Rs. 2.50 Lacs for compliance . BG of Rs. 2.50 lacs submitted by industry as reported by SRO Kalayan on telephonically on 9.01.2013.
- Air Pollution control, Boiler –I & II (furnace oil) with height of chimney 28.5 mtr. each.
- Boiler –III & IV with chimney height 30.0 mtr. each.
- Boiler no.5 for Captive power chimney height 50.0 mtr. ESP provided.
- For captive power plant EC not obtained.
- **Resubmitted**

Industry has submitted No increase in pollution load certificate, procured from BATU & requested to consider the application grant of consent.

# MAHARASHTRA POLLUTION CONTROL BOARD

CAC Item No. 05

Name of Industry: M/s. Sheth Developers Pvt Ltd.

S.No. 48/1(p),48/2(p),48/4(p),48/5(p)49/1(p),  
49/2(p),49/3(p) etc of village Panchpakhadi, Thane.(W)

1. PP has applied for **1<sup>st</sup> consent to operate (part)**.
2. PP has obtained consent to establish from board on 30/03/2007( Not valid)
3. PP has **obtained environment clearance** From MoEF for on 5/7/2007.
4. Amendment in EC approved by SEAC in 62<sup>nd</sup> SEIAA meeting for **plot area 95222Sq. mtrs, & Total BUA 224352 sq.mtrs**
5. PP has obtained Occupation certificate for **BUA149383sq.mt. out of 224352 sq.mt.**
6. Capital investment of the project **369.74 Cr.** Accordingly PP has paid Rs.793597/-consent fees for operate and Rs. **793597 for consent to establish validation.**
7. Total water consuming **1084 m3/day** & generating about 869.0 m3/day of sewage, which PP has provided **STP of capacity 900.0 m3/day,**
8. PP has **installed OWC** for treatment of bio-degradable waste.
9. **5 no. of DG** sets having capacity, 2000 KVA each .
10. PP has **submitted affidavit** for 1<sup>st</sup> operate.
11. Previously consent to operate was issued vide no.BO/RO(P&P)/57 dated 30/3/2007. The consent was granted for establish of the project, however may be due to oversight it was granted for operate.
12. Survey no of the consent order and environmental clearance do not match. Accordingly clarification was called for the same, the applicant reported that previously they had mentioned the survey no as per environment clearance, however the board may due oversight or typing error has granted has granted consent for the survey no of their another project (Vasant Lawns) for which they had obtained consent on 27/04/2006.
13. **The applicant has requested to issue consent to operate as per Survey no mentioned in Environment clearance.**

**The case was discussed in CAC meeting held on 04/06/2013, during discussion it was decided to keep the case in abeyance and revert to CAC after obtaining all records related to C to E including commencement certificate, approved building plans and obtain verification report of competent authority of local body in this matter.**

For survey No. clarification PP has submitting following documents.

- Commencement certificate issued from thane Municipal Corporation.
- Approved plan copy

## **MAHARASHTRA POLLUTION CONTROL BOARD**

- Survey no map from Taluka Inspector of land record
- Occupation certificate obtained from Corporation.
- Architect Certificate.

**From above documents Survey No compared with environment clearance are same.**

In view of above consent to 1<sup>st</sup> operate (Part) may be consider with bank Guarantee.



# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 06

**Name of the industry :- M/s. Innoventive Industries Ltd.  
Gat No. 56/3,4,5, Shikrapur Chakan Road,  
Pimpale Jagtap, Tal. Shirur, Dist Pune 412 208**

- Applied for renewal of consent and 1st consent to operate for expansion with amalgamation
- Application received at SRO- Pune on dtd 31/01/2013 and at HQ on 16/03/2013
- Existing plant consent was valid up to 30/01/2013 in Orange category
- Industry has obtained consent to establish for expansion 1st on 04/12/2012
- Industry located @ 2.5 KM away from River VEL. Satisfy the distance criteria.
- Industrial effluent generation is NIL (Existing NIL)
- Domestic effluent generation is 45 CMD for which sewage treatment plant provided.
- APCS in the form of stack of adequate height provided to DG Sets and Hot water generator.
- As per existing consent industry has submitted BG of Rs. 5 lac for O & M which is valid up to 28/05/2013 and also submitted Board resolution.
- As per CAC decision dtd 31/05/2013 & 04/06/2013 plain renewal with BG of Rs.5 Lakh is granted & for expansion verification report & Status of Phosphating section with clarification for increase in CI is called & SRO has reported as below
- Expansion work is in progress, production in respect of expansion not yet commenced.
- Phosphating activity yet not commissioned.
- CI increased due to addition of new equipments, tools, dies, furniture etc.

As Work of expansion project is yet not completed .Hence we may keep the above case is in abeyance till compliance of CTE (Expansion).  
Submitted for approval before CAC.

# MAHARASHTRA POLLUTION CONTROL BOARD

**CAC Item No. 07**

**Name of Industry :** M/s. Ghatge Patil Industries Ltd ,  
S.No-362,A/365,A/4B,A/P-Uchgaon,  
Kolhapur.

Case discussed in CAC meeting held on 12/7/2013, it was decided to keep the case in abeyance and resubmit in CAC after getting compliance of C to E conditions from SRO, now report from SRO is received and reported that industry have provided ETP which is under stabilization, wet scrubber to cupola furnace, dust collector to shot blasting. We may grant renewal with first operate for expansion for period upto 30/5/2014, with extension of BG of Rs. 5.0 lacs towards O & M of pollution control system.

We may place the case before CAC for further discussions.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 08

**Name of the industry:** M/s. Bharat Forge Ltd.,  
S. No. 72/76, Mundhwa,  
Pune 411 036.

- Applied for renewal of consent
- Application received at SRO- Pune on dtd 28/03/2013 and at HQ on 01/06/2012
- Previous consent was valid up to 31/05/2013.
- Industry has generates trade effluent to the tune of 1065CMD (earlier 465 CMD) and for which they have provided effluent treatment plant of capacity 1500CMD consisting of primary, Secondary and tertiary system. The treated water is used for gardening and also recycled in process.
- Industry has generates domestic effluent to the tune of 683.9CMD (earlier 683.9 CMD ) and for which they have provided sewage treatment plant of capacity750CMD consisting of primary, Secondary and tertiary system and chlorination for disinfection.
- As per earlier consent condition Industry has installed CAAQMS and same is in operation and B.G of Rs.5Lacs towards install/operate CAAQMS submitted same is valid upto 31/5/2013.
- SRO Pune-I recommended the case for grant of renewal of consent
- RO Pune reported that the industry has not provided scrubber/fume extraction system as APC's Bank Guarantee of Rs. 2.0 Lakhs may be forfeited
- As per CAC decision dtd. 5/7/2013 case was kept in abeyance & clarification on increased production quantity was called on this clarification given by the company on 24/7/2013 regarding increase in production quantity states that, it is due to increase in cycle time of CNC machines.
- The unit stated that they have installed APC system, but this needs to be verified at field level
- Unit has requested for change in category from Red to Orange.
- In view of above we may call the report from RO/SRO on the basis of reply submitted by unit.

Submitted for approval before CAC.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 09

Name of the industry :- **M/s. Godrej & Boyce mfg. Co. Ltd.**  
**Gat No. 600,601,605, A/P. Wing,**  
**Tal. Khandala, Dist. Satara 412 801**

- Applied for renewal of consent with CTE for expansion.
- Application received at SRO- Satara on dtd 01/11/2011 and at HQ on 03/11/2012
- Industry located @ 1.3 KM away from A-II class River NIRA. Not satisfy the RRZ distance criteria.
- Industrial Effluent Generation is Nil (existing 65 CMD) for which effluent treatment plant provided.
- Domestic Effluent Generation is NIL (existing 65 CMD) for which sewage treatment plant provided
- JVS analysis result of ETP dated 24/01/2012, 31/03/2012 and 15/10/2011 are under prescribed limit.
- Adequate height of stack provided to DG set & various stack of existing unit & no additional air pollution control system are required as there is no additional fuel requirement.
- RO Pune has recommended the case for grant Consent
- Existing renewal of consent granted upto 30.09.2013 as per CAC decision dtd. 31.12.2013.
- The case has been discussed in the Consent Appraisal Committee meeting held on 31.05.2013 & 04.06.2013 and decided that as industry has no valid consent. The proposal for expansion does not satisfy RRZ Policy. Hence it was decided to re-examine the case w.r.t. no increase in pollution load & revert back to CAC.
- In view of submission of no increase in pollution load, stating that there is no increase in pollution except non hazardous solid waste, we may refer the above case to NEERI for assessment & comment.
- We may place the consent application before CAC for further consideration.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 10

**Name of Industry :** M/s. Mumbai Port Trust,  
Port House, Ballard Estate.

Application for grant of Plain renewal of consent.

Previous consent was valid upto 31/12/2012.

Application Received at RO Mumbai on 4/9/2013 and at HQ on 8/11/2012.

### **SRO reports that;**

- a) Heavy dust emissions due to coal handling activity
- b) Mangroves destruction observed during Feb.2012, for which a study was conducted by NEERI, with conclusion that the destruction of the mangroves may have been occurred due to pollution caused by coal handling activity.
- c) The STP is only of 250 CMD capacity and the untreated sewage is directly disposed of through MCGM sewer lines.

### **The case was discussed in CAC Meeting dated 31/1/2013 and It was decided to keep the case in abeyance till compliance is received.**

Show cause notice issued to applicant dated 18/3/2013 and Proposed direction issued to applicant dated 3/4/2013.

Applicant has submitted reply of proposed direction (Copy attached).

Mailed to RO Mumbai dated 19/7/2013 for submission of reply of Proposed direction .

MbPT has submitted the Bank Guarantee of Rs. 15 lack which is valid upto 12/10/2013.

- Field visit report dated 02.08.2013 is enclosed and SRO Reported that TPX plot vacant on 02.08.2013 and MbPT officer claims that the said plot was vacant from dtd. 20.07.2013 and at time of visit no coal storage on the same plot.
- MPCB Official has already visited to said site along with representative of NEERI Dr. Asheesh Shreivastava on dtd. 05.04.2013 at the time of visit snaps were taken and kept to be record to this office( copies of the same is attached)
- Applicant has not provided a mist spray system, instead of Mist spray system MBPT has provided water sprinkle system.

We may place the application in CAC for further decision.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 11

**Name of Industry: M/s Vamona Developers Pvt Ltd,  
S.No. 33/2A/2,33/2B/2 of wadgaon sheri,  
Vimannagar, Opp Giga space,**

1. PP has applied for **consent to renewal (plain)**
2. The Commercial Mall & Bazaar Building project covering total area of around 79881.0 **sq.mtrs** with total built up area of **60436.28 sq mtrs (Main Mall Building 44451.69 sq.mt + Bazaar Building 15984.59 sq.mt)**
3. PP has **obtained environment clearance** From MoEF on 30/06/2010.
4. Previous consent is valid upto **31/03/2013** for capital investment 549.76 Cr. Now project proponent has applied for CI **673.61 Cr.**
5. Total water consuming **414.5 m3/day** & generating about 270 m3/day of sewage, which PP has provided **STP of capacity 830.0 m3/day**, Treated 253.0 m3/day waste water will be used for utilities, and partially of which 33.0 m3/day will be used for gardening.
6. **11 no. of DG** sets having capacity, 3x1500,4x2000,3x1010 KVA.
7. PP has **submitted BG** as per consent condition of **10 Lakhs** to RO pune office.
8. PP has **not submitted** affidavit on builtup area and total construction area in consensus with Environmental Clearance.
9. SRO Pune has call information from PP a) cess detail b) Annual return (H.W) c)self Monitoring report d)water budget e)H.W details f)Capital investment detail. PP has not submitted reply of the same.
10. RO, Pune has recommended for grant of renewal of consent subject to submission of reply to queries of SRO

**The case was discussed in CAC meeting held on 04/06/2013, during discussion it was decided to issue SCN for refusal for non-compliance of consent condition.**

1. Board has issued SCN for refusal on 19/07/2013.
2. PP has submitted reply on 29/07/2013 along with **Affidavit as per consent condition, STP analyses reports, Monthly water consumption reports.**
3. Also PP has stated that Earlier consent is issued on **17/12/12** and which is valid upto **31/03/2013**. Consent issued about **3 month period**. Hence we are not

## MAHARASHTRA POLLUTION CONTROL BOARD

submitted environment statement & Cess return for short period. In future we will submit regularly.

4. PP has submitted clarification on capital investment, PP stated that **Mall building & Bazaar building investment is 549.76 Cr.** Our whole project cost is 750 Cr. At present construction of remaining project under progress CA certificate include the cost of the same i.e 673.61 Cr as actual investment of Mall, Bazaar & Capital work-in progress (Remaining building under construction) on 31/12/2012. We are already obtained C to E from board for total **BUA 201619.1** sq.mt. on **07/08/2009** and obtained EC for the same.

5. **PP has paid Consent fees Rs 15, 91,990/- by considering project cost 673.61 Cr.**

In view of above consent may grant for period upto 31/01/2015.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 12

**Name of the Industry:** M/s. Ambuja Cement Ltd.,  
Unit Maratha Cement Works,  
At: Upparwahi, Tal: Korpana,  
Dist:Chandrapur.

1. Applied for renewal of consent.
2. Earlier Consent is valid up to **31.5.2013**.
3. Total Capital Investment of the industry is Rs.1077.98 Crores.

Discussed in CAC held on 5.7.2013 and it was decided to issue SCN for refusal of consent for exceeding stack/AAQM results and increase in capital investment by Rs.155/- cores. Accordingly SCN was issued vide No.3118 dated 18.07.2013 and mailed to industry and RO/SRO Chandrapur.

The unit has submitted the clarification to Show cause notice stating that increase in C.I. is due to improvement in next level (to achieve various levels) without increase in production capacity.

In view of above, we may grant renewal up to 31.10.2015 with operation B.G. of Rs.10/- Lakhs towards O & M of pollution control system.



# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 13

**Name of Industry:** M/s. Greta Energy Ltd.,  
A-28, MIDC Mul, Dist: Chandrapur.

1. Applied for renewal of Consent.
2. Earlier consent for 15 MW Bio-Mass based power plant was valid up to 31.03.2013.
3. Four Fields ESP & Bag Filter provided.
4. Analysis results of AAQM and stack monitoring carried out on 23.03.2013 are exceeding.

The case was discussed in CAC meeting held on 5.7.2012 and it was decided to issue show cause notice and forfeit the existing B.G. of Rs.5/- Lakhs due to non-compliance of consent conditions no.11,12 & 13. Accordingly the SCN was issued to the industry on 18.07.2013 and industry submitted their reply to the SCN on 31.07.2013 stating that; 1) As far as disposal of fly ash is concerned they are going to set up own Brick Manufacturing Plant within next 6 months for which they have taken Consent to Establish. At present they are disposing fly ash on open land abruptly, which is violation of consent conditions. 2) The unit is utilizing Biomass upto 85% and coal 15% as per EC Condition. 3) As per the consent condition the unit shall install one CAAQMS on or before 15.01.2013, but unit fails to provide. Now they are going to install the same by end of August, 2013.

In view of above we may grant renewal of consent up to 31.05.2015 with forfeiting of B.G. of 50% towards improper disposal of fly ash and top up and also forfeiting of B.G. towards CAAQMS as they have not installed within time period and top up.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 14

**Name of the Industry: M/s. Grace Industries Ltd.,  
A-23, MIDC Industrial Area Tadali Growth Centre,  
Tal & Dist: Chandrapur**

1. Applied for renewal of Consent 12000 Ton/Month Sponge Iron Plant.
2. Earlier Consent is valid up to 30.06.2013.
3. The Capital Investment of the industry is Rs.161.77 Crores.

The case was discussed in CAC dated 12.07.2013 and it was decided to issue SCN for refusal towards non-compliance of consent conditions / exceeding stack and ambient monitoring results. Accordingly SCN was issued to the industry on 18.07.2013. Industry vide their letter dated 22.7.2013 received on 26.7.2013 submitted reply to the Show cause notice.(copy enclosed).

The unit has stated that due to shock load on the unit operations of the plant the results of Stack/Ambient are exceeds some times.  
In view of above we may grant renewal up to 31.05.2016 with operational B.G. of Rs.5/- Lakhs and forfeiting the existing B.G. of Rs.5/- Lakhs due to exceeding of results and top up same.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 15

**Name of the Industry:** M/s. Steel Authority of India Ltd.,  
Chandrapur Ferro Alloy Plant, Mul Road, Chandrapur.

- Applied for renewal of consent to Operate.
- Capital investment of the industry is Rs.93.35 Crores.
- Earlier consent was valid up to 31.12.2012.
- We may grant plain renewal with operational B.G. of Rs.5/- Lakhs.

The case was discussed in CAC meeting held on 5.7.2013 and renewal with amalgamation was not approved. It was decided to issue SCN for refusal for not submitting Bank Guarantee of Rs.24 lakhs. Accordingly SCN was issued vide No. B-3221 dated 18.7.2013 to the industry.

Industry vide their letter dated 22.7.2013 submitted reply to the SCN which was received on 01.08.2013 wherein the industry requested to revoke the decision for submission of B.G. of Rs.24/- Lakhs and return the B.G. of Rs.12/- Lakhs. We may not consider the request of the industry for non-submission of B.G. of Rs.24/- Lakhs.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 16

**Name of the Industry:** M/s. Ordnance Factory,  
Ambajhari, Nagpur, Dist: Nagpur.

1. Applied for Renewal of consent.
2. Earlier Consent is valid up to 31.05.2013.
3. The Capital Investment of the industry is Rs.365.54 Crores

The case was discussed in CAC meeting held on 5.7.2013 and it was decided to keep the case in abeyance and revert to CAC with present status report on the following; 1) discharge of treated effluent, 2) Provision of APC system, 3) Compliance of zero discharge condition.

Simultaneously BG of Rs.2/- shall be forfeited for discharging treated effluent into local nalla which meets to Wena river and thereby not achieving zero discharge. The present status report of SRO-Nagpur-II in respect of Ordnance Factory is received on 26.7.2013 on the basis of visit carried out on 24.7.2013 observing the non-compliance of consent conditions, discharge of untreated effluent into Wena river, APC not provided, Zero discharge not observed, We may issue SCN for refusal of Consent.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 17

**Name of Industry: M/s Piramal Enterprises Ltd,  
Near NSE Complex, Off Western Express Highway,  
Goregoan (E) Mumbai-93**

- Application received at Mumbai on 04/01/2013
- Application received at HQ on 21/02/2013.
- Industry is engaged in R & D activity holding consent valid up to 30.11.12.
- Renewal for R & D activity
- Previous consent was given in ORANGE category. As R & D activity for pharmaceutical products comes under RED category. Hence in RED category.
- Maximum quantities and products to be processed in the R & D activity has not been mentioned
- I.E. – 61.5 CMD, D.E. – 12 CMD. ETP comprising primary, secondary & tertiary treatment. The treated effluent is discharged in MCGM drain. Existing I.E -60.0 CMD, D.E. -12 CMD. RO has reported that increase in effluent is hardly 1.5 CMD (DM reject) for which existing ETP seems to be adequate.
- Natural gas is used as fuel for boiler.
- Returns regarding Hazardous waste submitted for 2011-12
- Industry has submitted the name change from M/s Piramal Healthcare Limited to M/s Piramal Enterprises Limited.
- RO has recommended for renewal of consent for the period up to 30.11.2014

Case was discussed in CAC dt 05/07/2013 & abeyance for desired information i.e. about increase in C.I, effluent quantity, & JVS report called from RO. RO has submitted desired information on 19.07.2013 .Consent fees paid by Industry has been verified by the account section.

We may consider the case for renewal with increase in C.I. by imposing condition towards submission of Board Resolution & B.G. of Rs. 2 lakh & B.G. of Rs. 5 lakh towards O & M respectively.

# MAHARASHTRA POLLUTION CONTROL BOARD

**CAC Item No. 18**

**Name of Industry :- M/s. Ramgiri Sugars Ltd.,  
Savargaon, Dist. Osmanabad.**

- 1) Applied for Consent to establish. Proposed sugar industry of 3500TCD with Co-gen 14.9 MW. Does not attract EC.
- 2) Proposed location from river Terna, A-II class is @ 15 Kms. Satisfy RRZ policy.
- 3) IE generation 205 CMD, Proposed Secondary treatment. Treated effluent will be used on land for gardening. Land available is 30 acres seems to be sufficient.
- 4) Proposed ESP as an APC system to bagasse fired boiler..
- 5) SRO & RO recommended for grant of Consent to establish.
- 6) Application was discussed in CAC dtd 29.07.1 & decided to call details of capacity of co-gen & redesigning of units of ETP, fuel consumption etc. Ind submitted reply.
- 7) Recommended for Grant of Consent to Establish up to commissioning of Unit or Five Years whichever is earlier with B.G of Rs 5 lakhs & 2 lakhs.

# MAHARASHTRA POLLUTION CONTROL BOARD

**CAC Item No. 19**

**Name of industry :-** **Pee Vee Textiles Ltd,**  
**S.No 43,44,41/4, & 51, Mouza-Jam, Tq. Samudrapur,**  
**Dist. Wardha.**

- 1) Applied For consent to establish (Expansion) i.e manufacturing of grey fabrics.
- 2) Existing consent of Textile industry is valid till 31.05.2013.
- 3) IE generation from proposed expansion is 18 CMD including Boiler blowdown. JVS results of existing industry dtd c11.08.12 are exceeding the standards with respect to BOD, COD, TDS, & SS.
- 4) Proposed Sewage & industrial treatment plant during expansion.
- 5) Distance of proposed expansion from Notified river Wardha @ 20 kms. satisfy RRZ Policy.
- 6) Proposed cyclone separator for Coal fired Boiler.
- 7) We may place the application in CAC as C.I of industry is Existing 247.81 Crores & proposed 70.03 Crores Total 317.83 Crores.
- 8) Application was discussed in CAC dtd 12.06.13 & decided to refer case to TAC & BG Committee. TAC & BG Committee submitted the report
- 8) Recommended for grant consent to Establish for expansion.

# MAHARASHTRA POLLUTION CONTROL BOARD

## FRESH AGENDA

### CAC Item No. 01

Name of Industry: **M/s. .Nirmal Lifestyle Ltd.**  
491-A,491-b,491A/1 to 4,491  
A/7to 9,491- E,Village:Nahur,Mumbai

Case was discussed in CAC meeting 12/07/2013. It was decided to keep the case in abeyance and resubmit the case after re examining the case with date wise chronology and to get clarification regarding since when the consent fees should be charged on increase in CI

PP has submitted clarification on capital investment.

#### Short Note:-

1. PP has applied for **consent to Establish**
2. Total plot area 122011 Sq.m & total BUA 386319.80 Sq. mtrs
3. PP has obtained **Environment Clearance** on dated 1<sup>st</sup> April 2011, for same area.
4. Total 10 Nos of Buildings Existing & Proposed

#### Detail about Existing Building

Sr.No	Bldg.No	BUA	IOD Date	Plinth CC	OCC	Present status	CI of the project
1	Bldg No 1	30281.09	27/07/2001	19/11/2001	03/04/2003	Completed	<b>152235 sq.m = 1638657.54 sq.ft X 1200</b>
2	Bldg No 2	27316.45	29/03/2001	04/08/2001	31/03/2008	Completed	
3	Bldg No 3	16357.79	18/08/2001	10/04/2002	23/03/2007	Completed	
4	Bldg No 3B	26787.51	30/08/2003	17/11/2003	03/05/2006	Completed	
5	Bldg No 4 ST+ 19 <sup>th</sup> Fl	51491.7	15/05/2002	31/08/2002	---	Completed	
<b>Existing BUA</b>		<b>152237.55</b>	<b>Rate of construction in 2004 per sq.ft. 1200</b>				<b>19663.89 lakhs</b>

#### Detail about Proposed Building

Sr.No	Bldg.No	BUA	IOD Date	Floors	Present status	CI of the project
1	Bldg No 4	10430.00	15/05/2002	20 <sup>th</sup> to 30 <sup>th</sup> Fl	Not started	<b>234085.0 sq.m = 2519690.94 sq.ft</b>
2	Bldg No 5	56010.85	27/02/2008	G + 23	G+ 9 floor RCC	
						<b>X 2390 rs.</b>

=



## MAHARASHTRA POLLUTION CONTROL BOARD

					Construction stopped	<b>60,220.61 Lakhs</b>
3	Bldg No 6	27623.34	30/05/2005	ST + 30	St + 8 FI RCC Construction stopped	
4	Bldg No 7	36149.60	03/12/2010	ST + 39	St + 8 FI RCC Construction stopped	
5	Bldg No 8	39642.63	02/08/2011	ST + 39	Stilt RCC Construction stopped	
	Amenities in above bldg	64228.83	As above	G + 4 <sup>th</sup>	----	
<b>Proposed BUA</b>		<b>234084.25</b>	<b>Rate of construction as per 2013per sq.ft. 2390/-</b>			<b>60,220.6 Lakhs</b>

5. PP has obtained combine environment clearance for existing and proposed building, in environment clearance existing building BUA is **152235 sq.m** & proposed BUA is **2,34,085 sq.mt.** total BUA **386319.80 sq.mt.**
  6. In Environment clearance total project cost is **788 Cr.** (EC obtained in **2011 estimated cost with existing & proposed building**)
  7. PP has submitted the project cost clarification on 23/07/2013 & stated that project cost is estimated on the construction cost per sq.ft.
  8. Total Cost of the project in 2013
    - Cost of land :- 41.00 Cr.
    - Cost of the Existing 5 building :- 196.63 Cr. (As per construction rate in 2004)
    - Cost of proposed 5 building :- 602.20 Cr. (As per Construction rate in 2013)
- Total Cost of the Project (2013) :- 839.84 Cr.**

**In view of above consent to establish may be consider by capital investment 839.84 cr.**

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 02

**Name of Industry:** M/s. 3M India Ltd,  
Plot no B-20,MIDC Ranjangaon ,  
Tal. Shirur, Dist. Pune

1. Application received at RO on 08.05.2013 & at HQ on 24.06.2013
2. Applied for consent to establish (expansion) within existing premises .Proposed production –mfg of markers, electronic device glue sticks etc.
3. Existing consent valid up to 31.10.2013
4. C.I.- Existing : 245.49 Cr. Proposed: 14.54 Cr. Submitted fees Rs 50000/-.
5. Situated 10 km away from river Ghod in A-II class.
6. Existing: IE – 132 CMD, DE -31.2 CMD.
7. Proposed: IE – Nil, DE -1.0 CMD.
8. Full-fledged ETP provided to treat existing IE. STP of capacity 45 CMD provided to treat DE. Existing STP capacity is adequate to treat proposed DE.
9. Industry has informed that actual water consumption is 107 CMD where as consented quantity is 222 CMD. As per water bills submitted by industry, same seems to be in order. Actual effluent (domestic + industrial) generation of industry is 76.2 CMD . Industry has provided scrubber in existing plant for which they consume 115 m<sup>3</sup> water for one time feed & 28 CMD treated effluent used for make up , remaining 48.2 CMD treated effluent disposed on land for gardening( 9581 Sq. mtr).JVS report attached dated 15.01.2013 are within limit .
10. Cess : Assessment done up to- May 2013 , Paid up to 30.04.2013
11. Env. Statement & Form -4 for Haz. Waste submitted.
12. B.G. of Rs. 5 lakh towards O & M of pollution control system is valid up to 31.10.2013.
13. RO has recommended for grant of consent to establish, stating that there will no additional load of IE & air emission from expansion activity.

Expansion in existing unit, Existing C.I.-145.49 Cr & C.I. towards expansion is 14.54. Hence this case is under CAC perview.. As pollution control systems are adequate we may consider the case for C to E for expansion with condition to obtain membership of CETP Ranjangaon for discharge of treated effluent during no demand period.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 03

### Name of Industry: **Castel Royale, Avinash Bhosale Group**

S.No. 86,87,88,89,90 and CTS No 2140,2142,2143,  
Bopodi, Near Pune University. Pune

1. PP has applied for **consent to establish**.
2. The project covering total area of around **69,438.0 sq.mtrs** with total built up area of **1,51,141.60 sq mtrs**
3. The total cost of the project is Rs **381.0 Crore** for which they have paid Rs.381000/- as consent fees for Establish.(Additional 3,81,000/- fess required)
4. The project proponent has obtained **Environment Clearance** from SEIAA of Env't Dept. Ministry of Environment & Forest on **24<sup>th</sup> May 2010** for the same area.
5. Total water consuming **365.0 m3/day** of water out of which 159.0 m3/day fresh water will be supplied by PMC & generating about **249.0 m3/day** of sewage, which they propose to treat in the STP of capacity **285.0 m3/day**, Treated 106.0 m3/day waste water will be used for utilities, and partially of which 111.0 m3/day will be used for gardening.
6. The total solid waste generation as estimated will be **0.64 MT/D**, which will be segregated, the bio degradable portion will be mechanically composted within the project area & the manure of which will be used in their own premises as per the landscape plan which is **22,253.0 sq mtrs** for green belt development.
7. 7 no. of DG sets having capacity 725x6 KVA.
8. **Proposed site is located near about 2 Km from Mula river (A-II,Class).**
9. From FO Remarks, & DD details PP had previously applied for consent to establish on 01/06/2010, the said application was not traceable in Pune office as per records.
10. PP has completed construction work of **2 residential towers** and work of 2 residential towers and EWS towers is under progress.

RO, Pune has recommended that **consent to establish may be grant after submission of additional consent fees of Rs.3,81,000/-**

# MAHARASHTRA POLLUTION CONTROL BOARD

**CAC Item No. 04**

**Name of Industry :**

**M/s. Om Omega Shelters,  
109pt, 110pt, Dainik Shivner Marg,  
Lower Parel Div., Mumbai**

**(The case is withdrawn)**

# MAHARASHTRA POLLUTION CONTROL BOARD

CAC Item No. 05

Name of Industry: Nirlon Ltd.,  
CTS No. 257/1, 257/B, 257/C, 257/D, 257/E, 257/F,  
557, 558, 559, 571, 586/3, part of 257E  
Village Goregaon (E) and Pahadi Taluka Borivali, Mumbai

## A. Part Operate (Applied on 16/ 07/ 2012)

1. PP has applied for **consent to Operate part.**
2. BUA for part operates is **85,560 sq.m. out of 287054. (As per revised EC)**
3. PP has obtained **revised Environment Clearance** on dated 17 May 2013, for total plot area **106608.10 Sq.m & Total BUA 287054.0**
4. PP has obtained Consent to Establish from board vide dated **11.09.2006**
5. PP has completed building No B1, B2, B3, B7, & MLCP1 & obtained **Occupancy Certificate from corporation.**
6. Remaining Building Construction **work is in progress.**
7. PP has provided Common STP for all building having **capacity 525 CMD.**
8. PP has installed **4nos of DG sets** having capacity 2000 x 2 & 2250x2 KVA
9. Capital investment of the completed project is **425.37 Cr accordingly PP has paid Rs 25,58,514.0** for Six years. (Part C to O Project)
10. RO Mumbai has for Grant of **Part consent To Operate for period upto 31.12.2014**

- **Case was discussed in the CAC meeting dated 27.12.2012 Committee noted that Environmental Clearance expired on 28/09/2012 and C to E on 11.09.2011 Hence it was decided to resubmit the case in Next CAC after examining the case with respect to Board's circular of validity period of consent to establish.**
- **As per legal wing remarks that the firm shall apply for fresh consent to Establish with necessary fees. Board issued letter to PP on dated 25/03/2013 for the same.**
- PP has applied for validation of **Consent to Establish** with all relevant document and consent Fees of Rs 11,62,960 on dated 1<sup>st</sup> April 2013 at RO Mumbai office, the same application was received at HQ vide dated **12/07/2013.**
- PP has obtained **Revised Environment Clearance** issued on 17/05/2013 for total plot area 106608.10 Sq.m & Total BUA 287054.0
- **The same case was again discussed in CAC on dated 12/07/2013 It was decided to keep the case in abeyance and revert to CAC along with processing note with fresh application for C to E**

## B. Consent to Establish ( As per revised EC)

1. PP has applied for consent to Establish (Reapplication as per environment clearance area)

## MAHARASHTRA POLLUTION CONTROL BOARD

2. Earlier consent is granted by board on dated 11/06/2006
3. PP has applied for total Plot area plot area 106608.10 Sq. m & Total BUA 287054.0 which is as per EC.
4. PP has paid Rs. 11,62,960/- for consent to establish.

<b>Building No</b>	<b>EC obtained 28/09/2007</b>	<b>EC obtained 17/05/2013</b>	<b>Applied for Operate</b>
<b>B1</b>	Yes	<b>No change in earlier EC</b>	<b>OC obtained</b>
<b>B2</b>	Yes	<b>No change in earlier EC</b>	<b>OC obtained</b>
<b>B3</b>	Yes	<b>No change in earlier EC</b>	<b>OC obtained</b>
<b>B7</b>	Yes	<b>No change in earlier EC</b>	<b>OC obtained</b>
<b>MLCP1</b>	Yes	<b>No change in earlier EC</b>	<b>OC obtained</b>
Hotel	Yes	It will be now IT office building	OC Not Obtained
B4, B5	Yes	B4,B5,MLCP2 proposed as single unit	OC Not Obtained
MLCP2	Yes		OC Not Obtained
Nirlon Corporation office	Yes	G+Mezzanine+6 Amenity Building	OC Not Obtained
Two wheeler parking structure	No	Stilt+3 levels	OC Not Obtained

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 06

**Name of Industry: M/s. Wockhardt Ltd (Biotech park)  
Plot no H-14/2 ,MIDC area Waluj ,Aurangabad .**

1. Application received at RO on 01.04.2013 & at HQ on 17.05.2013
2. Applied for 1st consent to operate for new briquette boiler of 5 TPD capacity.
3. Consent to Establish was issued on 13.02.2013.
4. Existing CI –Rs. 432.66 Cr. Application received with CI – Rs. 1.88 Cr.
5. Industry has obtained consent to operate for in mfg. of Pharmaceuticals (R/60) activity valid up to 31.12.2016.
6. Industry has installed new briquette fired boiler replacing one oil fired boiler , Multicyclone dust collector & bag filter is provided as air pollution control equipment.
7. Existing IE – 466.0 CMD,DE -40.0 CMD . After change in boiler it remains unchanged.
8. Approx 35.0 Km away from notified river Godavari in A-II class. Consent to operate fees Rs. 15000/- submitted.

Existing consent is valid for period up to 31.12.2016.Since the industry has complied with C to E conditions & ready for commissioning of boiler.

We may consider the case for grant of C to O with amalgamation of existing consent.

# MAHARASHTRA POLLUTION CONTROL BOARD

## CAC Item No. 07

**Name of Industry:** M/s Acropolis Purple Developers,  
"9 Hills" (Cloud-9Phase-II), S. No. 43&44, NIBM Road,  
Mohammadwadi, Tal- Haveli. Dist- Pune  
Maharashtra

1. PP has applied for **consent to Establish**
2. The Residential & Commercial project covering total area of around **70,795.0 Sq. mt** with total built up area of **193268.0 sq mtrs**
3. PP has **obtained environment clearance** From MoEF For same area on 05/07/2007.
4. Capital investment of the project is **370.92Cr**
5. Total water consuming **708.0 m3/day** of water out of which 284.0 m3/day fresh CMD water will be supplied by PCMC & generating about **445.0 m3/day** of sewage, which PP has proposed to provide **STP of capacity 450 m3/day**, Treated 272.0 m3/day waste water will be used for utilities, and partially of which 148.0 m3/day will be used for gardening.
6. PP has proposed to provide **Organic waste convertor** for bio-degradable waste, Non-biodegradable waste send to authorized vender.
7. **2 no. of DG** sets each having capacity, **250 KVA**.
8. Proposed site is located near about **2.0 Km from Mula-Mutha River river (A-IV,Class)**.
9. The site is visited by field officer and observed that the project proponent has completed construction of 8 nos of building. Now they had stopped the construction work.
10. RO, Pune has recommended the project proponent **has obtained the environment clearance we may consider the case for grant of consent to establish.**

*In view of above case may be consider for CAC discussion for further decision*



# MAHARASHTRA POLLUTION CONTROL BOARD

## REVIEW ITEM NO. 01

### CAC Item No. 01

**Name of the Industry: M/s. Bilt Graphics Paper Products Ltd.,  
Unit Ballarpur, PO: Ballarpur,  
Dist: Chandrapur.**

The matter of action against M/s. Bilt Graphics Paper Products Ltd., Ballarpur, Chandrapur due to non-compliance of consent conditions discussed in CAC Meeting held on 27.06.2013 and it was decided to refer the case to B.G. Committee for recommendation related to B.G. and to NEERI for treatability study.

NEERI Mumbai has submitted proposal to carry out treatability study of the effluent generated from /s. Bilt Graphics Paper Products Ltd., Ballarpur, Chandrapur. The issue discussed in CAC. The study of NEERI, Mumbai is in collaboration with I.I.T. Mumbai. The time period is approximately 12 months. The cost is Rs.17 Lakhs.

We may approve the proposal given by NEERI, Mumbai with time period and cost to be Borne by Unit. We may communicate accordingly.

# MAHARASHTRA POLLUTION CONTROL BOARD

## **REVIEW ITEM NO. 02**

**Name of the Industry: M/s Reliance Infrastructure Ltd.,  
Dahanu Thermal Power Station, Dahanu Road,  
Thane-401608.**

- Board has granted consent to operate for Electricity generation-500 MW (2 unit of 250 MW each) & for Grinding Fine Ash – 240 T/day vide consent no. BO/JD (APC)/EIC.No. TN-3446-12/R/CAC-643 dtd. 10/10/2013.which is valid upto 31/03/2015 (Copy enclosed).
- Industry has reported as per confidential report of Home Ministry (GOI),DTPS is a very sensitive as far as terrorist attack is concern & to cope up with this strengthening of existing chain link fencing around DTPS with Brick Wall compound is required on urgent basis.
- Industry has submitted copy of obtained permission from MCZMA in this regard.
- Industry has requested NOC for strengthening of compound with brick wall

We may place the application before CAC for further consideration.

# MAHARASHTRA POLLUTION CONTROL BOARD

**REVIEW ITEM NO. 03**

**M/s. Vaidyanath SSL Ltd Distillery Dist Beed**

For operation in Rainy season

# MAHARASHTRA POLLUTION CONTROL BOARD

## REVIEW ITEM NO. 04

M/s. Radico NV Distillery, MIDC Shendra, Aurangabad

For operation in Rainy season