

**List of Cases to be submitted before 21st Consent Committee Meeting of 2014-15  
scheduled on 23.01.2015 at 02:00 p.m. (Booklet No. - 39)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
<b>Resubmission</b>						
1	Medley Pharmaceuticals Ltd., Plot No. F-13, MIDC Tarapur, Tal, Palghar, Dist- Thane	41.43 Crs.	Establish	AS(T)	1 to 28	
2	Aarti Industries Ltd., Plot No. E-50, MIDC Tarapur, Boisar, Tal. Palghar, Dist- Thane	74.80 Crs.	Establish (Expansion)	AS(T)	29 to 54	
3	Siyaram Silk Mills Ltd., Plot No. G-1/1, MIDC Boisar- Tarapur, Tal - Palghar, Dist - Palghar	46.97 Crs.	Establish (Expansion) (Amendment)	JD(WPC)	55 - 86	
4	Sabio Estate Realtors Pvt. Ltd., "Balador", S. No. 449/1, 455/2B/2, 457/2A, 457/2B, 458/1, 458/3, 460/1, Talegaon Dabhade, Taluka Maval, Dist. Pune	71.26 Crs.	1st Operate (Part)	RO(HQ)	87 - 102	
5	The Wainganga Sugar Power Power Ltd., Village - Devhada, Tal - Mohadi, Dist - Bhandara	61.64 Crs.	Renewal	JD(WPC)	103 - 116	
6	Rajgad SSK Ltd., Anantnagar-Nigade, Tal - Bhor, Dist- Pune	38.64 Crs.	Renewal (with increase in C.I.)	JD(WPC)	117 - 129	
7	The Kumuda Sugar & Agro Products Ltd., Unit No. 3, At- Shewalewadi(Mhasoli), Tal - Karad, Dist - Satara	44.68 Crs.	Renewal	JD(WPC)	130 - 139	
<b>Fresh Agenda</b>						
1	Raheja Universal (Pvt) Ltd., Raheja Ridgewood, CTS No. 213A/1B, 215, 216 & 217 Village Goregaon off Western-Express Highway, Goregaon(East), Mumbai	275 Crs.	Establish (Amendment)	RO(HQ)	140 - 155	
2	Parakh Agro Industries Ltd., Sr. No. 16/4, 17/1, 17/2, 17/3A, 3B, 25/2B, 3A, 3B, Vill. - Devnhave, Tal - Khalapur, Dist - Raigad	48 Crs.	Establish	JD(WPC)	156 - 171	
3	Superior Drinkl Pvt. Ltd., (MIDC Botibori), B-15, B-220 & B-221, MIDC Butibori, Tal - Hingna, Dist - Nagpur	74.15 Crs.	Establish (Amendment)	JD(WPC)	172 - 195	
4	Shree Balaji Reality, "Ganga Florentine", S. No. 36(P), 28(P), Mohamadwadi, Taluka: Haveli, Pune	185.59 Crs.	Establish	RO(HQ)	196 - 208	
5	Shree Balaji Associates, "Ganga Haven", S. No. 12/1, 12/2+3, Dhanori, Pune	195.62 Crs.	Establish	RO(HQ)	209 - 219	
6	G.K. Assocites, "Rose E Mehar", S. No. 48 (4 to 10 Part), Village: Rahatani, Taluka: Haveli, Dist: Pune	87.61 Crs.	Establish	RO(HQ)	220 - 233	
7	Goodland Landmarks Pvt. Ltd., S. No. 1438, 39, 40,41,42,43,45,47,48,49,50,59, 61,62,63,64, 65,67,68,69,70,74,76,78,79,87 and 1525, 26,27,28,37,40,45,49,50, Village: Chakan, Tal. Khed, Dist: Pune	97 Crs.	Establish	RO(HQ)	234 - 245	
8	Goodwill Construction, "Goodwill Paradise", Plot No. 24, Sector 15, Kharghar, Navi Mumbai	81.81 Crs.	1st Operate	RO(HQ)	246 - 260	
9	Lodha Developers Ltd., Proposed IT & MCGM Car Parking Development at CTS No. 182A/1 of village Tungve, Taluka- Kurla Division, Powai, Mumbai	158.14 Crs.	1st Operate (Part)	RO(HQ)	261 - 272	

10	Sahyadri Specaility Hospital, Yerawada, Pune	35.31 Crs.	Operate	PSO	273 - 290	
11	Menon and Menon Ltd., F-3, Kagal Hatkangale, Dist - Kolhapur	74.59 Crs	Operate	JD(APC)	291 - 305	
12	Hinduja Healthcare Pvt. Ltd., Khar, Mumbai	122.76 Crs.	Operate	PSO	306 - 313	
13	Bioclean System (India) Pvt. Ltd., CBMWTSDF, Ahmednagar	27.69 lakh	Operate	PSO	314 - 325	
14	Shri Makai SSK Ltd., (Sugar), Bhilarwadi, Post - jinti, Tal - Karmala, Dist - Solapur	56.76 Crs.	Renewal	JD(WPC)	326 - 337	
15	Hinkal Limited, Plot No. A-18, MIDC Mahad, Dist- Raigad	26.80 Crs.	Renewal (with change in product mix)	AS(T)	338 - 351	
16	Exotech Zanini Industries Pvt Ltd., F-27, MIDC Ranjangaon, Pune	27.05 Crs	Renewal	JD(APC)	352 - 371	

	<b>Review Item</b>					
1	Ashar Realtors, S. No. 324A, Vill. Majiwade, Pokhran Road No. 2, Thane	_____	_____	RO(HQ)	372 - 398	
2	Agenda note for CC on the application of M/s Ishwar Reality & Technology Pvt. Ltd., to issue NOC to carry out site remediation and disposal of contaminated soil from the premises of M/s Clariant Ltd., Thane to CHWTSDF	_____	_____	RO(HQ)	399 - 419	
	JD(WPC)	7				
	AS(T)	3				
	RO(HQ)	8				
	JD(APC)	2				
	PSO	3				
	<b>Total</b>	<b>23</b>				

## CC- Resubmission Agenda

### Agenda no. 1

CC Resubmission Item –		
Region : Thane	Section : AS(T)	Date: /01/2015
Name & Address	M/s Medley Pharmaceuticals Ltd., Plot No. F-13, MIDC Tarapur, Tal. Palghar, Dist. Thane	
Consent for	Consent to Establish	
Capital Investment	Rs. 41.43 Crores	
Consent Valid upto	N.A.	
<b>Industry Type</b>	<b>Bulk Drug</b>	
<b>Industry Category</b>	<b>RED/LSI</b>	
<b>Compliance of Water Pollution Related Conditions</b>	<b>YES</b>	
	<b>Details:</b> Industry has proposed to provide collection tank, neutralization tank, primary settling tank, stripper, single stage evaporator, aeration tank, secondary settling tank, PSF, ACF, RO & MEE for the treatment of 24.25 CMD of industrial effluent. After treatment it will be reuse/recycled 100% in the process to achieve <b>zero discharge</b> .	
<b>Compliance of Air Pollution Related Conditions</b>	<b>Yes</b>	
	<b>Details:</b> Proposed to provide air pollution control systems like scrubbers etc. to control air emissions. Chimney of appropriate height will be provided to Boiler & D.G. Sets (600 KVA) as per Rule.	
<b>Water Cess</b>	<b>N.A.</b>	<b>Paid upto: N.A.</b>
<b>BG Details</b>	<b>Amount: Rs. 5.0 Lakh.</b>	<b>Validity- Upto 20/06/2015.</b>
	<b>BG obtained against: Compliance of conditions of interim directions dtd.17/06/14.</b>	
	<b>Details of BG forfeited/ enchased, if any: N.A.</b>	
<b>Submission of Environmental Statement</b>	<b>Period</b>	<b>N.A.</b>
<b>Other Relevant Information</b>	1.Industry has submitted application for grant of Consent to Establish for mfg. of 385 MT/M of 18 types of bulk drugs & pharmaceutical products.	

	<p>2. Industry has purchased plot from M/s Murablack India Ltd. by Auction from Hon'ble High Court.</p> <p>3. Case was discussed in CC meeting on 27/11/13 and it was decided to defer the case and put up in the next CC meeting.</p> <p>4. Agenda Note was resubmitted on 10/01/14 for placing the case in CC meeting. Case was not taken for discussion in CC and Hon'ble M.S. has instructed to keep the cases from MIDC Tarapur area in abeyance till receipt of recommendations from the Committee constituted for MIDC Tarapur area.</p> <p>5. Upon receipt of complaint dtd. 09/05/14 from Shri Ravindra Naik, field officer from SRO, Tarapur-I office have visited industry on 20/05/14 and observed that industry has constructed plant building, installed machinery and started R&amp;D activity without obtaining CtE&amp;O from the Board.</p> <p>6. R.O.(Thane) has issued <b>proposed directions</b> to the industry vide letter No. MPCB/ROT/PD/1291 dtd. 04/06/14 for above non-compliance. R.O.(Thane) has extended personal hearing to the industry on 17/06/14 and issued <b>interim directions</b> by imposing B.G. of Rs. 5.0 Lakh for compliance of the following conditions:</p> <ul style="list-style-type: none"> <li>i) Industry shall not take any effective steps for implementation of project unless obtaining Consent from M.P.C. Board and E.C. from the Env. Dept., GoM;</li> <li>ii) Industry shall submit supportive documents those substantiate their claim of not putting their mfg. plant into operation/ trial production/ commercial production within 15 days.</li> </ul> <p>7. Board's Committee constituted for Tarapur area had a meeting on 21/06/2014 and formulated policies for dealing CC/CAC cases from MIDC Tarapur area.</p> <p>8. Above policy was discussed in CC meeting on 27/06/2014, and it was decided to approve the same.</p> <p>9. Case was discussed in CC on 25/09/14 and it was decided that AST will take detailed presentation from PP, alongwith TAC and resubmit in next CC.</p> <p>10. Industry has presented their Zero discharge presentation in front of AST &amp; TAC on 12/11/14 and submitted design details, mass balance &amp; water balance on 01/12/14 in the Board.</p> <p>11. TAC on 31/12/14 has approved industry's Zero discharge proposal subject to its post commissioning performance evaluation by IIT, Bombay.</p>
<p><b>Recommendation of SRO/RO</b></p>	<p>RO recommended grant of Consent to Establish subject to zero discharge and obtaining prior Environmental Clearance.</p>

## Agenda no. 2

CC Resubmission Item –		
Region : Thane	Section : AS(T)	Date: /01/2015
Name & Address	M/s Aarti Industries Ltd., Plot No. E-50, MIDC Tarapur, Boisar,  Tal. Palghar, Dist. Thane-401 506.	
Consent for	Consent to Establish for expansion.	
Capital Investment	Total Rs. 74.80 Crores (Existing C.I. Rs.72.82 Crs. + Expansion Rs. 1.98 Crs.)	
Consent Valid upto	30/11/2015.	
<b>Industry Type</b>	<b>Bulk Drug</b>	
<b>Industry Category</b>	<b>RED/LSI</b>	
<b>Compliance of Water Pollution Related Conditions</b>	YES	
	<b>Details:</b>  <b>Existing ETP:</b> Industry has provided ETP consisting of collection tank (35 KI), neutralization tank (40 KI) and Double Effect Evaporator (25 CMD) to treat 16 CMD of industrial effluent followed by incinerator to incinerate concentrate.  Analysis results of JVS of treated effluent dtd. 28/02/14 shows that concentrations of all the parameters are within limits.  <b>Proposed:</b> Industry has proposed to increase capacity of collection tank by 40 KI, neutralization tank by 40 KI and Double Effect Evaporator (50 CMD) to take care of additional 56 CMD of industrial effluent that will be generated from proposed expansion.	
<b>Compliance of Air Pollution Related Conditions</b>	Yes	
	<b>Details :</b>  Chimney of appropriate height provided to D.G. Sets (500 & 625 KVA each) as per Rule.	
Water Cess	April 2013.	Paid upto: --
<b>BG Details</b>	<b>Amount: - Rs. 31 Lakh.</b>	<b>Validity- Upto 31/01/2015.</b>
	<b>BG obtained against: Compliance of Restart Directions.</b>	
	<b>Details of BG forfeited/ enchased, if any: N.A.</b>	
Submission of Environmental	Period	2011-12

Statement		
<p><b>Other Relevant Information</b></p>		<p>1.Existing industry has obtained Consent to Operate on 09/10/2012 for mfg. of 39 <u>Nos.of Bulk Drug products with the total production quantity of 14.10 MT/M with the validity upto 30/11/2015.</u></p> <p>2.Industry has submitted application for grant of Consent to Establish for expansion of existing plant on 01/06/13 for enhancing existing production capacity alongwith mfg. of additional 4 Nos. of products <u>with the total production quantity of 85.91 MT/M.</u></p> <p>3.Industry has proposed to install new Boiler of Capacity 3000 Kg/hr for steam generation for which 4.0 KI/day of F.O. will be used as a fuel. Existing Boiler of Capacity 1,600 Kg/hr will be kept as standby. Also, 800 Ltrs/day of HSD is proposed to be used as a fuel for Thermic Fluid Heater of capacity 2.0 Lac Kcal/hr.</p> <p>4.SRO in his processing report has mentioned that additional water of 29 CMD will be required for cooling/boiler purpose; 4.0 CMD will be required for domestic purpose and 70 CMD will be required for industrial process.</p> <p>5.Industry has proposed to increase capacity of collection tank from 35 KI to 75 KI, neutralization tank from 35 KI to 75 KI and Double Effect Evaporator from 25 CMD to 75 CMD to take care of additional 56 CMD of industrial effluent that will be generated from proposed expansion.</p> <p>6.Board has issued Closure Directions to the industry on 15/10/13 after observing non-compliances during recent survey of the Tarapur MIDC Area.</p> <p>7.Board has extended personal hearing to the industry on 31/10/13 and issued Conditional Directions to Restart Mfg. activities vide letter No. MPCB/AS(T)/TB/Dir/B-5001 dtd. 31/10/13.</p> <p>8.Case was discussed in CC meeting on 27/11/13 and it was decided to defer the case and put up in the next CC meeting.</p> <p>9.Agenda Note was resubmitted on 10/01/14 for placing the case in CC meeting. Case was not taken for discussion in CC and Hon'ble M.S. has instructed to keep the cases from MIDC Tarapur area in abeyance till receipt of recommendations from the Committee constituted for MIDC Tarapur area.</p> <p>10.Team of Officers from HQ visited the industry on 04/04/2014 for verification of the compliances of the conditions of the conditional directions and observed that industry had complied with all the conditions of the Restart Order dtd. 31/10/13.</p> <p>10.Board's Committee constituted for Tarapur area had a meeting on 21/06/2014 and formulated policies for dealing CC/CAC cases from MIDC Tarapur area.</p> <p>11.Above policy was discussed in CC meeting on 27/06/2014, and it was decided to approve the same.</p> <p>12.Case was discussed in CC on 25/09/14 and it was decided that AST will take</p>

	<p>detailed presentation from PP, alongwith TAC and resubmit in next CC.</p> <p>13.Industry has presented their Zero discharge presentation in front of AST &amp; TAC on 12/11/14 and submitted design details, mass balance &amp; water balance on 17/12/14 in the Board.</p> <p>14.TAC on 31/12/14 has approved industry's Zero discharge proposal subject to its post commissioning performance evaluation by IIT, Bombay.</p>
<b>Recommendation of SRO/RO</b>	RO recommended grant of Consent to Establish for proposed expansion subject to zero discharge and obtaining prior Environmental Clearance.

### Agenda no. 3

<b>Region :</b> RO Thane	<b>Section :</b> JD(WPC)		<b>Date :</b> 27.06.2014
<b>Name &amp; Address</b>	Siyaram Silk Mills Ltd.,Plot No.- G-1/1, MIDC Boisar -Tarapur,Tal.- Palghar, Dist.- Palghar.		
<b>Consent For</b>	Amendment in Consent for Expansion		
<b>Capital Investment</b>	04.68 Crs(Total C.146.97 Crs.)		
<b>Previous Consent Validity</b>	31/12/2016		
<b>Industry Type</b>	R84 Yarn/ textile processing involving any effluent/ emission		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details :-</b> Previous consented water consumption is 1000 CMD and now applied for 1300 CMD. Increase in water consumption is in Domestic -25 CMD, Cooling -75 CMD, and for Humidification – 200 CMD.		
<b>Compliance Of Air Pollution Related Conditions</b>	Multicyclone dust collector followed by Wet scrubber is provided to coal fired boiler.		
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :</b>	
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>	
	<b><u>BG Obtained against :</u></b>		
	<b><u>Details of BG forfeited/encashed , if any :</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2012-13	
<b>Other Relevant Information</b>	<p>As SRO reported that industry has proposed to carry out weaving activity in Air Condition and for this is need humidification, and for humidification water requirement is 200 CMD and no effluent will generate from this activity. However industry has proposed the increase in Domestic effluent by 25 CMD and the treatment facility provided for D.E is Spetic Tank. Board official visited the industry on 03.04.2014 and observed following;</p> <p>a. Industry is opting in staggered manner as per schedule circulated by TEPS – CETP.</p> <p>b. Water consumption is within consented limits as per water bills shown.</p>		

	<ul style="list-style-type: none"><li>c. Effluent discharge was in CETP drain.</li><li>d. O &amp; M of ETP was not satisfactory, i.e effluent in aeration tank was blackish and in septic condition.</li><li>e. Fuel pattern is as per consent.</li><li>f. During visit Wet Scrubber was not in operation.</li><li>g. H.W not sent to CHWTSDF in stipulated period and quantity is also less against consented quantity.</li><li>h. Flow meter, pH meter is provided, however separate energy meter to APCs is not installed.,</li><li>i. Lock &amp; key arrangement is not provided.</li></ul>
<b>Recommendation of SRO/RO</b>	RO recommended for refusal of consent.

## Agenda no. 4

Region : RO Pune	Section :RO(HQ)	SRO Date:- 17/07/2014 RO HQ Date:- 09/10/2014
Name & Address	<b>M/s. Sabio Eagle Realtors Pvt Ltd. "Balador",</b>  <b>S.No. 449/1, 455/2B/2, 457/2A, 457/2B, 458/1, 458/3, 460/1 Talegaon</b>  <b>Dabhade, Taluka Maval, Dist. Pune</b>	
Consent For	C to O (Part)	
Capital Investment	71.26 Cr	
Previous Consent Validity	COU	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )
	<b>Details :-Water Consumption;- 190.0 CMD, Effluent generated 147 CMD Provided STP capacity 150 CMD</b>	
Other Relevant Information	<ol style="list-style-type: none"> <li>1. PP has applied for <b>consent to 1<sup>st</sup> Operate (Part)</b></li> <li>2. The Residential project covering total area of around <b>73381.40 sq.mtrs</b> with total built up area of <b>29,407.72 sq mtrs</b></li> <li>3. PP has <b>obtained environment clearance</b> From GoM on 30/07/2013 and Consent to establish from Board on 10/01/2014 for same plot area.</li> <li>4. Applicant has completed construction of 8 buildings out of 10 buildings having BUA 26,044.99 sq.mtrs out of 29,407.72 sq.mtrs.</li> <li>5. At the time of establish applicant declared capital investment was 57.31 Cr. Now actual investment as per CA certificate is 71.26 Cr. Accordingly applicant paid Rs.50,000 on increase in investment.</li> <li>6. Total water consuming for this phase <b>190.0 m3/day</b> &amp; generating about <b>147.0 m3/day</b> of sewage, which PP has provided <b>STP of capacity 150 m3/day</b>, Treated <b>73.0 m3/day</b> waste water will be used for utilities.</li> <li>7. Applicant not provided facility for treatment of bio-degradable waste.</li> <li>8. <b>1 no. of DG</b> sets each having capacity of 75.0 KVA.</li> <li>9. Applicant has submitted BG of Rs 5 Lakhs as per consent to establish condition. Not submitted BR and BG of Rs 2 Lakhs for the same.</li> </ol>	

	<p>WE may issue SCN for non provision of MSW facility and Non submission of BR as per consent to Establish condition or We may consider consent to operate subject to</p> <ol style="list-style-type: none"><li>1) Provision of OWC within 3 Month and BG of Rs 3 Lakhs for the same</li><li>2) Double BG for BR and if not submitted within 15 days consent may be treatd as cancel. 3) BG of Rs 5 Lakhs for compliance of consent condition.</li></ol>
--	--

## Agenda no. 5

Region : SRO Bhandara		Section : J.D. (WPC)		Date : 05.01.2015.	
Name & Address		M/s. The Wainganga Sugar Power Ltd. , Villge-Devhada,Tq-Mohadi,Dist-Bhandara			
Consent For		Applied for renewal of consent for same production qty. with increase in C.I.			
Capital Investment		1) Previous consented C.I. of Rs. 46.71 Cr. 2) Enhanced C.I. of Rs. 14.93 Cr. (justification not given) 3) <b>Total C.I. of Rs. 61.64 Cr.</b>			
Previous Consent Validity		Valid upto: 31.07.2014.			
Industry Type		R74 Sugar (excluding Khandsari)			
Industry Category		Red/LSI.			
Compliance Of Water Pollution Related Conditions		YES			
		<b>Details :-</b> ETP comprising, O & G trap, screen chamber, equalization cum neut. Tank, aeration tank, clarifier, collection sump & SDB provided.			
Compliance Of Air Pollution Related Conditions		Wet scrubber provided to boiler.			
Water Cess		Assessment Done : ---		Paid Upto :---	
<b>BG Details</b>		A) <b>Amount :</b> Rs. 2.0/ Lakhs.		<b>Validity :</b> 24.05.2014.	
		B) <b>Amount :</b> Rs. 3.0/- Lakhs.		<b>Validity :</b> 31.01.2015.	
		C) <b>Amount :</b> Rs. 5.0/- Lakhs.		<b>Validity :</b> 31.01.2015.	
		D) <b>Amount :</b> Rs. 20.10/- Lakhs		<b>Validity:</b> Not submitted.	
		A) <b>BG Obtained against :</b> obtained against consent conditions dtd. 12.10.2013. B) <b>BG Obtained against:</b> interim direction dtd. 02.03.2013. C) <b>BG Obtained against:</b> consent conditions dtd. 12.02.2013. D) <b>BG Obtained against :</b> Consent dtd. 02.01.2014 (BG not submitted)			
		<b>Details of BG forfeited/encashed , if any :</b>			
Submission of Environmental Statement		Period		Not submitted.	

<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1) <u>C</u>rushing capacity of the unit is 1250 TCD.</li> <li>2) Industry has not reduced the waste water generation qty. to 100 liters per ton of cane crushed.</li> <li>3) Industry has provided wet scrubber to the boiler.</li> <li>4) 40, acres land available for disposal of treated effluent, which is adequate.</li> <li>5) Industry has covered the effluent collection system to avoid the ingress of bagasse &amp; other material.</li> </ol>										
<b>Recommendation of SRO/RO</b>	SRO recommended, renewal of consent may be granted after compliance of consent/ CREP conditions & submission of additional fees for increasing capital investment.										
<b>Re-submitted</b>	<p>The case of the industry was discussed in CC meeting on 05.11.2014 &amp; decided to issue SCN for non compliance of consent conditions. Accordingly SCN issued on 28.11.2014. Thereafter, industry has submitted reply on 03.12.2014 , which is received on 23.12.2014. The SRO also submitted the compliance report by mail on 24.12.2014 as follow.</p> <table border="1" data-bbox="528 936 1520 1760"> <thead> <tr> <th data-bbox="528 936 600 1032">Sr. No.</th> <th data-bbox="600 936 1018 1032">Non-compliance points</th> <th data-bbox="1018 936 1520 1032">Industry reply</th> </tr> </thead> <tbody> <tr> <td data-bbox="528 1032 600 1417">1</td> <td data-bbox="600 1032 1018 1417">You have not reduced the waste water generation quantity to 100 liters/ton of cane crushing as per CREP guidelines.</td> <td data-bbox="1018 1032 1520 1417">Already started recycling the waste water i.e. excess condensate in the sugar plant, thereby reducing waste water generation qty. less than 100 lit./tons of cane crushing as per CREP guidelines. And for measurement of waste water generation provided a flow meter at inlet of ETP.</td> </tr> <tr> <td data-bbox="528 1417 600 1760">2</td> <td data-bbox="600 1417 1018 1760">As per previous consent dated 02.01.2014, you have not submitted total Bank Guarantee of Rs. 20.10/- Lkajs.</td> <td data-bbox="1018 1417 1520 1760">Already submitted Bank Guarantee of Rs. 2+5+3 /- Lakhs, as per previous consent conditions &amp; I.D. and almost complied the major condition &amp; explained view regarding non-submission of additional Bank Guaranteed of Rs. 20.10/- Lkajs.</td> </tr> </tbody> </table> <p>Above compliance report submitted for information and further order please.</p>		Sr. No.	Non-compliance points	Industry reply	1	You have not reduced the waste water generation quantity to 100 liters/ton of cane crushing as per CREP guidelines.	Already started recycling the waste water i.e. excess condensate in the sugar plant, thereby reducing waste water generation qty. less than 100 lit./tons of cane crushing as per CREP guidelines. And for measurement of waste water generation provided a flow meter at inlet of ETP.	2	As per previous consent dated 02.01.2014, you have not submitted total Bank Guarantee of Rs. 20.10/- Lkajs.	Already submitted Bank Guarantee of Rs. 2+5+3 /- Lakhs, as per previous consent conditions & I.D. and almost complied the major condition & explained view regarding non-submission of additional Bank Guaranteed of Rs. 20.10/- Lkajs.
Sr. No.	Non-compliance points	Industry reply									
1	You have not reduced the waste water generation quantity to 100 liters/ton of cane crushing as per CREP guidelines.	Already started recycling the waste water i.e. excess condensate in the sugar plant, thereby reducing waste water generation qty. less than 100 lit./tons of cane crushing as per CREP guidelines. And for measurement of waste water generation provided a flow meter at inlet of ETP.									
2	As per previous consent dated 02.01.2014, you have not submitted total Bank Guarantee of Rs. 20.10/- Lkajs.	Already submitted Bank Guarantee of Rs. 2+5+3 /- Lakhs, as per previous consent conditions & I.D. and almost complied the major condition & explained view regarding non-submission of additional Bank Guaranteed of Rs. 20.10/- Lkajs.									

## Agenda no. 6

Region : SRO Pune I		Section : JD (WPC)		Date : 15.01.2015
Name & Address		M/s. Rajgad SSK Ltd. , Anantnagar-Nigade, Tal-Bhor, Dist- Pune.		
Consent For		Applied for- renewal of consent for same production qty. with increase in C.I.		
Capital Investment		Capital investment- a) Previous consented C.I. of Rs. 26.83 Cr. b) Enhanced C.I. of Rs. 11.81 Cr. (justification not given) c) <b>Total C.I. of Rs. 38.64 Cr.</b>		
Previous Consent Validity		<b>Previous consent detail-</b> Granted on 27.06.2013, valid upto: 31.07.2014. Crushing capacity- 1250 TCD.		
Industry Type		R74 Sugar (excluding Khandsari)		
Industry Category		Red/LSI.		
Compliance Of Water Pollution Related Conditions		YES		
		<b>Details :- ETP status-</b> ETP provided based on biological treatment. Total land of 20 hectors provided for disposal of treated effluent, which is adequate.  <b>JVS results-</b> dated 02.01.2014 exceeding the consented standards of BOD , COD & TDS.		
Compliance Of Air Pollution Related Conditions		<b>APC status-</b> Fly ash arrestor & dust collector provided (wet scrubber not provided).		
Water Cess		Assessment Done : --		Paid Upto :--
<b>BG Details</b>		<b>A) Amount :</b> Rs. 5.0/- Lakhs. <b>B) Amount :</b> Rs. 2.0/- Lkajs. <b>C) Amount :</b> Rs. 3.0/- Lakhs		<b>Validity :</b> Not submitted.  <b>Validity:-</b> Not submitted.

		<b>Validity:-</b> Not submitted.						
	<p><b>A) <u>BG Obtained against</u> :</b> O &amp; M of pollution control system,</p> <p><b>B) <u>BG Obtained against</u>:</b> Towards providing necessary arrangement to cover the effluent collection system to avoid the ingress of bagasses and other materials.</p> <p><b>C) <u>BG obtained against</u>:-</b> Towards provisions of necessary air pollution control system.</p>							
	<b><u>Details of BG forfeited/encashed , if any :</u></b>							
<b>Submission of Environmental Statement</b>	<b>Period</b>	Information not given.						
<b>Other Relevant Information</b>	<p><b>JVS results-</b> dated 02.01.2014 exceeding the consented standards of BOD , COD &amp; TDS.</p> <p>Wet scrubber not provided to the boiler.</p> <p>.</p> <p>Total land of 20 hectores provided for disposal of treated effluent, which is adequate.</p>							
<b>Recommendation of SRO/RO</b>	SRO recommended- consent may be granted subject to issue directions as per BG regime with appropriate BG. If approved.							
<b>Re-submitted</b>	<p>The case of the industry was discussed in CC meeting on 24.11.2014 &amp; decided to issue SCN for non compliance of consent conditions. Accordingly SCN issued on 04.12.2014. Thereafter, SRO has submitted compliance report by mail on 14.01.2015, which is as follow.</p> <table border="1"> <thead> <tr> <th>Sr.No.</th> <th>Non-compliance points</th> <th>Industry reply</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><b>The industry shall reduce waste water generation to 100 liters per ton of cane crushed.</b></td> <td>Industry has provided cooling tower for hot water reutilization for process and reduce waste water generation with alternate solution. But the 100 liters/ T of cane crushed not achieved.</td> </tr> </tbody> </table>		Sr.No.	Non-compliance points	Industry reply	1	<b>The industry shall reduce waste water generation to 100 liters per ton of cane crushed.</b>	Industry has provided cooling tower for hot water reutilization for process and reduce waste water generation with alternate solution. But the 100 liters/ T of cane crushed not achieved.
Sr.No.	Non-compliance points	Industry reply						
1	<b>The industry shall reduce waste water generation to 100 liters per ton of cane crushed.</b>	Industry has provided cooling tower for hot water reutilization for process and reduce waste water generation with alternate solution. But the 100 liters/ T of cane crushed not achieved.						

	2	<b>You are not meeting with the consent standards &amp; not submitted proposal for ETP up-gradation or commitment towards improvement in O &amp; M so as to meet the consented standards.</b>	Now, the industry has submitted the up gradation proposal of ETP. (Copy enclosed.) But the Practical progress is not observed.
	3	<b>Industry shall provide necessary arrangement to cover the effluent collection system to avoid the ingress of bagasse and other materials.</b>	<b>Industry has covered the effluent collection system to avoid the ingress of bagasse and other materials.</b>
	4	<b>Industry shall upgraded the exiting Air pollution control system by providing adequate stack height &amp; by providing ESP/Bag filters/Wet scrubber as per CREP conditions.</b>	Industry has provided Dust collector & fly ash arrestor as APC & Proposed to provide wet scrubber but practical progress is Nil.
	5	<b>Not submitted additional fees towards increase in capital investment. As per previous consent dated 27.06.2013 not submitted total Bank Guarantees of Rs. 10.00/- Lakhs.</b>	Industry has not submitted additional fees towards increase in capital investment. Also, not submitted Bank Guarantee of  Rs.10.00/- Lakhs.
	Submitted for further order please		

## **Agenda no. 7**

<b>Region : SRO Satara</b>		<b>Section : JD (WPC)</b>		<b>Date : 20.11.2014</b>	
<b>Name &amp; Address</b>		M/s. Kumuda Sugar & Agro Products Ltd. , Unit No-3, At- Shewalewadi (Mhasoli), Tal-Karad, Dist. Satara.			
<b>Consent For</b>		Applied for renewal of consent with same production qty. Crushing capacity of sugar unit is 2500 TCD.			
<b>Capital Investment</b>		Rs. 44.68 Cr.			
<b>Previous Consent Validity</b>		Previous consent details-granted on 26.08. 2014 valid upto: 30.08.2014			
<b>Industry Type</b>		R74 Sugar (excluding Khandsari)			
<b>Industry Category</b>		Red/LSI			
<b>Compliance Of Water Pollution Related Conditions</b>		<b>YES</b>			
		<b>Details :-</b> ETP comprising Bar screen, oil & grease trap, equalization, primary clarifier, Aeration tank, secondary clarifier, treated sump, Holding tank, sand filter & SDB provided. 75 acres land available for disposal of treated effluent.			
<b>Compliance Of Air Pollution Related Conditions</b>		Multi Cyclone type fly ash arrester & in house made wet scrubber provided ( not designed in well engineering manner).			
<b>Water Cess</b>		<b>Assessment Done : done</b>		<b>Paid Upto : Nov. 2012</b>	
<b><u>BG Details</u></b>		As per Previous consent dtd. 31.12.2013 valid up to: 31.12.2013.industry has submitted following BG.			
		<b>A ) <u>Amount :</u> Rs. 5.0/- Lakhs</b>		<b><u>Validity :</u> 26.04.2015</b>	
		<b>B) <u>Amount :</u> Rs. 2.0/- Lkajs.</b>		<b><u>Validity:</u> 26.04.2015.</b>	
		<b>C ) <u>Amount :</u> Rs. 4.0/- Lkajs.</b>		<b><u>Validity:</u> 26.04.2015</b>	

	D) <b>Amount :</b> Rs.21.10/- Lkajs.	<b>Validity:</b> Not submitted.	
	As consent dated 26.08.2014 valid upto: 30.08.2014 Bank Guarantee of <b>Rs. 21.10/- Lakhs not submitted.</b>		
	A) <b>BG Obtained against :</b> O & M of ETP & air pollution control system. B) <b>BG Obtained against :</b> Providing necessary arrangement to cover the effluent collection system. C) <b>BG Obtained against :</b> Towards the compliance of CREP norms.		
	<b>Details of BG forfeited/encashed , if any :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	September 2014.	
<b>Other Relevant Information</b>	1) 75, acres land available for disposal of treated effluent which is adequate.. 2) Multi Cyclone type fly ash arrester & in house made wet scrubber provided ( not designed in well engineering manner). 3) Crushing capacity of sugar unit is 2500 TCD. 4) Industry has provided wire mesh on gutter to avoid ingress of bagasse. 5) At inlet of ETP digital flow meter not provided. 6) Industry has reduced waste water generation 100 liter per ton of cane crushed.		
<b>Recommendation of SRO/RO</b>	Decision regarding grant of consent may be taken at HQ level.		
<b>Re-submission</b>	The case of the industry was discussed in <b>CC meeting on 27.11.2014</b> & decided to issue SCN for refusal of consent. Accordingly SCN issued on 04.12.2014. <b>Thereafter, industry has submitted reply/compliance by mail on 18.12.2014, which is given in below table.</b>		
	Sr.No.	Non-compliance points	Industry reply
	1	You are not meeting with the consent standards & not submitted proposal for ETP up-	We have provided effluent treatment plant based on activated sludge process. We

		gradation or commitment towards improvement in O & M so as to meet the consented standards.	have also taken up measures for reduction of water consumption and now we are installing the new air diffuser to aeration tank so as to meet CREP norms.
	2	Industry shall upgrade the existing Air pollution control system by providing adequate stack height & by providing ESP/Bag filters/Wet scrubber as per CREP conditions.	Next season management decided 10 MW Co-generation plant at that time we are increasing the height of stack and also we will be providing ESP to the boiler so as to meet CREP norms.
	3	Industry shall submit plan for utilization of fly ash & bottom ash as per fly ash Notification	We have producing 6 MT fly ash in the season. Produced fly ash sent to bricks manufactures and land filling.
	4	As per previous consent dated 26.08.2014 not submitted Total Bank Guarantees of Rs. 21.10/- Lakhs.	Due to financial problem we could not submitted the Bank Guarantees of Rs. 21.10/- Lakhs.
Above compliance report submitted for information and further order please.			

## CC-Fresh Agenda

### Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt :04/09/2014 Ro (HQ) Date of receipt :- 22/12/2014		
Name & Address	M/s Raheja Universal (Pvt) Ltd., Raheja Ridgewood,  CTS No. 213A/1B, 215, 216, & 217 Village Goregaon off Western-Express Highway, Goregaon (East) Mumbai			
Consent For	Amendment in C to E			
Capital Investment	275.0 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption:-217.0 CMD, Effluent generated:-168.0 CMD. STP Proposed of Capacity :-175.0CMD			
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	11,921.20 sq.m	Built up area	59,851.38 sq.mt
	EC Status	Obtained	Dated	14/07/2014
	CRZ	No	RRZ	No.
	Water Consumption	217.0 CMD	Effluent Generated	168.0 CMD
	STP Capacity	175.0 CMD	Recycle water	128.0 CMD
	Bio-degradable	313.0 Kg/D	Treatment	OWC
	Non-Boi degradable	487.0 Kg/D	Treatment	Local Body
	No of DG Sets	4	Capacity	500 KVA each
	Construction status	Started	Date of Visit	11/09/2014

	<ul style="list-style-type: none"> <li>• <b>PP has applied for amendment in consent to establish. PP has obtained earlier consent to establish for commercial project on 02/06/2011 for CI 350 Cr. Now PP has change plan and accordingly obtained Environment Clearance on 14/07/2014. Capital investment decrease from 350 Cr To 275 Cr. Accordingly fees paid.</b></li> <li>• <b>In view of above PP has obtained Environment Clearance for commercial to Residential project. We may consider Amendment in Consent to Establish as PP has paid fees of Rs 5,50,000.0</b></li> </ul>
<b>Recommendation of SRO/RO</b>	<p>Now Pp has proposed to construct enhanced construction area and accordingly submitted this application for grant of amendment in consent to establish for the enhanced construction area as per the Revised EC dated 14 July 2014. In view of the above facts an application may be considered for grant of amendment in consent to establish.</p>

## **Agenda no. 2**

<b>Region : SRO Raigad I</b>	<b>Section : JD (WPC)</b>		<b>Date :</b>
<b>Name &amp; Address</b>	M/s. Parakh Agro Industries Ltd, Sr. No. 16/4, 17/1, 17/2, 17/3A, 3B , 25/2B, 3A, 3B Vill - Devnhave, Tal – Khalapur, Dist – Raigad.		
<b>Consent For</b>	C to E		
<b>Capital Investment</b>	48.00 Cr.		
<b>Previous Consent Validity</b>	C to E		
<b>Industry Type</b>	R – 83 Edible Oil refinery		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details :-</b>		
<b>Water Cess</b>	<b>Assessment Done : C to E</b>		<b>Paid Up to :</b>
<b><u>BG Details</u></b>	<b><u>Amount :</u></b>		<b><u>Validity :</u></b>
	<b><u>BG Obtained against : C to E</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	C to E	
<b>Other Relevant Information</b>	<ul style="list-style-type: none"> <li>• Proposed zero discharge for IE</li> <li>• APC – proposed to install dust collector to 31 m chimney attached to Boiler and 22 m chimney attached to Thermosyphon system.</li> <li>• Membership of CHWTSDF is proposed.</li> </ul> <p><b>Resubmitted</b></p> <ul style="list-style-type: none"> <li>• Case was discussed in CC Meeting dt. 24.11.2014 and It was decided to keep the case in abeyance and put up in next CC after calling PP for hearing.</li> <li>• Personal hearing was conducted dt. 30.12.2014</li> <li>• PP has asked to submit detailed information reg. RO and MEE.</li> <li>• PP has submitted details of RO and MEE dt. 01.01.2014</li> </ul>		
<b>Recommendation of SRO/ RO</b>	SRO recommendation consent to establish		

### Agenda no. 3

Region : SRO Nagpur II		Section : JD (WPC)		Date : 11.12.2014		
Name & Address		M/s. Superior Drinks Pvt Ltd (MIDC Butibori) , B-15, B-220 & B-221, MIDC Butibori, Tal- Hingna Dist- Nagpur				
Consent For		Applied for- amendment in C to E consent grant on 16.09.2014, to increase the effluent generation qty				
Capital Investment		Capital investment: 74.15 Cr.				
Previous Consent Validity		<p><b>Previous consent details:</b> Granted on 16.09.2014 valid upto: Commissioning of the unit. <b>Applied for amendment to increase effluent qty.</b></p> <p>a) I.E. generation qty.- 467 CMD</p> <p>b) D.E. generation qty. 10 CMD.</p> <p>SRO reported that while submitting application for C to E industry has submitted wrong water budget calculation, now submitted corrected water budget &amp; actual effluent generation qty. and applied for correcting the effluent generation qty. i.e of <b>467 CMD instead of 164 CMD.</b></p>				
Industry Type		R51 Non alcoholic beverage (soft drink) & bottling of alcoholic/				
Industry Category		Red/LSI				
Compliance Of Water Pollution Related Conditions		YES	Effl. Qty.	Previous qty.	present qty.	Total qty.
			I.E.	164	303	467.00 CMD
			D.E.	20.	10	10.00 CMD
		<p><b>Details :- ETP status:</b> primary &amp; secondary treatment provided. <b>From 467.4 CMD</b> effluent qty., 179 will send to CETP Butibori after treatment and 168.4 CMD effluent will be used for land for gardening/irrigation and remaining 120 CMD effluent will be re-used / utilizes for cooling tower, flushing etc.</p>				
Water Cess		Assessment Done :--		Paid Upto :--		
<b>BG Details</b>		<b>Amount : --</b>		<b>Validity :---</b>		
		<b>BG Obtained against :</b>				
		<b>Details of BG forfeited/encashed , if any :</b>				

<b>Submission of Environmental Statement</b>	<b>Period</b>	---
<b>Other Relevant Information</b>	<p><b>Previously, application of the said industry was discussed in CC meeting on 26.08.2014 &amp; it was decided to grant consent to establish by imposing following conditions.</b></p> <ul style="list-style-type: none"> <li>(i) Industry shall utilize treated effluent in their premises until CETP capacity is increased.</li> <li>(ii) Industry shall submit Bank Guarantee of Rs. 5.0/- Lakhs towards compliance of consent conditions.</li> <li>(iii) C to O only will be issued only after confirmation of adequate capacity of CETP and cessation of operations at Hinga.</li> </ul> <p><b>Accordingly, by imposing above conditions consent of the industry was granted on 16.09.2014.</b></p>	
<b>Recommendation of SRO/RO</b>	SRO recommended case forwarded for further orders in amendment	

## Agenda no. 4

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:-18/09/2014 Ro (HQ) Date of receipt:- 12/12/2014		
Name & Address	M/s. Shree Balaji Reality, "Ganga Florentina", S.No. 36(P), 28(P), Mohamadwadi, Taluk Haveli, Pune.			
Consent For	C to E			
Capital Investment	185.59 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption: 473.0 CMD, Effluent generated 426 CMD. STP Proposed of Capacity :450 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	73200.0 sq.m	Built up area	136900.0 sq.mt
	EC Status	Applied	Dated	15/03/2012
	River Distance	6.5 Km	Name of River	Mula-Mutha A-IV
	Water Consumption	473.0 CMD	Effluent Generated	426.0 CMD
	STP Capacity	450 CMD	Recycle water	170.0 CMD
	Bio-degradable	1499.0 Kg/D	Treatment	OWC
	Non-Boi degradable	920.0 Kg/D	Treatment	Local Body
	No of DG Sets	1	Capacity KVA	160
	Construction status	<b>Stopped</b>	Date of Visit	28/11/2014
	<ul style="list-style-type: none"> <li>Applicant has started construction activity as per corporation sanction plant. Environment Department has issued direction and as per direction of Environment department Board has filed Court case.</li> </ul>			

	<ul style="list-style-type: none"><li>• At present applicant has stopped construction activity same was confirmed during visit.</li><li>• In view of above we consider consent to establish with BG + BR + not to take any effective step affidavit &amp; BG for the same.</li></ul>
<b>Recommendation of SRO/RO</b>	<b>Proponent has stopped the construction activity in view of above decision of granting consent to establish may be taken with opinion of legal wing.</b>

## Agenda no. 5

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:-17/10/2014 Ro (HQ) Date of receipt:- 12/12/2014		
Name & Address	M/s. Shree Balaji Associates, " Ganga Haven", S.No.12/1, 12/2+3, Dhanori, Pune			
Consent For	C to E			
Capital Investment	195.62 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption: 506.0 CMD, Effluent generated 426.0 CMD. STP Proposed of Capacity : 435 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	54,975.0 sq.m	Built up area	79965.80 sq.mt
	EC Status	Obtained	Dated	29/09/2014
	River Distance	4.6 Km	Name of River	Mula A-II
	Water Consumption	506.0 CMD	Effluent Generated	426.0 CMD
	STP Capacity	435 CMD	Recycle water	224 CMD
	Bio-degradable	963.30 Kg/D	Treatment	OWC
	Non-Boi degradable	591.50 Kg/D	Treatment	Local Body
	No of DG Sets	2	Capacity KVA	125
	Construction status	Not started	Date of Visit	29/11/2014

	<ul style="list-style-type: none"><li>• Applicant has obtained environment Clearance, Not started construction activity, satisfies RRZ.</li><li>• In view of above we consider consent to establish with BG for compliance of consent condition.</li></ul>
<b>Recommendation of SRO/RO</b>	<b>Proponent has not started construction activity in view of above consent to establish may be granted, if approved</b>

## Agenda no. 6

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt :- 27/11/2014 Ro (HQ) Date of receipt :- 20/12/2014		
Name & Address	M/s G. K. Associates "Rose E Mehar"  S. No. 48 (4 To 10 Part), Village : Rahatani,  Taluka : Haveli, Dist : Pune			
Consent For	C to E			
Capital Investment	87.61 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption:-215.99 CMD, Effluent generated:-187.85 CMD. STP Proposed of Capacity :-190.0 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>		
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	8600.0 sq.m	Built up area	24608.97 sq.mt
	EC Status	Applied	Dated	25/03/2014
	River Distance	2.0 Km	Name of River	Pawana (A-IV)
	Water Consumption	215.99 CMD	Effluent Generated	187.85 CMD
	STP Capacity	190.0 CMD	Recycle water	72.37 CMD
			Excess treated	115.48 CMD
	Bio-degradable	430.50 Kg/D	Treatment	OWC
	Non-Boi degradable	295.75 Kg/D	Treatment	Local Body

	<b>No of DG Sets</b>	1	<b>Capacity</b>	160.0 KVA
	<b>Construction status</b>	<b>Not Started</b>	<b>Date of Visit</b>	09/12/2014
	<p><b>PP applied for consent to Establish, Not started construction activity, satisfy RRZ criteria, Applied For EC, SEAC-III minutes attached with application.</b></p> <p><b>In view of above we may consider consent to establish with BG of Rs 5 Lakhs and not to take any effective step affidavit.</b></p>			
<b>Recommendation of SRO/RO</b>	Remarks and Report of FO please may be seen, Consent to Establish may be granted with condition of EC & Sanction lay out from PCMC.			

## Agenda no. 7

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt :- 27/11/2014 Ro (HQ) Date of receipt :- 20/12/2014		
Name & Address	<p>M/s Goodland Landmarks Pvt. Ltd.</p> <p>S.No. 1438,39,40,41,42,43,45,47,48,49,50,59,61,62,63,6465, 66,67,68,69,70,74,76,78,79,87 and 1525,26,27,28,37,40,45,49,50</p> <p>Village : Chakan, Tal : Khed, Dist : Pune</p>			
Consent For	C to E			
Capital Investment	97.00 Crore			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	Details :-Water Consumption:-975.0 CMD, Effluent generated:-780.0 CMD. STP Proposed of Capacity :-780.0 CMD			
Water Cess	Assessment Done :-	Paid Upto :		
<b>BG Details</b>	<b>Amount :</b>	<b>Validity :</b>		
Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	57725.0.0 sq.m	Built up area	77331.0 sq.mt
	EC Status	Applied	Dated	06.08.2014
	River Distance	4.0Km	Name of River	Indrayani (A-II)
	Water Consumption	975.0 CMD	Effluent Generated	780.0 CMD
	STP Capacity	780.0 CMD	Recycle water	372.0 CMD
			Excess treated	312.0 CMD
	Bio-degradable	2167.0 Kg/D	Treatment	OWC

	<b>Non-Boi degradable</b>	1445.0 Kg/D	<b>Treatment</b>	Local Body
	<b>No of DG Sets</b>	2	<b>Capacity</b>	500 & 100 KVA
	<b>Construction status</b>	Not Started	<b>Date of Visit</b>	17/12/2014
	<p><b>PP has not started construction activity applied for EC, site located about 4.0Km from Indrayani River, in view of above we may consider consent to Establish subject to BG and not to take any effective step affidavit and BG for the same.</b></p>			
<b>Recommendation of SRO/RO</b>	<p>PP has applied for NA permission from SDM Khed office &amp; Town planning Authority, NA permission is awaited and hence we may considered and decided accordingly.</p>			

## Agenda no. 8

Region Raigad	Section : RO(HQ)	SRO Date of receipt:- 11/09/2014 Ro (HQ) Date of receipt:- 17/10/2014		
Name & Address	M/s. Goodwill Construction, "Goodwill Paradise" Plot No. 24, Sector 15, Kharghar, Navi Mumbai.			
Consent For	C to O			
Capital Investment	Rs. 81.81 Crs.			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )		
	<b>Details :-</b> Water Consumption :- 210.00 CMD , Effluent Generated :- 146.00 CMD, Provided STP Capacity :- 160.00 CMD			
Water Cess	Assessment Done :- ---	Paid Upto : ---		
<u>BG Details</u>	<u>Amount</u> : Rs.- 5.00 Lkah	<u>Validity</u> : 16.09.2013		
	<u>BG Obtained against:</u> Consent Conditions			
	<u>Details of BG forfeited/encashed, if any :</u>			
Other Relevant Information	Application for grant of Consent to Operate for construction of residential cum commercial building project.			
	<b>Applied for</b>	Consent to Operate	Residential Cum Commercial Project	
	<b>Plot Area</b>	12,686.00 sq.m	<b>Built up area</b>	44,875.034 sq.m
	<b>EC Status</b>	Obtained from GOM	<b>Dated</b>	07/06/2011
	<b>Plot Area</b>	12,686.00 sq.m	<b>Built up area</b>	44,875.034 sq.m
	<b>Previous Consent</b>	C to E	<b>Dated</b>	07/09/2011
	<b>Plot Area</b>	12,686 sq.m	<b>Built up area</b>	44,875 sq.m

	<b>Bio-degradable</b>	335.55 Kg/D		<b>Treatment</b>	OWC
	<b>Non-Bio degradable</b>	242.95 Kg/D		<b>Treatment</b>	Will be given to authorized party.
	<b>STP Sludge</b>	38 Kg/D			Used as manure
	<b>No of DG Sets</b>	1no.		<b>Capacity</b>	500 KVA
	<b>Construction status</b>	<b>Completed</b>		<b>Date of Visit</b>	29/09/2014
Recommendation of SRO/RO	<b>SRO Raigad – I</b> reported that PP has submitted BG of Rs. 5.00 lakhs which expired on 16/09/2013.				

## Agenda no. 9

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt :- 20/11/2014 Ro (HQ) Date of receipt :- 17/12/2014
Name & Address	M/s. Lodha Developers Ltd.  Proposed IT & MCGM Car Parking Development at CTS No 182A/1 of Village Tungve Taluka Kurla Division, Powai, Mumbai.	
Consent For	Part C to O	
Capital Investment	158.14 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ( )	NO ( )
	Details :-Water Consumption:-70.0 CMD, Effluent generated:-56.0 CMD. STP Proposed of Capacity :-60.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :
<u>BG Details</u>	<u>Amount :</u>	<u>Validity :</u>
Other Relevant Information	<ol style="list-style-type: none"> <li>1) PP has applied for consent to operate for part for MCGM Car parking</li> <li>2) PP has Obtained Consent to establish in the name of Shripal Reality Pvt. Ltd, on 28/05/2012 for plot area 6,085.50sq.mtrs and total BUA 33,922.98sq.mtrs.</li> <li>3) PP has obtained Environment Clearance on 18<sup>th</sup> September 2012, for same plot area and BUA for one IT Building with MCGM Car parking.</li> <li>4) PP has completed construction of MCGM Car Parking having area (9032 sq.mtrs).</li> <li>5) Site visited by SRO 09/12/2014 it was observed that construction work of parking area completed and remaining work under progress.</li> <li>6) Civil work of STP completed.</li> <li>7) At the time of Consent to Establish PP has declared CI 95.0Cr and now applied with CI 158.14Cr.</li> <li>8) In view of above PP has obtained EC, we may consider part consent to Operate for MCGM Car Parking area with difference fees on Establish.</li> </ol>	
Recommendation of SRO/RO	Obtained EC, an application for part Consent to Operate Covering MCP/MCGM car parking area of 9032sq.mtrs may be considered.	

# Agenda no. 10

## Statement of Combined Consent and BMW Authorization application for CC meeting

Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)	Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/ Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G.Status	Non Compliance -JVS (ETP/Stack)	
											RRZ	DE (CMD)										Others (CMD)
											CRZ	IE (CMD)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
1	Sahyadri Speciality Hospital, Yerawada, Pune	Applied for BMW authorization	Hospital 130 35.31 crore	31.03.2015	Private	15,100/- for BMW authorization and 1,50,100/- for BMW Consent	Mar-13 First time applied First time applied	9236.25	10,877.69	Not applicable	Not applicable Not applicable	5.85	NA	Provided STP of capacity 80.0 m <sup>3</sup> /day	500 KVA 250 KVA	Diesel	Stack 3.0 mtrs Stack 3.0 mtrs	NA	Passco Environmental Solution pvt. Ltd., Pune	NM	NM	
Remarks		<p>1) As directed by M.S. personal hearing was extended to this hospital on 10.11.2014.</p> <p>2) Accordingly, the hospital authority vide email dated 07.01.2015 has submitted reply alongwith the copy of C.A. certificate dated 02.12.2014 stating that as per teh index -II, dated 05.02.2011 the market value of land at S.No. 15A, 199, 200A, 200B, 201 at Shastrinagar, Yerwada, Pune of 4439.11 sq .mt is Rs. 6,08,16,000.</p> <p>3) Leave and License agreement copy dated - 06.09.2011 is enclosed.</p> <p>4) In the letter dated - 10.09.2010 the applicant has mentioned Total Plot Area - 9236.25 sq. mtrs.and BUA is 10877.69 sq. mtrs. needs to be clarified by the hospital authority.</p> <p>5) The date of commisioning of the said hospital is since 13.03.2013</p> <p>6) It is necessary to obtain fee for C to E and C to O incoturminus with BMW authorization i.e. from 13.03.2013 to 13.03.2016.</p> <p>7) The above cost of land submitted by the applicant opinion inrespect of calculating additional fee for consent is required from CAO, MPCB</p>																				
Recommendations		Place before CC for decision inrespect of granting CCA to this hospital for aperiod upto 13.03.2016 on obtaining above required documents.																				

## Agenda no. 11

Region : SRO Kolhapur	Section : JD APC		Date :
Name & Address	Menon And Menon Limited , Plot No-F-3, Kagal Hatknangle MIDC Tal-Kagal		
Consent For	CO		
Capital Investment	7459 Lacs		
Previous Consent Validity	Upto commissioning of Unit		
Industry Type	R35 Foundry operations		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- Provided STP for Domestic effluent and Indl effluent is NIL		
Compliance Of Air Pollution Related Conditions	Yes		
	Details:- Fume extraction system followed by cyclone dust collector and bag filters. Sand plant provided with dust collector.		
Water Cess	Assessment Done :NA	Paid Upto :NA	
<b>BG Details</b>	<b><u>Amount : Rs. 2.0 lacs</u></b>	<b><u>Validity :28/6/2015</u></b>	
	<b><u>BG Obtained against : Submission of certificate for capacity verification</u></b>		
	<b><u>Details of BG forfeited/encashed , if any :NA</u></b>		
Submission of Environmental Statement	Period	--	
Other Relevant Information	Applied for consent to operate for the product of CI Casting2416 MT/M without fettling & painting activity. Obtained consent to Establish for the product with fettling & painting activity and same quantity. CI is Rs. 74.59 crs and earlier it was declared as Rs. 97.88 crs. The decrease in CI is due to non provision of fettling & painting activity.		
Recommendation of SRO/RO	Grant of consent to operate		

## Agenda no. 12

Statement of Combined Consent and BMW Authorization application for CC meeting																					
Sr. No.	Name of HCEs & address	BMW Authorisation validity	Type	BNH Cert. Validity	Govt/ Private	Fees paid (Rs.)	Dt. of Commissioning (MM/YY)	Total Plot area (m2)	Total builtup area (m2)	Env. Clearance Applicable (Y/No)	Applicability (Y/No)	Water budget (Y/N/ Inadequate)	Cess Paid till Dt. (MM/YY)	ETP/STP (Y/N/ Inadequate) CMD,	DG Set/Boiler(s) (KVA or TPH)	Fuel & Qty. (KLD)	APCD (Y/N/)	Member HW Facility (Y/N/NA)	Member CBMWF/ Captive	B.G.Status	Non Compliance -JVS (ETP/Stack)
											RRZ	DE (CMD)									
											CRZ	IE (CMD)									
											Others (CMD)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	Hinduja Healthcare pvt. Ltd., Khar, Mumbai	31.08.2013	Hospital 110 122.76 crore	Not enclosed	Private	15,000/- for BMW authorization and 2,45,522/- for BMW Consent	Jul-11 NM First time applied	2325	670.00	NM	NM NM NM	13	NA	Proposed to provide STP of capacity 25.0 m3/day	500 KVA	NM	NM	NA	SMS Envoclean Pvt. Ltd, Mumbai	NM	NM
	Remarks	1) Capital Investment certified by C.A.including cost of land is required in prescribed format. 2) Consent fees is required as per the C.I. from 04.06.2012 to 04.06.2016 alongwith D.R. receipt. 3) valid copy of Bombay Nursing Home Act, is required. 4) Self attested undertaking for non applicability of EC, CRZ and RRZ poicy is required. 5) Type and quantity of fuel used for D.G.is required. 6) Seperate water budget including consumption and effluent generation is required 7) D.R. receipt of the BMW authorization fees paid is required. 8) Membership copy of SMS Envoclean, CBMWTSDF, Mumbai is required. 9) BMW Annual Report for the year 2013 and 2014 certified by the facility operator is required.																			
	Recommendations	Place before CC for decision in respect of granting CCA to this hospital for a period upto 04.06.2016 on obtaining above required documents.																			

## Agenda no. 13

<b>CC Item</b>		
<b>Region :Nashik   Section : PSO</b>		<b>Date :-</b>
<b>Name &amp; Address</b>	M/s. Bioclean System (India) Pvt. Ltd, CBMWTSDF, Ahmednagar	
<b>Consent for</b>	Fresh application for C to O for Common Biomedical Waste treatment and disposal facility.	
<b>Capital Investment</b>	Rs. (27.69 lakhs) C.A. certificate including land cost is not enclosed	
<b>Consent /BMW authorization valid upto</b>	BMW authorization from Board valid upto 31.08.2014.	
<b>Industry Type</b>	RED/R-14	
<b>Compliance of Water Pollution Related Conditions</b>	<b>Details:-</b> ETP is provided	
<b>Water Cess</b>	<b>Assessment Done: --</b>	<b>Fees Paid for</b> Consent- Rs. 7,500/- for 5 years. BMW Authorization- Rs. 52,500/- for 2 years
<b>Submission of Environmental Statement</b>	--	
<b>Compliance of Air Pollution Related Conditions</b>	<b>Details: -</b> Scrubber and stack of 30 mtrs. height	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. This is a fresh application for obtaining Consent to Operate and renewal of BMW authorization of CBMWTSDF for Ahmednagar District.</li> <li>2. They have applied for C to O on 27.09.2014 and for BMW Authorization on 20.08.2014 to SRO, Ahmednagar, which was forwarded and received at H.Q. on 20.11.2014, <b>C-3 &amp; 63 &amp; NS-1</b>.</li> <li>3. They have provided CBMW Facility at Survey No. 34, near Municipal Solid Waste Dump, Gurudgaon, Ahmednagar on the land provided by Municipal Corporation, Ahmednagar.</li> <li>4. Capital investment certified by C.A. on 05.08.2014 is Rs.27.69 Lakh, in which land cost is not mentioned, C-106. Hence, cost of land from the owner is required.</li> <li>5. They have paid Consent fee of Rs. 7,500/- for 5 years period, i.e. from 04.06.2012 to 04.06.2017, based on the above mentioned</li> </ol>	

capital investment, **C-63**.

6. Previous BMW authorization granted by Board was valid upto 31.08.2014, **C-14**.
7. Now they have paid Consent fee of Rs. 52,500/- for a period upto 31.08.2017, **C-3**.
8. The commissioning of the facility was since 12<sup>th</sup> April, 2003, **C-64**.
9. The total plot area of the facility is 1000 sq. mtrs. and built up area is 191.01 sq. mtrs, **C-64**.
10. They have provided D.G. set of capacity of 62.5 KVA, diesel is used as fuel, i.e. 8 lit./hr followed by stack of 3 mtrs. height, **C-66**.
11. They have enclosed the copy of agreement alongwith Ahmednagar Municipal Corporation, dtd. 17.06.2004 stating that they have been allotted the said facility on BOT basis which is valid for 15 years, i.e. from 22.07.2003 to 21.07.2018, **C- 17 to 22**.
12. They have provided Double Chamber Incinerator of capacity 200 Kg/hr. followed by Scrubber as an APCD and stack of 30 mtrs. height.
13. As per the visit report of Board Official of SRO, Ahmednagar, dtd. 15.09.2014, the facility operator maintain the primary and secondary chamber temperature, **C-61 & 62**.
14. Horizontal Autoclave of capacity 50 Kg/hr. is provided, **C-62**.
15. They have obtained membership of MEPL, CHWTSDF for disposal of incineration ash. Copy of manifest dtd. 21.08.2014 is enclosed, **C-115 & 116**.
16. Presently, the facility is providing services to 1150 HCEs having bed capacity of about 8867 Nos. They are treating about 998 Kg. of BMW per day.
17. Distance from River Sina, Class A-II, is 4 Kms., **NS-4**.
18. Stack monitoring report of the incinerator carried by the Board for the months February, May, June, July & August, 2014 are enclosed, which shows that Particulate Matter was exceeding for the month June, 2014, **C-60**.
19. Water analysis report of effluent for the months February and

	<p>May, 2014 is enclosed, which shows that BOD is exceeding the prescribed limit, <b><u>C-60</u></b>.</p> <p>20. They are handing over the sterilized shredded plastic material to M/s. Omkar Plastics, Wavoli, Pune, copy of consent granted by Board to M/s. Omkar Plastics, Reprocessor, for a period upto 31.10.2011, is enclosed, <b><u>C - 48 to 52</u></b>.</p> <p>21. They have enclosed the NOC obtained from Kopergaon Municipal Council, Sangamner Municipal Council, Shirampur Municipal Council, Newasa Gram Panchayat, Karjat Gram Panchayat, Shrigonda Municipal Council, Akole Gram Panchayat, Jamkhed Gram Panchayat, Shirdi Nagar Panchayat, Shevgaon Gram Panchayat, Rahata Municipal Council, to whom they are providing their services, <b><u>C-23 to 45</u></b>.</p>
<b>Recommendation of SRO/RO</b>	SRO, Ahmednagar has recommended to grant Consent to Operate and renewal of BMW authorization for a period upto 31.08.2017.

## Agenda no. 14

Region : SRO Solapur		Section : JD (JDW)		Date : 05.01.2015
Name & Address		M/s. Shri Makai SSK Ltd. (Sugar) , Bhilarwadi, Post- Jinti, Tal. - Karmala, Dist - Solapur		
Consent For		Applied for- renewal of consent for same production qty with lesser C.I.		
Capital Investment		Capital investment – a) Previous consent C.I. of Rs. 62.51 Cr. b) <u>Reduced in C.I. of Rs. 5.75 Cr.(justification not given).</u> c) <b>Present total C.I. of Rs. 56.76 Cr.</b>		
Previous Consent Validity		1) <b>Previous consent Details</b> – granted on 27.11.2013 valid upto: 31.07.2014. 2) <b>Capacity – 1250 TCD.</b>		
Industry Type		R74 Sugar (excluding Khandsari)		
Industry Category		Red/LSI.		
Compliance Of Water Pollution Related Conditions		<b>YES</b> <b>Details :-</b> ETP comprising, oil skimmer, O & G chamber, equalization tank, aeration tank, secondary clarifier & SDB provided.  25, acres land provided for disposal of treated effluent which is adequate.  JVS result not submitted.		
Compliance Of Air Pollution Related Conditions		<b>APC status-</b> wet scrubber not provided (proposed).		
Water Cess		Assessment Done : Returns submitted.		Paid Upto : ----
<b>BG Details</b>		<b>Amount :</b> Rs. 25.10/- Lakhs		<b>Validity :</b> 30.11.2014.
		<b>BG Obtained against :</b> As per previous consent conditions dtd. 27.11.2013.		

	<b><u>Details of BG forfeited/encashed , if any :</u></b>													
<b>Submission of Environmental Statement</b>	<b>Period</b>	Year of submission 31 <sup>st</sup> March 2012.												
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1) Industry has covered the effluent collection &amp; carrying system to avoid the ingress of bagasses &amp; other material.</li> <li>2) 25 acres land available for disposal of treated effluent, which is adequate.</li> <li>3) Crushing capacity – 1250 TCD, I.E. generation qty. 150 CMD, 25 CMD excess as per CREP norms (i.e. the industry shall reduce waste water generation to 100 litres./ton of cane crushed) but industry has provided 25 acres land for disposal of treated effluent, which is adequate. Hence it is almost complied the CREP condition.</li> <li>4) Industry has not submitted plan for utilization of fly ash &amp; bottom ash as per Notification.</li> <li>5) Industry has not provided 15 days storage tank.</li> <li>6) Industry has not provided flow meter at inlet of ETP.</li> <li>7) Industry has not provided wet scrubber to boiler</li> </ol>													
<b>Recommendation of SRO/RO</b>	SRO recommended case may be considered.													
<b>Re-submitted</b>	<p>The case of the industry was discussed in CC meeting on 24.11.2014 &amp; decided to issue SCN for non compliance of consent conditions. Accordingly SCN issued on 04.12.2014. Thereafter, industry has submitted reply on 14.12.2014, which is received on 24.12.2014 as follow.</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Non-compliance points</th> <th>Industry reply</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>The industry shall provide flow meter and data logger for recording purpose at the inlet of ETP of sugar.</td> <td>We have provided electromagnetic flow meter with data logger &amp; GPRS system for online monitoring.</td> </tr> <tr> <td>2</td> <td>Industry shall submit proposal for ETP up-gradation or commitment towards improvement in O &amp; M so as to meet the consented standards.</td> <td>Submitted proposal for up-gradation of ETP &amp; made improvement in O &amp; M so as to achieve consented standards of waste water. Work of ETP up-gradation has been carried out as per techno-feasibility report .</td> </tr> <tr> <td>3</td> <td>Industry shall up-grade the existing air pollution control system by providing adequate</td> <td>Regarding APC system industry is going through financial crises &amp; as we will have got financial loans</td> </tr> </tbody> </table>		Sr. No.	Non-compliance points	Industry reply	1	The industry shall provide flow meter and data logger for recording purpose at the inlet of ETP of sugar.	We have provided electromagnetic flow meter with data logger & GPRS system for online monitoring.	2	Industry shall submit proposal for ETP up-gradation or commitment towards improvement in O & M so as to meet the consented standards.	Submitted proposal for up-gradation of ETP & made improvement in O & M so as to achieve consented standards of waste water. Work of ETP up-gradation has been carried out as per techno-feasibility report .	3	Industry shall up-grade the existing air pollution control system by providing adequate	Regarding APC system industry is going through financial crises & as we will have got financial loans
Sr. No.	Non-compliance points	Industry reply												
1	The industry shall provide flow meter and data logger for recording purpose at the inlet of ETP of sugar.	We have provided electromagnetic flow meter with data logger & GPRS system for online monitoring.												
2	Industry shall submit proposal for ETP up-gradation or commitment towards improvement in O & M so as to meet the consented standards.	Submitted proposal for up-gradation of ETP & made improvement in O & M so as to achieve consented standards of waste water. Work of ETP up-gradation has been carried out as per techno-feasibility report .												
3	Industry shall up-grade the existing air pollution control system by providing adequate	Regarding APC system industry is going through financial crises & as we will have got financial loans												

		stack height & by providing ESP/Bag filters/Wet scrubber as per CREP conditions	immediately undertake work of providing wet scrubber system on top priority. At present we are unable to undertake work for providing APC in this crushing season because boilers are in operation. Work of installation of APC system will be completed before start of next crushing season. Hence, provide time for 7-8 months.
	4	Industry shall submit plan for utilization of fly ash & bottom as per fly ash Notification	Submitted plan for utilization of fly ash as per fly ash Notification & accordingly maintaining record.
Above compliance report submitted for information and further order please.			

## Agenda no. 15

<b>Region : Raigad</b>	<b>Section :AST</b>		<b>Date :</b>
<b>Name &amp; Address</b>	Hikal Limited Plot No-A-18 MIDC Mahad,Dist-Raigad		
<b>Consent For</b>	Renewal with change in product mix.		
<b>Capital Investment</b>	Previous-19.75 cr new- 26.80 Cr		
<b>Previous Consent Validity</b>	31/11/2014.		
<b>Industry Type</b>	R58 Pesticides(technical)		
<b>Industry Category</b>	RED		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details:</b> - The industry has provided full fledge ETP.JVS results dtd- 24/2/14, 17/4/14 and 20/9/14 is exceeding the limits.		
<b>Compliance Of Air Pollution Related Conditions</b>	<b>YES ( )</b>	<b>NO ( )</b>	
	<b>Details:</b> -Scrubber and dust collector provided. Boiler stack monitoring results dtd-21/2/14 and 25/9/14 are exceeding the limits for TPM.		
<b>Water Cess</b>	<b>Assessment Done :</b>	<b>Paid Upto :30/11/2013</b>	
<b>BG Details</b>	<b>Amount :</b> 2.0 lakh	<b>Validity :</b> 19/09/14[expired]	
	<b>BG Obtained against :</b> compliance of consent condition and O &M of PCS without exceeding the pollution load due to boiler emission.		
	<b>Details of BG forfeited/encashed , if any :</b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	2013-14	
<b>Other Relevant Information</b>	Application received from SRO Mahad for renewal of consent with change in product mix. The existing consent was valid upto 31/11/2014 with C.I of Rs.19.75 Cr. While scrutiny of the application following discrepancies were noted:-[1] The C.I of previous consent was 19.75 Cr ,given in process sheet is 15.40 Cr and C.A certificate is submitted for 26.80 Cr.[2]The Distance of Saviti river from the unit is submitted as 2.0 Km ,However the distance from Kal river		

	<p>is not given.[3] The list of products and By products submitted by industry and that given in process sheet differs.[4] The capacity of ETP is not given [5] SRO's report is silent on compliance of consent conditions such as :- (a) page 2 i.e- disposal of Byproducts Calcium Sulphate (Gypsum) at M/s. Ultra Tech Cement Ltd, Ratnagiri OR at CHWTSDF.(b) Recycling of effluent as per consent condition and the disposal quantity to CETP including the sewage from STP.(c) Compliance of consent condition 5 a. on page 4 of the consent. (d) The Detail of Boilers and scrubber provided with fuel used and stack height provided for each along with APC provided is not submitted.(9) The B.G of Rs.2.0 lakhs submitted against the consent condition for compliance and operation &amp; maintenance of pollution control system without exceeding the pollution load due to Boiler emission was valid upto 19 sept.2014. Only one Stack report dtd-21/2/2014 was submitted. Hence all above details was called from SRO Mahad vide email dtd-05/12/14 .SRO vide e-mail dtd-29/12/2014 reported the details and informed that PP has dismantled the Furnace oil fired boiler and 4 TPH briquette fired boiler only will be in use. Also submitted that industry has provided four scrubbers as per previous consent condition.</p>
<p><b>Recommendation of SRO</b></p>	<p>Previous C to O under red /LSI category was granted dtd. 25/7/2013 for a period up to 31/11/2014. Now industry has applied for renewal of C to O. With amendment for adding 2 proposed products CITD-30 MTM, MMPDC -40 MTM for which Sodium Thiomethoxide &amp; Sodium Bromide Solution by product will be generate in place of existing Meta Chloro Aniline &amp; RTY-295. Proposed product MMPDC -40 MTM in place of Isoproturon Tech/3, 5 Dichloro Aniline/ Diuron/Terbacil. With this change in product mix quantities of products remain same as per C to O in force. Quantities of by products also remains same the change in product mix will maintain total quantities of effluent, fuel consumption, air emissions same as per consented limit. No additional H.W. will be generated. Effluent will be treated in ETP discharged in to CETP through MIDC drain. Previous JVS Reports dtd. 24/2/2014 &amp; 17/4/2014 parameter such as SS are exceeding the consented limit. Industry proposed to install new Thermopac of 2 lac kilo cal per hour. In place of Nestler Boiler with common stack shared with existing briquette fired boiler. Scrubbers are installed to scrub NH3 and unreacted DMA, HCL, unreacted cl2 etc. generated in process AAQM report dtd.20/2/2014 &amp; 30/5/2014 Show that well within the consented limit. Stack report dtd.21/2/2014 Show that within consented limit. H.W. generated are disposed at MWML T</p>

## **Agenda no. 16**

<b>Region : Pune-II</b>	<b>Section : JD(APC)</b>		<b>Date: /01/2015.</b>
<b>Name &amp; Address</b>	<b>M/s. Exotech Zanini Industries Pvt. Ltd., F-27, MIDC Ranjangaon, Tal. Shirur, Pune</b>		
<b>Consent For</b>	Renewal of Operate.		
<b>Capital Investment</b>	Rs.27.05 Crs		
<b>Previous Consent Validity</b>	30.11.2014		
<b>Industry Type</b>	R36 Industry Involving metal surface treatment		
<b>Industry Category</b>	Red		
<b>Compliance Of Water Pollution Related Conditions</b>	<b>YES (√ )</b>		
	<b>Details:</b> - Dom. Eff – 16.00 CMD, STP Provided, Ind. Effluent – 160.00 CMD, ETP provided. Industry is disposing effluent in to CETP.		
<b>Compliance Of Air Pollution Related Conditions</b>	<b>YES (√)</b> Industry has provided scrubber system and stack to control air emissions.		
<b>Water Cess</b>	<b>Assessment Done :-----</b>		<b>Paid Upto : -----</b>
	<b>Amount : Rs. 10.0 Lakhs</b>		<b>Validity : 31.03.2015</b>
	<b><u>BG Obtained against</u> : O&amp; M of PCS and disposal of effluent in CETP.</b>		
	<b><u>Details of BG forfeited/encashed , if any :</u></b>		
<b>Submission of Environmental Statement</b>	<b>Period</b>	-----	
<b>Other Relevant Information</b>	<ol style="list-style-type: none"> <li>1. Industry has applied for plain renewal of consent to operate.</li> <li>2. Earlier consent to operate obtained vide No. BO/JD (APC)/EIC No. PN-19851-13/O/CC-5811; dated 19.06.2014 valid up to 30.11.2014.</li> </ol>		
<b>Recommendation of SRO/RO</b>	RO Pune commented that industry has to recycle effluent to the maximum extent and reuse it in process. The industry has provided primary treatment only and disposing treated effluent in to CETP.		