

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 3rd Consent Appraisal Committee Meeting of 2017-2018 (3rd sitting) held on 18.08.2017 at 3.00 p.m at MHADA Office, Grihanirman Bhavan, Kalanagar, Bandra (East), Mumbai, Maharashtra 400051.

.....

The Consent Appraisal Committee meeting of the Board was held on 18.08.2017. Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri Milind Mhaiskar,
Vice President & CEO , MHADA and
Chairperson, MPCB, Mumbai. | Chairman |
| 2. Dr. P. Anbalagan
Member Secretary, MPC Board, Mumbai | Member |
| 3. Shri. P.Y. Neve
Technical Advisor, MIDC, Mumbai | Member |
| 4. Shri. P. K. Mirashe
Assistant Secretary (Technical), MPC Board, Mumbai | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai & Scientist, NEERI could not attend the meeting. Leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

1. Shri. A. Supate, PSO, Mumbai, Special Invitee
2. Shri N.N.Gurav, ROHQ, Mumbai, Special Invitee

The meeting thereafter deliberated on the fresh agenda items [Book-let no. 00000000003] is placed before the committee and following decisions were taken.

Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
RENEWAL				
1	MPCB- CONSENT- 0000013757 M/s Viraj Profiles Ltd., Survey no. 110, 111, 116, 118, 119 & 120, Village Mahagoan, Boisar East, Tal. & Dist. Palghar.	APPROVED Renewal of consent to operate	31-10-2018	It was decided to grant renewal of consent to operate with increase in CI, water consumption & effluent generation but without increase in production quantity and production capacity by imposing following conditions. <ol style="list-style-type: none"> 1. Industry shall achieve zero discharge for total trade effluent generated and submit the BG of Rs. 5 lakh towards compliance of the same. 2. Industry shall reuse/recycle 60 CMD treated domestic effluent in the process, toilet flushing, cooling towers etc. and remaining 67 CMD shall be disposed on 3.3 acres of land for gardening purpose and submit the BG of Rs. 5 lakh towards compliance of the same. 3. Forfeit the BG of Rs. 5 lakh obtained towards installation of STP within 06 months as industry has not complied the same in stipulated time and obtain double amount of BG of Rs. 10 lakh towards compliance of the same within 03 months. 4. Industry shall submit BG of Rs 25 lakh for not to violate the conditions of existing consent and not to carry out any expansion without prior permission from the board. 5. Industry shall submit NOC from CGWB/ Irrigation Dept. for use of ground water /surface water respectively within a period of 3 months. Consent shall be issued after submission of <ol style="list-style-type: none"> a. Requisite consent fees if any. b. Undertaking stating that due to increased investment, the production quantity and production capacity will not increase. c. BG compliance report and forfeiture of proportionate BG if any. d. Verification report from SRO whether the installed furnaces are Cupola/Arc/induction furnaces?
2	MPCB- CONSENT- 0000002191 Raychem RPG (P) Ltd, 1/62, M.G.Road, Opp Bharat petrol	APPROVED Renewal of consent to operate	31-03-2021	It was decided to grant renewal of consent to operate by imposing following conditions: <ol style="list-style-type: none"> 1. Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
		pump, Village Sativali , Thane.			Consent shall be issued after submission of latest audited balance sheet and requisite consent fee if any.
3	MPCB-CONSENT-0000004238	ISMT LIMITED, Plot No. B -13, MIDC, Baramati, Dist- Pune	APPROVED Renewal of consent to operate with increase in CI	30-06-2018	<p>It was decided to grant renewal of consent to operate with increase in CI for the period by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend the existing BG of Rs. 7.5 lakh obtained towards O&M of pollution control system. <p>It was also decided to return the BG of Rs. 10 lakh obtained towards provision of STP as industry has complied the same.</p> <p>Consent shall be issued after submission of latest JVS results from SRO. If JVS results are found exceeding, then proportionate BG shall be forfeited.</p>
4	MPCB-CONSENT-0000009882	EXIDE INDUSTRIES LTD., E-5 MIDC Navnagapur. Ahmednagar	APPROVED Renewal of consent to operate	31-07-2021	<p>It was decided to grant renewal of consent to operate for the period upto 31.07.2021 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit BG of Rs. 5 lakh obtained towards O&M of pollution control system as JVS results are exceeding the consented standards and obtain top-up BG of Rs. 10 lakh towards O&M of pollution control system. 2. It was also decided to extend the BG of Rs. 2 lakh obtained towards recycling of treated effluent upto 50% or to the maximum extend.
5	MPCB-CONSENT-0000011918	Sona Alloys Pvt. Ltd., Plot No - C 1, Lonand, Khandala.	APPROVED Renewal of consent to operate	30-09-2018	<p>Committee noted that Billets being an intermediate product coming out from continuous casting machine was included in EC. Committee also noted that PP has submitted BG of Rs 30, 60,800/- (100% cost of CMS) towards installation of continuous monitoring system as per the Hon'ble NGT directives.</p> <p>In the view of above, it was decided to grant renewal of consent to operate with increase in CI and inclusion of Billets-3,15,750 TPA as per EC quantity by imposing following conditions:</p> <ol style="list-style-type: none"> 1. The total production quantity shall not exceed as mentioned in EC. 2. Industry shall submit a plan for reuse and recycle of waste plant general muck = 2000 MT/A scientifically instead of dumping inside the plant within a period of 1 month and submit BG of Rs 2 lakh towards the compliance of the same.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					Consent shall be issued after receipt of verification report from SRO regarding installation of online emission and effluent monitoring system.
6	MPCB- CONSENT- 0000013150	IND-BARATH ENERGIES (MAHARASHTRA)LT D., Gut No 161-170, Kharabkhandgaon, Village Mukhed	APPROVED Renewal of consent to operate	31-08-2019	It was decided to grant renewal of consent to operate for the period upto 31.08.2019 by imposing following conditions: 1. Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system. 2. Forfeit the existing BG of Rs. 2 lakh obtained towards installation of online stack monitoring system and obtain BG of Rs. 5 lakh towards compliance of the same. 3. Industry shall obtain separate permission before restart of manufacturing activities from Regional Office. Consent shall be issued after receipt of verification report from SRO regarding installation of online monitoring system.
7	MPCB- CONSENT- 0000009458	Sound Casting Pvt. Ltd., Plot No.: C- 10, Kagal- Hatkanangale MIDC, Tal.: Hatkanangale, Dist.: Kolhapur	NOT APPROVED Renewal of consent to operate	----	Committee noted from the reply of the industry that Industry has installed one new induction furnace, one shot blasting machine and three paint booths without obtaining consent to establish and operate from the Board. Industry has obtained the EC form GoM vide letter No. SEAC-2009/CR-435/TC-2 dated 15.01.2011 for expansion project of existing Foundry unit to manufacture CI (Cast Iron) casting- 1500 MT/M and S.G Casting (Spheroidal Graphite Iron casting)-300 MT/M. It is noted that there is no mention of nos of cupola and induction furnaces in the EC. In the view of above, it was decided to defer the case and revert back to CAC with the verification report by SRO about design capacity of the furnaces by taking into account the no of heats.
8	MPCB- CONSENT- 0000013718	Lavgan Dockyard Pvt Ltd, Village- Sande Lavgan, Post- Jaigad, Tal & Dist- Ratnagiri	NOT APPROVED Renewal of consent to operate	---	It was decided to issue SCN for refusal of renewal of consent to operate and stop work order due to the following non-compliances: 1. PP has increased the CI without obtaining permission of the Board. 2. PP has increased number of vessels for repairing activity without obtaining consent to establish from the Board.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
9	MPCB-CONSENT-0000015376	Water treatment Plant, Panjrapur, Administrative Building , 2nd floor ,Panjrapur Water Treatment plant, Post-Vadpa , Taluka - Bhiwandi. Dist- Thane.	APPROVED Renewal of consent to operate	31.12.2019	It was decided to grant renewal of consent to operate for water treatment plant of capacity 1440 MLD by imposing following conditions: 1. PP shall install water reclamation plant for treatment of reject water and disposal as per CPHU guidelines within period of 6 months and shall submit BG of 5 lakh towards compliance of the same. Consent shall be issued after the receipt of additional fees.
10	MPCB-CONSENT-0000015621	Jehangir Hospital, 32, Sassoon Road	APPROVED Renewal of consent to operate	31.08.2019	It was decided to grant renewal of Combined Consent to Operate and BMW Authorization (CCA) under RED category for Health Care Establishment having 335 beds on Total Plot Area of 19943 sq.m. and Total Construction BUA (FSI + Non-FSI) of 17389.31 sq.m. of Hospital bldg. by imposing Standard conditions with BG regime and following specific conditions: (1) PP shall provide Organic Waste Management System (OWC/Biodigestor) within 4 months time period. Combined Consent to Operate and renewal of BMW Authorization shall be issued after submission of: a. Requisite consent and authorization fees if any. b. Latest Occupancy Certificate from PMC. c. Undertaking that they have not carried out any expansion activity after the grant of previous consent dated 04.01.2016.
11	MPCB-CONSENT-0000016600	Dosti Corporation (Vihar), Lawrence & Mayo House, 1st floor, 276, Dr. D. N. Road, Fort, Mumbai ? 400001	APPROVED Renewal of consent to operate	30-11-2018	It was decided to grant renewal of consent to operate for 16 sale buildings and club house named; Dosti Vihar of M/s Dosti Corporation on total plot area of 57198 sq.m and total construction BUA 168360.89 sq.m (FSI + Non FSI excluding MMRDA buildings) out of total BUA of 260233 sq.m as per EC by imposing following conditions: 1) PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 2) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					<p>3) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>4) PP shall install online monitoring system for parameters BOD, TSS flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same.</p> <p>5) PP shall provide Organic waste management system (OWC / Bio-digester) within a period of 3 months and submit BG of Rs 5 lakh towards the compliance of the same.</p>
12	MPCB-CONSENT-0000016564	Friends Development Corporation Pvt. Ltd., Dosti Imperia, Old Gut No 52/1, thane	APPROVED 1st consent to operate for building no 6 and renewal of consent to operate for 3 Sale building and shops except the 5 MMRDA Rental Housing Scheme	30-11-2018	<p>It was decided to grant 1st consent to operate for building no 6 and renewal of consent to operate for 3 Sale building and shops except the 5 MMRDA Rental Housing Scheme on total plot area 35120 sq.m and Construction BUA of 54724 sq.m (out of TCBUA of 223430.04 sq.m. as per EC) by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit affidavit in Boards prescribed format within 15 days regarding compliance of conditions of Environmental Clearance (EC) and Consent to Establish. 2. PP shall submit the affidavit within 15 days in the prescribed format regarding the part of the built up area/ building for which application for 1st Consent to Operate (Part) is made and that the same is included in the Environmental Clearance accorded. 3. Project Proponent shall extend/ submit the BG of Rs. 25 lakhs towards O &M of pollution control system. 4. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit and submit BG o Rs 10 lakh towards the compliance of the same. 5. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. Till the time of availability of local body sewer system, applicant shall utilize entire treated domestic effluent for Flushing, Construction of remaining phase and on own land for gardening. 6. PP shall obtain revalidation of consent to establish as the same is expired on 07.04.2017 and project is not completed.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					<p>7. Forfeit BG of Rs 2.5 lakh from Rs 10 lakh as PP has not provided OWC and obtain double the BG towards the compliance of the same within 3 months period.</p> <p>Consent shall be granted after: (1) Submission of Certificate from Architect regarding BUA completed for which they have applied for 1st Consent to Operate. (2) After installation of online monitoring system for the parameters Flow, BOD, and TSS at STP outlet and verification of the same from SRO/RO.</p>
13	MPCB-CONSENT-0000013820	Shree Naman Hotels Pvt. Ltd., C-57, C-58, G- Block, Bandra Kurla Complex, Bandra (E), Mumbai	NOT APPROVED Renewal of consent to operate	---	<p>It was decided to issue SCN for refusal of renewal of consent to operate and stopwork order due to following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has increased the CI by Rs 116.59 crs without obtaining consent to establish from the Board. 2. PP has carried out construction activity of BUA OF 22642 SQ.M without obtaining permission from the Board.
14	MPCB-CONSENT-0000016871	LODHA CROWN BUILDMART PVT. LTD., Regd. Off.: 412, Floor-4, 17G Vardhaman Chamber, Cawasji Patel Road, Horniman Circle, Fort, Mumbai-400001	APPROVED Revalidation of consent to establish	COU or 11.1.2021	<p>Committee noted that the project is not yet completed for which Board has granted consent to establish. Therefore, it was decided not to consider the request of PP for part revalidation of consent to establish.</p> <p>In view of above, it was decided to grant revalidation of Consent to Establish for the entire project having BUA of 1148749 sqm after the receipt of the additional fees.</p>
15	MPCB-CONSENT-0000017313	Neelkanth Woods Project (49 Bungalows & Club House), 301,'A' Wing,Fortune,2000 ,Bandra Kurla Complex,Bandra (East),Mumbai-400051	APPROVED Renewal of consent to operate	30.11.2018	<p>It was decided to grant Renewal of Consent to Operate for Residential Project named the Neelkanth Woods (49 Bungalows and club house) having plot area of 177780 sq.m and total construction BUA of 16348.82 sq.m as per EC, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 2. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 3. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					<p>etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>4. PP shall install online monitoring system for parameters BOD, TSS flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same.</p> <p>5. PP shall provide Organic waste management system (OWC / Bio-digester) within three months period and submit BG of Rs 5 lakh towards the compliance of the same.</p> <p>Consent shall granted after the receipt of audited balance sheet and requisite consent fees if any.</p>
16	MPCB- CONSENT- 0000016945	Nish Developers Pvt. Ltd., 101-B Mittal Court, Nariman Point, Mumbai	APPROVED Renewal of consent to operate	30.11.2018	<p>It was decided to grant renewal of consent to operate for Wing A, B, C, D, E, F, & G of Bldg No 1 of Redevelopment project of M/s Nish Developers Pvt Ltd at C.S. No 77, New Islam Mill Compound, Mumbai - 400012 ON TOTAL PLOT AREA OF 26247.12 sqm and BUA of 54950 sqm (18627 sqm for Wing A, B,C,D of bldg No 1 AND 36322.38 SQM for Wing E, F, & G of Bldg No 1) out of construction BUA OF 2,97654.39 SQ.M as per EC dated 24.01.2014 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 2. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 3. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. 4. PP shall install online monitoring system for parameters BOD, TSS & flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same.
17	MPCB- CONSENT- 0000018011	Tata Cummins Private Limited Unit-3, Tata Cummins private	APPROVED Renewal of consent to operate	28-02-2022	<p>It was decided to grant plain Renewal of consent to operate with name change from M/s. TATA Cummins Limited to M/s. TATA Cummins Private Ltd. with increased CI for the period upto 28.02.2022 but without change in nomenclature</p>

Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
	limited, Plot No. A1/2/1, MIDC Phaltan, Village Survadi, Phaltan			<p>of one product as their is substantial increase in CI and new product of Gas engine by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit the existing BG of Rs. 5 lakh as JVS results are exceeding the consented standards obtained towards O&M of pollution control system and obtain top-up BG of Rs. 10 lakh towards compliance of the same. <p>Consent shall be granted after receipt of verification report from SRO whether industry has provided separate facility to manufacture Gas Engine as industry has newly added this product.</p>
18	MPCB- CONSENT- 0000017279 JET AIRWAYS (INDIA) LTD. Godrej BKC, C- 68, G- Block ,CTS NO. 4207 of village ,Kolekalyan ,BKC Tal- Andheri, Mumbai.	APPROVED Renewal of consent to operate	31.10.2018	<p>It was decided to grant renewal of consent to operate for Commercial complex building project of M/s Jet Airways (India) Ltd &quot; Godrej BKC on total plot area of 10309.54 sq.m and total construction BUA of 51831 sq.m out of total construction BUA of 113854.74 sq.m by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 2. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 3. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. 4. PP shall install online monitoring system for parameters BOD, TSS; flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same <p>Consent shall granted after the receipt of latest Occupancy Certificate from MCGM.</p>
19	MPCB- CONSENT- 0000017932 The R.S.R. Spinning and Weaving mills ltd, S. No. 71,72, 73, 74 & 75 , Block No-II, Plot No 2/1, 3, 4, 6, Hinganghat	APPROVED Renewal of consent to operate	31-01-2022	<p>It was decided to grant Renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall provide separate treatment system for dye bath effluent i.e vaccum distillation within a period of six months.. 2. Industry shall extend the all existing BGs.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					It was also decided to return the BG of Rs. 6 lakh submitted towards up-gradation of ETP as Industry has completed up-gradation work of existing ETP .
20	MPCB- CONSENT- 0000017389	Nagreeka Exports Ltd., PLOT NO. T-48, KAGAL HATKANANGALE FIVE STAR INDUSTRIAL AREA	APPROVED Renewal of consent to operate with increase in CI	31-01-2022	<p>Committee noted that industry has installed the RO & MEE to reuse/recycle the 50% treated effluent in process and complied the consent conditions. The latest JVS results dated 30.11.2016, 26.12.2016, 26.02.2017, and 30.01.2017 are also within the consented standards.</p> <p>It was decided to grant renewal of consent to operate with increase in CI by imposing following conditions.</p> <ol style="list-style-type: none"> 1. Industry shall extend the BG of Rs. 2.25 lakh submitted towards compliance of Hazardous Waste as per the HW (M &TM) Rules, 2016 2. Industry shall extend the BG of Rs. 5 lakh submitted towards Operation & Maintenance of Air Pollution Control Devices to achieve disposal standards. 3. Forfeit the 50% BG of Rs. 5 lakh out of BG of Rs. 10 lakh submitted towards O&M of ETP plant to achieve disposal standards as Out of 10 Nos of JVS results, 06 results are exceeding the consented standards collected during Jan 2016 to Feb. 2017 and obtain top-up BG of Rs. 10 lakh to make the total BG of Rs. 15 lakh for O&M of ETP system. 4. Industry shall submit the BG of 25000/- towards provision of online flow meter at ETP Inlet & Outlet line with electronic data logger. (TWM1). <p>It was also decided to return the following BGs as per the recommendation of SRO vide letter dated 21.01.2017:</p> <ol style="list-style-type: none"> 1. BG of Rs. 2 lakh obtained towards providing closed pipeline for carrying effluent from various units to ETP (TWC1). 2. BG of Rs. 10,000/- towards provide ash collection and disposal arrangements. (TNC1) 3. BG of Rs. 5 lakh towards Providing arrangement for treated effluent recycle and reuse at least 50% along with MEE (TWC3).
21	MPCB- CONSENT- 0000014383	ASIAN HOTELS (WEST) LIMITED UNIT HYATT REGENCY MUMBAI, SAHAR AIRPORT ROAD ANDHERI (EAST) MUMBAI	APPROVED Renewal of consent to operate	31-10-2021	<p>It was decided to grant renewal of consent to operate for Asian Hotels (West) Ltd unit, Hyatt Regency, Mumbai = 401 rooms for total plot area 15333 sqm and total construction BUA of 27107.29 sqm by imposing following conditions.</p> <ol style="list-style-type: none"> 1. Industry shall submit the BG of Rs. 25 lakh obtained towards O&M of pollution control system. 2. PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP and submit BG of Rs 5 lakh for the compliance of the same

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					Consent shall be issued after submission of: <ol style="list-style-type: none"> Latest occupancy Certificate from MCGM. Certificate from Architect or Undertaking on 100 Rs. Stamp Paper stating that PP has completed construction of Hotel before EIA Notification 2004 for BUA = 27107.29 SQ.M and expansion is not carried out in hotel building after issuance of last consent to operate dated 13.02.2013. Additional consent fees. Verification report regarding completion of installation of OWC from SRO.
22	MPCB-CONSENT-0000019000	Runwal Projects Pvt. Ltd., Runwal & Omkar Esquare, 5th floor, Opp. Sion-Chunabhatti Signal, Sion (E)	APPROVED Revalidation of consent to establish	COU OR 03.09.2021	It was decided to grant revalidation of consent to establish for construction of Residential with public parking project named as Runwal Elegante, CTS No. 620 (pt) P. Tandon Road, K/W Ward, Andheri (west), Mumbai Andheri on total plot area of 21327.97 sqm and total construction BUA of 168209.49 sqm by imposing following conditions: <ol style="list-style-type: none"> PP shall submit an affidavit in prescribed format regarding compliance of conditions of EC and Consent to Establish condition. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening. PP shall install online monitoring system for BOD, TSS and flow at the outlet of STP. PP shall submit BG of Rs. 25 lakh towards compliance of EC and Consent to Establish condition.
23	MPCB-CONSENT-0000018399	MIRC ELECTRONICS LTD, Village Kudus, Bhiwandi - Wada Road,	APPROVED Renewal of consent to operate	28-02-2019	It was decided to grant renewal of consent to operate by imposing following conditions: <ol style="list-style-type: none"> Forfeit BG of Rs. 5 lakh obtained towards O&M of pollution control system as JVS results of STP & ETP are exceeding the consented standards and obtain top-up BG of Rs. 10 lakh towards O&M of pollution control system.
24	MPCB-CONSENT-0000019644	TAL Manufacturing Solutions Limited, Village-Kalkuhi ,MIHAN SEZ	NOT APPROVED Renewal of consent to operate	---	It was decided to issued SCN for refusal of renewal of consent with increase in CI and stopwork order due to following non-compliances: <ol style="list-style-type: none"> Industry fail to recycle/reuse 100% treated trade effluent into process as per consent condition.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					<p>2. They have failed to submit the BG of Rs. 5 lakh towards 100% recycle of treated effluent</p> <p>3. They have increased the CI by Rs 72 Cr without obtaining consent to establish from the Board.</p> <p>4. They have increased the HW quantity and category compared to previous consent.</p>
25	MPCB-CONSENT-0000019800	GOVERNMENT MEDICAL COLLEGE AND HOSPITAL AKOLA, GOVERNMENT MEDICAL COLLEGE AND HOSPITAL Z P ROAD AKOLA	NOT APPROVED Renewal of consent to operate and BMW authorization (CCA)	---	<p>It was decided to return the case and ask the HCE to apply for BMW authorisation and revert back to CAC along with the below details:</p> <ol style="list-style-type: none"> 1. Area statement such as total plot area (sq.m), total construction BUA IN SQ.M (FSI + NON FSI) building-wise. 2. If Total construction BUA is more than 20000 sq.m, then comments/clarification regarding requirement of Environmental Clearance as per EIA Notification dtd 07.07.2004 and EIA Notification dated 14.09.2006. 3. Whether HCE has carried out any expansion of Hospital after 07.07.2004. 4. Details of EC if obtained. 5. Application for BMW authorization. <p>If total BUA is more than 20000 sq.mtrs, then refer the case to SEIAA for seeking guidance about applicability of EC otherwise revert back to CAC.</p>
26	MPCB-CONSENT-0000014804	Viraj Profiles Limited, G 75, G 76 & G 77, MIDC, Tarapur, Boisar	NOT APPROVED Renewal of consent to operate	---	<p>Committee noted the increase of CI in manifold i.e from Rs 24.96 crs to Rs 170.74 crs and carried out the modification of the plant without prior permission of the Board. Also noted that there is no clarity about the replacement of old machineries with new one and their design capacities. Further, it was noted that PP has proposed cumulative production capacity instead of individual consented products which seems to be expansion activity in non-performing CETP area.</p> <p>In view of above, it was decided to issue stopwork order for expansion activity due to the above non-compliances.</p>
27	MPCB-CONSENT-0000019631	Kirloskar Oil Engines Ltd, L.K. Road, Khadki	APPROVED Renewal of consent to operate	28-02-2022	<p>It was decided to grant renewal of consent to operate with increase in CI for Research, Engineering activity of I.C.Engine, Generating sets, Pump sets; Agri farm equipments as well as trading of small Gensets, Oil, electrical items like alternator, AMF panel, Genset Control Panel, switchgears and also electro-chemical item like batteries. (only for storage and sell and no manufacturing activity) by imposing following conditions:</p>

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					1] Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system. Consent shall be issued after submission of additional requisite consent fee.
28	MPCB- CONSENT- 0000019933	MindSpace Hotels and Resorts Pvt Ltd (Citrus Hotels), CTS No 4700, Opp PCMC, Pune-Mumbai Road, Pimri Pune	APPROVED Renewal of consent to operate	30-04.2022	It was decided to grant renewal of consent to operate for Hotel activity & Restaurant activity including swimming pool without laundry activity with 144 rooms and with total plot area of 7883 sq.m and total construction BUA of 3760.91 sq.m by imposing following conditions: 1. PP shall extend/top-up BG to form total sum of Rs 25 lakh towards O & M of Pollution Control System. 2) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 3) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. 4) PP shall install online monitoring system for parameters BOD, TSS, flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same. 5) Forfeit BG of Rs 2 lakh towards non-submission of BR and obtain double the amount of BG. PP shall submit the BR within a period of one month. If not submitted within one month, the consent shall stand revoked.
29	MPCB- CONSENT- 0000019933	SevenHills Healthcare Private Limited, Marol Maroshi Raod Andheri East	APPROVED Renewal of Combined Consent to Operate and BMW Authorization (CCA)	31-05-2018	It was decided to grant renewal of Combined Consent to Operate and BMW Authorization (CCA) under RED category for Health Care Establishment having 306 beds on Total Plot Area of 66687 sq.m. and Total Construction BUA (FSI + Non-FSI) of 188413 sq.m. of Hospital bldg. out of 226183 sqm(as per EC dated 09.03.2007) by imposing Standard conditions with BG regime and following specific conditions: 1. PP shall provide Organic Waste Management System (OWC/Biodigester) within 4 months time period. Combined Consent to Operate and renewal of BMW Authorization shall be issued after submission of: (1) Requisite consent and authorization fees. (2) Submission of BGs.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
30	MPCB-CONSENT-0000020490	Skylark Heights (Amalgamated Slum Rehabilitation Scheme), Mahim, Lower Parel Division, Mumbai	APPROVED Renewal of consent to operate	31-10-2020	<p>It was decided to grant renewal of consent to operate for rehabilitation building no 7, 8, 10, 11, 12, 13 of M/s Skylark buildcon Pvt Ltd at CS No 286 (pt) , F.P.no 1076, 1077 and 1078 of TPS -IV of Mahim Division , Dr A.B.Roard, Worli, Mumbai-25 on total plot area of 38857.50 sqm and total construction BUA of 28413.40 sqm out of total construction BUA of 264770 sqm by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 2. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 3. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. 4. PP shall install online monitoring system for parameters BOD, TSS, flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same. <p>Consent shall be granted after the receipt of the additional fees.</p>
31	MPCB-CONSENT-0000021573	Cummins India Limited (Power Generation Business Unit), Plot No. B-2, SEZ Industrial Area, Village Nandal and Survadi, Tal. Phaltan, Dist: Satara, Maharashtra.	APPROVED Renewal of consent to operate	30-04-2022	<p>It was decided to grant renewal of consent to operate with increase in CI by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend the BG of Rs. 10 lakh obtained towards O&M of pollution control system. <p>Consent shall be issued after submission of additional requisite consent fee, if any.</p>
32	MPCB-CONSENT-0000017800	Bai Jerbai Wadia Hospital For Children, Acharya Donde Marg, Parel, Mumbai	NOT APPROVED Renewal of Combined Consent to Operate and	---	<p>It was decided to issue SCN for refusal of renewal of combined consent to operate and BMW authorization (CCA) due to the following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE has not provided STP for treatment of domestic effluent as per the previous consent condition. 2. HCE has not the BMW Annual report of the current year.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
			BMW Authorization (CCA)		It was also decided to forfeited the BG of Rs 2 lakhs towards non-provision of STP and obtain double amount of top-up BG.
33	MPCB-CONSENT-0000018374	CAN-PACK INDIA PRIVATE LIMITED, PLOT NO. L-18/25 & L-19,MIDC WALUJ,AURANGABAD	APPROVED Renewal of consent to operate with increase in CI and change in water budget	28-02-2022	It was decided to grant renewal of consent to operate with increase in CI and change in water budget by imposing following conditions: 1. Forfeit the 50% BG i.e. 2.5 lakh out of BG of Rs. 5 lakh obtained towards O&M of pollution control system as out of 5 JVS results, one JVS results are exceeding more than 100% for the parameters BOD, COD and obtain top-up BG of Rs. 5 lakh to make the total BG of Rs. 7.5 lakh towards O&M of pollution control system. It was also decided not to allow to dispose HW such as 34.3- chemical Sludge from waste water treatment, 35.1- Filter and Filter material having organic liquid, and 21.1 Waste/Residues (Lacquers) by CO-processing method. The HW shall be disposed to CHWTSDF only.
34	MPCB-CONSENT-0000022063	Crompton Greaves Ltd., Kanjurmarg East	APPROVED Renewal of consent to operate with increase in CI and name change	28-02-2019	It was decided to grant renewal of consent to operate with increase in CI and name change from M/s. CROMPTON GREAVES LIMITED to M/s. CG POWER AND INDUSTRIAL SOLUTIONS LIMITED by imposing following conditions: 1. Industry shall extend the BG of Rs. 5 lakh towards O&M of pollution control system. 2. Industry shall provide adequate capacity of STP within 03 months and submit the BG of Rs. 5 lakh towards compliance of the same. Consent shall be issued after obtaining latest audited balance sheet for verification and requisite consent fee, if any,
35	MPCB-CONSENT-0000022028	JSW STEEL LIMITED 300 TPD Oxygen Plant, Geetapuram ,Dolvi	APPROVED Renewal of consent to operate	31-03-2022	Committee noted that the Oxygen plant of capacity 300TPD is located in the same premises of JSW main plant for which Board has issued consent to operate under RED category. Hence, It was decided to grant plain renewal of consent to manufacture Gaseous Oxygen-230700 M3/day under RED category by imposing following conditions: 1. Industry shall not generate any trade effluent due to the existing activity.
36	MPCB-CONSENT-0000021968	ZOETIS PHARMACEUTICAL S PRIVATE LIMITED, Plot No. 16, MIDC, TTC Industrial Area,	NOT APPROVED Renewal of consent to operate	---	It was decided to issue SCN for refusal of renewal of consent to operate and stopwork order for the following non-compliances: 1. Industry is disposing the effluent on land for gardening instead of discharging to CETP. Also JVS results of April 2016 is exceeding for the parameters BOD = 120 mg/l AND COD = 304 mg/l.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
		K.U.Bazar Post. Thane-Belapur Rd. Turbhe, Navi Mumbai.			<p>2. Industry has not provided disinfection system before discharging the effluent on land for gardening. Also there is no mechanism for removal of primary sludge after the primary treatment.</p> <p>3. Industry has not submitted the CA certificate as per the Board format not showing the cost of the land.</p> <p>4. Also hazardous waste audit report submitted by industry is not satisfactory.</p>
37	MPCB-CONSENT-0000022042	M/s. Syntel International Pvt. Ltd., Plot No. B-1/B-2, Talawade Software Technology Park, MIDC, Dehu-Alandi Road, Talawade, Pune - 411 062.	APPROVED Renewal of consent to operate	31-05-2018	<p>It was decided to grant renewal of consent to operate for IT & ITES activity of M/s Syntel International Pvt Ltd, B-1/ B-2, Software Technology Park, Talawade MIDC, Halveli, Dist Pune on total plot area of 160000 sqm and total construction BUA of 162462.52 sqm by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit BG of Rs 2.5 lakh out of Rs 10 lakh for the unsatisfactory O & M of STP and obtain double the amount of BG towards O&M of pollution control system. 2. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system. 3. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. within 6 months time period and shall submit BG of Rs. 10 lakhs for the same. 4. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local. 5. PP shall install online monitoring system for parameters BOD, TSS, flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same. <p>Consent shall be granted after the receipt of audited balance sheet and requisite consent fees.</p>
38	MPCB-CONSENT-0000019056	Bedmutha Industries Limited Plant-6, Plot No. E-1, Nardana Industrial Growth Center, Phase-II, Waghadi Khurd,	APPROVED renewal of consent to operate with increase in CI and addition of one by product	28-02-2022	<p>Committee noted that Industry has installed MEE and also improved the O & M of the ETP sample collected on 20.02.2017 shows all the parameters are within the consented limits.</p> <p>In view of above, It was decided to grant renewal of consent to operate with increase in CI and addition of one by product of Ferrous Sulphate- 60 Ton/M by imposing following conditions:</p>

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
		Tal-Shindkheda, Dist-Dhule			1. Industry shall extend the existing BG of Rs. 15 lakh obtained towards O&M of pollution control system. It was decided to return the BG of Rs. 20 lakh and Rs. 2 lakh obtained towards installation of MEE, online flow meter and pH meter as industry has complied the same reported by SRO.
39	MPCB-CONSENT-0000022776	Emcure Pharmaceuticals Ltd., D-24 & 24/1, MIDC, Kurkumbh	APPROVED Renewal of consent to operate	30-04-2022	It was decided to grant renewal of consent to operate by imposing following conditions: 1. Industry shall extend existing BG of Rs 5 lakh towards O & M of Pollution Control Systems. Consent shall be granted after the receipt of details towards clarification of increase in CI, itemized capital investment and additional fees .
40	MPCB-CONSENT-0000022705	Verma Medicine Research Trust Global Hospital Superspeciality & Transplant Centre Unit of CDKD I Pvt, 35,Dr E Borges Road Hospital Avenue, global hospitals opp to shirodkar high school Parel Mumbai	APPROVED Renewal of Combined Consent to Operate and BMW Authorization (CCA	31-08-2018	It was decided to grant renewal of Combined Consent to Operate and BMW Authorization (CCA) under RED category for Health Care Establishment having 214 beds on Total Plot Area of 11296 sq.m. and Total Construction BUA (FSI + Non-FSI) of 27444.84 sq.m. of Hospital bldg. out of total construction BUA of 33274.98 sqm as per EC dated 19.05.2010 by imposing Standard conditions with BG regime and following specific conditions: 1. PP shall provide Organic Waste Management System (OWC/Biodigester) within 4 months' time period. Combined Consent to Operate and renewal of BMW Authorization shall be issued after submission of: (1) Requisite consent and authorization fees if any.
41	MPCB-CONSENT-0000022343	Lilavati Hospital and Research Center, A-791, Bandra Reclamation, Bandra(West).	NOT APPROVED Renewal of Combined Consent to Operate and BMW Authorization (CCA	—	It was decided to grant SCN for refusal for renewal of Combined Consent to Operate and BMW Authorization (CCA for following non-compliances: 1. Industry has not submitted clarification for increase in CI of Rs 65.78 crs. 2. They have not provided STP as per the previous consent condition.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
42	MPCB-CONSENT-0000023190	Sany Heavy Industry India Pvt. Ltd., Plot No. E-4, Chakan Industrial Area, Phase-III, Kuruli, Tal: Khed, Dist: Pune 410501	APPROVED Renewal of consent to operate with increase in CI.	28-02-2019	It was decided to grant renewal of consent to operate with increase in CI by imposing following conditions: 1. Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system. It was also decided not to consider the request of the industry to change the category from red to orange as industry is carried out painting and shot blasting activity which is one of the activity in red categories of industry. Consent shall be issued after submission of additional requisite consent fee, if any.
43	MPCB-CONSENT-0000023494	M/s Classic citi Investment Pvt Ltd, 36/3-B, Koregaon Park Annexe, Mundhwa Road, Ghorpadi. Pune	NOT APPROVED Renewal of consent to operate with increase in CI	—	It was decided to issue SCN for refusal for renewal of consent to operate for Hotel activity due to the following non-compliances: 1.PP has increased the CI by Rs 104.22 crs without obtaining permission of the Board.
44	MPCB-CONSENT-0000023804	JSW STEEL LIMITED SINTER PLANT II-2.5 MTPA, Geetapuram ,Dolvi	APPROVED Renewal of consent to operate of Sinter plant-II of 2.5 MTPA capacity and amalgamation with the Sinter plant-I of capacity 2.8 MTPA	31-12-2018	Committee noted that the Sinter plant of capacity 25,00,000 MT/A is located in the existing old premises of JSW main plant for which Board has issued consent to operate under RED category. In the view of above, it was decided to grant renewal of consent to operate of Sinter plant-II of 2.5 MTPA capacity and amalgamate with the Sinter plant-I of capacity 2.8 MTPA by imposing following conditions: 1. Industry shall extend all the existing BGs as per the previous consents. 2. Industry shall not generate any trade effluent.
45	MPCB-CONSENT-0000024109	JSW STEEL PLANT-BILLET CASTER & BAR MILL, Geetapuram ,Dolvi	APPROVED Renewal of consent to operate	31-05-2022	Committee noted that PP is manufacturing Billet caster = 15,00,000 ,T/A and Bar = 14,00,000 MT/A in the existing old premises of JSW main plant for which Board has issued consent to operate under RED category. In the view of above ,it was decided to grant renewal of consent to operate to manufacture-Billet Caster-1.5 MTPA ; Bar- 1.4 MTPA by imposing following conditions:

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					<p>1. Industry shall extend the existing BG of Rs. 10 lakh towards O&M of pollution control system.</p> <p>Consent shall be issued after submission of requisite consent fee by the industry.</p>
46	MPCB-CONSENT-0000024004	AMBA RIVER COKE LIMITED (COKE OVEN PLANT), GEETAPURAM DOLVI	APPROVED Renewal of consent to operate	31-05-2022	<p>Committee noted that that PP is manufacturing Dry coke = 1000000 MT/A in the existing old premises of JSW main plant is located in the same premises of JSW main plant for which Board has issued consent to operate under RED category.</p> <p>In the view of above, it was decided to grant plain renewal of consent to operate to manufacture Coke-1.0 MMTPA by imposing following conditions:</p> <p>1. Forfeit the BG of Rs. 5 lakh as Stack results are exceeding the consented standards and obtain top-up BG of Rs. 10 lakh towards compliance of the same.</p> <p>It was also decided that industry shall make the amendment in EC on the name of M/s. Amba River Coke limited within a period of three months.</p> <p>Consent shall be issued after submission of requisite consent fee, and after submission of latest CA certificate.</p>
47	MPCB-CONSENT-0000018836	Lodha Developers Pvt.Ltd., 216 , SHAH & NAHAR INDUSTRIAL ESTATE, DR. E. MOSES ROAD, WORLI, MUMBAI-400018	APPROVED Renewal of consent to operate	30.11.2018	<p>It was decided to grant Renewal of Consent to Operate for Residential project named Lodha Paradise (Phase-II) on total plot area of 188520 sq.m and total construction BUA OF 223003.85 out of total construction BUA of 3,05,197.74 sq.m as per EC, by imposing following conditions:</p> <p>1. PP shall extend/ top up the BG to form total sum of Rs. 25 lakh towards O&M of pollution control system.</p> <p>2. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>3. PP shall install online monitoring system for parameters BOD, TSS & flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same.</p>

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					Consent shall be granted after the receipt of the additional fees.
48	MPCB- CONSENT- 0000020154	Manikgarh Cement Limestone Mines, MANIKGARH CEMENT, GADCHANDUR	APPROVED Renewal of consent to operate	16-08-2021	It was decided to grant renewal of consent to operate with decrease in CI for conditions. mining activity Lime Stone- 5.55 Million Ton/A upto the mining lease by imposing following conditions: 1. Mining authority shall extend the BG of Rs. 5 lakh submitted towards O&M of pollution control system. Consent shall be issued after submission of latest audited balance sheet for verification.
49	MPCB- CONSENT- 0000024582	JSW steel limited Coke Drying plant, Geetapuram ,Dolvi	APPROVED Renewal of consent to operate	30-06-2022	Committee noted that that PP is manufacturing for Dry Coke- 91476 MT/M in the existing old premises of JSW main plant is located in the same premises of JSW main plant for which Board has issued consent to operate under RED category. In view of above, it was decided to grant renewal of consent to operate for Dry Coke- 91476 MT/M by imposing following conditions: 1. Industry shall extend all the existing BGs. Consent shall be issued after submission of additional requisite fees and latest CA certificate.
50	MPCB- CONSENT- 0000025047	S.L. Raheja Hospital, S.L.Raheja Hospital,Raheja Rugnalaya Marg ,Mahim Mumbai	APPROVED Renewal of Combined Consent to Operate and BMW Authorization (CCA)	30.06.2019	It was decided to grant renewal of Combined Consent to Operate and BMW Authorization (CCA) under RED category for Health Care Establishment having 300 beds on Total Plot Area of 8092.62 sq.m. and Total Construction BUA (FSI + Non-FSI) of 18274 sq.m. of Hospital bldg. by imposing Standard conditions with BG regime and following specific conditions: 1. PP shall provide Organic Waste Mangement System (OWC/Biodigester) within 4 months time period. Combined Consent to Operate and renewal of BMW Authorization shall be issued after submission of: (1) Requisite consent and authorization fees if any.
51	MPCB- CONSENT- 0000025212	JSW STEEL PLANT.55 MW CAPTIVE POWER PLANT, Geetapuram ,Dolvi	APPROVED Renewal of consent to operate	31-08-2022	Committee noted that that PP is manufacturing for Power Generation (Gas Based)- 55 MW in the existing old premises of JSW main plant is located in the same premises of JSW main plant for which Board has issued consent to operate under RED category. In the view of above, It was decided to grant plain renewal of consent to operate for Power Generation (Gas Based)- 55 MW by imposing following conditions:

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
					1. Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system.
52	MPCB- CONSENT- 0000024652	JSW STEEL (SALAV) LTD, JSW STEEL(SALAV) LTD., SALAV,VILL.-SALAV ,PO-REVDAVDA, DIST.RAIGAD,NAHA RASHTRA.	APPROVED Renewal of consent to operate	31-05-2022	It was decided to grant renewal of consent to operate for Sponge Iron-85,500 T/M for the period upto 31.05.2022 by imposing following conditions: 1. Industry shall extend the existing BG of Rs. 5 lakh towards O&M of pollution control system. It was also decided to return the BG of Rs. 2 lakh obtained towards submission of design details of ETP, & STP after receipt of SROs report. Consent shall be issued after submission of additional requisite consent fee and connectivity of online stack monitoring system to MPCB server and revocation order from CPCB
53	MPCB- CONSENT- 0000024621	Lucina Land Development Limited, Village Kon and Arivali, Panvel District Raigad	APPROVED Renewal of consent to operate	30-04-2018	It was decided to grant renewal of consent to operate (part) for MRTP Rental Scheme on total plot area of 95570 sqm and total construction BUA of 118255 sqm (out of total construction BUA OF 599875 sqm as per EC dated 22.11.2010 and EC amendment dated 09.08.2012) by imposing the following conditions: 1. PP shall extend the existing BG of Rs 25 lakh towards O & M of Pollution Control System. 2. PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. 3. The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. Till the time of availability of local body sewer system, applicant shall utilize entire treated domestic effluent for Flushing, Construction of remaining phase and on own land for gardening. 4. PP shall install online monitoring system for parameters BOD, TSS, flow at the outlet of STP with a period of three months and submit BG of Rs 5 lakh towards the compliance of the same.
54	MPCB- CONSENT- 0000025816	Pride Soft City, Sr. No. 106, 5th floor, Pride House, university Circle,	NOT APPROVED Renewal of consent to operate	---	It was decided to issue SCN for refusal of renewal of consent to operate as PP has not submitted the Board Resolution towards commissioning of the project without obtaining consent to operate and BG of Rs 25 lakh as per the previous consent condition.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
		Ganesh Khind Road, Pune			
55	MPCB-CONSENT-0000026674	M/s. SUNFLAG IRON & STEEL CO. LTD., Village Eklari , Taluka Mohadi, Dist. Bhandara., Village : Eklari (Warthi)	APPROVED Renewal of consent to operate	31-05-2018	It was decided to grant renewal of consent to operate with increase in CI by imposing following conditions: 1. Industry shall extend all the existing BGs. It was also decided to consider the request of the industry to waive the condition to use 34% ash content coal as per Notification dated 02.01.2014 as the said Notification is applicable to the Coal based Power plant more than 100 MW. Industry has capacity of captive power plant is 30 MW, out of which only 12.5 MW is coal based and remaining is waste Heat recovery for coal based power plant industry has provided Atmospheric fluidized Bed combustion Boiler (AFBC).
56	MPCB-CONSENT-0000019770	M/s. ISMT Ltd (Steel Plant), At. Post Kolvihire, Jejuri Morgaon road,P. O. - Jejuri, Tal. - Purandar,Dist Pune	APPROVED Renewal of consent to operate	28-02-2018	Committee noted that Industry stated that they have complied the BG conditions such as installation of secondary air pollution control system and also up-gradation of existing ETP. In view of above, it was decided to grant renewal of consent to operate with increase in CI for the period upto 28.02.2018 by imposing following conditions: 1. Forfeit the BG of Rs. 5 lakh as JVS result is exceeding the consented standard and obtain top-up BG of Rs. 10 lakh towards O&M of pollution control system. It was also decided to release/forfeit BG after submission of verification report of SRO regarding installation of secondary air pollution control system.
57	MPCB-CONSENT-0000020267	DICITEX HOME FURNISHING PVT. LTD., Plot No. GN 7/2/1 & 2, MIDC Tarapur, Boisar, Dist. Palghar	NOT APPROVED Renewal of consent to operate	---	It was decided to issue SCN for refusal of renewal of consent to operate due to following non-compliances: 1. Industry has to provide MEE on or before 31.11.2016, however industry has not provided MEE for RO reject. 2. Industry has to provide dust collector with wet scrubber to boiler, thermopack. However industry has not provided wet scrubber to boiler. 3. Industry has increased the HW quantity compared to previous consent quantity. 4. Industry fail to reply the query letter issued by CAC cell vide email dated 05.04.2017, 07.04.2017, 27.06.2017.
58	MPCB-CONSENT-0000027630	JSW STEEL (SALAV) LTD, SALAV,VILL.-SALAV,PO-	APPROVED	30-09-2020	It was decided to grant renewal of consent to operate for jetty for material handling for captive purpose only i.e Iron Ore Pellets /Lumps/Coal/ Fines and Products = 5000000MT/A.

	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Remarks/Discussion
		REVDANDA,DIST.R AIGAD,NAHARASHT RA.	Renewal of consent to operate		Consent shall be issued after the submission of -1] Reply of PP in respect of query letter issued by SRO, Raigad-II2] After verification regarding submission of Bank Guarantee. in case of non-submission of BG to impose BG as per Board BG regime.

Table Items					
1	MPCB- CONSENT- 0000013991	JSW DHARAMTAR PORT PVT LTD, Dharamtar, Post- Dolvi, Tal Pen	NOT APPROVED 1st Operate (Part) for expansion and renewal of consent to operate	--	<p>Committee deliberated the issue in depth and made the following observations:</p> <ol style="list-style-type: none"> 1. PP has applied for plain renewal of consent (Jetty length of 331.5 mtrs) for handling capacity 13,50,000 MT/M. (i.e. 16.2 MTPA) . 2. PP has applied for first C to O for expansion for length 395 mtrs with proportionate handling capacity of 8,40,000 MT/M. (i.e.10.08 MTPA) (total length 726.5 mtrs including existing Jetty length and first phase expansion) for which C to E and EC including CRZ Clearance already obtained. 3. The MoEF and CC has also accorded EC for Jetty expansion project with length 1750 mtrs on 26.11.2015. 4. It is also noted from SRO remark that the work of expansion for first phase of Jetty is already completed and is ready to operate. 5. Committee also noted the reply received from MMB, GoM that JSW Dharamtar Port had carried out repairs of the Dilapidated Jetty structure of the Jetty and integrated adjacent test pile which was essential to prevent falling of debris in navigation channel and also to avoid any eventualities of accident. They have also stated that the cargo handling operation is carried out by the company from designated part of Jetty and restored part of the Jetty is not use for operation. 6. Committee also noted the PP's say that there is no court matter pending against Dharamtar port in NGT & High Court. <p>The Committee noted that the reply towards opinion sort from MoEF, Govt. of India is not received till date.</p> <p>In view of above, it is appropriate to take decision for 1st Operate (Part) for expansion and renewal of consent to operate after obtaining clarification from Environment Department, Govt. of Maharashtra and revert back to CAC.</p>
2	MPCB- CONSENT- 0000015942	Century Rayon , P.B.No 22, Murbad road, Shahad, Ulhasnagar, Thane	APPROVED 1st consent to operate (part) for expansion and	30.09.2019	<p>It was decided to grant 1st consent to operate (part) for expansion for manufacturing of Rayon Viscous, Filament Yarn, Tyre cord, continuous yarn (combined VFY production) = 1500 MT/A and Anhydrous Sodium sulphate (By-product) = 978 MT/A and amalgamation with existing consent with overriding effect by imposing following conditions:</p>

			amalgamation with existing consent.		<p>1. Industry shall submit BG of Rs 10 lakhs for the compliance of EC and C to E conditions.</p> <p>2. Industry shall achieve zero discharge for the proposed expansion. Also the following BGs shall be returned back as industry has complied the same.</p> <p>1. BG of Rs 10 lakh obtained towards not to take effective steps without EC.</p> <p>2. BG of Rs 2 lakh obtained towards installation of continuous online monitoring system of pH meter, BOD & Flow meter alongwith data logger at the outlet of treated trade effluent discharge to Ulhas creek through Waldhuni Nala.</p> <p>Consent shall be granted after the receipt of verification report from SRO w.r.t compliance of BOD= 30mg/l.</p>
3	MPCB-CONSENT-0000016804	DRT Anthea Aroma Chemicals Pvt Ltd, Unit II, Plot No 49, 50 & 51A/1, MIDC Dhatav, Vill Roth Budruk, Tal Roha, Dist Raigad	APPROVED 1st consent to operate for expansion and amalgamation with existing consent	31.01.2019	<p>Committee noted that PP has made application for obtaining EC for proposed expansion to SEIAA on 30.04.2012 which is prior to the cut off dated mentioned in draft Notification about ESA i.e 17.04.2013. PP has obtained EC on 08.04.2015 and completed construction work and plant is ready for commissioning.</p> <p>It was decided to grant 1st consent to operate for expansion and amalgamation with existing consent with overriding effect by imposing following conditions:</p> <p>1. Industry shall comply with the conditions of EC dated 08.04.2015.</p> <p>Consent shall be granted after the receipt of documentary proof regarding submission of application for the proposed expansion to SEIAA for EC and present performance of RIA CETP. If performance found to be satisfactory, then consent shall be issued with disposal path to CETP.</p>
4		Jindal Polyfilms Ltd, 28th km, Nashik Igatpuri Road, NH3, Vill: Mundegaon, Tal: Igatpuri, Dist Nashik	APPROVED 1st operate for expansion and renewal of consent to operate with amalgamation and consent to establish	C to O - 30.09.2020 C to E - COU or 5 years whichever is earlier	<p>Committee noted that industry has complied with the directions of the ID dated 01.03.2017.</p> <p>In view of above, it was decided to grant 1st operate for expansion and renewal of consent to operate with amalgamation and consent to establish as per the CAC decision dated 02.02.2016 & 09.03.2016 by further incorporating the following condition:</p> <p>1. Industry shall comply with the recommendations of Environmental report from IIT, Mumbai within a period of six months.</p>