

# MAHARASHTRA POLLUTION CONTROL BOARD



Abeyance Minutes of 14th Consent Appraisal Committee Meeting of 2013-2014 held on 28.08.2014 at 10.30 am at Conference Hall, MPC Board, Kalpataru Point, 4<sup>th</sup> Floor, Sion Circle, Sion (E), Mumbai 22.

.....

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
<b>(Book-let no. 30)</b>				
<b>Fresh</b>				
1	Bharat Petroleum Corporation Ltd., Pipeline - Mahul to Uran, LPG Plant Project, Admin Bldg. Mahul, Mumbai	Operate Approved	31.7.2015	It was decided to grant consent to 1 <sup>st</sup> operate for LPG pipeline from BPCL/HPCL Refineries to Uran plant and Mounded storage vessels of 3 x 900 MT capacities after obtaining requisite consent fees and by imposing condition that PP shall comply with CRZ clearance dated 6.9.2007 and amended on 18.3.2011.

# (Book-let no. 31)

## Review

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
1	Can Pack India Pvt. Ltd., (Glass Division), H-14/1, MIDC Waluj, Aurangabad	1 <sup>st</sup> Operate	30.04.2015	<p>The minutes of the said case was kept in abeyance for TAC to verify the say of the industry. Accordingly, Shri Rakesh Kumar, Technical Appraisal committee verified the say submitted by the industry and recommended the case and it was decided to grant C to 1<sup>st</sup> O for short period i.e. six month with following conditions</p> <ol style="list-style-type: none"><li>1. Industry shall operate with the current air pollution control system with regular monitoring to establish the efficacy of the control system.</li><li>2. SRO also to monitor the APC system monthly for six month and submit the report of first three months monitoring to CAC Cell with recommendation.</li><li>3. After three months report the performance shall be evaluated and if found not meeting the standards, Industry shall install necessary APC system.</li><li>4. Industry shall submit the BG of Rs. 5 lakhs to achieve the consented standards for air emission; if monitoring reports are exceeding BG will be forfeited.</li></ol>

## (Book-let no. 32)

### Resubmission

3	Viraj Profiles Ltd., Sr. No. 25(1) & (2), Palghar, Thane	Consent to 1st Operate Approved	30.06.2015	<p>It was decided to grant Consent to 1<sup>st</sup> Operate with following condition(s)</p> <ol style="list-style-type: none"><li>1. The unit was granted C to E with condition to install RO &amp; MEE to achieve zero discharge. However the industry has claimed that they will achieve zero discharge by recycling treated effluent by tertiary treatment without RO &amp; MEE &amp; reuse the treated water for cooling to achieve zero discharge. The claim of industry will be verified by rigorous monitoring by RO/SRO &amp; after verification of report to achieve zero discharge condition regarding waive of RO &amp; MEE will be taken separately. Industry to submit BG of Rs. 10/- Lakhs for O &amp; M of pollution control systems. The general parameters to be prescribed in consent &amp; RO/SRO to monitor TDS &amp; chlorides on monthly basis &amp; submit report to CAC-CELL.</li><li>2. Industry to suspend the production voluntarily if the industry does not achieve the consented parameters till installation of RO &amp; MEE as per condition of C to E</li></ol>
---	--	---------------------------------	------------	---