

**List of Cases to be submitted before 10th Consent Appraisal Committee Meeting Scheduled on 31.1.2013 at 12.00 Hrs. (Part-II)**

<b>Fresh Agenda</b>						
1	Loknete Baburao Patil SSK Ltd. (Co-generation Unit), Laxminagar Anagar, Tal - Mohol, Dist- Solapur	108.97 Cr.	Establish (Expansion)	WPC	1 to 9	
2	ITC Limited, Plot No. B-27, MIDC Ranjangaon, Tal - Shirur	769.5 Cr.	Establish (Expansion)	WPC	10 to 16	
3	Brinton Carpet Asia Pvt. Ltd. Gat No. 414/415/416, Village- Urawade, Tal - Mulshi, Dist - Pune	134.38 Cr.	Establish (Expansion)	WPC	17-23	
4	Perrigo API India Pvt. Ltd, Plot No . N-39, N-31/1, MIDC Additional Ambernath, Dist- Thane.	209.72 Crs	Establish ( Expansion)	PAMS	24-33	
5	M/s. Saint Gobain Gyproc India Ltd., G No. 300/1,2,302,303, New Ambadi, Vill-Nare Vadavali, Tal- Wada, Dist - Thane	219.0 Crs	Establish	JD(APC)	34-41	
6	M/s. Whirlpool of india Ltd., A-4, MIDC Ranjangaon, Tal- Shirur, Dist - Pune	455.77 Crs	Establish ( Expansion)	JD(APC)	42-49	
7	Elite Township Pvt Ltd (Beach Resort) , Village Sagartirth S.No-2 H No.3/B, S No-4 H No, 1 & 3,Village Tank S No-16 H No-1/1 & 1/4, S No-27 H No-1/2,Village Temb S No-15 H No.1/1 A,1/2, Ratnagiri.	297.60 Crs	Establish	AST	50-74	
8	ADLABS Entertainment Ltd, Vill-Sangadewadi and Vadval, Tal-Khalapur, Dist- Raigad.	849.10 Crs	1st Operate	RO(HQ)	75-83	
9	M/s. Ultratech Cement Ltd., Hotgi Cement Works, Nr. Hotgi Railway station, Hotgi, Solapur	355.7 Crs	1st operate (Expansion)	JD(APC)	84-97	
10	Rashtriya Chemicals and fertilisers Ltd, Thal Unit, Vill- Thal- Vaishet, Tal- Alibag, Dist- Raigad.	1773.38 Crs	Renewal with amalgamation of 1st Operate	PAMS	98-107	
11	M/s. JCB India Ltd., Plot No. A & B, Talegaon Floriculture & Industrial Park, vill- Ambi, Tal- Maval, Dist - Pune	359.96 Crs	1st operate for expansion with amalgamation	JD(APC)	108-117	
12	Urjankur Shree Tatyasaheb Kore warana Power Company Ltd. A/p. Warna Nagar, Tq- Panhala, Dist- Kolhapur	281 Cr.	1st Operate	WPC	118-128	
13	Cargil India Pvt. Ltd. Plot No. E-45, MIDC Kurkumbh, Tal- Daund, Dist - Pune	119.13 Cr.	Renewal with amalgamation First operate	WPC	129-135	
14	United Breweries Ltd.Unit - Bombay Breweries, M-1, MIDC Ind. Estate, Post - Taloja, Dist - Raigad	202.64 Cr.	Renewal with First operate for Boiler	WPC	136-152	
15	Asian Hotel Ltd ( Hyatt Regency - Mumbai), Sahar Airport Road, Andheri (E), Mumbai	364.81 Crs	Renewal	AST	153-163	

16	M/s. Intercontinental The Lalit ( M/s. Bharat Hotels Ltd), Sahar Airport Road, Andheri (E), Mumbai	241.08 Crs	Renewal	AST	164-176	
17	M/s. Ultratech Cement Ltd., Hotgi Cement Works, Nr. Hotgi Railway station, Hotgi, Solapur	109.48 Crs	Renewal	JD(APC)	177-188	
18	M/s. Tata Cummins Ltd., A-1, MIDC Phaltan, Satara	483.31 Crs	Renewal	JD(APC)	189-198	
19	M/s. Godrej & Boyce Mfg. Co. Ltd., Gat No. 600,601,605, A/p- Wing, Tal- Khandala, Dist - Satara	137.78 Crs	Renewal with expansion	JD(APC)	199-208	
20	M/s. Tarapur Atomic Power Station Unit 1 & 2, Nuclear Power Corporation of India Ltd., Revenue S No. 56, Vill- Ghivali, Tal- Palghar, Dist - Thane	323.08 Crs	Renewal	JD(APC)	209-217	
21	M/s. Viraj Profiles Ltd., Gut No. 110,111,114,116,118,119 and 120, Vill- Mahagaon, Tal- Palghar, Dist - Thane	186.0 Crs	Renewal	JD(APC)	218-234	
22	M/s. Godrej & Boyce Mfg. Co. Ltd., Gat No. 600,601,605, A/p- Wing, Tal- Khandala, Dist - Satara	131.78 Crs	Renewal	JD(APC)	235-241	
23	Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd., (Sugar) At - Ahankarnagar, Post - Akluj, Tal - Malshiras, Dist- Solapur	404.73 Cr.	Renewal	WPC	242-250	
24	Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd., (Acetic) At - Ahankarnagar, Post - Akluj, Tal - Malshiras, Dist- Solapur	404.73 Cr.	Renewal	WPC	251-256	
25	Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd., (Distillery) At - Ahankarnagar, Post - Akluj, Tal - Malshiras, Dist- Solapur	404.73 Cr.	Renewal	WPC	257-268	
26	Sahyadri SSK Ltd., Yashwant Nagar, Tal - Karad	115.70 Cr.	Renewal	WPC	269-276	
27	Vasandraodada Patil Sahakari Sakhar Karkhana Ltd., (Sugar), Survey No. 879, Vithewadi (Lohoer)	184.53 Cr.	Renewal	WPC	277-285	
28	M/s. Tata Steels Ltd., Cold Rolling of Coils & Sheets, S-76, MIDC Tarapur Indl. Area, Thane	100.96 Crs	Renewal with expansion	JD(APC)	286-293	
29	M/s. JSW Ispat Steel Ltd., Sponge Iron Plant, Formerly known as M/s. Ispat Industries Ltd., Geetapuram, Dolvi, Tal- Pen , Dist- Raigad	608.66 Crs	Renewal with amalgamation	JD(APC)	294-308	
30	M/s. JSW Ispat Steel Ltd., Captive Jetty, Geetapuram, Dolvi, Talk- Pen, Dist - Raigad	132.48 Crs	Renewal	JD(APC)	309-321	
31	M/s. Nashik Thermal Power Station, MSPGCL, P.O. Eklare, Nashik	714.09 Crs	Renewal	JD(APC)	322-343	
32	M/s. Maharashtra State Power Generation Co. Ltd., CSTPS, At- Urjanagar, Chandrapur	3541.28 Crs	Renewal	JD(APC)	344-360	

33	Mumbai Port Trust, Port House, Shoorji Vallabhdas Marg, Ballard Estate, Mumbai	267.73 Crs	Renewal	RO(HQ)	361-372	
34	Offbit Developers Pvt. Ltd, Phoenix Market City, CTS 121,124/1 to 9,124/51,124/72 to77,124/83 to 931041 ( New CTS No. 124/A to F) Vill- Kirol, LBS Road, Kurla(W), Mumbai	798 Crs	Renewal	RO(HQ)	373-383	
35	Reliance Industries Ltd, Nagothane Mfg. Divn, Tal- Roha, Dist- Raigad.	967.50 Crs	Renewal	PAMS	384-395	
36	M/s. Fiat India Automobiles Ltd., B-19, MIDC Ranjangaon, Tal- Shirur, Dist - Pune	3577.71 Crs	Amendment	JD(APC)	396-407	
	<b>Review Items</b>					
1	Compliance Matrix/Criteria for the Concerned industry being consistently applied across various geographical location across various units in the state.			SLO	408-413	
2	Circular regarding uniform guidelines for obtaining Bank Guarantee from CETPs.			SLO	414-419	
3	Approval for issuance of closure directions to M/s. Mandhana Dyeing Unit-II, Plot No. C-3, MIDC Tarapur, Tal- Palghar, Dist-Thane.			RO(HQ)	420-430	
4	Release of Bank Guarantee of M/s. Mukund Ltd, Dighe, Post- Kalwe, Thane Belapur Road, Thane			RO(HQ)	431-446	
5	M/s. B.D & P. Hotels (I) Pvt. Ltd ( Hilton Hotel) Mumbai International Airport Road, Sahar Airport Road, Andheri(E), Mumbai		Waive the consent condition of BG	AST	447-464	
6	M/s. Reliance Industries Ltd (PTA) Div, Patalganga & Nagothane Tq- Roha, Raigad		Regarding extension period for installation of CAAQMS	PAMS	465-475	
7	M/s. Sunflag Iron and Steel Co. Ltd., Vill Ekalari, Tal- Mohadi, Dist - Bhandara		Bank Guarantee	JD(APC)	476-546	
8	M/s. MAHAGENCO, Koradi TPS, Nagpur		Bank Guarantee	JD(APC)	547-578	
9	M/s. Reliance Cementation Ltd., Nagpur Mfg. Division, Vill- Dahali, Tal- Mouda, Dist - Nagpur		Bank Guarantee	JD(APC)	579-587	
10	M/s. Abhijeet MADC Nagpur Energy Pvt. Ltd., S. No. 15,17/1, 18 & 19, Vill- Khairy Khurd, Tal- Higna, Dist - Nagpur		Bank Guarantee	JD(APC)	588-605	
11	M/s. Indorama Synthetics (I) Ltd., Butibori, Nagpur		Bank Guarantee	JD(APC)	606-625	

## **Fresh Agenda**

### **CAC Item No.01**

**Name of the Industry: Loknete Baburao Patil SSK Ltd. (Co-generation Unit),  
Laxminagar Anagar, Tal - Mohol, Dist- Solapur**

### **HOD Remarks**

- Applied for renewal of consent to establish for expansion of Co-Gen. unit by 6.5 MW..  
Total C.I. of the industry.
  - a) Existing Sugar 2500TCD - 45.40 Cr.
  - b) Existing Distillery 30 KLPD - 20.92 Cr.
  - c) Existing Co-Gen. 8 MW - 22.65 Cr.
  - d) Proposed Co-Gen. 6.5 MW - 20.0 Cr.

108.97 Cr.
- Total water consumption for expansion is 75 CMD.
- Domestic Effluent generation 4.0 CMD and I.E. 20.0 CMD.
- Existing sugar and co-gen. I.E. is about – 320 CMD.
- ETP is provided with secondary treatment of capacity 500 CMD, which is adequate.
- Land available for disposal of treated effluent is about 3 Hector.
- JVS exceeding the prescribed standards.
- Height of the existing chimney is 65 mtr.
- As per CREP norms, wet scrubber is proposed as an APC system.
- Cess, Environmental statement details of existing units are not provided.
- The industry has B.G. of Rs. 2.0 Lacs valid up to: 17.09.2013, Rs. 3.0 Lacs valid up to: 17.12.2013 & operation BG for distiller Rs. 2.0 Lacs valid up to: 17.12.2013.
- SRO/RO recommended for grant consent to establish.  
Total investment of the industry is Rs. 108.97 Cr. Hence, case is under the purview of CAC .

Submitted for further order & line of action.

**JD(WPC)**

**CAC Item No.02**

**Name of industry : - ITC Limited, Plot No. B-27,  
MIDC Ranjangaon, Tal – Shirur**

**HOD Remarks**

- Application submitted for expansion of C to E.
- Part operate obtained valid up to: 31.08.015. (C.I. Rs. 464.50 Cr.)
- Now applied for C to E (C.I. Rs. 332.0 Cr.).
- Total C.I. Rs.769.50 Cr.
- Consent to Establish may be issued overriding effect to earlier consent.
- Submitted for approval .

**JD(WPC)**

### **CAC Item No.03**

**Name of industry :- Brinton Carpet Asia Pvt. Ltd. Gat No. 414/415/416, Village-Urawade, Tal - Mulshi, Dist – Pune**

#### **HOD Remarks**

- Industry has applied for consent to establish for Expansion for briquette fired boiler and increased in weaving capacity by installing new 6 no. of power looms. It is RED/LSI Unit.
- Unit is located at 3 km from Mula River (A-II Class)
- Existing consent is valid up to 31.12.2013
- Proposed Capital Investment for expansion is 23.54 Cr.
- Total Capital Investment of Industry - Rs. 134.38 Cr.
  - (Existing CI Rs. 110. 84 Cr. + Proposed CI Rs. 23.54 Cr. = 134.38 Cr.)
- Existing unit is 3 km from Mula river (A-II class)
- Water consumption – no change in water consumption it will remain same as the exiting consented capacity i.e. I.E. – 152 CMD and D.E 54 CMD.
- JVS analysis results of the exiting unit are within limits dt.27.09.2011 and 11.02.2012.
- Cess paid up to Sept 2011 and assessment done up to Nov 2011 for existing unit.
- Industry has provided ESP as an APC system attached to Boiler.
- Industry is having membership of the CHTSDF Ranjangaon for the disposal of the H.W.
- Industry has paid consent fee Rs. 50,000/- for consent to establish.
- RO Pune has recommended for consent to establish.
- Recommend to grant C to E for expansion.

**JD(WPC)**

**CAC Item No.04**

**Name of industry: Perrigo API India Pvt. Ltd, Plot No . N-39, N-31/1,  
MIDC Additional Ambernath, Dist- Thane.**

**HOD Remarks**

1. Application for Consent to Establish for Expansion
2. Product- Bulk Drugs.
3. Application received at SRO on 05/12/2012 and at HQ on 31/12/2012.
4. I. E. generation as per existing consent is 35 CMD. Industry has provided Primary, secondary & tertiary treatment. Treated effluent is discharged to CETP.
5. Due to proposed expansion IE generation increases by 153 CMD. Industry proposes to up grade existing ETP with full-fledged primary, secondary & tertiary treatment followed by MEE and Thin Film Dryer to handle effluent feed at 750 kg/hr.
6. CI as per existing consent is Rs. 53.41 Crore; Proposed CI after expansion will be Rs. 209.72 Crore.

In view of above, we may consider the case for establish by imposing condition of EC for additional new products and NOC from MIDC.

**JD(PAMS)**

**CAC Item No.05**

**Name of industry :- M/s. Saint Gobain Gyproc India Ltd.,  
G No. 300/1,2,302,303, New Ambadi,  
Vill- Nare Vadavali, Tal- Wada, Dist – Thane**

**HOD Remarks**

- 1) This is consent to Establish for Coal based Captive Power plant of 2.7 MW.
- 2) Existing consent is valid upto 31/3/2017 under orange category as manufacturing Gypsum Plaster, Gypsum Board and jointing compound/finishing plaster. (approved in CC dated 04/12/2012).
- 3) CI for CPP is Rs. 24.0 crores. Existing CI is Rs 219 crores.
- 4) Requires EC,
- 5) Propose to provide ESP to Boiler & ETP for effluent.
- 6) SRO recommended grant of consent to Establish.
- 7) Now we may consider the grant of C to E under Red category, subject to EC condition.

We may place the case before CAC for further discussions.

**JD(APC)**



**CAC Item No.06**

**Name of industry :- M/s. Whirlpool of india Ltd., A-4, MIDC Ranjangaon, Tal-Shirur, Dist - Pune**

**HOD Remarks**

- Applied for consent to establish for expansion
- Application received at SRO-Pune on dtd 29/10/2012 and at HQ on 20/12/2012
- Existing plant consent is valid up to 31/12/2016
- Industry is located @ 10 km from river Ghod. Satisfy the distance criteria.
- For domestic effluent STP of 60 CMD is provided,
- JVS analysis STP result 22/02/2012 and 08/05/2012 are under prescribed limit.
- Adequate height of chimney provided to DG Set.
- As per existing consent condition, industry has submitted operational BG of Rs. 5/- lakhs
- Regional officer Pune has recommended for grant of consent to Establish for Expansion
- We may grant the consent to establish for expansion
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## CAC Item No.07

**Name of the Industry:** Elite Township Pvt Ltd (Beach Resort) ,  
Village Sagartirth S.No-2 H No.3/B, S No-4 H  
No, 1 & 3,Village Tank S No-16 H No-1/1 &  
1/4, S No-27 H No-1/2,Village Temb S No-15 H  
No.1/1 A,1/2, Ratnagiri.

### HOD Remarks

- Applied for consent to establish for Beach Resort / construction project activity.RED/LSI.
- Total Capital Investment of the propose project is Rs. 297.60 Crs as per CA certificate submitted by the Project Proponent.
- SRO has reported that, as per EIA notification, proposed Beach resort/ construction project required Environmental Clearance from Environment Dept GoM, as per provisions of EIA notification 2006. .
- Total Plot area is 219084 Sq. Mtrs. and proposed Built up area is 61926.22 sq.m.
- PP has submitted the NOC of Grampanchayat Sagartirth, Tq-Vengurla, Dist- Sindhudurg dated 22.3.2011.
- Project activity falls under CRZ category, Project authority has submitted the NIO certified plan. The NIO has carried out the study specifying the LTL, HTL & CRZ boundaries at 200 Mtrs, 500 Mtrs lying
- As per the Govt. resolution ENV-2009/P.K. 106 ( Part-2)/Udyog-2 dated 26.4.2010 the hotel activity is allowed as per Sr. No. 68 in Annexure-I.
- MoEF Gol has imposed moratorium vide memorandum dated 16.8.2010 and its sub sequent amendment on consideration of project from the districts of Ratnagiri and Sidhudurg , under the EIA Notification, 2006 or by the Maharashtra State EIA Authority( SEIAA). The said moratorium is extended upto 31.12.2012 vide memorandum dated 25.7.2012.
- The said resort requires CRZ clearance is required as the proposed resort is in CRZ area.
- Water Consumption 4555 CMD and domestic effluent generation is 310 CMD and trade effluent is 1814 CMD.
- For disposal of trade effluent proponent has propose to provide comprehensive ETP
- For disposal of D.E. project proponent has propose to provide STP of capacity 375 CMD
- The treated effluent will be reused for toilet flushing, gardening and cooling tower make up and excess effluent is propose to disposed on 25 Acres land.
- Propose to provide Boiler with stack of height 6 Mtrs. and fuel use as LDO -1114 Ltr/Hrs. Industry has proposed to provide DG sets of 750 KVA – 7 Nos and 1500 KVA -2 Nos for which adequate APC along with chimney of suitable height is propose to provided.
- SRO Ratnagiri has reported that the site is falls under the CRZ area. The moratorium for sitting industries in Ratnagiri & Sindhudurg Dist. is extended upto Dec-12. Recommended for decision decided at higher level.
- The proposed activity may fall in CRZ-III category. Though NIO has certified the site plan showing the boundaries between 200-500 mtrs, LTL, HTL & CRZ boundaries, it is necessary to obtain NOC / permission from MCZMA.
- The construction built up area is more than 20000 sq.mtrs.( i.e. 61926 sq.mtrs.)attract Environmental Clearance. As MoEF, Gol has extended moratorium upto 31.12.2012.
- Hence we may consider the case after obtaining clarification from MoEF about lifting of moratorium from the area.
- Submitted for further decision in CAC

**AS(T)**

## CAC Item No.08

**Name of Industry: - ADLABS Entertainment Ltd, Vill- Sangadewadi and Vadval,  
Tal- Khalapur, Dist- Raigad**

### HOD Remarks

1. Application for consent to 1<sup>st</sup> Operate.
2. Application received at SRO 10/08/2012 at HQ on 11/01/2013
3. C to E issued vide No. 100 dt. 25/10/2011 for;  
**Total Plot Area – 4,57,780.00 M<sup>2</sup>**  
**Total Construction area- 52,068.00 M<sup>2</sup>**
4. Now applied for 1<sup>st</sup> consent to operate for;  
**Total Plot Area – 4,57,780.00 M<sup>2</sup>**  
**Total Construction area- 52,068.00 M<sup>2</sup>**
5. Water Aspects:  
Water requirement- 367CMD  
Sewage generation- 345.0 CMD  
STP provided -350 CMD
6. Solid waste generation is 3.75 TPD, for which Onsite composting is provided.
7. The firm has obtained EC vide No.SEAC 2010/CR.84/TC.2 dt. 27/12/2011.
8. The firm has complied with conditions of C to E.
9. RO has recommended the consent to 1<sup>st</sup> operate.
  
10. Consent may be granted with BG of Rs. 10 lacs for operation and maintenance of STP and MSW processing pant.

**RO (HQ)**

## **CAC Item No.09**

**Name of Industry: - M/s. Ultratech Cement Ltd., Hotgi Cement Works, Nr. Hotgi Railway station, Hotgi, Solapur**

### **HOD Remarks**

- Applied 1st consent to operate for expansion
- Application received at SRO- Solapur on dtd 07/07/2012 and at HQ on 08/10/2012.
- Existing plant consent is valid up to 31/01/2013 & obtained C to E on 27/12/2010 for expansion
- Industrial effluent generation is NIL.
- Domestic effluent generation is 44 CMD for which Septic tank & soak pit provided & proposed to provide sewage treatment plant.
- RO Pune has recommended the case for 1st consent to operate for expansion by imposing condition towards provision of air pollution control arrangements & provision of STP within specified time
- We may grant 1st consent to operate for expansion for period up to 31/01/2014 with imposing operational B.G. of Rs. 10/- Lakhs
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.10**

**Name of Industry: - Rashtriya Chemicals and fertilisers Ltd, Thal Unit,  
Vill- Thal- Vaishet, Tal- Alibag, Dist- Raigad.**

### **HOD Remarks**

1. Application for Renewal of Consent with amalgamation of Consent to I-operate.
2. Manufacturing of Fertilizer (Basic) (excluding formulation).
3. Application received at SRO on 06/09/2012 and at HQ on 01/01/2013.
4. Renewal with amalgamation of first C to O with modification in urea quantity by 50 % neem coated urea.
5. Water consumption is increased from 60000CMD to 65000 CMD, however no increase in effluent quantity.
6. Fuel is also increase from 4.9 MMS CMD to 5.2 MMS CMD.
7. We may renew the consent with first C to O by imposing condition that industry shall not take production of neem coated urea till they obtain amendment in E.C. if approved by CAC.

**JD(PAMS)**

## **CAC Item No.11**

**Name of the industry :- M/s. JCB India Ltd., Plot No. A & B, Talegaon Floriculture & Industrial Park, vill- Ambi, Tal- Maval, Dist - Pune**

### **HOD Remarks**

- Applied for 1st operate for expansion with amalgamation of existing consent
- Application received at SRO- Pune on dtd 06/11/2012 and at HQ on 07/01/2013
- Existing unit consent is valid up to 31/07/2013 & obtained Cto E for expansion on 26.04.2012
- Effluent generation is 9 CMD. ETP comprising secondary treatment facility of capacity 20 CMD is provided.
- Industry has provided 2 sewage treatment plants with total capacity of 200 CMD.
- JVS analysis result of existing plant ETP on dated 17/08/2012 submitted which is parameter BOD (270 mg/Lit) COD (680 mg/Lit) are not meeting prescribed limit.
- Air pollution dust, collector & scrubber is provided for powder coating unit & paint booth respectively.
- RO Pune has recommended the case for amalgamation of consent upto 31.07.2013 by obtaining operational BG from the industry
- We may grant 1st operate for expansion with amalgamation up to 31/07/2013 with forfeiting of 50% of BG due to not meeting STd & take additional B.G.
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.12**

**Name of Industry** Urjankur Shree Tatyasaheb Kore warana Power Company  
Ltd. A/p. Warna Nagar, Tq- Panhala, Dist- Kolhapur

### **HOD Remarks**

- This case was discussed in CAC meeting dt. 29.05.2012 and was not approved.
- It was decided to keep in abeyance till conditions of C to E complied.
- JD (WPC) has issued a letter to industry regarding the compliance of C to E conditions vide letter no. MPCB/Jt. Dir (WPC)/TB/B-3643 dt. 14.06.2012.
- SRO Kolhapur vide letter no, MPCB/SRO/KOL/ 121207FT0267/12 reported that,
  - Industry has completed installation of silo.
  - Industry has planted about 2000 to 250 sapling around the Coal/Bagasse storage yard.
  - Industry has provided rain water drains.
- SRO Kolhapur vide email dt. 03 Jan 2013 reported that industry has submitted undertaking and committed to comply on stamp paper.
  - The industry has submitted that as per the EC condition the rain water harvesting system will be provided with in 8 month as the construction activity on site is in advance stage and it is difficult to identify the suitable location for the same.
  - Industry has submitted that at presently they are going to utilize the Bagasse as a fuel about 70 % to 80 % from sugar factory and Biomass from local area and about 20 % to 30 % of coal is used as fuel. The construction of the coal yard is in progress and the work will completed within 8 Months.
  - Industry is proposed to provide 1000 No of trees and at presently they have planted 500 and the about 250 to 300 samplings were survived.
  - The industry is in the process of identifying the suitable vendor and going to provide the online monitoring system within 8 months period.
  - As the industry has provided ESP as Air Pollution Control system to the Boiler and provided ETP for the effluent treatment.
- SRO recommended case considered for grant of consent to operate by obtaining appropriate B.G. for the compliance of above points.
- The industry has applied for C to O first
- ESP to Boiler has provided.
- This is a separate industry not linked with sugar and other units of Warana SSK.
- Coal handling is not yet complete. Yard of it has completed up to 80% rest work will be completed in next 8 months (i.e. by August 2013)
- Rain water harvesting is not completed.
- Recommend to grant consent with BG of Rs. 10 Lakhs for completion of coal yard by Aug 2013.

**JD(WPC)**

### **CAC Item No.13**

**Name of Industry:- Cargil India Pvt. Ltd. Plot No. E-45, MIDC Kurkumbh,  
Tal- Daund, Dist - Pune**

#### **HOD Remarks**

- This unit was fall earlier in CC category as investment was Rs. 95.28 Cr. + 1.7 Cr.
- Now Total CI is Rs. 119.13 Cr.
- The earlier consent was granted on 18.03.2010 with validity 30.09.2012 (CC) for edible oil, oil refinery and other.
- C to E for co-gen granted on 07.07.2011 for 1 mw (Bagasse based) with trade effluent nil.
- Water consumption is 60 m3 for industrial cooling only top up water required no discharge to premises. No water required for process.
- ESP was condition to Bagasse based boiler. No ESP provided.
- We may grant only plain renewal after receipt of compliance of C to E conditions for co-gen plant we may consider separately.
- Submitted to CAC for decision

**JD(WPC)**



## **CAC Item No.14**

**Name of Industry:- United Breweries Ltd.Unit - Bombay Breweries,  
M-1, MIDC Ind. Estate, Post - Taloja, Dist - Raigad**

### **HOD Remarks**

- Industry has applied for **Renewal of** existing plant and **C to O first** for boiler/**RED/LSI** unit.
- **C to E** for additional Coal/briquette fired boiler was obtained on **20.05.2009** which is ready for commissioning.
- Industry is engaged in production of Beer of 1,25,000 HL/Month.
- Previous consent is **valid up to 30.10.2012**
- Total capital investment is **Rs. 202.64 Cr.** has increased from **Rs.104.64 Cr.**
- Industry has paid fees for increased CI Rs. 20,26,460 + Rs. 6,00,000 = **Rs. 26,26,460/-**
- Industry is generating **85 m<sup>3</sup>/day domestic effluent** which will be treated in septic tank and disposed in CETP.
- Total water intake by industry is **2975 CMD** and generating industrial effluent of **1280 m<sup>3</sup>/day** which is treated in ETP which comprised with following units **Equalization Tank, Neutralisation Tank, Primary Clarifier, Buffer Tank, UASB Digester, Aeration Tank, Secondary Clarifier and Sludge Drying Bed.** Treated effluent is disposed in CETP.
- Industry has provided **Bag Filter, Cyclone dust collection system as APC** for coal/briquette fired **Boiler** which having **stack** height of **40 m.**
- **Cess** has been **paid up to Sept 2012.**
- Industry does **not** generate **Hazardous Waste.**
- Industry submitted **Environmental Statement** for year **2011-12.**
- SCN dt. 25.10.2010 was issued followed by ID issued dt. 24.11.2010 and obtained BG of Rs. 3 Lakhs for exceeding JVS.
- This BG of 3 Lakhs was forfeited and obtained BG of 15 Lakhs by ID issued dt. 14.02.2012.
- Now industry has upgraded ETP and JVS Results dt. 18.08.2012, 31.10.2013 & 21.11.2013 are within consented limit.
- **RO Navi Mumbai** has **recommended** application for **renewal of consent** up to **31.10.2017** incorporating coal/briquette fired boiler and emission parameter.
- **CI increased from 104.64 Cr. to 202.64 Cr.**
- **Recommend to grand renewal with C to O first for boiler.**

**JD(WPC)**

### **CAC Item No.15**

Name of Industry **Asian Hotel Ltd ( Hyatt Regency - Mumbai),  
Sahar Airport Road, Andheri (E), Mumbai**

#### **HOD Remarks**

1. Application for grant of renewal of Consent to Operate of 5 Star Hotel received at R.O. (Mumbai) on 30/10/2012.
2. Firm has obtained Consent to Operate vide Consent No. BO/ROM/MUMBAI-112/O/CC-738 dtd. 30/10/2002.
3. Firm has obtained amendment of Consent to Operate vide letter No. BO/Mumbai/Amnd/TB/B-5036 dtd. 24/12/2002.
4. Firm has provided STP & ETP for treatment of sewage/trade effluent. After treatment, the treated sewage is utilized upto maximum extent for flushing, firefighting, cooling tower, gardening and rest is discharged into Municipal sewer.
5. Solid wastes -500 Kg/day is disposed off at MCGM dumping ground.
6. SRO(Mumbai-II) / RO(Mumbai) have recommended that grant of renewal of Consent to Operate upto 31/10/2015.
7. Accounts Branch has calculated total Consent fees as Rs. 55,86,266/- for period upto 31/10/2016. Hotel Authority has paid the total Consent fees of Rs. 58,05,925/-.
8. Renewal of Consent to Operate may be granted upto 31/10/2016.

**AS(T)**

## **CAC Item No.16**

Name of Industry: **M/s. Intercontinental The Lalit ( M/s. Bharat Hotels Ltd),  
Sahar Airport Road, Andheri (E), Mumbai**

### **HOD Remarks**

- Applied for renewal. Hotel activity( 5 Star) including Lodging, Boarding, Swimming Pool & Laundry. Total Rooms 369 Nos+ 21 Service Apts.) RED/LSI.
- Total C. I. is Rs. 241.08. Cr as per CA certificate submitted by industry. C.I. as per previous consent is RS. 482.78 Crs.
- Total Built up area- 70000 Sq. Mtrs. as per the previous consent which is valid upto 30.11.2012.
- Water Consumption 418 CMD and domestic effluent generation is 133 CMD and trade effluent is 245.5 CMD.
- Hotel has provided STP comprising with primary, secondary & tertiary treatment
- As per SRO report hotel has not provided ETP for treatment of laundry effluent ad Ozonization treatment for swimming pool .
- The treated effluent is used for toilet flushing, Fire frightening, conditioning & gardening.
- The JVS sample collected on 31.1.2012,14.5.2012,19.6.2012 and 23.7.2012 are within limit as per consent standard.
- The solid waste generated is handed over to Contractor for further disposal.
- Hotel has paid cess upto Aug- 2012 and assessment done Oct.-2012. Hotel has submitted the Environmental Statement of year 2011-12
- SRO Mumbai-II has recommended the application may be consider after receipt of justification from hotel regarding capital investment and taking appropriate BG for provision of ETP for Laundry effluent and ozonisation treatment for swimming pool water.
- RO Mumbai has recommended renewal of consent subject to obtained BG for non compliance & clarification of decrease in C.I from Hotel.
- C. I. is Rs. 241.08. Cr as per CA certificate submitted by industry. C.I. as per previous consent is RS. 482.78 Crs.
- Hotel authority has not provided separate ETP for treatment of Laundry effluent
- Information regarding same is call from Hotel authority on 17.1.2013.
- We may consider the case for renewal subject to satisfactory reply from industry.
- Submitted for further decision in CAC

**AS(T)**

**CAC Item No.17**

**Name of Industry: - M/s. Ultratech Cement Ltd., Hotgi Cement Works,  
Nr. Hotgi Railway station, Hotgi, Solapur**

**HOD Remarks**

- Applied renewal of consent
- Application received at SRO- Solapur on dtd 26/11/2012 and at HQ on 07/01/2013.
- Previous consent was valid up to 31/01/2013
- Industrial effluent generation is NIL.
- Domestic effluent generation is 40 CMD for which sewage treatment plant provided.
- On line stack monitoring provided to ESP of cement mill. Stack monitoring reports enclosed.
- AAQM analysis result on 21/04/2012, submitted .which is under prescribed limit
- RO Pune has recommended the case for renewal of consent, subject to monitoring linkage to MPCB site.
- We may grant renewal of consent for period up to 31/01/2016 with imposing operational B.G. of Rs. 10/- Lakhs
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.18**

**Name of Industry:- M/s. Tata Cummins Ltd., A-1, MIDC Phaltan, Satara.**

### **HOD Remarks**

- Applied for renewal of consent
- Application received at SRO- Pune on dtd 02/11/2012 and at HQ on 20/12/2012.
- Previous consent was valid up to 31/12/2012
- Effluent generation is 15 CMD for which ETP provided
- Domestic effluent generation is 45CMD. The domestic effluent is treated in existing common STP provided at Cummins mega site. The treated effluent is used on land for gardening.
- Industry has provided test cess 6 Nos, each having separate emission stack with height 3 mtrs above the roof, ho water generator 30 mtrs & paint booth 9 mtrs above the ground level.
- RO Pune has Recommended for grant of renewal of consent to operate for the period upto 31.12.2013
- We may grant consent to operate up to 31/12/2013 with B.G. of Rs, 5/- Lakhs towards operation & maintenance
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.19**

**Name of Industry: M/s. Godrej & Boyce Mfg. Co. Ltd.,  
Gat No. 600,601,605, A/p- Wing, Tal- Khandala, Dist - Satara**

### **HOD Remarks**

- Applied for renewal of consent with expansion
- Application received at SRO- Satara on dtd 01/11/2011 and at HQ on 03/11/2012
- Existing unit consent was valid up to 30/09/2012 & applied for renewal of consent
- Industry located @ 1.3 KM away from A-II class River NIRA. Not satisfy the RRZ distance criteria.
- Industrial Effluent Generation is Nil (existing 65 CMD) for which effluent treatment plant provided.
- Domestic Effluent Generation is NIL (existing 65 CMD) for which sewage treatment plant provided
- JVS analysis result of ETP dated 24/01/2012, 31/03/2012 and 15/10/2011 are under prescribed limit.
- Adequate height of stack provided to DG set & various stack of existing unit & no additional air pollution control system are required as there is no additional fuel requirement.
- RO Pune has recommended the case for grant Consent
- We may issue SCN for refusal of consent
- We may place the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.20**

**Name of industry :- M/s. Tarapur Atomic Power Station Unit 1 & 2,  
Nuclear Power Corporation of India Ltd., Revenue S No. 56,  
Vill- Ghivali, Tal- Palghar, Dist – Thane**

### **HOD Remarks**

1. Applied for Renewal of Consent with change in used oil quantity.
2. Application received at SRO-Tarapur-II on dtd 3.5.2012 and at HQ on dtd 15.1.2013.
3. Previous consent was valid upto 31/07/2012.
4. Industrial effluent is 2000127 CMD. SRO reported, provided collection cum neutralization tank for treatment of tread effluent generating from D.M. water plant
5. Domestic effluent is 860 CMD. Provided STP.
6. JVS results of Water dtd 13.9.2012, 10.10.2012 &30.11.2012 are within the prescribed limit.
7. Used oil/ spent oil are regularly sale to authorized recycler party.
8. SRO Reported,1). 1) In the previous consent quantity mentioned for handling of used oil was 1000 Ltrs/Tear. However, it should be 10000 Ltrs/Year as per the Boards consent dtd 14.1.2003. 2) Provided stack of height 110 Mtrs attached for reactor.
9. RO/SRO recommended for grant of renewal of consent for period upto 31.7.2017 with change in quantity of Used oil as 10000 Ltrs/year as per the earlier consent
10. HOD Remark – We may grant renewal upto 31/7/2017 with change in oil quantity with operational B.G. of Rs. 10/- Lakhs.

We may pace the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.21**

**Name of industry :- M/s. Viraj Profiles Ltd.,  
Gut No. 110,111,114,116,118,119 and 120,  
Vill- Mahagaon, Tal- Palghar, Dist - Thane**

### **HOD Remarks**

1. Applied for renewal of Consent to operate.
2. Application received at SRO-Tarapur-II on dtd 2.2.2012 and at HQ on dtd 20.12.2012.
3. Previous consent was valid upto 31/01/2012.
4. Industrial effluent is 575 CMD. Provided Primary Secondary and tertiary treatment. SRO reported, industry has provided zero discharge facility
5. Domestic effluent is 12 CMD. Provided Septic tank and soak pit.
6. JVS results of Water dtd 29.04.2011, 29.07.2011, 4.08.2011(S.S, T.D.S, Sulphates & Chlorides are increased), 18.10.2011,18.02.2012 (T.D.S & Sulphates are increased)
7. RO Thane was issued conditional direction dtd. 1/8/ 2011. In this regards industry has submitted the B.G. of Rs. 10,00,000/- dtd. 8/8/2011.
8. This office issued query Letter to industry dtd. 26/12/2012. In this regards industry has submitted the reply and requested for plain renewal. Industry has not submitted the consent fee of Rs. 890888/-.
9. SRO recommended that grant of consent for five year period.
10. RO recommended the grant of consent by obtaining BG of suitable amount for proper O&M of Zero discharge facility.
11. HOD Remark – Though unit has submitted the request for plain renewal. The verification report from RO/SRO on the status of production of Angle @ 48000 T/A production is needed. The reason for increase in C.I. Rs. 109.67 Cr. is not given. JVS result exceed. Reply to query letter not submitted. Hence, we may issue SCN for refusal.
12. We may pace the consent application before CAC for further consideration.

**JD(APC)**



**CAC Item No.22**

**Name of industry :- M/s. Godrej & Boyce Mfg. Co. Ltd.,  
Gat No. 600,601,605, A/p- Wing,  
Tal- Khandala, Dist - Satara**

**HOD Remarks**

- Applied for renewal of consent
- Application received at SRO- Satara on dtd 12/09/2012 and at HQ on 03/11/2012
- Previous consent was valid up to 30/09/2012
- Industrial Effluent Generation is 65 CMD for which effluent treatment plant provided
- Domestic Effluent Generation is 65 CMD for which sewage treatment plant provided
- Adequate height of stack provided to DG set & various stack
- RO Pune has recommended the case for grant of renewal of consent
- We may grant the consent for period up to 30/09/2014 with imposing B. G. Of Rs. 10/- Lakhs towards O & M.
- We may place the consent application before CAC for further consideration.

**JD(APC)**

**CAC Item No.23**

**Name of Industry :- Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd.,  
(Sugar) At - Ahankarnagar, Post - Akluj,  
Tal - Malshiras, Dist- Solapur**

**HOD Remarks**

- Applied for Sugar & Co-generation renewal.
- C.I. of Sugar unit Rs. 359.72 Cr.
- C.I. Distillery unit Rs. 34.50 Cr.
- C.I. of Acetic acid unit. Rs. 10.50 Cr.
- Total C.I. of Rs. 404.73 Cr.
- Consent of Sugar valid up to: 31.10.2012, for sugar & co-gen (33MW).
- C.I. of sugar increased from 329.74 Cr. To 359.72 Cr. (less than 10%).
- Closure directions issued on 28.08.2012 for discharging untreated effluent into nalla leading to river Nira.
- JVS results of 4.4.09, 22.12.2009 & 9.03.2010 are exceeding for BOD & COD.
- Restart direction issued by M.S. on 11.09.2012, after personal hearing on 10.09.2012. Industry has assured to provide pipeline of 4 Km so as to stop discharge of effluent in nalla . It will directly discharged to farmers.
- O &M of ETP improved.
- No JVS results available after 18.01.2012 (date of last consent issued with B.G. of 5+2).
- We may grant renewal with B.G. of Rs. 5.0 Lacs +2 .0 Lacs or consent may be granted with 10+4 as proposed by RO/SRO upto 31 July 2013.
- Submitted for approval.

**JD(WPC)**

**CAC Item No.24**

**Name of Industry :- Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd.,  
(Acetic) At - Ahankarnagar, Post - Akluj,  
Tal - Malshiras, Dist- Solapur**

**HOD Remarks**

- Applied for renewal of consent.
- C.I. of Sugar unit Rs. 359.72 Cr.
- C.I. Distillery unit Rs. 34.50 Cr.
- C.I. of Acetic acid unit. Rs. 10.50 Cr.
- Total C.I. of Rs. 404.73 Cr.
- SRO/RO recommended to grant renewal of consent.
- Earlier consent granted dtd.26.09.2012 valid up to: 31.12.2012,.
- Sugar Boiler steam used for acetic acid plant.
- ESP provided for sugar Boiler.
- We may grant renewal upto 31 July 2013.
- Submitted for approval.

**JD(WPC)**

**CAC Item No.25**

**Name of Industry :- Sahankar Maharshi Shankarrao Mohite Patil SSK Ltd.,  
(Distillery) At - Ahankarnagar, Post - Akluj,  
Tal - Malshiras, Dist- Solapur**

**HOD Remarks**

- Applied for renewal of distillery (60 KLPD)
- CI      Sugar                - 359.72 Cr.  
          Distillery            - 24.50 Cr.  
  
          Acetic Acid        - 10.71 Cr.
- Earlier consent was valid up to 31.12.2012 with CI 10.45 Cr. The CI increased from 10.45 Cr. To 34.50 Cr. (increased by 24.05 Cr.) due to modernisation and plant. The old plant was replaced with permission of VSI multi-pressure vacuum distillation technology. They modified civil and plant machinery.
- Spent generation reduced from 550 m<sup>3</sup>/day to 510 m<sup>3</sup>/day.
- C to E fees paid for additional
- No increase in production.
- 14 acres compost yard provided.
- CREP complied industry.
- No earlier BG.
- We may impose 2.0 lakhs for continued compliance BG

**JD(WPC)**

**CAC Item No.26**

**Name of Industry :- Sahyadri SSK Ltd., Yashwant Nagar,  
Tal – Karad, Dist- Satara**

**HOD Remarks**

- Applied for renewal of consent without change in production quantity.
- Category RED/LSI.
- Existing consent dtd. 26.09.2011 valid up to :31.12.2012.
- Previous C.I. of Rs.109.00 Cr./- as per existing consent granted .
- Present C.I. given of **Rs. 115.70 Cr.**
- Enhanced C.I. by Rs. 6.70 Cr.
- I.E. generation to the tune of 410 CMD & D.E. generation to the tune of 200 CMD.
- 35 Hect. Land available for disposal of treated effluent.
- ETP provided comprising, mechanical oil separator, O & G trap, Neut. Tank, equalization tank, aeration tank, clarifier, sludge sump well & SDB provided.
- JVS results exceeding the prescribed standards.
- Industry need proper attention towards O & M of ETP.
- Air pollution control, industry has provided 5 no. boiler.
- 3 nos. boilers having chimney height 40.0 mtr. and 2 nos. boilers having chimney height 40.0 mtr. with multi cyclone & wet scrubber provided.
- Cess paid up to: 28.02.2011 and Env. Statement submitted for the year 2011-2012..
- Industry has submitted BG of Rs. 2.0 lacs valid up to : 31.12.2013 obtained towards consent conditions.
- Additional fees of Rs. 25000/- require.
- SRO/RO recommended to grant renewal of consent with forfeiture of BG & impose operation BG up to : 13.12.2014.
- Consent may be granted with BG of Rs. 5+2 Lacs & BG of Rs. 3.0 Lacs for providing wet scrubber to rest 2 boilers i.e. ( 1 & 2).
- BG obtained of Rs. 2.0 Lacs may be forfeited

**JD(WPC)**

## **CAC Item No.27**

**Name of Industry :- Vasantraodada Patil Sahakari Sakhar Karkhana Ltd.,  
Sugar), Survey No. 879, Vithewadi (Lohoer)**

### **HOD Remarks**

- Applied for renewal of consent and Co-generation plant.
- Category RED/LSI.
- Capital Investment of Sugar Rs. 8946.49 Lacs
- Capital investment of Co-generation plant Rs. 9506 Lacs.
- Total investment Rs. 184.53 Cr.
- Industry has increased C.I. of Rs. 13.24 Cr. towards building construction, D.G. Sets & for modernization of plant but
- Earlier industry had applied for grant of consent to Sugar & Co-generation plant with consent fees, but consent was granted for sugar only.
- Consent dtd.19.03.2012, valid up to:31.12.2012.
- Crushing capacity 2500 TCD.
- Electricity (Co-generation) capacity 17.0 MW.
- I.E. Generation 286 CMD & D.E. generation 26.0 CMD.
- Combined ETP for sugar & Co-generation plant provided, comprising Screen & Grit chamber, O&G trap, Primary Clarifier, collection sump, Anaerobic lagoon, aeration tank, Secondary clarifier & SDB.
- Treated effluent used on land for gardening , 8.0 hector land available.
- JVS result are awaited.
- Air pollution control, ESP provided to Co-generation plant (90 TPH Boiler).
- Boiler no 1&2 with chimney height 30.0 mtr. Boiler no. 3 with chimney height 50.0 mtr. will be kept stand by which are old.
- Environmental statement submitted, Cess return submitted up to:26.07.2013.
- B.G. of Rs. 5.0 lacs & Rs. 2.0 lacs obtained valid up to 26.07.2013 and 3.04.2013 respectively.
- SRO/RO recommended for grant of consent to operate for sugar and co-generation plant for further period up to: 31.12.2013.
- Case is under CAC purview.
- Submitted for further order and line of action please.

**JD(WPC)**

## **CAC Item No.28**

**Name of Industry :- M/s. Tata Steels Ltd., Cold Rolling of Coils & Sheets,  
S-76, MIDC Tarapur Indl. Area, Thane**

### **HOD Remarks**

1. Applied for renewal of Consent to operate + first consent to operate for enhancement in production quantity.
2. Application received at SRO-Tarapur-I on dtd 15/12/2012 and at HQ on dtd 7/01/2013.
3. Previous consent was valid upto 31/12/2012. Also obtained consent to establish for mfg. of Cold Rolled semi finished – 1,10,000MT/A and Hot Rolled Pickled skin passed coils- 90,000 MT/A.
4. Industrial effluent is 200 CMD for which industry has provided ETP and disposal of CETP. JVS water analysis results dtd 2.11.2011, 23.2.2012 which is under prescribed limit and dtd. 29.8.2012 TDS are slightly increased
5. Domestic effluent is 11 CMD. Provided STP and disposal of gardening.
6. Industry has provided scrubber system to Pickling section.
7. Spent acid send to authorized recycler.
8. IIT, Bombay letter dtd 9.4.2012 has certified, by enhancement of production of Cold Rolled sheets and coils of 1,10,000 MT/A, there is no increase of any effluent. There is marginal increase in the effluent quantity for processing 90,000 MT/A Hot Rolled Pickled skin passed coils, which is well within the existing approved consent effluent quantity.
9. Industry has submitted B.G. of Rs. 5 Lacs as per the consent condition.
10. SRO recommended the grant consent for period upto 31.12.2015.
11. HOD Remark – We may grant consent to operate with 1<sup>st</sup> operate upto 31/12/2015 with extension of B.G. of Rs. 5/- Lacs upto consent validity period.
12. We may pace the consent application before CAC for further consideration.

**JD(APC)**

## **CAC Item No.29**

**Name of Industry :- M/s. JSW Ispat Steel Ltd., Sponge Iron Plant,  
Formerly known as M/s. Ispat Industries Ltd., Geetapuram,  
Dolvi, Tal- Pen , Dist- Raigad.**

### **HOD Remarks**

1. Applied on 29.10.2012 for grant of renewal of consent to operate with amalgamation.
2. Application received to HQ on 07.01.2013.
3. Clarifier and high rate thickener and sludge pond provided. Entire effluents recycled in the process. JVS of treated samples are within limits.
4. Flue gas ejector /Dust collectors system provided to control air emissions.
5. Paid water cess up to 29.02.2012
6. Consent fees of Rs.60,86,700/- + Rs.215320 /-submitted in the Board.
7. Industry has submitted Environment statement for period 2011-2012.
8. SRO/Regional officer – Raigad has recommended case for grant of renewal of consent to operate with amalgamation up to 31.12.2017.
9. Recommended for grant of renewal of consent to operate with amalgamation up to 31.12.2017 for the total production qty -2 MTPA and obtain the additional B.G.of Rs.10 Lakhs towards compliance of pollution control systems and consent conditions.

**JD(APC)**



**CAC Item No.30**

**Name of Industry :- M/s. JSW Ispat Steel Ltd., Captive Jetty,  
Geetapuram, Dolvi, Talk- Pen, Dist - Raigad**

**HOD Remarks**

1. Applied on 08.10.2012 for grant of renewal of consent to operate
2. Application received to HQ on 20.12.2012.
3. Industry has provided dust suppression system to conveyer belt.
4. Analysis results of air sample are within consented limit.
5. Environment statement for year 2011-2012 submitted.
6. Consent fees paid Rs.10,59,840/-.
7. Paid water cess up to 31.11.2012.
8. Industry has submitted Environment statement for period 2011-2012.
9. SRO/Regional officer – Raigad has recommended case for grant of renewal of consent to operate.
10. Recommended for grant of renewal of consent to operate up to 31.08.2016, with operational B.G. of Rs.10 Lakhs.

**JD(APC)**

### **CAC Item No.31**

**Name of Industry :- M/s. Nashik Thermal Power Station,  
MSPGCL, P.O. Eklare, Nashik**

#### **HOD Remarks**

1. Applied on 23.10.2012 for grant of renewal of consent to operate for generation of power 630 MW [3X210 MW]
2. Application for grant of renewal of consent to operate received to HQ on 20.12.2012.
3. Unit authority has dismantled unit no.1 and 2.
4. Augmentation of ESP is completed for unit no.3. While augmentation of ESP at unit no.4 and 5 not done.
5. At present continuous ambient air monitoring station is not established.
6. Condition of use of coal having 34% ash content is incorporated in consent.
7. Industry has reported they are consuming coal having ash content 34 to 37%.
8. Analysis results of air samples are exceeding the consented limits.
9. Paid water cess up to Oct-.2012.
10. SRO/Regional officer – Nashik has recommended case for grant of renewal of consent to operate up to 31.12.2013 with submission of B.G. as per action plan
11. Recommended for grant of renewal of consent to operate up to 31.12.2013.

**JD(APC)**

**CAC Item No.32**

**Name of Industry :- M/s. Maharashtra State Power Generation Co. Ltd.,  
CSTPS, At- Urjanagar, Chandrapur**

**HOD Remarks**

1. Applied for renewal of consent for Thermal Power Generation 2340 MW (210 MW x 4 Set & 500 MW x 3 Set).
2. Earlier Consent is valid up to 31.12.2012.
3. Analysis results of Stack Monitoring are exceeding the standards.
4. Analysis results of AAQM is exceeding the standards.

We may grant consent up to 31.12.2013 with a condition of forfeiting of existing bank Guarantee of Rs.50/- Lakhs due to non-compliance & additional B.G. of Rs.2/- Crores to achieve the compliance to carry out remaining works as per the Bar chart submitted.

**JD(APC)**

### **CAC Item No.33**

**Name of Industry :- Mumbai Port Trust, Port House,  
Shoorji Vallabhdas Marg, Ballard Estate, Mumbai**

#### **HOD Remarks**

1. Application for renewal of consent.
2. Application received at SRO on 04/09/2012 and at HQ on 08/11/2012. Previous consent valid upto 31/12/2012
3. **Sewage generation is 14000 CMD. STP of only 250 CMD is provided.**
4. **SRO reports that;**
  - a) Heavy dust emissions due to coal handling activity
  - b) Mangroves destruction observed during Feb 2012, for which a study was conducted by NEERI, with conclusion that the destruction of the mangroves may have been occurred due to pollution caused by coal handling activity.
  - c) The STP is only of 250 CMD capacity and the untreated sewage is directly disposed of through MCGM sewer lines.
  - d) SCN issued vide No. B 650 dt. 31/08/2010, with BG of Rs. 25 lacs valid upto 06/10/2013. The separate note on extension of validity period of BG is moved by the Office.
5. **Major C to O Non-Compliances:**

The port authority has not provided adequate STP and untreated sewage is drained to MCGM sewer lines. (Condition 2 (iii) a & b).
6. RO has recommended the case after due compliances or time bound action plan.
7. The case is recommended with the condition of obtaining, additional BG of Rs. 10 lacs for provision of STP of adequate capacity within one year period and difference of fees of Rs. 9500/-

**RO(HQ)**

### CAC Item No.34

**Name of Industry :- Offbit Developers Pvt. Ltd, Phoenix Market City,  
CTS 121,124/1 to 9,124/51,124/72 to77,124/83 to 931041  
( New CTS No. 124/A to F) Vill- Kirol, LBS Road, Kurla(W),  
Mumbai**

#### **HOD Remarks**

1. Application for renewal of consent.
2. Application received at SRO on 26/12/2012 and at HQ on 11/01/2013
3. Previous consent to operate issued on 18/01/2012, with validity period of one year, upto 31/12/2012 for;  
**Plot area is – 89397 M<sup>2</sup>**  
**Total Construction Area-223783.91 M<sup>2</sup>**  
**With C.I. of Rs. 112500 lacs.**
4. **Now applied for plain renewal with;**  
**Plot area is – 89397 M<sup>2</sup>**  
**Total Construction Area-223783.91 M<sup>2</sup>**  
**With C.I. of Rs. 79800 lacs.**
5. **The firm vide its letter dt. 17/12/2012 has submitted that,**
  - a. The initial C.I. of the project as shown in the previous consent of Rs. 112500 lacs is for entire project, while the consent to operate was obtained only for part of the project i.e. for mall building, of which C.I is Rs. 79800 lacs.
  - b. The fees of Rs. 22,50,000/- for the consent to Operate was mistakenly paid on the total project cost of Rs. 112500 lacs for three buildings namely Mall bldg., Orion Park Building, and Grace Building.
  - c. The expenditure incurred on completed Mall bldg. is Rs.79800 crores (CA certificate attached) for which consent to operate was granted for the period upto 31/12/2012 which could have been upto period of 31/12/2013.
  - d. There is also an additional/excess payment of Rs. 6,54,00/-
6. Sewage generation is **1330 M<sup>3</sup>/day**  
**2 STP's provided -900 and 500 M<sup>3</sup>/day**
7. Solid waste generation is;  
Biodegradable - **5892 Kgs/day**  
Non Biodegradable- **2525 Kgs/day**  
**Onsite composting provided.**
8. SRO reports that;
  - 1) **For sewage treatment, provided STP and treated sewage is 80 % recycled.**
  - 2) The firm has provided inhouse solid waste treatment facility.
  - 3) Previous consent to operate was issued for the period upto 31/12/2012 instead of 31/12/2013, for which the firm has paid the fees.
9. The details on water analysis results, Environment Statement and CESS are not furnished.
10. The firm has obtained the EC vide No 21-156/2006-IAIII dt. 04/05/2007 of MoEF and revised EC of Env. Dept. GOM, vide No SEAC -2011/CR.895/TC.2 dt. 13/03/2012 for,  
**Plot area is – 1,00,707 M<sup>2</sup>**  
**Total Construction Area-2,71,341.91 M<sup>2</sup>**
11. Ro has recommended the case for Renewal of consent.
12. The case is recommended for renewal of consent after obtaining difference of fees of Rs. 1,44,000/- ,upto 31/12/2014

**RO(HQ)**

### **CAC Item No.35**

**Name of Industry :- Reliance Industries Ltd, Nagothane Mfg. Divn, Tal- Roha,  
Dist- Raigad.**

#### **HOD Remarks**

1. Application for Renewal of Consent with increase in CI from 916.49 to 967.50 i.e- 51.01 Cr.
2. Manufacturing of Petroleum products.
3. Application received at SRO on 06/11/2012 and at HQ on 11/01/2013.
4. Industry has submitted that the increase in C.I is due to expenditures towards assets renewal as the plant machinery/equipments are almost 22 years old and submitted the necessary fee for increase in C.I.
5. Industry was granted consent as per CAC dtd-12/10/2012 with condition to install CAAQMS and on line source monitoring within six months. Industry failed to provide the same ,hence SCN was issued vide letter dtd-18/7/2012.In reply to our SCN industry requested to grant six months (31/3/2013)period for installation of CAQMS and submitted that due to technical difficulty the condition of providing on line source monitoring shall be waived.
6. The case was discussed in CAC dtd-05/12/2012 and it was decided to extend the period for installation of CAAQMS & to submit the difficulties in installation of on line source monitoring .
7. Industry has submitted B.G of 10 lakhs each valid upto-31/03/2013 towards installation of CAAQMS by 31/03/2013 as per CAC decision. The review item is separately placed before CAC.
8. The proponent has been called for presentation before CAC for presenting their difficulties towards retrofication in the stack for source monitoring provision. We may consider the case for renewal based on the decision on review item already placed before CAC.

**JD(PAMS)**

**CAC Item No.36**

**Name of Industry: - M/s. Fiat India Automobiles Ltd.,  
B-19, MIDC Ranjangaon, Tal- Shirur, Dist - Pune**

**HOD Remarks**

- Applied for amendment in nomenclature/re-grouping of consented Product
- Application received at HQ on 26/11/2012
- Existing consent is valid up to 31/05/2013
- We may grant amendment in nomenclature/re-grouping of consented Product
- We may place the consent application before CAC for further consideration.

**JD(APC)**