

**List of Cases to be submitted before 10th Consent Appraisal Committee Meeting Scheduled on 31.1.2013 at 12.00 Hrs. (Part-I)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
<b>Resubmitted Agenda</b>						
1	M/s. Shilpa Steel & Power Ltd., B-209, MIDC Butibori, Nagpur	117.17 Crs	Establish (Expansion)	JD(APC)	1 to 37	
2	Deepak Fertilizers & Petrochemicals Corporation Ltd, Plot No. K-1 to K-5, MIDC Taloja, Raigad.	1668.36 Crs	Establish (Expansion)	PAMS	38 to 59	
3	Sudarshan Chemical Industry Ltd , 44,45,46, MIDC Dhatav, Roha, Raigad.	1437.50 Crs	Establish (Expansion)	PAMS	60 to 76	
4	Wockhart Ltd (Bio Tech Park), Plot No. H-14/2, MIDC Waluj, Dist- Aurangabad.	434.39 Crs	Establish for installation of Briquette fired Boiler	PAMS	77 - 86	
5	M/s. Kinetic Engineering Ltd., Nagar Daund Rd., Ahmednagar	129.12 Crs	1st operate	JD(APC)	87 -103	
6	M/s. Vidarbha Industries Power Ltd., D-3, MIDC Butibori, Nagpur	1771.56 Crs	1st operate for phase-I	JD(APC)	104 -132	
7	M/s. Mahindra Hinoday Industries Ltd., Gat No. 318, A/p- Urse, Tal- Maval, Dist - Pune	252.36 Crs	1st operate with amalgamation	JD(APC)	133 - 144	
8	M/s. Mahindra Sanyo Special Steel Pvt. Ltd., Sr. No. 28 B, Vill- Lavej and 1 band, Vill- Wasarang, Jagdishnagar, Khopoli, Raigad	382.64 Crs	1st operate with amalgamation	JD(APC)	145 - 161	
9	M/s. JSW Steel Steel Ltd., A-10/1, MIDC Kalmeshwar, Nagpur	553.0 Crs	Consent to operate	JD(APC)	162 -183	
10	M/s. Mouda Super Thermal Power Project Stage-I, 2 X 500, Mouza, Kumbhari, Tal- Mouda, Dist - Nagpur	4827.46 Crs	1st operate	JD(APC)	184 - 215	
11	Serene Properties Pvt. Ltd, Plot No. 3, TTC Industrial Area, MIDC Airoli, Navi Mumbai	303.23 Crs	1st Operate	RO(HQ)	216- -250	
12	Macrotech Construction Pvt. Ltd. Lodha Pavilion, Appolo Mills Compounds, N.M. Joshi Marg, Mahalaxmi, Mumbai	360 Crs	Renewal	RO(HQ)	251 -260	
13	M/s. INA Bearing India Pvt. Ltd., A-3, MIDC Talegaon, Vill- Navlakh Umbre, Tal- Maval, Dist - Pune	243.41 Crs	1st operate (Expansion) with amalgamation	JD(APC)	261 - 271	
14	M/s. Murli Industries Ltd., Mining, Tal- Korpana, Dist - Chandrapur	335.0 Crs	1st operate for lime stone	JD(APC)	272 - 298	
15	M/s. Emco Energy Ltd., (Phase-I), 1 X 300 MW, Phase-I, MIDC Warora, Dist - Chandrapur	1627.74 Crs	Operate for phase-I	JD(APC)	299 - 323	
16	M/s. Grace Industries Ltd., A-23, MIDC Tadali, Chandrapur	259.83 Crs	1st operate for kiln III & IV	JD(APC)	324 - 338	

17	Shri Dnyaneshwar Sahakari Sakhar Karkhana Ltd., At - Dnyaneshwarnagar Bhende Bk, Tal - Newasa, Dist- Ahmednagar	194.08 Cr.	Renewal	WPC	339 - 351	
18	M/s. Magus Estates & Hotels Pvt. Ltd 114, Dr. E.Moses Road Worli, Mumbai-018	315.46 Crs	Renewal	AST	352 - 378	
19	M/s. Kalyani Hayes Lemmerz Ltd., (Truck Wheel Plant), Gat No. 635, Kuruli Village, Tal- Khed, Dist - Pune	185.71 Crs	Renewal	JD(APC)	379 - 393	
20	M/s Cummins india ltd. S. No. 3 to b7,31(1) 32,33,37, 38,41,42, & 43, Kothrud, Pune	801.75 Crs	Renewal	JD(APC)	394 - 406	
21	M/s. Reliance Cement Co. Pvt. Ltd., Formerly known as M/s. Reliance Cementation Pvt. Ltd., J-2, MIDC Butibori, Nagpur	282.67 Crs	Amendment	JD(APC)	407 - 437	
22	M/s. Western Coal Fields Ltd., Umred OCM, Tal- Umred, Dist - Nagpur	168.43 Crs	Renewal	JD(APC)	438 - 450	
23	M/s. Adani Power Maharashtra Pvt. Ltd., A-1, Vill- Tiroda, Dist - Gondia	6560 Crs	Renewal	JD(APC)	451 - 463	
24	M/s. Bosch Ltd., 75, MIDC Satpur, Nashik	1483 Crs	Renewal	JD(APC)	434 - 476	
25	M/s. Jindal Saw Ltd., A-59-60, MIDC Malegaon, Tal- Sinnar, Dist - Nashik	750.59 Crs	Renewal	JD(APC)	477 - 490	
26	M/s. Atlas Capco (India) Ltd., Svenagar Pune Mumbai Road, Dapodi, Pune	155.95 Crs	Renewal	JD(APC)	491 - 502	

## **Resubmitted Agenda**

### **CAC Item No.01**

**Name of the Industry: M/s. Shilpa Steel & Power Ltd., B-209, MIDC Butibori,  
Nagpur**

#### **HOD Remarks**

1. Applied for Consent to Establish for expansion.
2. Consent of existing galvanizing unit is valid up to 31.03.2013.
3. The information regarding compliance of consent conditions of existing unit, details of cess payment, environment, B.G. status and other relevant information called from R.O. Nagpur vide e-mail dated 27.12.2012. But till date the same is awaited.

The case was discussed in CAC Meeting held on 8.1.2013 and it was decided to keep the case in abeyance and resubmit the case in meeting dated 22.01.2013 with relevant information from Regional Officer by 15.1.2013.

The Regional Officer and Sub-Regional Officer has not submitted the point wise compliance of consent condition, efficiency of pollution control system and results of stack, ambient, JVS till date.

As per earlier consent conditions the unit needs to send spent acid to ARP but same is not followed and instead they are mixing up with effluent.

Hence, we may forfeit the Bank Guarantee of Rs. 5/- Lakhs due to above non-compliance and taken B.G. of Rs. 10/- Lakhs to ensure the compliance by granting consent.

Joint Director (APC)

## **CAC Item No.02**

**Name of industry : - Deepak Fertilizers & Petrochemicals Corporation Ltd,  
Plot No. K-1 to K-5, MIDC Talaja, Raigad.**

### **HOD Remarks**

- Application recd at RO NM on 04.04.2012
- Application recd at HQ on 29.05.2012
- Existing unit. Mfg of Basic Fertilizers.
- Applied for consent to establish of Expansion for mfg of liquid CO<sub>2</sub>.
- Existing I.E. – 3878.28 CMD , Proposed IE quantity 15.6 CMD. Industry has proposal of installing RO plant of 24.0 CMD capacity and achieving no additional discharge to CETP.
- Industry location 50 mtrs from Kasardi river, attracts RRZ policy 2009.
- RO NM has recommended to grant consent after receipt of “No increase in pollution load certificate”.
- Case was discussed in CAC meeting held on 03/07/2012 and it was decided to issue SCN for refusal. Accordingly SCN was issued and reply from industry is received.
- Industry has submitted “No increase in pollution load certificate” from IIT Bombay. Industry has proposal of installing RO plant of 24.0 CMD capacity and achieving no additional discharge to CETP.
- The proponent has planned to recover the CO<sub>2</sub> gas which is going to atmosphere, there by reducing GHG emissions.
- The case was discussed in CAC meeting dtd 24.09.2012 and it was decided to revert back to CAC after “calculation of pollution load before and after expansion”.
- Industry has submitted executive summary of report of pollution load assessment prepared by IIT Mumbai.
- Industry has proposed that, they will obtain 24 CMD effluent generated from cooling power blow down from existing Methanol plant.
- It will be treated in RO system and used for new CO<sub>2</sub> plant cooling tower along with make up water.

There will be reduction in total effluent generation quantity by 8 CMD & also recover the CO<sub>2</sub> gas from existing Ammonia plant, earlier which is going to atmosphere, there by reducing GHG emissions. We may grant consent to establish with no increase in pollution load.

JD(PAMS)

### **CAC Item No.03**

**Name of industry :- Sudarshan Chemical Industry Ltd , 44,45,46,  
MIDC Dhatav, Roha, Raigad.**

#### **HOD Remarks**

- Application recd at RO Raigad on 12.03.2012
- Application recd at HQ on 23.05.2012
- Mfg of pigments, pesticides & intermediates.
- Applied for Consent to Establish for expansion of pigments in existing plot No.46. industry has acquired plot No 44.,45 but as per MIDC letter these plots shall be used only storage of raw material and finished products as a godown activity.
- Existing plot No 46 is 800 mtr and plot no 44 & 45 are 750 mtr away from Kudalika river. Plot no 44 & 45 are exactly 750 mtr & attract RRZ policy 2009.
- Proposed along with existing industrial effluent will be disposed of into CETP but CETP capacity is not adequate.
- Existing I.E. – 5688 CMD, D.E. – 170 CMD. Proposed IE- 7246 CMD, DE-52 CMD. ETP consist primary, secondary and tertiary treatment. Disposal– CETP.
- JVS reports are some time exceeding the limit. For proposed expansion no ETP proposal.
- The case was discussed in CAC meeting held on 25/07/2012 and it was decided to keep the case in abeyance till compliance of Hon'ble High Court order in respect of CETP.
- Now the present status called from SRO Raigad II and SLO's comments regarding the CETP performance.
- SLO stated that, "CETP Roha has taken effective steps to improve the O & M, including upgradation of CETP by collecting initial contribution from its members and the proposal of DPR is under NEERI appraisal. The CETP has taken a no. of steps including provision of 10 surface aerators installation of belt press for dewatering of sludge, replacement of pipelines etc".
- SLO further opined that, the consent may be consider for C to E by imposing condition that C to O shall be consider after NOC from CETP.
- RO Raigad has remarked that, consent to establish may be considered as per policy of the Board.

**JD(PAMS)**

#### **CAC Item No.04**

**Name of industry: Wockhart Ltd (Bio Tech Park),  
Plot No. H-14/2, MIDC Waluj, Dist-  
Aurangabad**

#### **HOD Remarks**

- Application recd to SRO Aurangabad 31/10/2012.
- Application recd at HQ on 13/12/2012.
- Existing unit – Engaged in Bio tech Research.
- Existing Consent valid up to up to 31/12/2016.
- Now applied for Consent to Establish for installation of Briquette fired Boiler by replacing one FO fired Boiler.
- Ash generated will be disposed by land filling or sale to Brick manufacturers.
- No additional effluent generation.
- Proposed CI for installation of Boiler is Rs. 1.7377 Crore.
- Case was discussed in CAC meeting held on 27.12.2012 and it was decided to revert to CAC after examining EC (of existing unit) condition wrt fuel consumption for boiler.
- Accordingly information called from RO/SRO and industry. Industry has submitted their reply. Industries earlier activity is bio tech research and it is not attracts EC.

The proposed change of fuel for boiler is clean fuel as compare to furnace oil. We may consider for grant Consent to establish for installation of Briquette fired Boiler by replacing existing one oil fired boiler.

**JD(PAMS)**

### **CAC Item No.05**

**Name of industry :- M/s. Kinetic Engineering Ltd.,  
Nagar Daund Rd., Ahmednagar**

#### **HOD Remarks**

1. Applied for grant of renewal of consent to operate at RO Nashik on 17.01.2012.
2. Application for grant of consent to operate received to HQ on 09.04.2012.
3. This case was discussed in the CAC meeting held on 24.09.2012 and it was decided to grant renewal of consent to operate for existing production qty and refusal for grant of consent to 1<sup>st</sup> operate for expansion.
4. Renewal of consent to operate was issued on 10.10.2012 and SCN was issued on 09.10.2012.
5. Industry has submitted reply on 26.12.2012 with fresh no increase in pollution load certificate in a prescribed format issued by ICT, Matunga, and Mumbai.
6. Recommended for grant of 1<sup>st</sup> consent to operate up to 30.09.2013 with condition that industry shall install CAAQMS within next 4 months and obtain B.G.of Rs.5 Lakhs towards compliance of the same.

Joint Director (Air Pollution Control)

**CAC Item No.06**

**Name of industry :- M/s. Vidarbha Industries Power Ltd.,  
D-3, MIDC Butibori, Nagpur**

**HOD Remarks**

- 1) Applied for **1<sup>st</sup> Consent to Operate for Phase-I ( 1 x 300 MW) & Phase-II (1 x 300 MW)**
- 2) The case was discussed in CAC held on 20.03.2012 and it was decided to keep the case in abeyance till completion of work and compliance of consent / EC conditions. Again it was discussed in CAC dated 26.11.2012 and decided to keep the case in abeyance till completion of pollution control works.
- 3) SRO Nagpur has submitted the present status report vide letter dated 17.01.2013. The work of railway siding will be completed by March, 2013 till that time unit will utilize truck transport. CAAQMS installed. STP installed.

In view of above we may grant consent to operate for one year period with operational Bank Guarantee of Rs. 10/- Lakhs for ensuring compliance.

Joint Director (APC)

## **CAC Item No.07**

**Name of the Industry: M/s. Mahindra Hinoday Industries Ltd.,  
Gat No. 318, A/p- Urse, Tal- Maval, Dist - Pune**

### **HOD Remarks**

- Applied 1st consent to operate for expansion with amalgamation of consent
- Application received at SRO- Pune on dtd 02/08/2012 and at HQ on 20/12/2012
- Existing consent is valid up to 31/05/2015 & obtained consent to establish on 22/02/2012
- Industrial effluent is Nil.
- Domestic effluent is 232 CMD from which they have provided STP
- APCS are provided to DG Set, shot blasting & paint booth section. bag filter dust collection system is provided to shot blasting section
- Industry has submitted the Bank Guarantee of Rs. 5.0 Lakhs, 2.0 lakhs & 2.0 Lakhs to this office which is valid 22/07/2013 and 12/03/2013
- RO Pune has Recommended for grant of consent to operate with amalgamation with earlier existing consent for the period upto 31.05.2015 with overriding effect on earlier consent, subject to submission of detail about consent fees.
- The case has been discussed in the Consent Appraisal Committee meeting held on 08/01/2013 and the Consent Appraisal Committee has decided to keep the case in abeyance and resubmit the case in meeting dtd 22.01.2013 with point wise compliance of C to E conditions from Regional officer. Accordingly letter issued to RO Pune on 11/01/2013
- SRO Pune-II has submitted the compliance report on 21/01/2013
- We may grant 1st consent to operate for expansion with amalgamation with the existing valid consent with operation BG of Rs. 5/- Lakh
- We may place the consent application before CAC for further consideration.

Joint Director (APC)

### **CAC Item No.08**

**Name of Industry:** - M/s. Mahindra Sanyo Special Steel Pvt. Ltd.,  
Sr. No. 28 B, Vill- Lavej and 1 band,  
Vill- Wasarang, Jagdishnagar, Khopoli, Raigad

#### **HOD Remarks**

1. Applied on 16.10.2012 for grant of 1<sup>st</sup> consent to operate with amalgamation.
2. Application received to HQ on 07.01.2013.
3. This case was discussed in the CAC meeting held on 02.03.2012 and case was refused for grant of consent to operate for expansion due to non submission of Environmental Clearance.
4. Industry has obtained Environment Clearance for expansion capacity [90,000 TPA] on 14.08.2012.
5. Analysis results of effluent samples [STP] are within the consented limits.
6. Paid water cess up to 31.11.2012.
7. Industry has submitted Environment statement for period 2011-2012.
8. SRO/Regional officer – Raigad has recommended case for grant of 1<sup>st</sup> consent to operate up to 31.05.2013
9. Recommended for grant of renewal of consent to operate up to 31.05.2013 with submission of B.G. of Rs.10 lakhs towards compliances of pollution control systems and consent conditions.

Joint Director (Air Pollution Control)

**CAC Item No.09**

**Name of Industry: - M/s. JSW Steel Steel Ltd., A-10/1,  
MIDC Kalmeshwar, Nagpur**

**HOD Remarks**

1. Applied for consent to Operate for new color coating line having production capacity of color coated sheets & coils 1,20,000 MT/Year.
2. Existing unit consent is valid up to 30.07.2013.

Discussed in CAC dated 8.1.2013 and it was decided to keep the case in abeyance and resubmit with point wise compliance with C2E condition for part consent of 1<sup>st</sup> operate for colour coating line.

The compliance from unit received on 21.1.2013 which needs to be verified from RO/SRO. Also RO/SRO not yet submitted the report as desired by CAC. Hence, we may keep the case in abeyance till compliance is received from RO/SRO.

Joint Director  
(APC)

## **CAC Item No.10**

**Name of Industry: - M/s. Mouda Super Thermal Power Project  
Stage-I, 2 X 500, Mouza, Kumbhari,  
Tal- Mouda, Dist - Nagpur**

### **HOD Remarks**

1. Applied for 1<sup>st</sup> Consent to Operate for 1 x 500 MW Coal based Thermal Power Station- Stage-I,
2. Industry has obtained Consent to Establish for Electricity generation of 1000 MW Stage-I project through coal based Super Thermal Power Station vide letter dated 29.04.2008.
3. Capital investment of the industry is Rs.4,827.46Crores. Consent fee of Rs.96,55,020/- is paid by the industry for the period up to 31.03.2013 as per new GR dated 25.08.2012.
4. Domestic Effluent – 670 CMD. STP is proposed as remarked by I/c. SRO-Nagpur-II. Industrial Effluent – 420 CMD. The work of ETP is yet not completed, about 75% civil construction work completed, Mechanical work of the same yet not started as remarked by the I/c. SRO, Nagpur-II.
5. Coal consumption is 8301 TPD & LDO consumption is 3500 KL/Annum. Completed the work of ESP and boiler stack as reported by the SRO, Nagpur-II. The work of coal handling plant only structural erection work is completed. The work of coal crusher, screening belt conveyor, transfer point, wagon tippler found in progress.
6. Total ash generation is about 2720 TPD. I/c. SRO, Nagpur-II reported that the work of ash dyke area found almost completed, the work of laying of pipeline found in progress. Work of 3 Nos. of Ash silo for dry ash collection found in progress.
7. The civil construction work of cooling tower found in progress. About 90% work is completed.
8. The industry has already obtained Environment Clearance from MoEF, GOI vide letter dated 25.01.2008.

As most of the works are yet to be complete, like E.T.P., Coal Crusher, Ash dyke, Silos, Cooling tower, CHP, dust extraction system etc. Hence it is premature to consider the application for consent to Operate at this stage. Case may be considered after completion of installation of pollution control works.

Joint Director  
(APC)

## CAC Item No.11

**Name of the industry :- Serene Properties Pvt. Ltd,  
Plot No. 3, TTC Industrial Area, MIDC Airoli,  
Navi Mumbai**

### **HOD Remarks**

1. **Resubmission case, was placed before CAC of 08/01/2013**
2. Two application for consent to Operate for building No. 2 and 5 & 6 for IT project..
3. Application Received at SRO on 08/10/2012,at HQ on 03/11/2012
4. **Consent Issued under Auto renewal Schme for Bldg. No. 3,4 7 and 14**
  - i). C to O issued under **auto renewal** scheme on Plot No. 3, TTC Industrial Area, MIDC Airoli, Navi Mumbai for building no. 3,4,7, and 14 vide No. 595 dt. 11/09/2012 valid upto 31/07/2014.

Total plot area of 1,96,440.0 M<sup>2</sup>  
Built up area of **109824.15 M<sup>2</sup>**  
C.I.- 308.59 Crores.
  - ii) During the stage, the firm has not submitted the Self Certification of compliances in the prescribed format.
  - iii) Certified true copy of resolution was submitted, however it was unsealed.
  - vi) The consent was issued under Auto Renewal scheme on 11/09/2012 valid upto 31/07/2014.
  - v) Now the firm has submitted the Self certification of compliances in prescribed format and seal of the firm was embossed on the true copy of company resolution.
  - V) Personel Hearing was extend to the firm on 17/10/2012 and conditions of commissioning of the MSW plant within 10 days, forfeiture of BG of Rs. 10 lacs and submission of fresh BG of Rs. 10 lacs, were imposed on the firm as per minutes of hearing.
  - vi) Compliances of said conditions were received from RO Navi Mumbai that;
    - a. The firm has brought in to operation MSW plant.
    - b. Forfeited BG of Rs. 10 lacs.
    - c. Submitted fresh BG of Rs. 10 lacs.
    - d. Letter of the firm on assurance related to compliances on Environmental issues.
6. **Consent to 1<sup>st</sup> Operate for bldg No. 2, 5 and 6.**
  - i) Two Separate applications for consent to 1<sup>st</sup> Operate on Plot No. 3, TTC Industrial Area, MIDC Airoli, Navi Mumbai for bldg. No. 2 and bldg No. 5 & 6 are as tabulated;

<b>Sr. No</b>	<b>Details</b>	<b>Application No.1 121008FT0119</b>	<b>Application No.2 12108FT0111</b>
	C to O for	<b>Bldg No. 2</b>	<b>Bldg No. 5 &amp; 6</b>
1	Plot No.	Plot No. 3, TTC Industrial Area, MIDC Airoli, Navi Mumbai	
2	<b>Total Plot Area</b>	<b>1,96,440.0 M<sup>2</sup></b>	
3	<b>BUA</b>	<b>26,028.4 M<sup>2</sup></b>	<b>67,101.59 M<sup>2</sup></b>
4	<b>Sewage generation</b>	144.0 M <sup>3</sup> /day <b>STP provided -- 160 M<sup>3</sup>/day</b>	675.0 M <sup>3</sup> /day <b>STP provided -- 750 M<sup>3</sup>/day</b>
5	<b>MSW</b>	Wet Garbage – 43.50kg/day Composting provided Dry garbage – 101.50 kg/day To recyclers	Wet garbage – 654.0 kg/day Composting provided Dry garbage – 2616.0 kg/day To recyclers
6	<b>C. I.</b>	9314.71 lac Fees paid 1,37,100/-	21009.18 lac Fees paid 5,04,340/-

- ii) It becomes for building No. 2 and 5 & 6 for 1<sup>st</sup> C to O ;  
Total plot area of 1,96,440.0 M<sup>2</sup>  
Built up area of **93129.99 M<sup>2</sup>**  
C.I.- 308.59 Crores.

**The total BUA for auto renewal building 3,4,7 and 14 and applied freshly for 1<sup>st</sup> consent to operate for bldg.No. 2 and 5 & 6 is 202954.14 M<sup>2</sup>**

- iii) The project proponent has **obtained C to E** vide No.BO/RO/CC-254 dt. 21/04/2008 for entire project for;  
**Total plot area -1,96,440.0 M<sup>2</sup>,**  
**Total BUA - 3,49,192.41 M<sup>2</sup>**  
**Capital investment - Rs.534.92 Crores.**

- iv) The Project proponent has obtained EC vide No. 21-268/2007-IA.III dt.23/08/2007 for;  
**Total plot area -1,96,440.0 M<sup>2</sup>,**  
**Total BUA of 3,49,192.41 M<sup>2</sup>.**

- v) RO has recommended the case for consent to 1<sup>st</sup> operate

- vii) The consent under Auto renewal scheme for bldg. No. 3, 4,7 and 14 and bldg. No. 2, 5 and 6 are on same plot, the case may considered for the amalgamation with overriding effect to earlier consent issued under auto renewal scheme vide No. 595 dt. 11/09/2012, with BG of Rs. 10 lacs for operation and maintenance of STP and MSW processing plants.

**RO(HQ)**

## CAC Item No.12

**Name of Industry** **Macrotech Construction Pvt. Ltd. Lodha Pavilion,  
Appolo Mills Compounds, N.M. Joshi Marg,  
Mahalaxmi, Mumbai**

### **HOD Remarks**

1. Resubmission case was placed before CAC of 26/12/2012, for 1<sup>st</sup> C to O
2. Application Received at SRO on 20/11/2012 and at HQ on 30/12//2012.
3. **Compliance report on received from RO, mentions ;**
  - a. **The total cost of the project is 69300 lacs and cost of the project for renewal of consent in part is Rs. 36257 lacs.**
  - b. **The firm has shown reduction in sewage generation from 453 CMD to 417 CMD and have provided 2 STPs of capacities, 220 CMD and 210 CMD.**
3. Water Consumption (Domestic) - **569.0 M<sup>3</sup>/day**  
Sewage generation - **417 M<sup>3</sup>/day**  
**2 STPs provided - 220 and 210 M<sup>3</sup>/day**
4. Solid waste generation;  
Biodegradable- **1756 kgs/day-**  
**Composting provided**  
Non Biodegradable- **1031.0 Kgs/day-**  
**Sale to authorized party**
5. The project proponent has obtained EC vide No. SEAC 2010/CR- 291/TC2 dt.19/01/2011.
6. RO has recommended the case for 1<sup>st</sup> Consent to Operate in part.
7. Consent may be granted. The validity period of the existing BG may extended upto the consent period of upto 31/11/2015, for operation and maintenance of STP and MSW processing plant and criteria of 80 % recycling of treated sewage.

RO(HQ)

### **CAC Item No.13**

**Name of Industry:- M/s. INA Bearing India Pvt. Ltd.,  
A-3, MIDC Talegaon, Vill- Navlakh Umbre,  
Tal- Maval, Dist - Pune**

#### **HOD Remarks**

- Applied 1st consent to operate for expansion with amalgamation
- Application received at SRO- Pune on dtd 26/11/2012 and at HQ on 20/12/2012.
- The generation of Industrial effluent is 4.0 CMD to treat industrial effluent for which they have provided ETP of capacity 4.0 CMD.
- Domestic Effluent is 66.5 CMD to treat sewage STP has been provided of capacity 75 CMD
- RO Pune has recommended the case for amalgamation of existing valid consent & consent to operate with expansion for the period upto 31.03.2013.
- The case has been discussed in the Consent Appraisal Committee meeting held on 08/01/2013 and the Consent Appraisal Committee has decided to keep the case in abeyance and resubmit the case in meeting dtd 22.01.2013 with point wise compliance of C to E conditions from Regional officer. accordingly this office issued letter on 11/01/2013. SRO Pune-II submitted the compliance report.
- We may grant 1st consent to operate with expansion with amalgamation up to 31/03/2013 with imposing BG of 5/- Lakhs towards Operation & Maintenance of pollution control system
- We may place the consent application before CAC for further consideration.

Joint Director (APC)

## **CAC Item No.14**

**Name of Industry:- M/s. Murli Industries Ltd., Mining,  
Tal- Korpana, Dist - Chandrapur**

### **HOD Remarks**

1. Existing cement plant, lime stone mine and power plant.
2. Now, Applied for first consent to operate for lime stone mining of 0.6 MTPA over Zutting 42.16 Hect (0.2 MTPA), Zutting 18.06 Hect (0.2 MTPA) Zutting 25.28 Hect (0.1 MTPA) & Pimri 30.33 Hect (0.1 MTPA).
3. The Board earlier vide letter no BO/RO (P & P)/E/CC-156 dated 21/09/2007, had granted consent to establish for lime stone mining for the quantity of 2,50,000 Mt /Month, i.e 3.0 Million Ton per year, for mine lease area of Naranda (40.79 Hect) Naranda (71.01 Hect),Zutting (58.52 Hect), Zutting (42.16 Hect), Zutting (18.06 Hect), Zutting (25.28 Hect),Pimri (30.33 Hect).
4. The Mine authority has obtained Environmental clearance from the Government of Maharashtra vide letter dated 8th July 2010 for lime stone mining as following.

A. Zutting 18.06 Hect	30,00,00 Ton/Year (0.3 MTPA)
B.Zutting 25.28 Hect	0.6 MTPA
C.Pimri 30.33 Hect	6,00,000 Ton/Year(0.6 MTPA)
D.Zutting 42.16 Hect	6,00,00 Ton/Year (0.06 MTPA)

-----  
Total 115.83 Hect      1.56 MTPA.

5. The Board had granted consent to operate for lime stone mining of 2.4 Million Ton/Year vide letter no.BO/PCI-II/RONG/O/EIC No.NG-1485-08/CC-135 dated 2/04/2009, valid up to 30/09/2013( for mining lease 71.01 Hect).Also Obtained EC from MoEf, Gol,New Delhi, for Naranda mine lease of 71.01 Hect and production of 2.4 Million ton per year, vide letter dated 12 December 2008.
6. Total capital investment of the project is Rs.335/- Crores. Gross capital investment of 0.6 MTPA Lime Stone Mine shown as Rs 1.94 Crores & deposited consent fee of Rs 15,000/- for one year & Rs 2,80,000/- as per Rs 0.4 per ton per year.
7. Nearest mine lease boundary of Pimpri is about 225 meters from the notified River Penganga & thus not satisfying RRZ policy.
8. Regional Office vide letter dated 22/11/2011 has issued interim directions to the existing unit with directions to provide fixed water sprinklers along mine haul roads.

Discussed in CAC Meeting held on 26.09.2012 and it was decided to issue show cause notice for refusal for not complying with interim directions issued by R.O. Chandrapur dated 22.11.2011. Accordingly show cause issued to the industry vide letter dated 11.10.2012.

Report from R.O. Chandrapur issued and also reply from unit received. The work of installation of pollution control system is not yet completed as per the interim directions issued by R.O. Chandrapur.

In view of above we may not grant consent to operate to the unit till the completion of works as per interim directions.

Joint Director (APC)

## **CAC Item No.15**

Name of Industry **M/s. Emco Energy Ltd., (Phase-I),  
1 X 300 MW, Phase-I, MIDC Warora,  
Dist - Chandrapur**

### **HOD Remarks**

1. Applied for grant of consent to operate for phase -1 for power generation of 1x 300 MW.
2. The industry has obtained consent to establish for phase -1 for 1 x 300 MW from the Board vide letter dated 23/06/2010.
3. The Industry has obtained Environmental clearance from the MoEF, GOI, vide letter dated 19th May 2008 (2x135mw) & amendment vide letter dated 4th June 2009 for 1 x330 MW project.
4. Gross capital investment of the industry is Rs 1627.74 Crores. Industry has paid consent fee of Rs 32,55,480/- for one year, as per new GR.
5. Domestic Effluent is 384 CMD. Industrial Effluent is 6218 CMD. STP & ETP provided. Treated Effluent will be recycled in the process.

Earlier the case was discussed in CAC dated 3.7.2012 and it was decided to keep the case in abeyance till the completion of pollution control system as per E.C. / Consent Condition. Board has called report from R.O. Chandrapur vide letter dated 13.7.2012.

R.O.Chandrapur vide letter dated 18.09.2012 has submitted present status report of the industry stating that boiler and APCS i.e. ESP and Chimney works has been completed and other auxiliary work i.e. CHP, ash bund, ETP & STP are found in progress and excepted to complete all environmental works by the End of Sept. 2012.

Again the case was discussed in CAC dated 24.09.2012 and it was decided that HOD to verify the compliance of consent to establish condition and E.C. conditions. R.O. chandrapur has submitted the present status report of compliance vide letter dated 07.01.2013 and observed that work is still not completed and likely to be completed by 31.3.2013. Hence, we may refuse the case at present.

Joint Director (APC)

**CAC Item No.16**

Name of Industry: **M/s. Grace Industries Ltd.,  
A-23, MIDC Tadali, Chandrapur**

**HOD Remarks**

1. Applied for First Consent to Operate for Kiln III & IV for sponge iron production- 6000 MT/Month.
2. Discussed in CAC meeting held on 27.12.2012 and it was decided to call report from Regional Officer on compliance of C to E and E.C. Conditions within 7 days. R.O. Chandrapur vide letter dated 11.1.2013 has submitted compliance of C to E and E.C. Conditions.

In view of above, we may grant consent to operate for Kiln 3 & 4 and amalgamate to the existing consent up to 30.06.2013 with operational Bank guarantee of Rs. 5/- Lakhs.

Joint Director  
(APC)

## **CAC Item No.17**

**Name of Industry: - Shri Dnyaneshwar Sahakari Sakhar Karkhana Ltd.,  
At - Dnyaneshwarnagar Bhende Bk,  
Tal - Newasa, Dist- Ahmednagar**

### **HOD Remarks**

- Applied for renewal of consent to operate with amalgamation of sugar & co-generation plant.
- Capital Investment Rs. 19408.00 Lacs.
- Earlier consent of sugar was valid up to: 31.12.2012.
- Earlier consent of electricity generation was valid up to: 31.12.2012.
- Industrial effluent generation to the tune of 437.0 CMD and domestic effluent generation to the tune of 184.50 CMD.
- Provided primary & Tertiary Treatment arrangement for industrial effluent & treated effluent disposal on land for gardening.
- for Domestic effluent septic tank and soak pit provided & disposal on land for gardening.
- JVS collected on 16.03.2012, exceeding the prescribed standards.
- For air pollution control, boiler no. 1,2,& 3 multi cyclone fly ash arrester provided with height of chimney 30 mtr. But industry has not provided wet scrubber/ESP to the boilers.
- Boiler no. 4, multi cyclone fly ash arrester provided with height of chimney 40 mtr. But wet scrubber not provided.
- Boiler no. 5, wet scrubber arrangement provided with height of chimney 60 mtr.
- D.G. Sets (400 KVA – 2Nos) with height of chimney 4.0 mtr. Above the roof where it is installed.
- Cess paid upto: December - 2012.
- Show cause Notice issued on 12.10.2012, for non compliance of consent conditions.
- SRO recommended to forfeit the Bank Guarantee of Rs. 5.0 Lacs & 2.0 Lacs and grant renewal of consent with amalgamation and ask fresh Bank Guarantee double the existing.
- In view of the above, as capital investment of project is Rs. 19408.00 Lacs. the granting authority for the consent is CAC, we may put up the case in CAC meeting for further decision, if approved.
- **Case Re-submitted.**
- As per CAC committee decision dtd. 8.01.2013 to keep the case in abeyance and resubmit to next CAC meeting with details of proposal for forfeiture of BG & reply of SCN.
- As per CAC decision mail was forwarded to RO/SRO on 17.01.2013 to submit reply of SCN.
- SRO Ahmednagar has submitted reply on 22.01.2013 stating that industry has provided new ETP, comprising with Bar screen, oil skimmer, equalization tank, primary clarifier, Bio-tower, tube settler, aeration tank, secondary clarifier & SDB.
- Industry has provided 15 days storage tank as per CREP norms.
- Industry has provided 2 boilers with chimney height 65 mtr. with wet scrubber as APC.
- RO had issued SCN due to not meeting the JVS standards & directed why the BG of Rs. 2.0 lacs shall not be forfeited.
- RO/SRO has already recommended to forfeit the Bank Guarantee of Rs. 2.0 Lacs & Rs. 5.0 Lacs as industry fail to comply the conditions to achieve zero discharge, SCN dated 12.10.12.
- Validity of BG are over by 31.12.12 could not encash BG now no action taken by RO/SRO.
- Submitted for further order please.

## **CAC Item No.18**

**Name of Industry:- M/s. Magus Estates & Hotels Pvt. Ltd  
114, Dr. E.Moses Road  
Worli, Mumbai-018**

### **HOD Remarks**

- Applied for grant of renewal of consent for hotel activity.
- Previous consent valid up 31.1.2012
- The case was discussed in CAC meeting dated 3.7.2012 and it was decided to resubmit the case in CAC after obtaining verification report from RO regarding differences in the SRO & industry reporting in respect of C.I.
- RO vide E-mail dated 12.12.2012 submitted the verification report. RO has reported that
  - Industry has submitted the C.A. certificate. The gross block submitted by hotel had not gone for any expansion.
  - There is no physical expansion in hotel rooms, plant and machinery and same fact is certified by CA certificate stating that Gross Block of fixed assets without depreciation is Rs. 315.46 Crs.
  - Hotel occupier has reported that controversial information given by them regarding C.I. was due to lack of knowledge to concerned persons from their management.
  - Block of Rs. 143.73 Crs deployed towards procurement of land, Rs. 72.99 crores towards project feasibility & sundry expenses for second phase of project.
  - The second phase of project will be dealt separately in respect of consent from Board & Environmental Clearance.
- JVS results dated 27.6.2012, 28.9.2012 and 22.10.2012 are within consented limit. JVS results dated 17.7.2012 are exceeding the consented standard.
- SRO has reported that the Hotel authority complied the Interim Directions issued on 27.1.2012.
- RO has recommended for grant of renewal of consent upto 31.1.2015
- The case was further discussed in CAC dated 24.12.2012 and It was decided to keep the case in abeyance till clarification regarding no. of rooms and application of consent made for alongwith Capital Investment are received. Hotel has submitted the following information
- Total Nos. of Rooms is 202 Nos.
- Hotel has submitted the CA certificate mentioning total investment for Phase-I is RS. 315.46 Crs. for which they have applied for renewal and investment of Rs. 216.72 Crs. is for Phase-II for which they will submit separate application
- Hotel has submitted Occupation certificate dated 5.4.2008 with plan.
- Recommended for renewal of consent for 202 Nos. of rooms.

**AS(T)**

## **CAC Item No.19**

**Name of Industry: M/s. Kalyani Hayes Lemmerz Ltd., (Truck Wheel Plant),  
Gat No. 635, Kuruli Village, Tal- Khed, Dist - Pune**

### **HOD Remarks**

- Applied renewal of consent
- Application received at SRO- Pune on dtd 05/10/2012 and at HQ on 20/12/2012.
- Previous consent was valid up to 30/11/2012
- Total effluent generation is industrial 600 CMD + domestic 40 CMD. Industry has provided combine effluent treatment plant, after septic tank domestic effluent is treated into secondary treatment of ETP. ETP consist of primary, secondary and tertiary treatment for the treatment of industrial effluent i.e. waste coolant and effluent from paint shop.
- Analysis report of JVS on 25/04/2012, 10/05/2012 and 16/07/2012 are submitted. parameters of BOD, COD, TDS are is exceeding the consented limit
- Industry has provided stack of adequate height to pretreatment, paint shop, oven.
- Dust collector provided to shot blasting. Acoustic enclosure with stack provided to DG Set.
- Industry has not provided scrubber to phosphating section.
- RO Pune has recommended for grant of consent subject to installation of scrubber to phosphating section.
- The case has been discussed in the Consent Appraisal Committee meeting held on 08/01/2013 and the Consent Appraisal Committee has decided to issue SCN for refusal for exceeding JVS results & for not providing APC system as per consent conditions. Accordingly SCN issued on 15/01/2013. Industry submitted the reply 21/01/2013
- We may grant consent up to 30/11/2013 with the condition, that 1) Unit shall provide Rs. 10/- Lakhs towards complete of APC within 3 Month 2) Operational BG of Rs. 5/- Lakhs
- We may place the consent application before CAC for further consideration.

Joint Director (APC)

## **CAC Item No.20**

**Name of industry :- M/s Cummins india ltd.  
S. No. 3 to b7,31(1) 32,33,37, 38,41,42, & 43,  
Kothrud, Pune**

### **HOD Remarks**

- Applied for renewal of consent
- Application received at SRO- Pune on dtd 21/08/2012 and at HQ on 06/12/2012.
- Previous consent was valid up to 30/09/2012
- Industrial effluent is 30.2 CMD (earlier 5 CMD)for which ETP provided
- Domestic effluent generation is 450 CMD (earlier 150 CMD)for which sewage treatment plant
- Scrubber provided to paint booth
- RO Pune has recommended the case for grant of consent for period up to 30/09/2014 subject to submission of additional consent fees
- The case has been discussed in the Consent Appraisal Committee meeting held on 27/12/2012 and the Consent Appraisal Committee was decided to issue SCN for refusal of consent for not submitting additional consent fees, justification for increase in CI and increase in effluent qty. Accordingly SCN issued to industry on 07/01/2013 and industry submitted the reply on 15/01/2013
- We may grant the consent upto 30/09/2014 with B.G. of Rs. 10/- Lakhs towards Operation and Maintenance of pollution Control System
- We may place the consent application before CAC for further consideration.

Joint Director (APC)

**CAC Item No.21**

**Name of industry :- M/s. Reliance Cement Co. Pvt. Ltd.,  
Formerly known as M/s. Reliance Cementation Pvt. Ltd.,  
J-2, MIDC Butibori, Nagpur**

**HOD Remarks**

- 1) Board has granted consent to Operate vide letter dated 28.08.2012 for the production of cement 2.0 Million Ton/A which is valid up to 31.05.2013 as per the decision taken in CAC dated 21.08.2012..
- 2) Now they have applied for now they have application amendment in consent & requested for only one CAAQM instead of 3 CAAQMS.

We may accept the request of the unit to install one CAAQMS instead of 3 CAAQMS as 3 stations installed by adjacent company M/s. Vidharbha Industries Power Ltd. and 3 by M/s. Indorama Synthetic.

Joint Director (APC)

**CAC Item No.22**

**Name of industry :- M/s. Western Coal Fields Ltd., Umred OCM,  
Tal- Umred, Dist - Nagpur**

**HOD Remarks**

1. Applied for renewal of consent.
2. Earlier consent was valid up to 31.12.2012.
3. SRO, Nagpur-II mentioned that application for renewal of Consent to Operate may be considered only after the compliance of directions issued and regarding this matter personal hearing may given to the industry at HQ.
4. The case was discussed in CAC dated 08.01.2013 and it was decided to keep the case in Abeyance and resubmit it in meeting dated 22.1.2013 with details of Bank guarantee forfeiture and other relevant information from R.O. Nagpur.
5. Presently Rs.20/- Bank guarantee is available with the Board towards O & M of pollution control system.
6. AAQM results are exceeding/work of S.T.P. not yet completed. R.O./SRO has not given point wise compliance of consent conditions/E.C. compliance/direction compliance.

Hence we may issue Show Cause Notice for refusal of the unit due to non-compliance of consent condition and call further report from R.O./S.R.O.

Joint Director  
(APC)

**CAC Item No.23**

**Name of Industry :- M/s. Adani Power Maharashtra Pvt. Ltd.,  
A-1, Vill- Tiroda, Dist - Gondia**

**HOD Remarks**

1. Applied for renewal of consent of power plant 1320 MW.
2. SRO Bhandara has submitted the compliance report and reported the compliance but monitoring results are not submitted.

Discussed in CAC meeting held on 27.12.2012 and not approved the renewal of consent. It was decided to call monitoring results from SRO & resubmit in next CAC Meeting.

The analysis results are submitted by SRO & are within the limit (Copy enclosed).

In view of above, we may renew the Consent up to 30.11.2013 with extension of Bank Guarantee up to Consent validity period.

Joint Director  
(APC)

## **CAC Item No.24**

**Name of Industry :- M/s. Bosch Ltd.,  
75, MIDC Satpur, Nashik**

### **HOD Remarks**

1. Applied on 29.10.2012 for grant of renewal of consent to operate with enhance production qty.
2. Application received to HQ on 20.12.2013.
3. This case was discussed in the CAC meeting held on 08.01.2013 and it was decided to issue SCN for refusal of consent for not having incineration facility as per CPCB norms.
4. Industry has submitted reply vide letter dated 16.01.2013 stating that they have provided incinerator as per CPCB guidelines and adequate APC system provided to incinerator.
5. SRO-Nashik has submitted report on 19.01.2013 stating that industry is not burning plastic waste, chlorinated hydrocarbons ,only incinerated non hazardous waste i.e. cartons and papers. Industry is sending H.W. material to M/s MEPL for disposal and all the other parameters for incineration and flue gas treatment are maintained as per CPCB guidelines.
6. Industry has submitted Environment statement for the period 2011-2012.
7. Recommended for grant of renewal of consent to operate with amalgamation production capacity up 31.12.2013.
8. Recommended for grant of renewal of consent to operate with amalgamation production capacity up 31.12.2013. We may obtain the B.G.of Rs.10 lakhs towards compliance of pollution control system and consent conditions.

Joint Director (Air Pollution Control)

## **CAC Item No.25**

**Name of Industry :- M/s. Jindal Saw Ltd.,  
A-59-60, MIDC Malegaon,  
Tal- Sinnar, Dist – Nashik**

### **HOD Remarks**

1. Applied for grant of renewal of consent to operate at RO Nashik on 16.10.2012.
2. Application for grant of consent to operate received to HQ on 06.12.2012.
3. This case was discussed in the CAC meeting held on 27.12.2012 and it was decided to hold the case and revert back after getting details regarding installation of ARP.
4. Industry has submitted reply on 15.01.2013 stating that qty of effluent generation is about 12 to 13 CMD including spent acid and it is treated in ETP. Treated effluent 100% recycled in the process.
5. SRO-Nashik has reported vide letter dated 14.01.2013 that industry has have not installed acid recovery plant due to product quality issue while reusing the recovered acid.
6. The quantity of avg. effluent generation during last year is about 12 to 13 CMD in which contribution of spent acid and alkali is about 3 to 4 CMD and rinsing water (Alkaline) is about 9 to 10 CMD.
7. The spent acid generated from pickling activity is treated in ETP and treated water is reused / recycled 100% in process and not discharged on ground even for gardening purpose.
8. Industry has provided ETP and APCS. Analysis results are observed within limits.
9. Industry has paid water cess up to March-2011.
10. Industry has submitted Environment statement for year 2011-12.
11. Industry has paid consent fees of Rs.45, 53,306/- + Rs.250/- as per revised G.R.25.08.2011.
12. RO- Nashik has recommended case for grant of renewal of consent to operate up to 30.10.2015.
12. Recommended for grant of renewal of consent to operate up to 30.10.2015 with condition that industry shall recycle 100 % effluent in the process and forfeit the B.G.of Rs.5 from existing B.G.of Rs.10 Lakh. Also instruct to industry to submit the fresh B.G.of Rs.10 Lakh towards compliance of consent condition.

Joint Director (Air Pollution Control)

**CAC Item No.26**

**Name of Industry :- M/s. Atlas Capco (India) Ltd.,  
Svenagar Pune Mumbai Road,  
Dapodi, Pune**

**HOD Remarks**

- Applied for renewal of consent with change in product
- Application received at SRO- Pune on dtd 19/11/2012 and at HQ on 20/12/2012
- Previous consent was valid up to 31.12.2012
- Industry decrease in main production of earlier consent & introduction of new product i.e. filters by way of assembly activity only
- Location of industry is 0.5 Km away from River Pawana (A – IV class)
- Industrial effluent generation is 0.20 CMD for which ETP provided (primary,)
- Sewage treatment plant provided to 35.0 CMD domestic Effluent.
- APCS are provided to DG Sets & dry paint booth
- RO Pune has reported that as per the new GR the painting activity falls under Orange category, hence the case is recommended for grant of renewal of consent to operate in Orange Category as per new CPCB circular for category of industries for period upto 31.12.2018 with introduction of new product by an assembly activity
- The case was discussed in CAC meeting held on 18/01/2013 and decided to resubmit the case in next CAC after confirming RRZ Policy
- We may grant consent to operate up to 31/12/2018 under orange category
- We may place the consent application before CAC for further consideration.

Joint Director (APC)