

# MAHARASHTRA POLLUTION CONTROL BOARD



**Minutes of 19<sup>th</sup> Consent Appraisal Committee Meeting of 2013-2014 held on 16.1.2014 at 11.30 am at Conference Hall, MPC Board, Kalpataru Point, 4<sup>th</sup> Floor, Sion Circle, Sion (E), Mumbai 22.**

.....

The Consent Appraisal Committee meeting of the Board was held on 16.1.2014. Following members of the Consent Appraisal Committee were present:

- |    |                                                                  |                  |
|----|------------------------------------------------------------------|------------------|
| 1. | Shri. J. S. Sahni,<br>Chairman, MPC Board, Mumbai.               | Chairman         |
| 2. | Shri. Rajeev Kumar Mital,<br>Member Secretary, MPC Board, Mumbai | Member Secretary |
| 3. | Shri.P.P.Nandusekar<br>Technical Advisor( Env), MIDC, Mumbai     | Member           |
| 4. | Shri. Rakesh Kumar,<br>Scientist & Head, NEERI, Mumbai           | Special Invitee  |

The Secretary, Home (Transport) Dept., Mantralaya, Mumbai, Member could not attend the meeting. Leave of absence was granted to him.

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The minutes of 18<sup>th</sup> CAC meeting of 2013-14 and 2<sup>nd</sup> sitting of 18<sup>th</sup> CAC meeting held on 6.1.2014 & 8.1.2014 circulated under Board's letter No. BO/CC-CAC Cell/CAC-minutes/TB/B-160 dated 10.1.2014 and BO/CC-CAC Cell/CAC-minutes/TB/B-211 dated 15.1.2014 respectively were confirmed.

The meeting thereafter deliberated on the agenda items (**Book-let no.37 & 37-B**) placed before the committee and following decisions were taken.

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
	<b>(Book-let no. 37) Sugar Co-gen (Establish)</b>			
1	M/s. Jai Hind Sugar Pvt. Ltd. A/P- Nagansur, Tal. Akkalkot, Dist. Solapur.	Approved Establish	COU or 5 years whichever is earlier	It was noted that the proposed ETP units of primary tube settler & secondary clarifier seems to be oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case,

				<p>the ETP units are not right sized.</p> <p>It was decided to grant consent to establish for Sugar &amp; Co-gen Plant (3500 TCD &amp; 18 MW) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. PP shall have to submit BG of double amount at the time of 1<sup>st</sup> Operate, if the ETP units are not right sized.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
2	M/s. Shree Shiv Parwati Sahakari Karkhana Ltd., Moreswar Nagar, Village Mungi, Tal. Dharur, Dist. Beed.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that data required by TAC is not yet submitted by SRO. Hence, it was decided to call the required data within 15 days and get the TAC report within one month.</p> <p>It was decided to grant consent to establish for expansion of Sugar (4500 TCD) &amp; new Co-gen Plant (14.2 MW) subject to obtaining TAC report and by imposing additional conditions based on TAC report and following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. Consent is issued with overriding effect over previous consent.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
3	M/s. Siddnath Sugar Mill Ltd., G. No. 167,A-1, 168/A-1, A/p-Tirhe, Tal. North Solapur, Dist. Solapur.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that the proposed ETP units of equilisation, aeration, primary settling &amp; secondary clarifier are oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not right sized.</p> <p>It was decided to grant amalgamated consent to establish for expansion for Sugar( 2500 + 1000 TCD) &amp; Co-gen Plant</p>

				<p>(7.5 + 6.5 MW) after obtaining requisite consent fees on amalgamated CI by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. PP shall have to submit BG of double amount at the time of 1<sup>st</sup> Operate, if the ETP units are not right sized.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
4	M/s. Shri Siddheshwar SSK Ltd., G. No. 21/1, & 21/6, Kumathe, Post - Tikekarwadi, Tal. North Solapur, Dist. Solapur.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that the proposed ETP units of equalization tank &amp; secondary clarifier are oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1<sup>st</sup> Operate, in case, the ETP units are not right sized.</p> <p>It was decided to grant consent to establish for Sugar expansion ( 5000 TCD) and Co-gen Plant(38 MW) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. PP shall have to submit BG of double amount at the time of 1<sup>st</sup> Operate, if the ETP units are not right sized.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
5	M/s. Krantiagrani Dr. G. D. Bapu Lad SSK Ltd. A/p - Kundal, Tal. Palus, Dist. Sangali.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that data required by TAC is not yet submitted by SRO. Hence, it was decided to call the required data within 15 days and get the TAC report within one month.</p> <p>It was decided to grant consent to establish for expansion of Sugar ( 1000 TCD) subject to obtaining TAC report and by imposing additional conditions based on TAC report and following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps</li> </ol>

				<p>prior to obtaining EC.</p> <p>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</p> <p>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</p> <p>Consent draft placed in the agenda is approved with above conditions.</p>
6	M/s. Shri Sant Tukaram SSK Ltd., Kasarsai Sr. No. 17,25,26,2, Kasarsai - Darumbre, Tal. Mulshi, Dist. Pune.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that the proposed ETP units of primary aeration tank, primary clarifier &amp; secondary clarifier are oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not right sized.</p> <p>It was decided to grant consent to establish for Sugar and Co-gen Plant( 500 TCD and 15 MW) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. PP shall have to submit BG of double amount at the time of 1st Operate, if the ETP units are not right sized.</li> <li>5. PP shall submit an affidavit that the operational area of sugar and co-gen plant will be more than 2 km from avg. HFL of Pawana River and that they shall comply with RRZ policy, 13.7.2009.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
7	M/s. Venkatesh Krupa Sugar Mills Ltd, A/P Jategaon BK, Tal Shirur, Dist Pune	Establish Not Approved	—	<p>It was decided to keep the case in abeyance till clarification is obtained regarding the water consumption &amp; effluent qty details as they have shown Nil consumption and effluent generation. Also get details of total BUA (existing + proposed BUA).</p>
8	M/s. Lokmangal Agro Industries, G. No. 516, 517 & 520 A/p - Bibi Darpal, Tal. North Solapur, Dist. Solapur.	Approved Establish (expansion)	COU or 5 years whichever is earlier	<p>It was noted that the proposed ETP units of equalization tank, primary settling &amp; secondary settling tank are oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not</p>

				<p>right sized.</p> <p>It was decided to grant consent to establish for expansion Sugar ( 1250 TCD) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. PP shall have to submit BG of double amount at the time of 1<sup>st</sup> Operate, if the ETP units are not right sized.</li> </ol> <p>Consent draft placed in the agenda is approved with above conditions.</p>
--	--	--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Distillery (Establish)

1	M/s. Siddeshwar SSK Ltd (Distillery, At Kumthe, Tal N Solapur, Dist Solapur	Approved Establish / Not Approved	--	It was decided to keep all distillery cases in abeyance and obtain TAC report regarding generation of spent wash, treatment for volume reduction and % achieved, bio composting plant area, MEE capacity/incineration etc. and put up in next meeting.
---	-----------------------------------------------------------------------------	-----------------------------------	----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Distillery (1st Operate & Renewal)

1	M/s. Daund Sugar Ltd., A/p. Alegoan, Tq. Daund, Dist. Pune	Approved Renewal / Not Approved		It was decided to keep all distillery cases in abeyance and obtain TAC report regarding generation of spent wash, treatment for volume reduction and % achieved, bio composting plant area, MEE capacity/incineration etc. and put up in next meeting.
2	M/s. Vikas SSK Ltd. (Sugar), Vaishali Nagar, Tal. & Dist. Latur	Approved 1st Operate & Renewal / Not Approved	--	
3	Manjara SSK., Vilas nagar, Chincholi, Raowadi, Tal & Dist-Latur	Approved 1st Operate & Renewal / Not Approved		
4	Dr. Babasaheb Ambedkar SSK Ltd. Arvindnagar, Post - Keshgaon, Dist - Osmanabad	Approved Renewal / Not Approved		
5	Radico NV Distilleries Maharashtra Ltd. D-193, Aurangabad, Shendra, Dist – Aurangabad	Approved Renewal / Not Approved		

## Sugar Co-gen (1st Operate & Renewal)

1	M/s. Shri Ambalika Sugar Pvt. Ltd., Ambalika Nagar, Post-Jagdamba factory, Tal-Karjat, Dist-Ahmednagar.	Approved 1st Operate & Renewal	31.7.2014	It was noted that consent is already granted on 6.12.2013 for a period upto 31.7.2014 based on the old application and now industry has again re-submitted fresh application.
---	---------------------------------------------------------------------------------------------------------	--------------------------------	-----------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

				Hence it was decided to close this file and consider the remaining consent fees during next renewal and inform the industry accordingly.
2	Bhairavnath Sugar Works Ltd, A/p. Vihal Tal Karmala, Dist Solapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent for sugar and cogen plant (2500 TCD & 12 MW) by imposing BG as per BG regime.
3	Shri Datta Sahakari Sakhar Karkhana Ltd. Asurle-Porle, Tal-Panhala Dist-Kolhapur	Approved Operate and amalgamation with existing consent	31.7.2014	It was decided to grant 1 <sup>st</sup> consent to operate for expansion and amalgamation with existing consent for Sugar and Co-gen plant (4800 TCD & 14.5 MW) by imposing condition that the industry should not use auxiliary fuel more than 15% (as per amendment in EIA notification 2009, power plants upto 15 MW, based on biomass and using auxiliary fuel such as coal/lignite/petroleum products upto 15% are exempt) and by imposing BG as per BG regime and releasing existing BGs and with over riding effect over previous consent.
4	Yedeshwari Agro Products Ltd, At Anandgaon, Tal Kaij, Dist Beed	Approved 1st Operate	31.7.2014	It was decided to grant 1 <sup>st</sup> consent to operate for sugar and cogen plant (3200 TCD & 10 MW) by imposing BG as per BG regime and releasing existing BGs, if any.
5	M/s. Bhima SSK Ltd., Madhukarnagar, A/p. Patas, Tq. Daund, Dist. Pune	1st Operate Not Approved	---	It was decided to issue SCN for refusal as industry has not complied with EC condition of installing scrubber as APC system.
6	Baramati Agro Ltd. Kannad, Unit No. 2, TI - Kannad, Dist - Aurangabad (Expansion)	1st Operate with Amalgamation Not Approved	--	It was decided to keep the case in abeyance and resubmit alongwith compliance report from SRO regarding Interim Directions issued by the Board.
7	Hemarus Technologies Ltd (Sugar Plant) Gat No-76, Chennatti, Village-Rajgoli Khurd, Tal-Chandgad Dist-Kolhapur	Approved 1 <sup>st</sup> operate (expansion) & Renewal and amalgamation	31.7.2014	It was decided to grant 1 <sup>st</sup> consent to operate for expansion with renewal of existing consent and amalgamation for Sugar and Co-gen plant (4800 TCD & 25 MW) by imposing BG as per BG regime and releasing existing BGs.
8	Sahakar Maharashi Shankarrao Mohite Patil SSK Ltd., Shankarganagar, Tal. Malshiras, Dist. Solapur,	Approved Renewal	31.7.2014	It was decided to grant plain renewal of consent to operate for Sugar and Co-gen plant (7500 TCD & 33 MW) by imposing BG as per BG regime and releasing existing BGs.
9	Samrudhi Sugar (Sugar & co-generation)Devi Dahegaon, Tq. Ghansawangi	Approved Renewal	31.7.2014	It was decided to grant plain renewal of consent to operate for Sugar and Co-gen plant (2500 TCD & 14 MW) by imposing BG as per BG regime and releasing existing BGs.

10	M/s. Kumbhi KasariSSK Ltd (Sugar & Co-Gen Expansion), Vill Kuditre, Tal Karveer, Dist Kolhapur	Operate Not Approved	---	<p>It was noted that C to E for expansion was granted for capacity of 2000 TCD of Sugar &amp; 17.5 MW of Co-gen plant with condition to obtain EC whereas now industry has applied for 1<sup>st</sup> C to O with 1800 TCD &amp; 14.5 MW capacity without obtaining EC. Also industry has not completed work of installation of APC system to Co-gen unit as reported by SRO.</p> <p>Hence it was decided to issue SCN for refusal for expansion as industry has taken effective steps towards implementation of project without obtaining EC as per C to E condition and also not complied with other C to E conditions.</p>
11	M/s. Kumbhi KasariSSK Ltd (Sugar Renewal ), Vill Kuditre, Tal Karveer, Dist Kolhapur	Approved Renewal	31.7.2014	It was decided to grant plain renewal of consent to operate for Sugar plant (3000 TCD) by imposing BG as per BG regime and releasing existing BGs.
12	Kukadi S S K Ltd. (Sugar Unit) At Post Pimpalgaon, Pisa, Tal. Shrigonda, Dist. Ahmednagar	Approved 1st Operate for Co-gen only	31.7.2014	It was decided to grant first consent to operate for Co-gen unit (12 MW) and amalgamation with existing sugar consent after obtaining required data & compliance of existing sugar unit and by imposing BG as per BG regime and with overriding effect over previous consent.
13	M/s. Mahatma Sugar & Power Ltd (Sugar Expansion), Dinkar Nagar, Jamni, Tal Seloo, Dist Wardha	Approved Operate with amalgamation	31.7.2014	<p>It was decided to grant 1<sup>st</sup> consent to operate for expansion of Sugar (1250 TCD) and new Co-gen (15 MW) and amalgamation with existing consent for Sugar ( i.e. total 2500 TCD &amp; 15 MW) by imposing condition by imposing condition that the industry should not use auxiliary fuel more than 15% (as per amendment in EIA notification 2009, power plants up to 15 MW, based on biomass and using auxiliary fuel such as coal/lignite/ petroleum products up to 15% are exempt) and by imposing BG as per BG regime and releasing existing BGs and with overriding effect over previous consent.</p>
14	M/s. Mahatma Sugar & Power Ltd (Power Division), Dinkar Nagar, Jamni, Tal Seloo, Dist Wardha			
15	Lokmangal Mauli Industries Ltd. Gat No.67,68,69,70,80,Vill-Lohara ( Khurd), Tq- Lohara, Dist- Osmanabad	Operate Not Approved		It was decided to issue SCN for refusal to Sugar & Co-gen plant as industry has taken effective step towards implementation of project without obtaining EC as per C to E conditions.
16	Siddhanath Sugar Mills Ltd. At- Tirhe, Tal. - North Solapur, Dist - Solapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) and Co-gen plant (12 MW) by imposing BG as per BG regime and releasing existing BGs.

17	Sadguru Sri Sri Sakhar Karkhana Ltd., S. No. 231/232, A/p- Rajewadi, Post- Atpadi, Tal - Atpadi, Dist - Sangli.	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) and Co-gen plant (12 MW) by imposing BG as per BG regime and releasing existing BGs.
18	Gangamai Industries & Construction Ltd., Existing 2000 TCD and 12 MW. Tal. Shegaon, Dist. Ahmednagar	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2000 TCD) and Co-gen plant (12 MW) by imposing BG as per BG regime and releasing existing BGs.
19	Gangamai Industries & Construction Ltd., Proposed 3000 TCD and 32 MW. Tal. Shegaon, Dist. Ahmednagar	Approved Establish	COU or 5 years whichever is earlier	<p>It was noted that the proposed ETP units of primary clarifier &amp; secondary clarifier seems to be oversized. It was decided that double amount of BG as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not right sized.</p> <p>It was decided to grant consent to establish for expansion of Sugar (3000 TCD) &amp; Co-gen Plant (32 MW) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall not take any effective steps prior to obtaining EC.</li> <li>2. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>3. Industry shall provide separate primary treatment for effluent generation from DM plant.</li> <li>4. PP shall have to submit BG of double amount at the time of 1<sup>st</sup> Operate, if the ETP units are not right sized.</li> </ol>
20	Mahadik Sugar & Agro Products Ltd., A/p. Farale, Tal-Radhanagari, Dist-Kolhapur	1 <sup>st</sup> operate Not Approved	--	<p>It was decided to issue SCN for refusal for consent to 1<sup>st</sup> operate to sugar (1250 TCD) &amp; co-gen plant (8.5 MW) as</p> <ol style="list-style-type: none"> <li>1. C to E is not valid.</li> <li>2. PP has not completed work of ETP.</li> </ol>
21	Sitaram Maharaj Sakhar Karkhana Ltd. A/p-Khardi, Tal-Pandharpur, Dist-Solapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) and Co-gen plant (10 MW) by imposing BG as per BG regime and releasing existing BGs.
<b>Sugar (Renewal)</b>				
1	Sahakar Shiromani Vasantrao Kale SSK Ltd. Chandrabhaganagar, Tal-Pandharpur, Dist-Solapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) by imposing BG as per BG regime and releasing existing BGs, if any.
2	M/s. Venkatesh Krupa Sugar Mills Ltd, A/P Jategaon BK, Tal Shirur, Dist Pune	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) by imposing BG as per BG regime and



				releasing existing BGs, if any.
3	M/s. Lokmangal Agro Industris Ltd. Subhash Nagar, Tal. - South Solapur, Dist - Solapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (1250 TCD) by imposing BG as per BG regime and releasing existing BGs, if any.
4	M/s. Chopda Sahakari Sakhar Karkhana Ltd, At Chahardi, Tal Chopda Dist Jalgaon	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) after obtaining addl. information by imposing BG as per BG regime and releasing existing BGs, if any.
5	Kopergaon SSK Ltd., At : Kolpewadi, Tal:Kopergaon, Dist: Ahmednagar,	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) by imposing BG as per BG regime and releasing existing BGs, if any.
6	Shri Bhogawati SSK Ltd., Shahunagar (PARITE), Kolhapur	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (3500 TCD) by imposing BG as per BG regime and releasing existing BGs, if any.
7	Sahakarmaharshi Bahusaheb Thorat SSK , Amritnagar, Tal. Sangamner, Dist. Nagar	Operate Not Approved	--	It was decided to issue SCN for refusal and forfeiture of BG due to increase in CI from Rs. 89.25 Crs. to Rs. 168.18 crs without submitting justification for increase in CI and requisite consent fees, also industry has provided by-pass arrangement to ETP and discharging untreated effluent outside factory premises.
<b>REVIEW ITEM</b>				
8	Management of Combine Consent & BMW Authorisation for HCEs	--	--	<b>Minutes for this item are enclosed at ANNEXURE-I</b>
<b>BOOK-LET NO. 37-B</b>				
1	Godavari Biorefineries Ltd., Sakewadi, Tal. Kopergaon, Dist. Ahamadnagar.	Establish for Expansion Not Approved		It was decided to keep the case in abeyance and put up to CAC after getting details or certificate for no increase in pollution load from renowned institute such as IIT, UDCT, etc. and also get details of BUA.
2	Godavari Biorefineries Ltd., Sakewadi, Tal. Kopergaon, Dist. Ahamadnagar.	Approved Renewal with amalgamation	31.8.2014	It was decided to grant renewal of consent with amalgamation of three consents (distillery, chemical plant & R & D activity) for a short period after obtaining requisite consent fees considering total CI by amalgamating three consents and by

				<p>imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. BG as per BG regime of distillery.</li> <li>2. Industry shall not operate the distillery unit till CPCB issues restart directions.</li> </ol> <p>The interim directions placed in agenda is approved <u>with corrections in accordance with CPCB directions.</u></p>
3	M/s. Vitthal Corporation Ltd., (Sugar Unit) A/p - Mhasigaon, Tal. Madha, Dist. Solapur.	Approved Renewal	31.7.2014	It was decided to grant renewal of consent to operate for Sugar (2500 TCD) by imposing BG as per BG regime and releasing existing BGs, if any.
4	M/s. Vitthal Corporation Ltd., (Molasses base Distillery) A/p - Mhasigaon, Tal. Madha, Dist. Solapur.	Approved 1st Operate	31.8.2014	<p>It was noted that company has carried out operation of the unit without obtaining prior C to O of the Board.</p> <p>It was decided to grant 1<sup>st</sup> consent to operate by imposing BG as per BG regime for distillery unit and by imposing condition that industry shall submit Board Resolution from company Board, for carrying out operation without consent to operate from the MPC Board, thus violated the provisions of Environmental Laws and in future, they will not do such violations and submit BG of Rs. 2 lakh towards submission of Board resolution by 28.02.2014.</p>
5	M/s. Vitthal Corporation Ltd., (IMFL) A/p - Mhasigaon, Tal. Madha, Dist. Solapur.	Approved Establish	COU or 5 years whichever is earlier	It was decided to grant consent to establish for IMFL @ 5000 Cases/day by way of mixing & blending only.
6	M/s. Vitthal Corporation Ltd., (Cogeneration) A/p - Mhasigaon, Tal. Madha, Dist. Solapur.	1st Operate Not Approved	---	It was decided to keep the case in abeyance and resubmit to CAC after commissioning of wet scrubber to boiler of Sugar & Co-gen plant
7	M/s. Vitthal Corporation Ltd., (Bio Gas Plant) A/p - Mhasigaon, Tal. Madha, Dist. Solapur.	Approved Establish	COU or 5 years whichever is earlier	<p>It was decided to grant consent to establish for Bio-gas Plant (1.5 MW) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>4. PP shall not take any effective steps prior to obtaining EC.</li> <li>5. PP shall submit BG of Rs. 10 lakh towards compliance of EC &amp; C to E conditions.</li> <li>6. Industry shall provide H<sub>2</sub>S scrubber for recovery of sulphur from Bio-Gas plant as proposed by Industry.</li> </ol>

The meeting ended with vote of thanks to the Chair.

1. The consents shall be disposed after obtaining requisite consent fees as per GoM, revised fee structure dtd. 25.08.2011 and according to the industry wise new validity period. The balance fees on the part of

MPCB, if any, shall be considered at the time of next renewal of consent, which shall be mentioned in the consents to be issued hereafter.

2. RO (HQ) and CAO to examine and put up note on the issue of consent fees for construction projects in light of TDR premium, ready reckoner etc.
3. CAC instructed to check compliance of EC condition before issuing consent of 1st operate cases.
4. In case of amalgamation of consents, consent fees will be charged as per the slab corresponding to the total Capital Investment of the amalgamated cases. Hence, Slab of consent fees shall be checked before issuing consents.
5. All the approved consent to operate & renewal cases of Sugar, Sugar & Co-gen, Distillery plants shall be granted consents incorporating BG regime with revised compliance period, submitted during the meeting.
6. On similar lines to the decision taken in CAC meeting dtd 4.12.2013 regarding MSW cases w.r.t. Municipal Corporation to be dealt by Consent Committee. Henceforth, it was decided that all STP consent cases related to corporations will be dealt by Consent Committee.

**Minutes of the 19<sup>th</sup> Consent Appraisal Committee Meeting held on 16.10.2014**

**Booklet No. 37**

**Review Item No. : 1**

**Sub.:** Management of Combined consent and Bio-medical Waste Authorization for Health Care Establishment.

---

The following is approved ;

1. Proforma application for combined consent and Bio-medical Waste Authorization (CCA) as mentioned (page No. 530 to 535 of Booklet-37).
2. Performa for consent processing and scrutiny (page No. 539 to 546 of Booklet-37).
3. BG Regime for compliance (**Annexure-A**)
4. Combined consent and authorization shall be granted into two parts. Part-A – Consent under Water and Air Act and Part-B – BMW Authorization under Bio-medical Waste Rules. Revised draft performa for grant of Part A & B to be submitted in file for approval.
5. Delegation of powers for issue of consent and BMW authorization approved as proposed. **Annexure-B**
6. Proposal regarding consent fees & authorization fees and consent period on the basis of beds shall be submitted to the Environment Department, GoM with the recommendation of the Board.
7. Until final approval of the State Government, regarding applicability of consent fees and period of consent, presently applicable authorization fees (on the basis of beds) and consent fees (on the basis of capital investment) shall remain in force.
8. A separate recommendatory committee on lines of TAC may also be finalized for BMW cases for making suitable recommendations to CAC/CC

( Dr. A. R. Supate )  
Principal Scientific Officer

To,  
Shri Waghjale V. B.,  
Technical Advisor,

- For necessary action please.

## Guidelines to ensure Compliance of Combined Consent & Authorization (CCA)

(Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and  
Authorization under Bio Medical Waste (M&H) Rules, 1998 as amended)

### For HCEs (above 250 Beds) / BMW Common BMWTSDF and Industries generating BMW

Sr. No.	Condition to be Complied	HCEs with Bed ≥ 500 joined to Common BMW Facility	CBMWTSDF, HCEs & Industries with Captive BMW incineration facility	CBMWTSDF, HCEs ≥ 500 & Industries with Captive BMW Deep Burial facility	Remarks
<b>A</b>	<b>Combined Consent &amp; Authorization (CCA) to Establish</b>	Bank Guarantee (Rs) and Validity 5 yrs & Four Months			
<b>1</b>	<b>If Environment Clearance Applicable</b>				
1.0	Not to take effective steps before EC	5,00,000			Applicable, if construction exceeds 2000 sq.mtr (New/Expansion)
1.1	To comply C to E conditions	5,00,000			
<b>B</b>	<b>Combined Consent &amp; Authorization (CCA) to Operate</b>	Bank Guarantee (Rs) and Validity : Four Months after expiry of CCA			
<b>2.0</b>	<b>Records</b>				
2.1	To Maintain records of BMW generation, transportation, treatment & disposal and To submit Annual Report* in Form –II before 31 <sup>st</sup> January every year	50,000	50,000	50,000	* Annual Report certified by CBMWTSDF operator
<b>3.0</b>	<b>Operation and Maintenance</b>				
3.1	To Segregate and Handle BMW as per color code etc.	1,00,000	1,00,000	1,00,000	--
3.2	To conduct and meet sterilization validation test and temperature test for Autoclave	Not Applicable	50,000	Not Applicable	
3.3	To achieve temperature of Primary and Secondary chamber of Incinerator	Not Applicable	1,00,000	Not Applicable	
3.4	To Operate and maintain Air Pollution Control Device(s) to achieve prescribed Stack emissions (e.g. Particulate Matter, HCL, NOx, VOC) & maintain records	Not Applicable	1,00,000	Not Applicable	HCEs, Industries and Common facilities having captive BMW incinerator/ Boilers/DG Sets
3.5	To comply with conditions as laid down in Schedule V of BMW Rules prescribed for Deep burial.	Not Applicable	Not Applicable	1,00,000	
3.6	Operation and Maintenance of ETP & STP to achieve prescribed discharge standards	1,00,000	1,00,000	1,00,000	--
	<b>Total of B</b>	<b>2,50,000/-</b>	<b>5,00,000/-</b>	<b>3,50,000/-</b>	

: 2 :					
Sr. No.	Condition to be Complied	HCEs with Bed $\geq$ 500 joined to Common BMW Facility	CBMWTSDf, HCEs & Industries with Captive BMW incineration facility	CBMWTSDf, HCEs $\geq$ 500 & Industries with Captive BMW Deep Burial facility	Remarks
4.0	Compliance of specific conditions of C to O	BG Validity : One Year Combined			
4.1	To provide Separate BMW storage facility	75,000			
4.2	To provide Automatic BMW feeding system	Not Applicable	75,000	Not Applicable	HCEs & Industries having captive BMW incinerator and Common facilities with Incineration
4.3	To Provide Air Pollution Control Device(s) & provide Emergency vent to Secondary chamber	Not Applicable	1,50,000	Not Applicable	HCEs & Industries having captive BMW incinerator and Common facilities with Incinerator/Boilers/DG Sets
4.4	To provide PLC based online temperature monitoring system	Not Applicable	1,00,000	Not Applicable	HCEs & Industries having captive BMW incinerator and Common facilities with Incineration
4.5	To provide Graphical Temperature, Pressure & Time recording system to Autoclave #	Not Applicable	50,000	50,000	HCEs & Industries having captive BMW autoclave and Common facilities with Autoclave
4.6	To provide Deep Burial facility as per schedule V #	Not Applicable	Not Applicable	75,000	For HCEs and facilities with Common / Captive Deep Burial
4.7	To obtain Membership of CHWTSDf and send incineration ash & ETP sludge to CHWTSDf	Not Applicable	50,000	Not Applicable	-do-
4.8	ETP/STP not provided / need up gradation	2,00,000	--		

\*\*\*\*\*

## Delegation of Powers

## Grant of combined Consent and BMW authorization &amp; Consent to HCEs

Sr. No.	Category	HCEs covered	Authority	No. of HCEs & CBMWTSDF approx.
1	Category – I	HCEs upto 25 beds	Sub Regional Officer	16664
2	Category – II	1) Pathological Laboratories treating more than 1000 patient per Month 2) HCEs having 26 to 50 beds	Regional Officer	
3	Category – III	1) HCEs having 51 to 100 beds 2) CBMWTSDF other than Municipal Corporations	HOD	324
4	Category – IV	1) HCEs having 101 to 200 beds 2) CBMWTSDF situated in Municipal Corporations.	Consent Committee	126
5	Category –V	HCEs having 201 beds and Above	Consent Appraisal Committee	126