

**List of Cases to be submitted before 9th Consent Appraisal Committee Meeting of 2013
scheduled on 29.07.2013 at 11.00 am**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission Item						
1	M/s. Garware Polyester Ltd (BoPP Film Project), A'bad-Pune Road, Waluj, Aurangabad	552.27 Crs	Establish for Expansion	AS(T)	01-12	
2	M/s. Balkrishna Paper Mills Ltd., Ambivali, P.O. Mohane, Tal Kalyan, Dist Thane	81.50 Crs	Establish for Expansion	JD(WPC)	13-28	
3	M/s. Perrigo API India Pvt. Ltd., Plot No. N-39, N-31/1, MIDC Additional Ambernath, Dist. Thane	209.72 Crs.	Establish (Expansion)	AS(T)	29-53	
4	M/s. Sudal Industries Ltd., Plot No. B-11, MIDC Nardana, Tal-Sindhkheda, Dist - Dhule	104.55 Crs	Establish	JD(APC)	54-70	
5	M/s. JSW Jaigad Port Ltd., Dhamankhol Bay, A/p- Jaigad, Tal & Dist - Ratnagiri	5144.10 Crs	Establish for expansion	JD(APC)	71-110	
6	M/s. Adani Power Maharashtra Ltd., A-1, Tiroda Growth Centre, MIDC Tiroda, Dist - Gondia	2627.09 Crs	1st operate	JD(APC)	111-140	
7	M/s. Rothe Irde India Pvt. Ltd., G No. 429, A/p- Gonde Wadiwarhe, Tal- Igatpuri, Dist - Nashik	269.38 Crs	Operate with amalgamation	JD(APC)	141-155	
8	M/s. JSW Steel Ltd., B-6, MIDC Tarapur, Navapur Road, Boisar, Tal- Palghar, Dist - Thane	775.70 Crs	Operate with amalgamation	JD(APC)	156-182	
9	M/s. Maharashtra State Power Generation Co. Ltd., Bhusawal Thermal Power Station (unit 4 & 5) At - Deepnagar, Tal- Bhusawal, Dist - Jalgaon	4697.80 Crs	Renewal	JD(APC)	183-214	
10	M/s. R L Steel and Energy Ltd., Pangara Shivar, Chitegaon-Paithan Road, Aurangabad	144.69 Crs	Renewal	JD(APC)	215-231	
11	M/s. Thyssenkrupp Electric Steel India Pvt. Ltd., A/p- Gonde, Vill-Wadivarhe, Tal-Igatpuri, Dist - Nashik	474.13 Crs	Renewal	JD(APC)	232-260	
12	M/s. Maharashtra State Power Generation Co. Ltd., Bhusawal Thermal Power Station (unit 2 & 3) At - Deepnagar, Tal- Bhusawal, Dist - Jalgaon	431.66 Crs	Renewal	JD(APC)	261-287	
13	M/s. Welspun Maxsteel Ltd., Vill-Salav, Tal- Murud Janjira, Dist - Raigad	759.69 Crs	Renewal with change in fuel	JD(APC)	288-324	
14	B. S. Ispat Ltd., Vill- Salari Yensa, Tal- Warora, Dist - Chandrapur	160.72 Crs	Renewal	JD(APC)	325-348	
Fresh Item						
1	M/s. Jotune India Pvt. Ltd., D-280, MIDC Rangangaon, Tal. Shirur, Dist. Pune	46.30 Crs.	Establish (Expansion)	AS(T)	349-360	
2	M/s. I.G. Petrochemcials Ltd., Plot No. T-2, MIDC Taloja, Tal. Panvel, Dist. Raigad	206.60 Crs.	1st Operate (Expansion)	AS(T)	361-373	

3	M/s. PSOCO Electrical Steel Pvt. Ltd., Plot No. C-1/1, Vill Bhagad MIDC Area, Tal- Mangaon, Dist - Raigad	522.72 Crs	1st operate	JD(APC)	<u>374-379</u>	
4	M/s. Aditya Birla Science Technology co. Ltd., Pot No. 1/1A, MIDC Taloja, Dist. Raigad	140.60 Crs.	Renewal with increase in C.I.	AS(T)	390-399	
5	M/s. Asian Paints Ltd., Plot No. C3-B/1, TTC MIDC Pawane, Thane, Belapur Road, Navi Mumbai	96.03 Crs.	Renewal (with increase in CI & production capacity)	AS(T)	400-412	
6	M/s. Godfrey Philips (I) Ltd., V.K.K. Menon Marg Chakala, Andheri (E), Mumbai	181.44 Crs.	Renewal with Expansion	JD(WPC)	413-426	
7	M/s. Kellogg India Pvt. Ltd., L-2 & L-3, MIDC Taloja, Dist. Raigad	167.83 Crs.	Renewal (with additional production)	JD(WPC)	427-438	
8	M/s. Pee Vee Textiles Ltd., S. No. 43,44, 41/4, Mouza-Jam, Tal. Samudrapur, Dist. Nagpur	309.07 Crs.	Renewal	JD(WPC)	439-445	
9	M/s. Hindustan Cocacola Beverages Pvt. Ltd., S. No. 284-P, At Post Kudus, Tal. Wada, Dist. Thane	244.47 Crs.	Renewal	JD(WPC)	446-453	
10	M/s. DSM Engineering Plastic (I) Pvt. Ltd., E-40, MIDC Ranjangaon, Tal. Shirur, Dist. Pune	98.25 Crs.	Renewal	AS(T)	454-467	
11	M/s. Lupin Ltd. (Biotech Unit), Gat No. 1156, Purangut Ghotwade, Tal. Mulsi, Dist. Pune	85.03 Crs.	Renewal (Expansion & change in product mix)	AS(T)	468-483	
12	M/s. Reliance Industries Ltd., (Indian Petrochemicals Corporation Ltd.), Nagpur Manufacturing Division, Vill. Dahali, Tal. Mauda.	233.98 Crs.	Renewal	JD(WPC)	484-498	
13	M/s. Sadhu Vaswani Missions Medical Complex Inlaks and Budhrani Hospital, 7-9, Koregaon Park, Pune	64.76 Crs.	Establish & Operate	PSO	499-512	
14	M/s. Sane Guruji Arogya Kendra, S. No. 165A, Malwadi, Hadapsar, Pune	5.12 Cr.	Renewal (Establish & Operate)	PSO	513-522	
15	M/s. Grant Medical Foundatin Ruby Hall Clinic, 40, Sasson Road, Pune	195.56 Crs.	Renewal (Establish & Operate)	PSO	523-535	
Review Item						
1	M/s. National Rayon Corporation Ltd., Post Mohane, Tal. Kalyan, Dist. Thane	-	Status of closed industry	AS(T)	536-550	
2	M/s. Clariant Chemicals (I) Ltd., Plot No. 113/114, MIDC Dhatav, Tal. Roha, Dist. Raigad.	-	Change in product mix	AS(T)	551-554	
3	M/s. Integrated Baranj Open Cast Mine, Karnataka Emta Coal Mines, Plot No. 84, Vill- Kiloni, Tal- Bhadrawati, Chandrapur		Bank Guarantee	JD(APC)	<u>555-580</u>	
4	M/s. Vidarbha Industries Power Ltd., D-3, MIDC Butibori, Tal- Hingna, Dis - Nagpur			JD(APC)	581-609	

5	M/s. Maharashtra State Power Generation Co. Ltd., Nashik Thermal Power Station, Ekhlare, Dist - Nashik			JD(APC)	610-628	
6	M/s. Gail India Ltd, (LPG Recovery Plant), Malyan At Usar, Alibaug, Dist Raigad			JD(APC)	629-638	

Section	No. of Cases
JD(APC)	16
JD(WPC)	6
PSO	3
AST	10
RO(HQ)	0
Total	35

MAHARASHTRA POLLUTION CONTROL BOARD

RESUBMISSION

CAC Agenda No. 01

Name of Industry: M/s. Garware Polyester Ltd . (BoPP film project)

**374 & 375, Aurangabad-Pune Road, Waluj,
Dist – Aurangabad**

1. Application received at RO Aurangabad on 19/01/13 and at HQ on 15/2/13.
2. Existing Rs 493 Cr + proposed unit Rs 60.27 Cr, Total Rs 553.27 cr
3. Existing consent is valid up to 31.01.2015
4. Applied for grant of consent to establish for mfg of BoPP film 10 to 75 micron - 1500 MT/M.
5. As per CPCB categorization type of industry is Biaxially oriented PP films along with metalizing operations (O/6) under Orange category. Existing consent is granted in Red category in same premises hence we may consider this case under Red category.
6. Industry proposes to use adjacent existing units utility such as ETP, briquette fired boiler etc.
7. Industry has not submitted Grampanchayat NOC, however industry has claimed that, as per Mumbai Grampanchayat Act 1958, it is not necessary for construction of industries.
8. RO Aurangabad has recommended for grant of C to E for proposed activity by imposing BG of Rs 5 lakhs for O & M of ETP.
9. Case was discussed in CAC dated 24.05.2013 & was kept in abeyance for report required from TAC about adequacy of ETP (Sister Concern). Accordingly TAC has examine the case & reported about over design of ETP, as for as primary clarifier which can be modified accordingly. Similarly F/M ration (0.1 against 0.3) can be increase by addition of extra nutrition & adjusting recirculation of biomass.

We may consider the case for grant of consent to establish by imposing condition towards modification of primary clarifier size & to achieve design F/M ration so as to achieve the consented standards prior to expansion activity put into operation .The B.G. of Rs. 5 lakh is recommended for the same.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 02

Name of Industry : M/s. Balkrishna Paper Mills Ltd.,
Ambivali P.O. Mohane, Tq. Kalyan,
Dist. Thane.

- industry has applied for consent to Establish for expansion.. I
- ategory RED/LSI. C
- otal capital investment of unit is 54.50 Cr, Existing- 9.50 Cr. And proposed – 45.0 Cr. T
- xisting consent valid up to: 31.12.2014. E
- ndustry is manufacturing paper & paper Board coated folding box board (Duplex/Triplex Board) Existing production quantity – 5250 MT/M. proposed increased in quantity – 5250 MT/M. Total proposed production – 10500 MT/M. I
- otal water consumption is 3050 CMD in which Domestic effluent generation is 15 CMD and industrial effluent 2500 CMD. T
- nit has provided primary, secondary & tertiary treatment system for industrial effluent. U
- VS results are exceeding the consented limit with respect to COD and BOD. J
- O, Kalyan has issued SCN vide No. ROK/TB/JVS/SCN/SP/1404 dtd. 01.10.2011. R
- ndustry is located in MMRDA Zone-II region and also it is under A-I Zone of Kalu river. I
- RO, Kalyan-I has recommended case for expansion after obtaining RRZ location clearance. S
- **esubmitted.** R
- As per CAC decision dated 12.06.2013 SCN for refusal was issued on 18.06.2013.
Thereafter industry has submitted its say stating that the said unit operating since last 1971 and applied for expansion.

MAHARASHTRA POLLUTION CONTROL BOARD

- Industry stated, as per Government Maharashtra letter dated 6.5. 2013 for manufacturing of paper from waste paper does not require prior environment clearance.
- Industry has applied for location clearance for expansion to the General Manager District Industries Centre Government of Maharashtra, which is under consideration to the DIC committee for decision, DIC letter dated 16.10.2012.
- Industry requested to grant consent to Establish for expansion with conditions to obtain location clearance.

Location is under A-I Zone of Kalu River.

- In this respect industry stated that, as per the Para at Sr. No. 6, of River zone policy, Environment Department Government of Maharashtra. In this respect industry has submitted RRZ policy Gr. Dated July 13, 2009.
- Industry stated that as per the RRZ policy, if existing unit in the No Development Zone can be permitted for modification, Expansion & change of product subject to “ No increase in pollution load.”
- Again industry has submitted letter procured from Dr. Babasaheb Ambedkar Technology University (BATU), vide letter dated May 28, 2013. In the said letter stated that the proposed addition of paper machine to increase production in the factory is not going to increase the pollution load beyond the already consented limits of MPCB. It is also observed that there is no hazardous waste generation in the factory.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 03

Name of Industry: M/s. Perrigo API India Pvt. Ltd.
Plot No. N-39, N-31/1,
MIDC Additional Ambernath,
Dist. Thane-421 506.

1. Application for Consent to Establish for Expansion
2. Product- Bulk Drugs.
3. Application received at SRO on 05/12/2012 and at HQ on 31/12/2012.
4. I. E. generation as per existing consent is 35 CMD. Industry has provided Primary, secondary & tertiary treatment. Treated effluent is discharged to CETP.
5. Due to proposed expansion IE generation increases by 153 CMD. Industry proposes to up grade existing ETP with full-fledged primary, secondary & tertiary treatment followed by MEE and Thin Film Dryer to handle effluent feed at 750 kg/hr.
6. CI as per existing consent is Rs. 53.41 Crore; Proposed CI after expansion will be Rs. 209.72 Crore.
7. As per the decision of CAC dtd. 12.06.2013 SCN for refusal was issued on 29.06.2013. Industry vide their letter dtd. 12.07.2013 submitted their reply to SCN, which seems to be in order.

In view of above, we may consider the case for grant of C to E by imposing condition of EC.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 04

Name of the Industry: M/s. Sudal Industries Ltd.
Plot no.B-11, MIDC, Nardana,
Tal :Sindhkheda,Dist:Dhule.

1. Applied on 10.12.2012 for grant of consent to establish.
2. Application received to HQ on 02.02.2013.
3. RO-Nashik recommended for grant of consent to establish with the condition of EC.
4. This case was discussed in the CAC committee meeting held on 31.05.2013 in this meeting it was decided to take the views of EC committee of the Board.
5. This case was discussed in the EC committee of the Board meeting held on 24.06.2013. In this meeting it was decided that the production process consist of melting operation with the help of furnaces is more than 30,000 MT/A, EC required and if the built up construction area is more than 20,000 Sq. meter.

Recommended case for grant of Consent to establish up to commissioning of the unit.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 05

**Name of Industry:- M/s. JSW Jaigad Port Limited,
Dhamankhol Bay, A/P:- Jaigad,
Tal. & Dist. Ratnagiri**

The said case was discussed in CAC meeting held on 31/1/2012 & 14/2/2012. The case was approved in CAC meeting of 31/1/2012 and was decided to grant the consent to establish for Expansion. But the case was again discussed in CAC meeting of 14/2/2012 as there is applicability of Moratorium in Ratnagiri district and it was decided to return the application as Board is unable to consider the case due to moratorium. Now industry have resubmitted application alongwith the letter of MoEF & Minutes of 122 Expert Appraisal committee, where in it is stated that this project is considered as of National importance & is exempted from Moratorium & so the case was discussed in CAC meeting held on 4/6/2013, it was decided to keep the case in abeyance and review the case together with the closure direction file with respect to EC condition. Now the case is verified by the SLO and recommended to place the case before CAC.

We may place the case before CAC for further discussions.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 06

Name of the Industry: M/s. Adani Power Maharashtra Private Ltd.,
Plot No.A-01, Tiroda Growth Centre, MIDC Tiroda,
Dist: Gondia.

1. Applied for first consent to Operate for Unit-3 (1 x 660 MW)
2. Industry has obtained consent to establish from the Board.
3. The Capital Investment of the industry is Rs.2627.09 Crores.

Again the case was discussed in CAC meeting held on 12.7.2013 and it was decided to keep the case in abeyance and resubmit to CAC along with clarification regarding amendment in E.C. for transportation of coal from Ramtek to Plant. Accordingly industry submitted the reply on 17.7.2013 stating that railway siding inside the plant premises has become fully operational from 12.03.2013 and now transporting coal only through rails as per the condition of E.C. issued by MoEF, GOI. The amendment in E.C. for transportation of coal from Ramtek to plant is not required. Copy enclosed.

In view of above, we may grant consent for period up to 31.08.2013 (if the unit pays fees for 1 year amalgamation then up to 31.08.2014) with amalgamation of existing consent.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 07

**Name of the Industry: M/s. Rothe Irde India Pvt Ltd.,
Gut No. 429, A/P-Gonde Wadivarhe,
Tal- Igatpuri, Dist- Nashik**

1. Applied for grant of consent to operate with RO-Nashik on 18.03.2013.
2. Application for grant of consent to operate received to HQ on 07.05.2013.
3. Industry is having valid consent up to 30.08.2017 and obtained consent to establish.
4. Industry has paid water cess up to Aug-2012.
5. Industry has submitted Environmental statement for year 2011-2012.
6. RO-Nashik - recommended grant of consent to operate with amalgamation upto 28.02.2017.
7. This case was discussed in the CAC meeting held on 04.06.2013 in this meeting it was decided to keep this case in abeyance and revert after obtaining compliance of consent condition and status of Env. Statement and water cess.
8. RO Nashik and SRO Nashik has submitted report vided letter dated 29.06.2013 and 24.07.2013 stating that industry has complied the conditions of consent to establish and they have paid cess returns up to 30.09.2012.
9. Recommended grant of consent to operate with amalgamation upto 28.02.2017 with the condition that submission of BG of Rs.5 Lakhs towards the operation and maintenance of pollution control system.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 08

Name of the Industry: **M/s. JSW Steel Ltd., Plot No. B-6,
MIDC Tarapur, Navapur Road,
Boisar, Tal. Palghar, Dist. Thane**

- Industry has applied consent to operate for expansion with amalgamation
- As per CAC decision dtd. 12/7/13 SRO Tarapur –I & Industry reported as below
- Industry has provided sewage treatment plant of 55 KL/Day & 15 KL/D capacity.
- SRO Tarapur reported work of water pollution control system to achieve 100 % recycling is completed.
- B.G. of Rs.10 Lacs is submitted dated 11/06/2012 to O Thane which is valid upto 30.04.2015.

In view of completion of pollution control system as reported by SRO tarapur-I, we may grant consent to operate with amalgamation to the existing consent with operational B.G. of Rs. 10 lakhs.Submitted for approval before CAC.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 09

Name of Industry : M/s. Maharashtra State Power Generation Co. Ltd.,
Bhusawal Thermal Power Station (Unit 4 & 5),
At. Deepnagar, Tal. Bhusawal, Dist. Jalgaon.

1. Application for grant of renewal of consent to operate submitted by industry on 11.10.2013.
2. Application received at H.Q. on 22.05.2013.
3. Regular complaints are received by nearby villagers regarding leakages of ash slurry carrying pipeline to velhala bund due to that ash slurry effluent goes to Velhala Lake, nearby canal, nearby farms, Bhogawati and Tapi river.
4. Analysis results of stack and ambient are exceeding the consented limits.
5. Unit authority has submitted BG as per the previous consent condition.
6. This case was discussed in the CAC meeting held on 12.07.2013. In this meeting it was decided to keep this case in abeyance and revert to CAC along with compliance report of joint action plan.

Decision may be taken at CAC level.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 10

Name of Industry:- M/s. R. L. Steel and Energy Ltd.,
G No. 78/81, Pangra Shivar, Chitegaon,
Tal. Paithan, Aurangabad.

1. The case was discussed in CAC meeting held on dt. 19/03/2013 and it was decided to issue SCN for refusal of consent and for forfeiture of BG of Rs.10 Lakhs for non compliance of consent conditions and interim direction. Accordingly, SCN was issued on 03/04/2013 the reply of the industry received on 30/04/2013 mentioning that the BG of Rs. 10/- Lakhs was submitted to RO Aurangabad office. Provided fume extraction system followed by wet scrubber to induction furnace. Also stated they have complied with all directions except provision of metallic roas which was provided in year 2011 but due to flood in 2011 the road get damaged. The AOD will be removed within 15 days period. Again the case was discussed in CAC meeting 05/07/2013 and it was decided to revert back to CAC alongwith SRO's verification report regarding removal of AOD and compliance of directions. Accordingly, SRO submitted the report regarding AOD and BG forfeiting and reported the vide e-mail 19/07/2013 industry have removed the AOD and informed the industry to top the BG of Rs.20/- Lakhs and representation from industry received on 18/07/2013 regarding request for cancel the condition of forfeiture of BG as the unit is in corporate debt restructuring the plan and so the financial position is not sound.
2. Now industry has submitted letter dt. 08/05/2013 stated that they have removed AOD.
3. The unit has dismantled the AOD but not upgraded the pollution control system so far. In view of above we may grant renewal upto 30/04/2014 with condition to complete remaining pollution control works before 30/09/2013

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 11

Name of the Industry: Thyssenkrupp Electric Steel India Pvt Ltd.
A/p –Gonde, Vill: Wadivarhe,
Tal: Igatpuri, Dist: Nashik.

1. Applied for grant of renewal of Consent to Operate on 24.12.2012.
2. Application grant of renewal of Consent to operate at H.Q. on 28.01.2013.
3. Paid Consent fee of Rs.48, 66,310/-.
4. Water Cess paid up to Sept-2012.
5. Environment Statement for the year 2011-2012 submitted.
6. SRO/RO Nashik recommended for grant of renewal of Consent to Operate up to 28.02.2018.
7. This case was discussed in the CAC meeting held on 19.03.2013 and it was decided to keep case in abeyance and put up in next CAC with verification of C.I.
8. Industry has submitted justification vide letter dated 05.04.2013. Copy of letter is enclosed.
9. This case was again discussed in the CAC meeting held on 12.07.2013 and it was decided to keep case in abeyance and put up in next CAC with getting certificate from DISH.
10. Industry has submitted reply letter dated 22.07.2013 stating that Dy. Director DISH has not raised any objection / remarks regarding safety of the work place. Copy of letter is enclosed.
11. Recommended for grant of renewal of consent to operate up to 28.02.2014 with submission of operational BG of RS.10 Lakhs.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 12

Name of the Industry : Maharashtra State Power Generation Co.Ltd.,
(Unit-2 & 3),Bhusawal Thermal Power
Station, At. Deepnagar,Tal. Bhusawal

1. Applied for grant of renewal of consent to operate at RO Nashik on 16.11.2012.
2. Application for grant of consent to operate received through IMIS on 21.02.2013
3. Industry has paid consent fee of Rs.9, 63,322/- in the Board.
4. Industry has submitted copy of Environment Statement 2010-2011.
5. Effluent arising from bottom ash washing is discharged in to Bhogawati and Tapi River.
6. Nuisance of air pollution caused due to improper management and handling of fly ash. Frequent complaints of water /air pollution are received by the Board.
7. This case was discussed in CAC held on 19.03.2013 and it was decided to issues SCN for refusal of consent for non submission of BG and non compliance of consent conditions.SCN was issued to industry on 25.03.2013.
8. They have submitted reply on 05.04.2013 stating that they are operating pollution controlling systems and do not impose BG towards Action plan work.
9. This case was decided to keep case in abeyance and revert to CAC with industry's letter dated 05.04.2013 and recommended as per Sectorial approach policy decided for MSPGCL.

MAHARASHTRA POLLUTION CONTROL BOARD

Recommended for grant of renewal of consent to operate up to 31.12.2013 with condition of forfeiting of BG of the non complied issues and top of the same.

CAC Agenda No. 13

Name of Industry : M/s. Welspun Maxsteel Ltd.,
Vill: Salav, **Tal:** Murud Janjira,
Dist: Raigad

1. Application for grant of renewal of consent to operate with change in fuel submitted by industry on 10.01.2013.
2. Application received at H.Q. on 02.04.2013.
3. Industry has paid water cess up to 31.11.2012.
4. Industry has submitted Environment Statement for year 2011-12.
5. RO- Raigad has recommended case for grant of renewal of consent to operate with change in fuel.
6. Recommended case for grant of plain renewal of consent to operate and consent to establish for change in fuel with condition that industry shall submit the BG of Rs.5 Lakhs towards operation and maintenance of pollution control system and BG of Rs.5 Lakhs towards compliances of consent conditions.
7. This case was discussed in the CAC meeting held on 12.06.2013 in this meeting it was decided to grant plain renewal of consent to operate of existing production and consent to establish for change in fuel from Naphtha /Propane /Natural gas to coal gasification by imposing condition that not taking effective steps before obtaining amendment in EC.
7. This case was discussed in the CAC meeting held on 27.06.2013 in this meeting it was decided to referee the case to NEERI for no increase in pollution load.
8. NEERI has submitted the copy of verification report vide letter dated 20.07.2013 stating that there will be no increase in water consumption ,air pollution load and no increase in hazardous waste generation in terms of used oil due to change in fuel.
9. Recommended case for grant of consent to establish for change in fuel.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 14

Name of the Industry: M/s. B.S. Ispat Ltd.,
Vill: Salari Yensa, Tal: Warora,
Dist: Chandrapur.

1. Applied for renewal of consent for Sponge Iron Plant-60000 TPA and first consent to operate for Captive Power Plant of 15 MW capacity (4 MW from WHRB and 11 MW from AFBC Boiler)
2. Earlier Consent is valid up to **30 4.2013 for existing SIP & Consent to Establish for 25 MW CPP, SIP & Steel Plant obtained.**
3. Total Capital Investment of the industry is Rs. 160.72 Croes.

In view of compliance received from RO/SRO Chandrapur, we may grant renewal with 1st consent to operate for 15 W.M. Power Plant for period up to 31.05.2014 With operational Bank guarantee of Rs.5/- Lakhs towards Operation and maintenance of pollution control system.

MAHARASHTRA POLLUTION CONTROL BOARD

FRESH AGENDA

CAC Agenda No. 01

Name of Industry: M/s. Jotune India Pvt Ltd.,
D-280 ,MIDC Ranjangaon,
Tal . Shirur Dist. Pune

1. Application received at RO on 29.12.2012 & at HQ on 07.02.2013
2. It is an existing unit holding consent for mfg. of paint in Orange category with C.I. 85 Cr & valid up to 31.03.2015. Now industry has applied for C to E for expansion (C.I. 46.30 Cr.)
3. As per recent industry categorization paint mfg activity falls in Red cat (R/45), hence this will be new entry for CAC.
4. Existing IE – Nil, DE -8.0 CMD, proposed I.E- Nil D.E.-3.0 CMD Total D.E. -11.0 CMD after expansion, Existing STP of capacity 12.0 CMD will be used for treatment. Disposal on land for gardening. JVS reports are within limit.
5. During discussion of PP it is understood that effluent arises from washing/cleaning activity will be treated & reused in process hence claim for nil effluent generation.
6. Approx 10.0 Km away from notified river Ghod in A-II class. Satisfied RRZ criteria for expansion.
7. PP has proposed to install either regenerative thermal oxidizer OR scrubber in existing system to reduce VOC emissions within 5 month period.
8. Cess assessment done details not submitted, cess paid up to Nov 2011.
9. Environment statement (2011-2012) & form 4 for haz.waste submitted.
10. The water consumption is more due to increase in production quantity of water based paint. However overall production is well within the consented production quantity.
11. Disposal of H.W. quantity to CHWTSDF is 114.45 MT/A against permitted quantity 90 MT/A, which is violation of HW (TM) Rule as PP has stored HW more than 10 MT permitted quantity.
12. Water consumption shown as per cess paid is @148 CMD against consented quantity @ 78 CMD which is an higher sided.
13. RO has recommended for grant of C to E for expansion.

We may consider the case for grant of C to E for expansion & to initiate suitable action towards violation of existing consent conditions i.e. violation of HW (TM) Rule as PP has stored HW more than 10 MT permitted quantity & consumption of water is more than consented quantity.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 02

Name of Industry: M/s. I.G Petrochemicals Ltd.,
Plot No T-2, MIDC Taloja, Tal.Panvel,
Dist . Raigad.

- Application received at Navi Mumbai on 29/12/12.
- Application received at HQ on 30/04/2013.
- Industry has applied for consent to first operate for manufacture of phthalic anhydride -53000 MT/A, Benzoic acid – 1000 MT/A, Power (Exported to grid)- 2.5 MW.
- Industry has obtained EC and C to E on 03.12.2009 & 26.02.2010 respectively for manufacture of above products.
- Existing consent is valid for products Phthalic anhydride -116110 MT/A, Benzoic acid – 1000 MT/A upto 31.07.2013.
- Existing I.E: 416 CMD. Proposed I.E. – 226 CMD, ETP has been upgraded to 703 CMD. Upgraded ETP consist primary, secondary & tertiary treatment. Effluent of 31 CMD from M/s Mysore Petrochemicals, Plot no T-1 (Sister concern of IGPL) is also treated in the existing ETP of IGPL. JVS results are within the consented limits. Treated effluent is sent to CETP. Existing D.E: 12 CMD. Proposed D.E. – Nil.
- Stack of necessary height provided
- Industry has taken the membership of CETP and CHWTSDf at Taloja.
- ID issued on 05.04.2011 due to the exceeding results & towards O & M of ETP. Industry has complied with the directions.
- Application for renewal of consent has been received at SRO office as confirmed telephonically with SRO Taloja.
- RO has recommended for consideration of grant of consent to operate for one year.

We may consider the case along with application for renewal of consent which has been received at SRO level.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 03

**Name of Industry : M/s. POSCO Electrical Steel Pvt. Ltd.,
Plot No. C-1/1, Vile Bhagad MIDC Area,
Tal. Mangaon , Dist Raigad**

1. Application for 1st consent to operate submitted by industry on 06.05.2013.
2. Application received at H.Q. on 27.06.2013.
3. Industry has obtained consent to establish.
4. RO- Raigad has recommended Consent to operate may be granted with subject to condition of 100% reuse of industrial effluent and after successfully commissioning of existing ETP and ZLD.
5. SRO Mahad has submitted compliance report on 11.07.2013 stating that industry has completed 100% civil work and 90% installation work of machineries of ETP.
6. Recommended that Case may be considered after completion of ETP/ APC work and final compliance report received from RO/SRO.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 04

Name of Industry: M/s. Aditya Birla Science & Technology Co. Ltd.
Plot No. 1/1 - A, MIDC Taloja,
Dist. Raigad.

1. Application for Renewal of Consent with increase in CI.
2. Proposed Products- R & D activity.
3. Application received at SRO on 10/04/2013 and at HQ on 25/06/2013.
4. IE generation is 13.5 CMD for which industry has provided full-fledged primary, secondary & tertiary ETP. Analysis results of JVS are within consented limits. DE generation is 11.7 CMD. STP provided. Results are within limit.
5. CI as per previous consent is Rs. 129.65 Cr. Now CI increased by Rs. 10.95 Cr. Now applied with CI of Rs. 140.60 Cr. As per industry letter dtd. 9.4.13 CI increased due to purchase of sophisticated laboratory equipment by replacing earlier ones. Industry has paid additional consent fees for increased CI.
6. At present R & D activity with respect to Pharmaceutical formulation is shown in Orange category O-50. However, since this is R & D activity in chemicals and by considering pollution potential from this activity, we may consider the same in Red category.

In view of above, we may consider the case for renewal in Red category up to 31.01.2015.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 05

Name of Industry: M/s. Asian Paints Ltd.,
Plot No C3-B/1, TTC MIDC Pawane,
Thane Belapur Road, Navi Mumbai-73.

- Application received at Navi Mumbai on 12/04/2013
- Application received at HQ on 21/05/2013.
- Industry has applied for renewal of R& D activity with increase in raw material and hazardous
- Previous consent valid up to 30.06.2013.
- CI has increased from 46.80 to 96.03 crore due to the setting up of state-of-the-art R& T laboratory at Turbhe.
- Products of R& D activity i.e water based paints, solvent based paints, powders, resin and emulsion polymers has increased from 36 MT/Y to 48 MT/Y.
- Trade effluent generation has decreased from 40 to 36 CMD. ETP consisting of primary, secondary & tertiary treatment of capacity 60 CMD for both trade and domestic effluent. Domestic effluent generation has increased from 20 to 24 CMD. Domestic effluent is treated in septic tank and the overflow is connected to ETP. Treated effluent is recycled for non-contact flushing, gardening purpose for approx. 8000 sq. mtrs and cooling tower makeup. JVS results of treated effluent are within the consented limits.
- Industry is a member of CETP & MWML at Taloja.
- RO has recommended to renew the consent up to 30/07/2017.
- At present R & D activity with respect to Pharmaceutical formulation is shown in Orange category O-50. However since this R & D activity in paints, by taking into consideration the pollution potential from this activity, we may consider in Red category.

We may consider renewal of consent with increased CI & production quantities.
Up to 31/07/2018.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 06

Name of Industry : M/s. Godfrey Philips India Ltd.,
V.K.K. Menon Marg Chakala,
Andheri (E), Mumbai.

- 1) Applied for renewal of consent with expansion.
- 2) Previous consent dtd.21.09.2009 valid up to: 31.03.2013.
- 3) Category RED/LSI.
- 4) Previous C.I. of Rs. 89.04 Cr.
- 5) Enhanced C.I. of Rs. 92.40 Cr.
- 6) Total C.I. of Rs. 181.44 Cr.
- 7) I.E. generated as per previous consent is 27.6 CMD.
- 8) Now SRO given I.E. generation qty. 18.70 CMD, shown 8.9 CMD less than previous consented qty. but not given the justification.
- 9) D.E. generation to the tune of 50 CMD.
- 10) ETP comprising primary & secondary provided.
- 11) For D.E. STP provided.
- 12) Boiler with chimney height 30 mtr. provided.
- 13) Location clearance required for additional product/expansion as per MMR policy GRNo. ILP. 1098/4789/ind-2 dated 7th Nov.1998.
- 14) SRO recommended that, as per industry reply received dated 05.04.2013 the additional product shown is typographical error. In the industry, letter stated that additional product namely cut Tobacco 550 T/M mentioned, it is not an expansion but a typographical error.
- 15) In the industry letter at Sr. no.2 stated that due to additions to fixed assets during the period 2008 to 2012 of Rs. 136.58 Cr. Gross block investment as at 31.03.2012 is Rs. 181.44 cr.
- 16) Environmental statement submitted for the year 2011-2012 and Cess paid up to: 30.09.2011.
- 17) SRO recommended application may be considered for grant of plain renewal of consent.
- 18) We may call information like increased in C.I. year wise & clarification regarding increased in capital investment for what activity/assets. Last four months JVS results of ETP & STP and fees paid details.
- 19) Industry has submitted request letter dated 15.07.2013 requesting not to process the renewal of consent as there is no operation from the factory and also requested to issue certificate of closure of the operation.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 07

Name of Industry : M/s. Kellogg India Pvt. Ltd.,
L-2 & L-3, MIDC Talaja, Dist. Raigad.

- Applied for Renewal of consent with additional production capacity by capacity utilization.
- Earlier CI was Rs.138.60/- it increased by 29.23/- Crs, **Total CI – 167.83/- Crs.**
- Earlier consent was valid up to 30.06.2013.
Earlier industry was generated indl efflt. 245CMD and domestic- 20 CMD, now it is 241 & 18 respectively. industry has provided ETP for industrial effluent 241 CMD & domestic 18 CMD. During monsoon season treated effluent disposed through CETP & in other season treated effluent used for plantation / gardening.
- JVS results are within the limits.
- Industry has provided dust collector with bag filter to the boiler.
Considering the compliance of consent conditions, it is recommended to grant renewal with increase in production quantity and reduced effluent quantity (IE & DE) and water consumption from 295 CMD to 242 CMD with BG of Rs. 5/- Lakhs towards O & M of pollution control system and releasing existing BG. Of Rs. 11/- Lakhs due to compliance of all the directions as reported by RO/SRO. This may be decided as per report of BG & Direction committee. Industry has submitted consent fees for the period up 30.04.2016.

Consent may be granted up to 30.04.2016.

- -- --- ---

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 08

Name of industry : M/s. Pee Vee Textiles Ltd,
S.No 43,44,41/4, & 51, Mouza-Jam,
Tq. Samudrapur, Dist. Wardha.

- 1) Applied for consent to Establish (Expansion) i.e manufacturing of grey fabrics.
- 2) Existing consent of Textile industry is valid till 31.05.2013.
- 3) IE generation from proposed expansion is 18 CMD including Boiler blowdown. JVS results of existing industry dtd c11.08.12 are exceeding the standards with respect to BOD, COD, TDS, & SS.
- 4) Proposed Sewage & industrial treatment plant during expansion.
- 5) Distance of proposed expansion from Notified river Wardha @ 20 kms. satisfy RRZ Policy.
- 6) Proposed cyclone separator for Coal fired Boiler.
- 7) We may place the application in CAC as C.I of industry is Existing 247.81 Crores & proposed 70.03 Crores Total 317.83 Crores.
- 8) Recommended for grant consent to Establish for expansion.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 09

Name of Industry : M/s. Hindustan Coca-cola Beverages Pvt. Ltd.,
S. No. 284-P, A/P. Kudus Tq. Wada Dist. Thane.

- 1) Applied for renewal of consent with same production qty.
- 2) Previous consent dtd. 12.08.2010, valid up to: 30.09.2012.
- 3) Category RED/LSI.
- 4) Previous consented C.I. of Rs. 244.47 Cr.
- 5) Enhanced C.I. of Rs. 55.36 Cr.
- 6) Total C.I. of Rs. 299.83 Cr.
- 7) C.I. increased due to modernization of plant.
- 8) Industry submitted detail information regarding enhanced in capital investment.
- 9) I.E. generated to the tune of 1650 CMD.
- 10) D.E. generated to the tune of 90 CMD.
- 11) ETP, comprising screen chamber, oil removal chamber, grit chamber, effluent collection sump, equalization tank, Biox tank, aeration tank I & II, clarifier, sand & carbon filter, Reverse osmosis system & four number of water guns to increase the percentage of D.O. provided & STP for domestic effluent provided.
- 12) Treated effluent partially utilized for utility, floor/crate washing & remaining used for gardening purpose.
- 13) JVS result within the limit.
- 14) Boiler I & II, with stack height 52 mtr. with multi cyclone dust collector provided.
- 15) Boiler III & IV with stack height 36 Mtr. with multi cyclone dust collector provided.
- 16) Industry is the member of CHWTSDF.
- 17) Cess paid on June 30, 2013.
- 18) Environmental statement submitted for the year 2010-2011.
- 19) SRO recommended to grant plain renewal of consent.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 10

Name of Industry: M/s. DSM Engineering Plastic (I) Pvt. Ltd .
E- 40 ,MIDC Ranjangaon ,Tal – Shirur
Dist –Pune

1. Application received at RO on 31.01.2013 & at AST on 07.05.2013
2. Applied for renewal of consent along with increase in C.I. Industry engaged in mfg engineering plastic.
3. Existing consent valid up to 31.12.2012.
4. Existing CI -88.82 Cr. Current CI -98.25 Cr.
5. SRO Pune II has communicated query to the industry on 07.02.2013. Industry has submitted their reply on 03.03.2013 stating that this is plain renewal with increase in C.I. & C.I. increased due to purchase of new software hardware ,purchase of new technical machines.
6. This Office has informed RO/SRO to submit the compliance regarding additional requisite fees for increase in C.I. vide email dated 05.07.2013 & 12.07.2013.
7. SRO Pune II has submit compliance report on 16.07.2013 regarding query letter .Industry has paid additional consent fees Rs. 25000/- for increase in C.I.
8. IE – 170 CMD ,DE -10 CMD Full-fledged ETP of 200 CMD capacity is provided. Treated IE disposed on land for gardening (3.2 Hector). The land available for use treated effluent for gardening is less by @ one acre. JVS repots are not within the limit.
9. Cess assessment done up to Jan -2013, Cess paid up to April 2011.
10. Environment statement (2011-2012) & form -4 for haz. waste submitted.
11. RO has recommended for grant of consent after receipt of compliance for SRO letter & additional requisite fees, which they have complied.

As such category of engineering plastic does not exist in the category list. However R/24 reflex flakes from rejected PET bottle. As the earlier consent has been issued in Red category. We may consider this case in Red cat (R/24) .We may consider the case for renewal of consent with increase in C.I. by imposing following conditions.

1. To restrict effluent generation commensurate with land availability Or provision of additional land @ one acre.
2. B.G. of Rs. 5 lakhs towards compliance of condition no. 1.

MAHARASHTRA POLLUTION CONTROL BOARD

3. To obtain membership of CETP Ranjangaon for treatment & disposal of effluent during no demand period for gardening purpose.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 11

**Name of Industry: M/s. Lupin Ltd (Biotech unit),
Gut No. 1156 ,Pirangut,Ghotawade,
Tal. Mulsi Dist -Pune**

1. Application received at RO on 30.03.2013 & at HQ on 27.05.2013
2. Applied for renewal of consent along with expansion & change in product mix.
3. Existing consent valid up to 30.04.2013
4. Existing CI -57.64 Cr. Current CI -85.03 Cr.
5. Industry has informed that CI increased due to modernization of facility & purchase of new land & equipments.
6. Industry engaged in mfg. of Bio-technology products and R & D activity.
7. IE – 35 CMD (28 CMD + 7 CMD IE of waked plant) ,DE -9.0 CMD
8. Full-fledged ETP provided .Treated IE used for toilet flushing & cooling tower make up.Achiving zero discharge.
9. Source of raw-water is water tanker.
10. Industry has obtained BMW authorization as per existing consent condition& applied for renewal of same.
11. Common stack of 30 mtrs height is provided for two boilers(FO as fuel)
12. Total Quantity of product – Existing: 14750 Gms /A & after expansion: 127770 Gms/A .
13. Approx 1.0 Km away from notified river Mula in A-II class.commissining of industry is before RRZ notification. Expansion is without increased in Pollution load.
14. Industry has submitted certification of no increased in pollution load issued by of Dept. of chemical engineering Institute of Chemical Technology Mumbai .No increase in pollution load certificate submitted with supporting data seems to be in order ,hence satisfying RRZ criteria for expansion.
15. Industry has informed that existing & proposed product expansion does not require EC as per MOef notification vide dtd 23 Aug 2007 (copy enclosed).
16. Cess assessment done up to Dec-2012, cess paid details not submitted.
17. Environment statement & form -4 for haz.waste submitted.
18. Previously this case was in CC perview as existing C.I. CI -57.64 Cr. .now current C.I. is 85.03 Cr ,hence this is new entry for CAC. Consent renewal fees for 3 years Rs. 450100/- submitted along with C to E fees Rs. 75000.- for increased in CI (Rs.28.59 Cr)
19. RO has recommended that Industry has submitted certification of no increased in pollution load of Dept. of chemical engineering Institute of Chemical Technology Mumbai & attracts RRZ policy. Decision regarding grant of consent may be taken at HQ level.

As there is reduction in pollution load at source due to improved mfg. process we may consider the case for grant of renewal of consent along with expansion with product mix.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 12

Name of Industry :- Reliance Industries Limited ,
(Indian Petrochemicals Corporation Ltd.)
Nagpur Manufacturing Division Vill.Dahali,
Tal. Mauda, dist. Nagpur

1. Applied for renewal of Consent with amalgamation of consent..
2. Consent polyester Filament yarn was Valid up to 31.05.2013 & Consent to Operate for Textured Yarn from POY Intermediate was valid till 31.03.13
3. IE generation of existing industry 200CMD .Treated effluent is recycled to the tune of 90CMD & remaining is used on land for gardening. Land available for disposal treated effluent 147 acres.
4. The JVS results are within prescribed limits.
5. Coal fired Boiler. Provided bag house & mechanical dust collector as an APC system.
6. Industry has submitted the Environmental statement for the year 2011-2012.
7. Cess returns are submitted upto may 2013 & Paid upto Sept 2011.
8. RO Nagpur issued interim directions to industry on 19.12.2011. As per SRO report dtd 09.07.2013 industry has complied 06 directions out of 07 directions. One direction i.e Tarring of road of 100 meters in Coal handling plant is not complied.
9. As per Sectorial approach circular the validity of consent is upto September. Industry has paid fees upto 31.03.14. We may call additional consent fees for Six Months i.e from April 2014 to September 2014 if approved.
- 10.The application is to be placed in CAC meeting as total C.I of industry is 233.98 Crores. Submitted for further orders .

MAHARASHTRA POLLUTION CONTROL BOARD

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 13

Name of Hospital : M/s. Sadhu Vaswani Missions Medical Complex Inlaks and Budhrani Hospital, 7-9, Koregaon Park, Pune -411 001.

- 1) RO/SRO-Pune has forwarded application to grant Consent to Establish and operate to this hospital.
- 2) Application received at PSO section, HQ on 29.05.2013.
- 3) This is a fresh application for C to E and C to O of the hospital having 369 beds.
- 4) Hospital has obtained BMW authorization from Board valid upto 30.09.2014 for 369 beds and also member of CBMWTSDF for treatment and disposal of BMW
See page C- 16
- 5) They have submitted Consent fees of Rs. 3,00,000=00. See page NS-4
- 6) As per the report submitted by SRO- Pune-II the domestic effluent generation of the said hospital is about 73 m³/day and from process is about 27 m³/day. For treatment they have provided packed type ETP of capacity 100 m³/day consisting of primary, secondary and tertiary treatment and the treated effluent is discharged for gardening. The flow diagram and description is submitted. See page C-31 to C-36
- 7) Hospital authority has submitted copy of C.A. certificate dated 12.03.2013 of Rs. 64.76 Crore. See page- C-30.
- 8) Bombay Nursing Home registration copy is submitted which is valid upto 31.03.2015 See page C-29.
- 9) Annual report of BMW for the year 2012 is certified by the facility operator is not submitted.
- 10) They have provided 3 nos. of D.G.Set of capacity 500 KVA (2nos.), 320 KVA (no.) as mentioned in the application. See page C-15
- 11) Water budget is submitted by the hospital authority. See page C-36
- 10) Membership of CHWTSDF is not obtained for disposal of ETP sludge.
- 12) In view of above SRO- Pune –I and RO- Pune has recommended to grant Consent to Operate.

MAHARASHTRA POLLUTION CONTROL BOARD

- 13) Now, as per CPCB Direction dated 04.06.2012 u/s 18(1) (b) of Water (P & CP) Act, 1974 regarding classification of industries Health Care Establishments as also covered under Consent Management.

Submitted for CAC decision.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 14

Name of Hospital : M/s. Sane Guruji Arogya Kendra,
S. No.165 A, Malwadi,
Hadapsar, Pune-411028.

- 1) RO/SRO- Pune has forwarded Consent Application to HQ for further decision.
- 2) Application received at PSO section, HQ on 14.05.2013
- 3) This is a fresh application for C to E and C to O of the hospital having 250 beds.
- 4) Hospital has obtained BMW authorization from Board valid upto 30.09.2013 for 250 beds and also member of CBMWTSDf for treatment and disposal of BMW
See page C- 21
- 5) They have submitted Consent fees of Rs. 30,100=00 See page- NS -3.
- 6) As per the report submitted by SRO- Pune-II the hospital has provided decentralized waste water treatment for domestic and industrial effluent. See page NS-3
- 7) Hospital authority has submitted C.A. certificate dated 15.02.2013 of Rs. 151.10 lakh in which the Land and Building cost is not mentioned. See page- C-34
- 8) The hospital authority has submitted Affidavit dated – 14.03.2013 in which the total gross capital investment for hospital building and equipment is Rs. 3.61 Crore. See page C-9.
- 9) Hence, the total investment is Rs. 5.12 Crore See page NS-4
- 10) Considering the above total capital Investment of Rs. 5.12 Crore , SRO- Pune- I vide letter dated 30.03.2013 has informed the hospital authority to submit additional fee of Rs. 20,000/- See page C-6
- 11) Bombay Nursing Home registration copy is submitted which is valid upto 31.03.2013 See page C-20.
- 12) Annual report of BMW for the year 2012 is submitted by the hospital. However, it is not certified by the facility operator. See page C-24.
- 13) Effluent analysis report of November, 2010 is submitted which show mentioned parameters within prescribed limit. Latest report is not enclosed. See page C-36
- 14) They have provided D.G.Set of capacity 125 KVA

MAHARASHTRA POLLUTION CONTROL BOARD

as mentioned in the application.

- 15) RO and SRO- Pune has recommended to grant consent after receipt of additional consent fees.
- 16) Water budget supported by water bill is not submitted by the hospital authority.
- 17) Membership of CHWTSDf is not obtained for disposal of ETP sludge.
- 18) Now, as per CPCB Direction dated 04.06.2012 u/s/ 18(1) (b) of Water (P & CP) Act, 1974 regarding classification of industries Health Care Establishments as also covered under Consent Management.

Submitted for CAC decision.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Agenda No. 15

Name of Industry: M/s. Grant Medical Foundation Ruby Hall Clinic,
40, Sasson Road, Pune- 411001.

- 3) RO/SRO- Pune has forwarded Consent Application to HQ for further decision.
- 4) Application received at PSO section, HQ on 27.05.2013
- 3) This is a fresh application for C to E and C to O of the hospital having 566 beds.
- 4) Hospital has obtained BMW authorization from Board valid upto 31.10.2013 for 566 beds and also member of CBMWTSDf for treatment and disposal of BMW **See page C- 61 to 65**
- 5) Capital Investment is 195.56 Crore. C.A. certificate dated 14.03.2013 is enclosed. **See page C- 36**
- 6) They have submitted Consent fees of Rs. 3,92,100=00, which is only for C to E. However, C to O is not paid. **See page C- 24**
- 7) As per the report submitted by SRO- Pune-I and RO- Pune the hospital domestic effluent generation is about 112 m³/day and from process about 20 m³/day. For domestic effluent STP of capacity 40 m³/day is installed, which is inadequate. For industrial effluent ETP of capacity 20 m³/day is installed. Treated effluent is disposed into PMC sewerline. Hazardous waste category 34.3 is generated about 1.2 MT/year and disposed at MEPL, Taloja. **See page NS-5-6**
- 8) They have two boiler and 5 D.G.Set of capacity 100/500/500/750/1000 KVA respectively with adequate height of stack. **See page C-29.**
- 9) BMW is handed over to Passco Environmental Solution, Pune. Certificate is enclosed **See page C-65.**
- 10) Bombay Nursing Home registration copy is enclosed. **See page C-58.**
- 11) Water Budget is submitted by the hospital authority. **See page C-21.**

MAHARASHTRA POLLUTION CONTROL BOARD

12) From the analysis report carried by Board for the month Feb- 2013 it is noted

that BOD and COD are exceeding their limits. **See page C-13.**

13) SRO- Pune –I has issued warning notice for improvement of O & M of ETP

and STP on 03.05.2013 **See page C-12.**

14) Previously on 20.03.2012 RO- Pune has issued Direction u/s. 33 A and instructed to submit B.G. of Rs.6.0 lakhs. In this connection the hospital authority has submitted B.G. of Rs.6.0 lakhs valid upto 31.03.2013 **See page C-11 & NS-8**

15) In view of above SRO- Pune –I and RO- Pune has recommended to grant Consent to Operate to this hospital by obtaining Consent fee and imposing condition to upgrade STP of adequate capacity. **See page NS-8**

16) Now, as per CPCB Direction dated 04.06.2012 u/s/ 18(1) (b) of Water (P & CP) Act, 1974 regarding classification of industries Health Care Establishments as also covered under Consent Management.

Submitted for CAC decision.

MAHARASHTRA POLLUTION CONTROL BOARD

CAC Review Item

Review Item No. 01

Name of Industry : **M/s. National Rayon Corporation Ltd.**
Post Mohane, Tal. Kalyan,
Dist. Thane.

Regional Officer Kalyan vide their E-mail dtd. 29/02/2012 submitted status report regarding closure of M/s. National Rayon Corporation Ltd., Post. Mohane, Tal. Kalyan, Dist. Thane. The said status report was placed before CAC meeting held on 16/004/2012 and it was decided to refer the file to Legal department to take further action.

As per the CAC decision the file was forwarded to Legal section for further action. Now, legal section returned the file to this section and informed that Board office has issued Conditional Directions to the industry vide letter dtd. 27/06/2013.

This office vide letter dtd. 17/07/2013 requested RO/SRO Kalyan to submit the compliance report of Conditional Directions dtd. 27/06/2013. Accordingly SRO Kalyan-I vide their letter dtd. 19/07/2013 submitted the compliance report of the Conditional Directions as below:-

Sr. No.	Particulars	Details
1	Name of Industry	M/s. National Rayon Corporation Ltd. Post Mohane, Tal. Kalyan, Dist. Thane.
2	Direction no. & Date	BO/P&L Divn-2879 dtd 27/06/2013.
3	Directions issued	Compliance reported by SRO
	a) You shall submit preliminary proposal in respect of appointment of Expert in the field, to consult CHWTSDF, to analyze the waste characteristics and concentration and to shift the mercury waste to CHWTSDF as per time advise of decided by the company in consultation with the CHWTSDF on the advise of expert in the	Industry has not submitted any preliminary proposal in respect of appointment of Expert in the field, to consult CHWTSDF, to analyze the waste characteristics and concentration and to shift the mercury waste to CHWTSDF as per time advise of decided by the

MAHARASHTRA POLLUTION CONTROL BOARD

	field, within 15 days from the date of receipt of the directions issued.	company in consultation with the CHWTSDF on the advise of expert in the field
	b) You shall submit final concrete proposal for disposal of mercury waste through authorized Transporter as per the permission given by the CHWTSDF in time bound manner.	Industry has not submitted final concrete proposal for disposal of mercury waste through authorized Transporter as per the permission given by the CHWTSDF in time bound manner.
	<p>c) You shall furnish Bank Guarantee of Rs. 5 Lakhs, ensuring the compliance of the above directions, which shall be valid for a period of one year and submit within 15 days favour of Regional Officer, MPCB, Mumbai.</p> <p>In case any financial inability to furnish Bank Guarantee as expressed by you during the course of personal hearing, the proposal may be submitted to the BIFR and in the meantime, to submit an affidavit undertaking on Rs. 100/- stamp paper to be given within 25 days time from the date of receipt of the directions.</p>	Industry has not submitted Bank Guarantee of 5.00/- Lakhs or any affidavit undertaking on Rs. 100/- stamp paper to this office.

Since the proponent had failed to comply with conditional directions, we may initiate legal action against the project proponent. Action to be initiated may be decided in CAC.

MAHARASHTRA POLLUTION CONTROL BOARD

Review Item No. 02

Name of Industry : **M/s. Clariant Chemicals (I) Ltd.,
Plot No. 113/114, MIDC Dhatav,
Tal. Roha, Dist. Raigad.**

- 1) The application was placed before CAC dtd. 24/05/2013.
- 2) It was decided to keep the case in abeyance and refer the case to NEERI for assessment of Pollution load due to proposed change in product mix. (Minutes enclosed pg-1).
- 3) Accordingly the details submitted by industry for change in product mix was send to NEERI vide letter dtd-12/06/2013.(copy enclosed pg-2)
- 4) NEERI has submitted the report vide letter dtd-10/07/2013. (Copy enclosed pg-3).
- 5) In the report NEERI has stated as follows:-
 - a) There seems prima facie no issue against the assertion that due to increased consumption of water for washing purpose, the COD load of effluent is decreasing even though quantity of one of the products is being increased.
 - b) Briquette usage is likely to increase air pollution. However, appropriate air pollution control equipment will keep the consumption within limit. The commitment for the same should be taken from M/s. Clariant Chemicals (I) Ltd, as also condition can be imposed for the limit.
 - c) Due to change in product mix, though within consented limits, water use is increasing. In view of such changes it would be desirable to carry out total audit including air, water and hazardous solid waste every year.
- 6) The application is submitted along with NEERI's report for discussion and decision.

MAHARASHTRA POLLUTION CONTROL BOARD

Review Item No. 03

Name of the Industry: M/s. Integrated Baranj Open Cast Mine,
Karnataka Emta Coal Mines,
Plot No. 84, Vill: Kiloni, Tal: Bhadrawati,
Dist: Chandrapur.

As per decision taken in CAC meeting held on 12.06.2013, R.O. Chandrapur has issued letter to Bank vide No. MPC/ROC/1311/2013 dated 24.06.2013 for forfeiture of Bank Guarantee of Rs.9/- Lakhs and requested to submit the Demand Draft of Rs.9/- Lakhs.

Industry vide letter dated 29.06.2013 received on 04.07.2013 submitted the representation (copy enclosed) and requested for reversal of direction of forfeiture of Bank Guarantee and willing to install one CAAQMS instead of 3 CAAQMS and also rapid transportation system is not feasible for low capacity.

Submitted for further decision.

MAHARASHTRA POLLUTION CONTROL BOARD

Review Item No. 04

Name of the Industry: M/s. Vidarbha Industries Power Ltd.,
Plot No.D-3, MIDC Butibori,
Tal: Hingna, Dist: Nagpur

Board has issued Consent to Operate the industry vide No.CAC 2344 dated 18.03.2013 with one of consent condition (No.14) that “ applicant shall get clarification from MoEF, Govt. of India, regarding relaxation of condition of rail transportation to road transportation within next four months i.e. up 15.7.2013.” Industry requested to extend the time line for the compliance of consent condition no.14.

In view of above, we may not consider the request of the company for extension of time period for compliance till end of August, 2013 and forfeit the existing Bank guarantee/top up.

Submitted for further decision.

MAHARASHTRA POLLUTION CONTROL BOARD

Review Item No. 05

Name of Industry : M/s. Maharashtra State Power Generation Company Ltd., Nashik Thermal Power Station, Eklahare, Tal & Dist: Nashik.

Submitted:

1. The application for grant of renewal of consent to operate was issued to this Thermal Power Plant on 01.03.2013 with incorporation of joint action plan regarding upgradation / modification in pollution control systems.
2. MAHAGENCO authority submitted letter dated 24.04.2013 for omission, relaxation of the consent conditions and to reduce amount of Bank Guarantee.
3. The authority of MAHAGENCO submitted letter dated 20.06.2013 about their inability to install FGD and relaxation in implementation of revised action plan submitted by them vide letter dated 29.04.2013.

Submitted before CAC for further decision.

MAHARASHTRA POLLUTION CONTROL BOARD

Review Item No. 06

Name of Industry : **M/s. Gail India Limited,
(LPG Recovery plant),
Malyan At Usar,
Alibaug Dist-Raigad.**

- 1) The application was placed before CAC dtd-31/05/2013.
- 2) CAC approved Renewal, regarding Condition of STP/ ETP, It was decided That Technical Appraisal Committee (TAC) shall examine the requirement of STP & ETP in this Case and submit their opinion to CAC.
- 3) The Consent was granted vide letter 06/07/2013 with a condition that the TAC Committee of the Board needs to examine the requirement of STP & ETP, Hence the decision of the TAC shall be communicated separately which will be binding on the industry.
- 4) Accordingly the case was forwarded to TAC.
- 5) TAC remarks are as follows:-
Total waste water generated is 20 M3/day. Industry has two Nos of soak pits for wastewater treatment. It is required to install NEERI approved natural Waste Water Treatment system OR STP. As in Longer run Soak pit may negatively effect soil and ground water properties.
- 6) Submitted along with the noting of TAC for discussion and decision in the matter.