

**List of Cases to be submitted before 13th Consent Committee Meeting of 2014-15
scheduled on 05.09.2014 at 02:30 p.m. (Booklet No. - 24)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
	Resubmission					
1	Yogesh Enterprises, "Gandharv Excellence", Gat No. 160 & 161, Moshi - Chikhali Road, Boradewadi, Moshi, Pune	96.12 Crs.	Establish	RO(HQ)	1 to 13	
2	Raymond Limited, At C. S. No. 764, Bhulabhai Desai Marg	74.93 Crs.	1st Operate	RO(HQ)	14 to 42	
3	Goradia Special Steels Ltd., (formerly Vipras Castings Ltd.) Sr. No. 1/2/33, Vill- Niphan, Tal- Khalapur, dist - Raigad	32.25 Crs	Renewal	JD(APC)	43 - 59	
4	WMI Konecranes India Ltd., Plot no. C-63, MIDC Jejuri, Tal- Purandar, Dist - Pune	56.22 Crs	Renewal	JD(APC)	60 - 84	
5	Ognibene India Pvt. Ltd., Plot No. A-13, MIDCTalegaon., Tal - Maval, Dist - Pune	48.90 Crs.	Renewal	JD(APC)	85 - 115	
	Fresh Agenda					
1	Sofotel Software Services Pvt. Ltd., "Binarius", PlotNo. 190 & 192 (P), Plot C -7 National Games Road, Shadtrinagar, Yerwada, Pune	107 Crs.	Renewal	RO(HQ)	116 - 128	
2	ACG Pam Pac Machines Pvt. Ltd., Gat No.446/2, Vill- Bedadohol, Tal- Maval, Dist - Pune	39.28 Crs	Renewal	JD(APC)	129 - 151	
3	Paranjape Schemes Construction Ltd., Residential Project, "Mashukosh", S.No. 4/2(P), 14/4B, 16, 17 (P), Vadgaon Dhayari, Pune	70.007 Crs.	Renewal (Part)	RO(HQ)	152 - 158	
4	Paranjape Schemes Construction Ltd., Residential Project, "Mashukosh", S.No. 4/2(P), 14/4B, 16, 17 (P), Vadgaon Dhayari, Pune	132.86 Crs.	Operate (Part) Amalgamation	RO(HQ)	159 - 172	

5	Mont Vent Associates, S. No. 239(P), CTS No. 725 to 742, 945, 956, 957, Wakad, Mulshi, Dist - Pune	111.79 Crs.	Renewal	RO(HQ)	173 - 184	
6	Oracle Financial Services Software Ltd., "Oracle Park - Ambrosia", Sr. No. 38, Hissa No. 2/B/1 & 2B/2, Village : Bavdhan Khurd, Tal: Mulshi, Dist - Pune	166.32 Crs.	Renewal	RO(HQ)	185 - 196	
Fresh Agenda - New Entry to CC						
1	Orchid Green Project, Kh, No. 27/3 to 40/3, City Survey No. - 39, Mauza - Wathoda, Municipal Ward No. 8, Tal & Dist - Nagpur	100 Crs.	Establish	RO(HQ)	197 - 206	
Review Item						
1	Application for grant of consent to establish for expansion of M/s. Kailash Vahan Udyog Ltd., Khed, Pune	_____	_____	JD(APC)	207 - 224	
2	Application for renewal of consents in Dahanu Area	_____	_____	JD(APC)	225 - 235	
	JD(WPC)	0				
	AS(T)	0				
	RO(HQ)	8				
	JD(APC)	4				
	PSO	0				
	Total	12				

Maharashtra Pollution Control Board

CC-Resubmission Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;-28/05/2014 Ro (HQ) Date of receipt;- 16/07/2014																																									
Name & Address	M/s. Yogesh Enterprises, "Gandharv Excellence", Gat No. 160 & 161, Moshi-Chikhali Road, Boradewadi, Moshi, Pune.																																										
Consent For	C to E																																										
Capital Investment	96.12 Crore																																										
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																										
Industry Category	Orange																																										
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																								
	Details :-Water Consumption: 667.7 CMD, Effluent generated 441.9CMD. STP Proposed of Capacity : 440.0 CMD																																										
Water Cess	Assessment Done :-		Paid Upto :																																								
Other Relevant Information	<table border="1" style="width: 100%;"> <tr> <td>Applied for</td> <td>C to E</td> <td colspan="2">Residential Project</td> </tr> <tr> <td>Plot Area</td> <td>30,400.0 sq.m</td> <td>Built up area</td> <td>56946.20 sq.mt</td> </tr> <tr> <td>EC Status</td> <td>Applied</td> <td>Dated</td> <td>23/02/2012</td> </tr> <tr> <td>River Distance</td> <td>3.0 Km</td> <td>Name of River</td> <td>Indrayani (A-II)</td> </tr> <tr> <td>Water Consumption</td> <td>667.70CMD</td> <td>Effluent Generated</td> <td>441.94 CMD</td> </tr> <tr> <td>STP Capacity</td> <td>450.0 CMD</td> <td>Recycle water</td> <td>314.0 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>869.4 Kg/D</td> <td>Treatment</td> <td>OWC</td> </tr> <tr> <td>Non-Boi degradable</td> <td>579.6 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>3</td> <td>Capacity KVA</td> <td>100+125+82.5</td> </tr> <tr> <td>Construction status</td> <td>Started</td> <td>Date of Visit</td> <td>07/05/2014</td> </tr> </table>			Applied for	C to E	Residential Project		Plot Area	30,400.0 sq.m	Built up area	56946.20 sq.mt	EC Status	Applied	Dated	23/02/2012	River Distance	3.0 Km	Name of River	Indrayani (A-II)	Water Consumption	667.70CMD	Effluent Generated	441.94 CMD	STP Capacity	450.0 CMD	Recycle water	314.0 CMD	Bio-degradable	869.4 Kg/D	Treatment	OWC	Non-Boi degradable	579.6 Kg/D	Treatment	Local Body	No of DG Sets	3	Capacity KVA	100+125+82.5	Construction status	Started	Date of Visit	07/05/2014
	Applied for	C to E	Residential Project																																								
	Plot Area	30,400.0 sq.m	Built up area	56946.20 sq.mt																																							
	EC Status	Applied	Dated	23/02/2012																																							
	River Distance	3.0 Km	Name of River	Indrayani (A-II)																																							
	Water Consumption	667.70CMD	Effluent Generated	441.94 CMD																																							
	STP Capacity	450.0 CMD	Recycle water	314.0 CMD																																							
	Bio-degradable	869.4 Kg/D	Treatment	OWC																																							
	Non-Boi degradable	579.6 Kg/D	Treatment	Local Body																																							
	No of DG Sets	3	Capacity KVA	100+125+82.5																																							
	Construction status	Started	Date of Visit	07/05/2014																																							
	Applicant has completed construction of first phase, SRO Pimpric Chinchwad has issued query letter on 23/06/2014 reply awaited. SRO recommended that the decision of grant of																																										

Maharashtra Pollution Control Board

	<p>consent to establish may be taken at HQ level.</p> <p>Resubmission:-</p> <ul style="list-style-type: none">• The application for consent to establish was discussed in CC meeting held on 11/08/2014, during discussion it was decided to issue SCN for refusal of consent to establish and stop work as PP has started construction work without C to E and environment clearance.• Applicant has submitted reply through E-mail on 27/08/2014 in reply applicant stated that “we obtain sanction from corporation on 31/05/2012 for BUA 11,956 and second sanction 19,175 obtained on 08/03/2013. Construction initiated as per sanction plan and total BUA below 20,000. Secondly we have stopped construction activity.• In view of above we may consider consent to operate with BG + BR and affidavit for not to take any effective step after conformation of Stop work from RO/SRO pune.
--	--

Maharashtra Pollution Control Board

Agenda no. 2

Region : RO Mumbai		Section :RO(HQ)		Date :
Name & Address	M/s.Raymond Limited At C.S.No.764, Bhulabhai Desai Marg			
Consent For	C to Operate(1 st)			
Capital Investment	Rs.74.93 Cr.			
Previous Consent Validity	C to E			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category	Orange			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()	
	Details :- Water consumption - 42 CMD. Sewage Generation -38 CMD Capacity of STP Provided -40 CMD			
Water Cess	Assessment Done :		Paid Upto :	
BG Details	Amount :		Validity :	
	BG Obtained against :			
	Details of BG forfeited/encashed , if any :			
Submission of Environmental Statement	Period			
Other Relevant Information	Application for grant of Consent to Establish for construction of residential project for Total Plot area - 4,442.31 Sq. mtrs Total Construction BUA - 27,862.13 Sq. mtrs PP has obtained EC from GOI Dated 26/12/2008 and C.I. mentioned was Rs.14.85 Cr. Total Plot area - 4,442.31 Sq. mtrs Total Construction BUA - 27,862.13 Sq. mtrs PP has obtained CRZ Clearance dated 23/9/2008.			

Maharashtra Pollution Control Board

	<p>But total plot area and total Construction BUA is not included in CRZ Clearance and C.I. mentioned was Rs.14.85 Cr.</p> <p>PP has obtained C to E dated 28/5/2009 & having C.I. Rs.14.85 Cr. Total Plot area - 4,442.31 Sq. mtrs Total Construction BUA - 27,862.13 Sq. mtrs Nonhazardous waste Wet garbage: 93 Kg/Day. Dry garbage:41 Kg/Day(handled over to authorized party)</p> <p><u>SRO Mumbai has communicated vide mail dated 11/6/2014 that PP has provided STP & OWC.</u></p> <p>Regarding consent Fee. 1.C to E fees for increased in C.I. Rs.14.85 Cr to Rs.74.93 Cr.ie.Rs.60.08Cr &</p> <p>PP requires to submit additional consent fee of Rs. 50,000/- for increased in C.I.</p> <p><u>The case was discussed in CC Meeting dated 27/6/2014 and It was decided to keep case in abeyance and put up in next CC after obtaining necessary information</u></p> <p>The letter issued to PP Dated for obtaining details regarding completion of project.</p> <p>PP has communicated completion details of construction project vide mail dated 4/9/2014 that in which PP has mentioned that, 1)Applicant has received IOD on 4.6.2008(File No.EB/1776/D/A) and commencement certificate on 2.9.2008 .</p> <p>2)PP has applied to BMC under RTI act about the status of construction, they received letter from assistant engineer building proposal saying structural/RCC work is completed as per approved plan and all the lifts installation is completed & found working condition vide file No.EB/1776/D/A on 22.7.2014</p> <p>3)PP has also submitted lift installation & commission certificates from PWD on 17.8.2012</p> <p>4)Architect letter about the completion of construction activity</p>
<p>Recommendation of SRO/RO</p>	<p>SRO recommended, consent to Operate may be considered for two year period.</p>

Maharashtra Pollution Control Board

Agenda no. 3

Region : Raigad	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. Goradia Special Steels Ltd., [Formerly Vipras Casting Ltd] Sr.no.1/2/33, Village: Niphan, Tal: Khalapur, Dist: Raigad		
Consent For	Renewal of consent to operate		
Capital Investment	Rs.32.25 Crs		
Previous Consent Validity	31.01.2014.		
Industry Type	R37 Iron and steel (Involving processing from ore/scrap/integrat)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details: - Domestic Effluent – 5.00 CMD, Septic tank and soak pit provided. Industrial Effluent – Nil.		
Compliance Of Air Pollution Related Conditions	(No.) – Fume extraction system followed by bag filter provided. - Analysis results of AAQM are exceeding the consented limit of SPM parameter.		
Water Cess	Assessment Done : ---	Paid Upto : ---	
BG Details	Amount : ---	Validity : ---	
	BG Obtained against : ---		
	Details of BG forfeited/encashed , if any : ---		
Submission of Environmental Statement	Period	---	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent to operate. 2. Earlier consent obtained vide no. BO/APAE/TB-3/RD-1382-10/CC-524 dated 31.01.2014 valid till 28.02.2014. 3. Earlier CI was Rs. 17.93 Crs. Now shown Rs.32.25 Crs. Justification about increase in CI [14.32 Crs] was not submitted. 4. Case was discussed in the CC meeting held on 14/07/2014. In this meeting it was decided to issue SCN for refusal of consent as industry has not provided ETP to Boiler Blow Down, installed induction furnace without consent, inadequate APC to induction furnace, results exceeding of AAQM and location falls under NDZ of Patalganga River. 5. Industry has submitted reply to SCN dtd. 25/08/2014 (Copy enclosed 		

Maharashtra Pollution Control Board

	for ready reference.)
Recommendation of SRO/RO	- The consent may be refused and necessary legal action may be decided at CC level.

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. WMI Konecranes India Ltd., Plot No. C-63, MIDC, Jejuri, Tal. Purandar, Dist. Pune		
Consent For	Renewal		
Capital Investment	56.22 Crs		
Previous Consent Validity	31/03/2014		
Industry Type	R27 Heavy Engineering		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes.		
	Details: - Sewage – 17.00 CMD Septic Tank & Soak Pit Provided Ind. Effluent: Nil.		
Compliance Of air Pollution Related Conditions	- Industry has provided filters and stack to paint booth and shot blasting section.		
Water Cess	Assessment Done :	Paid Upto :	
BG Details	Amount : Rs.	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement	Period		
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for grant of consent to establish & operate. 2. Earlier consent obtained under green category vide No. MPCB/SROPI/1168/2012 dated 01/06/2012 valid till 28/02/2015. 3. Now applied for C to E and C to O with painting and shot blasting activity. 4. Industry is carrying out painting activity without obtaining consent from the Board. 5. This case was discussed in the CC meeting held on 27.06.2014. In this meeting it was decided to issue SCN for carrying out painting activity without Boards permission and not obtaining membership of CHWTSDF. 6. Industry has submitted reply vide letter dated 07.08.2014 stating that they have obtained membership of CHWTSDF, installed APCS to paint booth section 		

Maharashtra Pollution Control Board

Recommendation of SRO/RO	RO Pune commented that the industry was granted consent under green category and now industry falls under Red category as per new categorization. Industry is carrying out painting activity without board's consent.
---------------------------------	---

Maharashtra Pollution Control Board

Agenda no. 5

Region : Pune	Section : JD(APC)		Date : /06/2014
Name & Address	M/s. Ognibene India Pvt. Ltd., Plot no.A-13, MIDC Talegaon, Tal. Maval, Dist: Pune		
Consent For	Renewal of consent to operate with expansion.		
Capital Investment	Rs.48.90 Crs		
Previous Consent Validity	28/02/2014		
Industry Type	R27 Heavy Engineering		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	No.		
	Details: - Domestic Effluent – 17.00 CMD, STP provided. Industrial Effluent – 11.0 ETP provided. - There is increase in the water consumption. - Analysis results dated 01.03.2013 and 05.10.2013 exceeding the consented limits.		
Compliance Of Air Pollution Related Conditions	Stack with acoustic enclosure provided to D.G.set.		
Water Cess	Assessment Done : Jan-2014.	Paid Upto : ---	
BG Details	Amount : Rs. 5.0 Lakhs	Validity : -----	
	BG Obtained against : Compliances of consent conditions.		
	Details of BG forfeited/encashed , if any : -----		
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	1. Industry has applied for renewal of consent with expansion in production qty. 2. Earlier consent obtained vide no. BO/JD (APC)/EIC No. PN-6578-13/0-CC-2915 dated 06.04.2013 valid till 28.02.2014. 3. This case was discussed in the 14.07.2014. In this meeting it was decided to issue SCN for refusal of consent as unit has carried out expansion without Board's consent and failed to achieve consent		

Maharashtra Pollution Control Board

	<p>standard.</p> <p>4. Industry has submitted reply vide letter dated 03.09.2014 stating that:</p> <ul style="list-style-type: none">I. There was increased in CI due to cost of plant and machineries newly installed for modernization facilities and increase productivity in existing set up without change in process or product.II. There is expansion mainly in additional machineries purchase, installation and commissioning.III. Accordingly expansion they have provided adequate pollution control system.IV. They have already up graded existing pollution control system.V. They have accepted that they have increased production qty by increase in CI without taking prior permission from the Board. They assure that will follow rules and regulation of the Board in future.
Recommendation of SRO/RO	RO Pune recommended to take decision at H.Q.level.

Maharashtra Pollution Control Board

CC-Fresh Agenda

Agenda no. 1

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 10.04.2014 RO(HQ) Date :- 08.07.2014
Name & Address	M/s. Sofotel Software Services Pvt. Ltd, "Binarius", Plot No 190 & 192(P), Plot C, 7- National Games Road, Shastrinagar, Yerwada, Pune	
Consent For	C to R	
Capital Investment	107.00 Cr.	
Previous Consent Validity	31/07/2014	
Industry Type	IT & ITES activity.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 125.80 CMD, Effluent generated 125.80 CMD. STP Proposed of Capacity :300 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. PP has applied for plain Renewal of consent for IT & ITES activity.2. The IT project covering total area of around 13614.0 m² with total built up area of 51659.84 m².3. Earlier Consent valid for period upto 31/07/2014.4. Total water consuming 125.80 m³/day & generating about 125.80 m³/day of sewage, which PP has provided STP of capacity 300 CMD.5. 4 no. of DG sets having capacity 1250 KVA each.6. Applicant has submitted BG of Rs 5.0 lakh as per C to O condition which is valid upto 21/05/2015.7. Applicant has paid fees of Rs. 2,14,000.0 for two years.8. During visit on dated 07/08/2014 observed that PP has not establish canteen facility hence not installed composting facility. <p>In view of above we may consider plain renewal of consent to operate for period upto 31/07/2016.</p>
Recommendation of SRO/RO	SRO Pune-I has recommended that Industry has submitted BG same is valid for period up to 21/05/2015, hence consent to operate may be granted Industry has submitted BG same is valid for period up to 21/05/2015, hence consent to operate may be granted.

Maharashtra Pollution Control Board

Agenda no. 2

Region : Pune	Section : JD(APC)		Date : /09/2014
Name & Address	M/s. ACG Pam Pac Machines Pvt. Ltd. Gat no.446/2, Village –Bedadohol, Tal: Maval, Dist. Pune		
Consent For	Renewal of consent to operate.		
Capital Investment	Rs.39.28 Crs		
Previous Consent Validity	31/05/2014		
Industry Type	G-47 Jobbing and Machining.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	Yes		
	Details: - Industrial Effluent: 0.75 CMD,ETP Provided. Domestic Effluent: 14.40 CMD, STP provided. Analysis results of JVS show the parameter BOD exceeded the consented limit.		
Compliance Of Air Pollution Related Conditions	Yes- Industry has provided dust collector to shot blasting and scrubber to plating section.		
Water Cess	Assessment Done :	Paid Up to :	
BG Details	Amount : Rs.2.0 Rs.5,3 and 10 Lakhs	Validity :	
	BG Obtained against: as per ID issued by RO Pune.		
	Details of BG forfeited/enchased , if any : -----		
Submission of Environmental Statement	Period	2012-2013	
Other Relevant Information	<ol style="list-style-type: none"> 1. Industry has applied for renewal of consent. 2. Earlier consent valid till 31/05/2014 3. Earlier CI was Rs.23.56 Crs. Now Industry has applied for renewal of consent with CI Rs.39.28 Crs. [increased by 15.72 Crs Due to showing owned jointly owned properties with group of companies. 4. As per the earlier consent condition industry has submitted BG of Rs. 2.0 lakhs. 5. RO Pune has issued ID direction to the industry on 31.10.2013 for non compliances and operate and maintain ETP and STP round a clock. Industry has started up gradation work of ETP. Industry has submitted BG of Rs.5,3 and 10 Lakhs as per ID issued by RO Pune. 		
Recommendation of SRO/RO	- RO Pune has commented that decision may be taken at HQ level.		

Maharashtra Pollution Control Board

Agenda no. 3

Region : RO PUNE	Section :RO(HQ)	SRO Date:- 20/05/2014 RO (HQ) :- 16/08/2014
Name & Address	M/s Paranjape Schemes Construction Ltd. Residential Project, "Madhukosh" S.No 4/2 (P), 14/4B (P), 16,17 (P), Vadgaon Dhayari, Pune-411041.	
Consent For	C to R (Part)	
Capital Investment	70.007 Cr.	
Previous Consent Validity	31/01/2014	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 45.00 CMD, Effluent generated 42.00 CMD. STP provided of Capacity : 160.00 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
Other Relevant Information	<ol style="list-style-type: none"> PP has applied for plain renewal of part project. <u>Applicant has obtained consent to operate (phase-I) having total plot area 54,628.0 m² and BUA 21,810.0 m² out of 1,04,810.0 first phase consent valid upto 31/01/2014.</u> PP has obtained environment clearance from SEIAA having total plot area 54,628.0 m² BUA 104810.0 sq.mtrs on 3rd November 2011. Capital investment of the project is 70.007 Cr. Total water consuming 195.0 m3/day & generating about 156.0 m3/day of sewage, PP has provided Sewage treatment plant of capacity 450.0 CMD. PP has provided organic waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender. 6 no. of DG sets having capacity, 125.0 KVA each. Applicant has not submitted BG of Rs.5.0 Lakh and part operae affidavit as per C to O (part) operate condition 	

Maharashtra Pollution Control Board

	<p>PP has applied separately for renewals of part operates and first operate for next two buildings. We may consider part operate with amalgamation of existing part i.e (21836m² + 13071 m²)= 34907 m² out of total BUA 104810.0 m². With double BG and part operate affidavit.</p>
Recommendation of SRO/RO	

Maharashtra Pollution Control Board

Agenda no. 4

Region : RO PUNE	Section :RO(HQ)	SRO Date:- 20/05/2014 RO (HQ) :- 16/08/2014
Name & Address	M/s Paranjape Schemes Construction Ltd. Residential Project, "Madhukosh" S.No. 4/2 (P), 14/4B (P), 16,17 (P), Vadgaon Dhayari, Pune-411041.	
Consent For	C to O (Part) with amalgamation of existing operate	
Capital Investment	132.86 Cr (70.007+ 62.86)	
Previous Consent Validity	31/01/2014	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 297.0 CMD, Effluent generated 225.0CMD. STP provided of Capacity : 600.0 CMD	
BG Details	Amount :	Validity :
Other Relevant Information	<p>9. PP has applied for Part operate project.</p> <p>10. Applicant has obtained consent to operate (phase-I) having total plot area 54628.4 m² and BUA 21836.0 m² out of 1,04,810.0 first phase consent valid upto 31/01/2014.</p> <p>11. PP has obtained environment clearance from SEIAA having total plot area 54,628.0 m² BUA 104810.0 m² on 3rd November 2011. For the same area PP has obtained consent to establish from Board on 23/10/200012.</p> <p>12. Now PP has applied for operate additional 2 building i.e F & G having BUA 13071.0m².</p> <p>13. Capital investment of the project is 62.86 Cr.</p> <p>14. Total water consuming 102.0 m³/day & generating about 69.0 m³/day of sewage, PP has provided Sewage treatment plant of capacity 600.0 CMD.</p> <p>15. PP has provided Composting pits for bio-degradable waste, Non-biodegradable waste send to authorized vender.</p> <p>16. 1 no. of DG sets having capacity, 125.0 KVA each.</p> <p>In view of above PP has applied separately for renewals of part operates and first operate for next two buildings. We may consider part operate with amalgamation of existing part i.e (21836m² + 13071 m²)=34907 m² out of total BUA 104810.0 m². With double BG and part operate affidavit.</p>	

Maharashtra Pollution Control Board

Agenda no. 5

Region : RO PUNE	Section :RO(HQ)	Date :
Name & Address	M/s Mont Vent Associates, S.No. 239(p), CTS No. 725 to 742, 945,956,957, Wakad, Mulshi, Dist.Pune.	
Consent For	C to R	
Capital Investment	111.79 Cr.	
Previous Consent Validity	31/01/2014	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption:-394.0 CMD, Effluent generated 235.0 CMD. Provided STP of Capacity : 250.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	
	17. PP has applied for plain renewal of consent to operate 18. Applicant has obtained consent to operate on 16/04/2013 having total plot area <u>38,996.85 m²</u> BUA <u>38983.55 m²</u> consent valid upto 31/1/2014. 19. Capital investment of the project is <u>111.79 Cr.</u> 20. Total water consuming 394.0 m3/day & generating about 235.0 m3/day of sewage, PP has provided Sewage treatment plant of capacity 250.0 CMD. 21. PP has provided Organic Waste convertor for bio-degradable waste, Non-biodegradable waste send to authorized vender. 22. 2 no. of DG sets having capacity, 125.0 x 2 KVA each. 23. Applicant has not submitted BG of Rs.5.0 Lakh as per C to O condition. In view of above we may consider plain renewal with double BG of Rs 10 lakhs for (1 st operate obtained on 03/05/2010 second operate on 16/04/2013 now applied third time).	

Maharashtra Pollution Control Board

Agenda no. 6

Region : RO PUNE	Section :RO(HQ)	SRO Date :- 10.04.2014 RO(HQ) Date :- 08.07.2014
Name & Address	M/s. Oracle Financial Services Software Ltd "Oracle Park – Ambrosia" Sr. No. 38, Hissa No. 2/B/1 & 2B/2 Village : Bavdhan Khurd, Tal : Mulshi, Dist : Pune. Maharashtra 411021	
Consent For	C to R	
Capital Investment	166.32 Cr.	
Previous Consent Validity	----	
Industry Type	IT & ITES activity.	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 170.0 CMD, Effluent generated 120.0 CMD. STP Proposed of Capacity :160.0 CMD	
BG Details	Amount :	Validity :
	BG Obtained against :	
Submission of Environmental Statement	Period	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. PP has applied for plain Renewal of consent for IT & ITES activity.2. The IT project covering total area of around 1,26,400.0 m² with total built up area of 22053.08 m².3. Earlier Consent valid for period upto 31/03/2014.4. Total water consuming 170.0 m³/day & generating about 120.0 m³/day of sewage, which PP has provided STP.5. 5 no. of DG sets having capacity 65.0 KVA each.6. Applicant has submitted BG of Rs 10.0 lakh as per C to O condition.7. Applicant has paid fees of Rs. 6,65,315 for four years. <p>In view of above we may consider plain renewal of consent to Operate with BG of Rs 10. Lakhs.</p>
Recommendation of SRO/RO	RO Pune has issued query letter for non submission of 1) technical detail of STP 2) sanctioned plan 3) Pointwise compliance of EC 4) Hazardous waste disposal in one year 5) Environment Clearance. 6) Not renewed the BG of Rs 10Lakh till date. Recommended for renewal after receipt of aforesaid information.

Maharashtra Pollution Control Board

CC-Fresh Agenda – New Entry to CC

Agenda no. 1

Region : Nashik	Section : RO(HQ)	Date : SRO Date of receipt;- 17/12/2013	
		Ro (HQ) Date of receipt;- 30/08/2014	
Name & Address	M/s. Orchid green Project., Kh.No.27/3 to 40/3, City Survy No.39, mauza –Wathoda, Municipal Ward No.8, Tal & Dist-Nagpur.		
Consent For	C to E		
Capital Investment	Rs.100Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :- 400 CMD , Effluent Generated :- 270 Proposed STP Capacity :-275 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
BG Details	Amount :	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		
Other Relevant Information	Application for consent to establish for construction of residential township project.		
	Applied for	C to E	Residential Building project.
	Plot Area	78,400 sq.mtrs	Built up area 99,004 sq. mtrs
	EC Status	Not Obtained	Dated Applied for EC.

Maharashtra Pollution Control Board

	River Distance	Adjacent to	Name of River	Nag River(A-II)
	Water Consumption	731 CMD	Effluent Generated	648 CMD
	STP Capacity	650 CMD		
	Bio-degradable	600 Kg/D	Treatment	Will be treated in OWC
	Non-Bio degradable	400 Kg/D	Treatment	Will be given to authorized party.
	No of DG Sets	1 Nos	Capacity	200 KVA
	Construction status	started	Date of Visit	Not submitted
	<p>Mailed to SRO/RO dated 4/9/2014 for delay in submission of consent processing report at HQ.</p> <p>SRO has issued letter to PP dated 7/7/2014 regarding distance of project from river and reply of PP awaited.</p> <p>PP has not submitted following details along with consent processing</p> <p>1) Architect plan having area statement details for Total construction BUA of 99,004 sq. mtrs</p> <p>2) Distance certificate from Irrigation department regarding distance of project from river.</p> <p>3) Affidavit for compliance of EC/ RRZ Conditions.</p>			
Recommendation of SRO/RO	SRO Recommended grant of Consent to Establish after approval from RRZ Committee.			