

**List of Cases to be submitted before 11th Consent Committee Meeting of 2014-15
scheduled on 11.08.2014 at 12:30 p.m. (Booklet No. - 20)**

Sr. No.	Name & Address	Capital Investment	Applied For	Section	Page No.	Remarks
Resubmission						
1	Serene Developers, Sr. no. 12/6, 12/7, 47/2, 47/3, 47/4, 47/5/1, 47/18, 14/19, 50/1/1A/1, 55/15, 82, A/p- Marunje, Tal - Mulshi, Dist - Pune	95 Crs.	Establish	RO(HQ)	1 to 13	
2	Mphasis Ltd., 101, 201, Building No. 4, Infinity IT Park, Dindoshi, Malad (E)	39.22 Crs.	Establish	RO(HQ)	14 to 24	
3	Peepul Tree Properties Pvt. Ltd., Infinity IT Park, Building No. 4, Dindoshi, Malad (W), Mumbai	250.89 Crs.	Renewal	RO(HQ)	25 - 38	
4	SIM Reality, "Swaraj", Gat No. 212 New 1331 old Gat No. 209 New (P) 1327 old Moshi, Haveli, Dist - Pune	54.72 Crs.	1st Operate (Part)	RO(HQ)	39 - 55	
5	Berger Paints Ltd., MIDC Jejuri, Tal - Purandar, Dist - Pune	24.62 Crs.	Establish & 1st Operate	AS(T)	56 - 84	
6	Smruthi Organics Ltd., A-27, MIDC Chincholi, Tal - Mohol, Solapur	59.57 Crs.	Renewal (with increase in C.I.)	AS(T)	85 - 114	
7	Thermax Ltd., Chemical Division, Vill - Paudh, Tal - khalapur, Dist - Raigad	66.98 Crs.	Renewal (with increase in C.I.)	AS(T)	115 - 146	
8	Amri India Pvt. Ltd., G- 1/1, MIDC Waluj, Aurangabad	39.02 Crs.	Renewal with Amendment (Change in product mix & new boiler)	AS(T)	147 - 182	
9	Kumuda Sugar Agro Product Ltd., (Formerly Know as : Rayat SSK Ltd.) At - Shewalewadi (Mhasoli), Tal - Karad, Dist - Satara	44.69 Crs.	Renewal	JD(WPC)	183 - 209	
Fresh Agenda						
1	Kohinoor Dreams Associate, "Dreams Ayana", Gat No. 13, Village : Date, Tal : Mavel, Dist - Pune	60.38 Crs.	Establish	RO(HQ)	210 - 216	
2	EFTEC (India) Pvt. Ltd., G-9, MIDC Ranjangaon, Tal - Shirur, Dist - Pune	40.52 Crs.	Establish (Expansion)	AS(T)	217 - 233	
3	Lodha Buildcon Pvt. Ltd., (CASA Royal), S. no. 161/1A/1, 161/1B, 161/1C/1 atvill. Balkum, Tal. Thane	102.24 Crs.	1st Operate (Part)	RO(HQ)	234 - 246	
4	Tata Chemicals Ltd., S. No. 315, A/p - Ambavet, Tal - Mulshi, Dist - Pune	43.77 Crs.	1st Operate (with increase in C.I.)	AS(T)	247 - 268	
5	Welspun Syntex Ltd., Plot No. I-116 to 118, 40 to 45 (Revised), Dewan Indl. Estate, Vill. Mahim, Tal Palghar, Dist. Thane.	65.62 Crs.	Operate (Amendment)	JD(WPC)	269 - 288	
6	Vasant Sahakari Sakhar Karkhana Ltd., Pusad, At - Pophali, Tal Umerkhed	32.41 Crs.	Renewal	JD(WPC)	289 - 304	
7	Shree ganesh SSK Ltd., (Sugar Unit), ganesh Nagar, Post- Ranjangaon, Tal - Rahata, Dist - Shmednagar	60.83 Crs.	Renewal	JD(WPC)	305 - 323	
	JD(WPC)	4				
	AS(T)	6				
	RO(HQ)	6				
	JD(APC)	0				
	PSO	0				
	Total	16				

Maharashtra Pollution Control Board

CC- Resubmission Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date :SRO Date of receipt:- 08/05/2014	
		Ro (HQ) Date of receipt:- 24/06/2014	
Name & Address	M/s. Serene Developers. Sr. no. 12/6,12/7,47/2,47/3,47/4,47/5/1,47/18,47/19, 50/1/1A/1,55/15,82, A/P- Marunje, Tal- Mulshi, Dist- Pune		
Consent For	C to E		
Capital Investment	95.0 Crore		
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category	Orange		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Water Consumption :-683.10 CMD , Effluent Generated :- 546.48 CMD Proposed STP Capacity :-600.0 CMD		
Water Cess	Assessment Done :-	Paid Upto :	
BG Details	Amount :	Validity :	
Other Relevant Information	Applied for	C to E	Residential buildings
	Plot Area	49,750.0 sq.m	Built up area 1,06,350.25 sq.mt
	EC Status	Applied	Dated 08/11/2010
	River Distance	2.5 Km	Name of River Pawana
	Water Consumption	683.10 CMD	Effluent Generated 546.48 CMD
	STP Capacity	600.0 CMD	Recycle water 227.7 CMD
	Bio-degradable	1374.0 Kg/D	Treatment OWC
	Non-Boi degradable	916.0 Kg/D	Treatment Local Body
	No of DG Sets	2	Capacity 250 +125 KVA

Maharashtra Pollution Control Board

	Construction status	Started	Date of Visit	20/05/2014
	<p>Applicant has started construction hence we may issue SCN for refusal of consent to establish.</p> <p>Application for grant of consent to establish was discussed in consent committee meeting held on 14/07/2014 during discussion it was decided to issue SCN for starting construction without C to E and EC. As per decision board has issued SCN on 23/07/2014.</p> <p>Applicant has submitted reply through E-mail, and stated that we have already stopped the construction activity and for the same we have already submitted affidavit for not taking effective step prior to EC and C to E.</p> <p>In view of above we may consider consent to establish with BG and BR.</p>			

Maharashtra Pollution Control Board

Agenda no. 2

Region : SRO Mumbai IV		Section :RO(HQ)		Date :	
Name & Address		M/s.Mphasis Ltd.,101,201, building No.4,Infinity IT Park,Dindoshi,Malad(E)			
Consent For		C to E			
Capital Investment		C.I. is Rs.39.22 Cr. Since PP is on rental basis, PP has not submitted investment of land/building in CA Certificate			
Previous Consent Validity		--			
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr			
Industry Category		Orange			
Compliance Of Water Pollution Related Conditions		YES ()		NO ()	
		Details :- Water consumption - 301 CMD. Sewage Generation -275 CMD Capacity of STP Proposed -290 CMD			
Water Cess		Assessment Done :		Paid Upto :	
BG Details		Amount :		Validity :	
		<u>BG Obtained against :</u>			
		<u>Details of BG forfeited/encashed , if any :</u>			
Submission of Environmental Statement		Period			
Other Relevant Information		Application for grant of Renewal of Consent for IT Activity. <u>PP has not obtained C to E & Operate from Board.</u>			

Maharashtra Pollution Control Board

	<p><u>and submitted consent fee of Rs.2,55,000/- .</u></p> <p>Unit is on rental basis in the Building of M/s.Peepul Tree Properties Pvt. Ltd(owner)</p> <p>SRO reported that M/s. Peepul tree has provided STP having capacity 200 CMD.</p> <p>The case was discussed in CC Meeting dated 10/6/2014 and It was decided to keep the case in abeyance and application to be considered only after decision on Peepul tree properties Pvt. Ltd.(Owner of the property).</p> <p><u>M/s.Peepul Tree Properties has also applied for renewal of consent for STP Activity and the application was discussed in CC Meeting dated 10/6/2014 and It was decided to keep the case in abeyance and ask PP to apply fresh consent for entire project since the present application is only for STP</u></p> <p>accordingly letter issued to PP Dated 16/6/2014 regarding communication of CC minutes that M/s.Peepul tree(owner of the project) has requested to apply consent for entire project.</p> <p>as per communicated by SRO Mumbai-IV vide mail dated 23/7/2014, M/s.Peepul Tree Properties has not applied for fresh consent for entire project till date.</p>
Recommendation of SRO/RO	<p>SRO recommended consent may be granted after receipt of above information.</p>

Maharashtra Pollution Control Board

Agenda no. 3

Region : SRO Mumbai IV		Section : RO(HQ)		Date :
Name & Address		M/s.Peepul Tree Properties Pvt Ltd. , Infinity IT Park,Building No.4, Dindoshi, Malad(w), Mumbai-97		
Consent For		Renewal of Consent		
Capital Investment		C.I. of project is Rs.250.89Cr C.I increased from Rs.1 Cr to Rs.250.89Cr		
Previous Consent Validity		Regional Office Mumbai has granted consent for operation of STP (its capacity not mentioned in consent) which is valid up to 31.01.2013 and having C.I. is Rs.1 Cr.		
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category		Orange		
Compliance Of Water Pollution Related Conditions		YES ()		NO ()
		Details :- <u>PP has applied for effluent discharge of 300.00 CMD while STP provided of 200 CMD capacities.</u>		
Water Cess		Assessment Done :		Paid Upto :
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>
		<u>BG Obtained against :</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period		
Other Relevant Information		Project proponent has applied for renewal of consent for STP having capacity 200 CMD at infinity IT Park,239,Buiding No.4,Dindoshi,Maad(E),Mumbai. SRO reported that, 1.From the documents submitted by PP vide letter dated 21/10/2013, carpet area of building is 6,185 Sq. Mtrs		

Maharashtra Pollution Control Board

	<p>Total built up area is 80,464 Sq. Mtrs.</p> <p>2)However as per new categorization of CPCB's June 2012 individual STP cat. is not included.</p> <p>Applicant has not submitted details of solid waste/ HW.</p> <p>PP has submitted,</p> <p>IOD is granted in name of M/s.Ferani hotels Ltd.,for Bldg. No.4 at CTS No. 827A(pt),S.no.239(pt) of village, malad.</p> <p>Plinth level work completed before 28th Jan 2004.</p> <p>PP has paid fee of only Rs. 15,000/- along with applications against the total fees of Rs.5,01,740/-.</p> <p>SRO reported that, as the STP categorization is not define in the CPCB's list of categorization of industries, this office has not instated for the fees at actual.</p> <p><u>The case was discussed in CC Meeting dated 10/6/2014 and It was decided to keep the case in abeyance and ask PP to apply fresh consent for entire project since the present application is only for STP.</u></p> <p>Accordingly letter issued to PP Dated 16/6/2014 and as per communicated by SRO – IV vide mail dated 23/7/2014,PP has not applied for fresh consent for entire project till date.</p>
Recommendation of SRO/RO	RO Recommended, decision may be taken at higher level.

Maharashtra Pollution Control Board

Agenda no. 4

Region : Pune	Section : RO(HQ)		Date :SRO Date of receipt;- 26/12/2013																																																	
			Date RO(HQ):- 28/02/2014																																																	
Name & Address	M/s. SIM Reality, "Swaraj" Gat No. 212 New 1331 old Gat No. 209 New (P)1327 old, Moshi, Haveli, Dist. Pune.																																																			
Consent For	C to O (Part)																																																			
Capital Investment	54.72 Crore																																																			
Previous Consent Validity	COU																																																			
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr																																																			
Industry Category	Orange																																																			
Compliance Of Water Pollution Related Conditions	YES ()		NO ()																																																	
	Details :- Water Consumption :- 649.0 CMD , Effluent Generated :- 500.0 Proposed STP Capacity :-500.0 CMD																																																			
BG Details	Amount :		Validity :																																																	
Other Relevant Information	<table border="1" style="width: 100%;"> <tr> <td>Applied for</td> <td>C to O (Part)</td> <td colspan="2">Residential 16 buildings</td> </tr> <tr> <td>Plot Area</td> <td>40, 400.0 m²</td> <td>Total Built up area</td> <td>66490.47m²</td> </tr> <tr> <td>C to E</td> <td>Obtained (Valid)</td> <td>Dated</td> <td>24/08/2011</td> </tr> <tr> <td>Plot area as per CE</td> <td>40,400.0 m²</td> <td>BUA as per CE</td> <td>66491.0 m²</td> </tr> <tr> <td>EC Status</td> <td>Obtained (valid)</td> <td>Dated</td> <td>21/10/2011</td> </tr> <tr> <td>Plot area as per EC</td> <td>40,400.0 m²</td> <td>BUA as per EC</td> <td>66490.87 m²</td> </tr> <tr> <td>Water Consumption</td> <td>649.0 CMD</td> <td>Effluent Generated</td> <td>500.0 CMD</td> </tr> <tr> <td>STP installed</td> <td>500.0 CMD</td> <td>Recycle water</td> <td>298.25 CMD</td> </tr> <tr> <td>Bio-degradable</td> <td>1270 Kg/D</td> <td>Treatment</td> <td>OWC provided</td> </tr> <tr> <td>Non-Boi degradable</td> <td>850.0 Kg/D</td> <td>Treatment</td> <td>Local Body</td> </tr> <tr> <td>No of DG Sets</td> <td>1</td> <td>Capacity</td> <td>400.0 KVA</td> </tr> <tr> <td>Construction status</td> <td>16 bldg</td> <td>Part operate BUA</td> <td>51688.75 m²</td> </tr> </table>				Applied for	C to O (Part)	Residential 16 buildings		Plot Area	40, 400.0 m ²	Total Built up area	66490.47m ²	C to E	Obtained (Valid)	Dated	24/08/2011	Plot area as per CE	40,400.0 m ²	BUA as per CE	66491.0 m ²	EC Status	Obtained (valid)	Dated	21/10/2011	Plot area as per EC	40,400.0 m ²	BUA as per EC	66490.87 m ²	Water Consumption	649.0 CMD	Effluent Generated	500.0 CMD	STP installed	500.0 CMD	Recycle water	298.25 CMD	Bio-degradable	1270 Kg/D	Treatment	OWC provided	Non-Boi degradable	850.0 Kg/D	Treatment	Local Body	No of DG Sets	1	Capacity	400.0 KVA	Construction status	16 bldg	Part operate BUA	51688.75 m²
	Applied for	C to O (Part)	Residential 16 buildings																																																	
	Plot Area	40, 400.0 m ²	Total Built up area	66490.47m ²																																																
	C to E	Obtained (Valid)	Dated	24/08/2011																																																
	Plot area as per CE	40,400.0 m ²	BUA as per CE	66491.0 m ²																																																
	EC Status	Obtained (valid)	Dated	21/10/2011																																																
	Plot area as per EC	40,400.0 m ²	BUA as per EC	66490.87 m ²																																																
	Water Consumption	649.0 CMD	Effluent Generated	500.0 CMD																																																
	STP installed	500.0 CMD	Recycle water	298.25 CMD																																																
	Bio-degradable	1270 Kg/D	Treatment	OWC provided																																																
	Non-Boi degradable	850.0 Kg/D	Treatment	Local Body																																																
	No of DG Sets	1	Capacity	400.0 KVA																																																
	Construction status	16 bldg	Part operate BUA	51688.75 m²																																																

Maharashtra Pollution Control Board

	completed				
	<p>As per consent to establish condition STP location shall be beyond 100 mtr from HFL.</p> <ul style="list-style-type: none"> • The application for consent to establish was discussed in CC meeting held on 13/03/2014, during discussion it was decided to issue SCN for refusal of consent to operate as applicant has failed to comply with the consent to establish condition no 15 i.e location of STP more than 100 mtrs from Indrayani River. • Resubmission Applicant has submitted distance certificate issued by Executive Engineer, as per distance certificate STP located 180 mtrs from HFL of Indrayani River. <p>In view of above we may consider consent to operate part as applicant has installed STP more than 100mtrs from HFL of Indrayani River with BG and part operate affidavit.</p>				
Recommendation of SRO/RO					

Maharashtra Pollution Control Board

Agenda no. 5

Region : Pune		Section : AST		Date : July 2014	
Name & Address		M/s Berger paints Ltd., MIDC Jejuri, Tal-Purandar, Dist-Pune			
Consent For		Revalidation of C to E & 1 st Operate (Phase-1)			
Capital Investment		Applied with CI –Rs. 24.62 Cr (phase-I).As per C to E CI is Rs. 56 Cr.			
Previous Consent Validity		C to E granted on 16/09/2008 same was expired on 16/09/2013			
Industry Type		R45 Manufacturing of Paints, Varnishes, pigments and intermediate			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		Yes			
		Details :- IE- NIL ,DE-0.50 CMD. Industry has going for solid color mfg.(on dry basis by blending mixing activity).No water required in the process.			
Water Cess		Assessment Done : NA		Paid Upto : NA	
Compliance Of Air Pollution Related Conditions		Yes			
		Industry has provided dust collector, cyclone separator at solid powder section			
<u>BG Details</u>		<u>Amount</u> : Nil		<u>Validity</u> : NIL	
		<u>BG Obtained against</u> : NA			
		<u>Details of BG forfeited/encashed , if any</u> : NA			
Submission of Environmental Statement		Period	NA		
Other Relevant Information		1. C to E was obtained for CI Rs356 Cr & now applied for 1st consent to Operate in phase-I for solid color mfg.(on dry basis by blending mixing activity) with CI Rs.24.62 Cr. As C to E was			

Maharashtra Pollution Control Board

	<p>granted by CC hence case is placed before CC for decision.</p> <ol style="list-style-type: none">2. Case was discussed in CC dtd.31/01/2014 SCN for refusal was issued on 11/02/2014 as validity of C to E & EC was expired.3. PP has submitted their reply ofr SCN on 08/04/2014 stating that they will submit application for revalidation of C to E & applied for revalidation of EC.4. RO has submitted processed application for revalidation of C to E which is clubbed with C to O application .5. Vide letter dtd.10/07/2014 PP has submitted copy of extension of EC .Also vide email dtd.24/07/2014 SRO has reported that PP has installed machinery for solid color manufacturing.
Recommendation of SRO/RO	<p>RO has recommended that C to E may be granted for one product by imposing condition of revalidation of EC. Also vide email dtd.24/07/2014 SRO has reported that PP has installed machinery for solid color manufacturing.</p>

Maharashtra Pollution Control Board

Agenda no. 6

Region : Aurangabad		Section : AST		Date : Aug 2014
Name & Address		M/s Smruthi Organics Ltd.,A-27 ,MIDC Chincholi,Tal-Mohol,Solapur		
Consent For		Renewal of Consent to Operate with increase in CI.		
Capital Investment		Previous CI- Rs. 51.97 Cr. ,Current CI- Rs. 59.57 Cr		
Previous Consent Validity		30/04/2014		
Industry Type		R- 60 Pharmaceutical (excluding formulation)		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		No		
		Details :-IE- 89.5 CMD, DE-19.5 CMD. Industry has provided MEE & RO for high COD stream & Full-fledged treatment system for treatment of weak stream. Disposal to CETP.JVS results are within limit except one JVS.		
Water Cess		Assessment Done : March-2014		Paid Upto :
Compliance Of Air Pollution Related Conditions		Yes		
		Adequate APCS provided to control air emissions.		
<u>BG Details</u>		<u>Amount</u> :1) Rs. 10 Lakh		<u>Validity</u> : 1) 10.01.2015
		2) Rs. 5 Lakh		2) 31/08/2014
		<u>BG Obtained against</u> : 1) Compliance of Conditional Direction dtd. 04.01.2013, i.e. segregation of strong COD stream & treatment with the help of MEE and up gradation of existing ETP to achieve EPA standards. 2) Compliance of consent condition.i.e. installation of Reverse Osmosis up to 31/10/2013.		
		<u>Details of BG forfeited/encashed , if any</u> : Yes , BG of Rs. 5 lakh forfeited towards non compliance of conditional Directions.		

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	2012-13
Other Relevant Information	<ol style="list-style-type: none"> 1. Applied for renewal of consent with increased in CI. 2. Case was discussed in CC dtd 14/07/2014 & it was decided to to keep case in abeyance and put up in next CC along with the compliance of the conditional directions issued on 04.01.2013. 3. Vide email dtd 18/07/2014 SRO Solapur has submitted point wise compliance report of conditional direction dtd 04/01/2013 , 4. Also vide email dtd 24.07.2014 SRO has informed that in previous email both treated as well as untreated JVS reports was submitted in which location of JVS collected was wrongly mentioned.SRO has submitted JVS report of treated effluent for last 7 months. 	
Recommendation of RO	<p>Recommended to take decision at HQ level & reported that as per previous consent condition BG of Rs. 5 lakh forfeited & BG of Rs.10 lakh is obtained which is valid up to 10.01.2015.Also reported that industry has complied with conditional direction (point a & c) issued on 04.01.2013. one JVS report is marginally exceeds.</p>	

Maharashtra Pollution Control Board

Agenda no. 7

Region : Raigad	Section :AST		Date :
Name & Address	Thermax Ltd, Chemical Division Vill- Paudh, Tq-Khalapur Dist-Raigad.		
Consent For	Renewal with increase in C.I.		
Capital Investment	Existing- 60.60 Cr Applied for 66.98 Cr		
Previous Consent Validity	30/04/2014.		
Industry Type	R05 Basic Chemicals and electro chemicals and it derivatives.		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details:- Equalization tank, Neutralization tank, Primary Clarifier, 1 st stage Bioreactor, 2 nd stage Bioreactor, secondary Clarifier, aeration tank, Centrifuge decanter, SDB, Reverse Osmosis System.		
Compliance Of Air Pollution Related Conditions	Details:- -2 Nos of HCL Scrubber, Sox Scrubber, Monitoring system with alarm adjusted to 0.5 ppm to the chlorination section.		
Water Cess	Assessment Done :returns submitted upto-March-14	Paid Upto: April-2013.	
BG Details	Amount : NA	Validity : NA	
	<u>BG Obtained against :</u>		
	<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement	Period	2012-13	
Other Relevant Information	Industry has applied for renewal of consent with increase in C.I from 60.60 Cr to 66.98 Cr. RO Raigad has reported following Non-Compliances during his visit to industry on 02/04/2014:- 1) The disposal of ETP sludge was on open land for sun drying. 2) There was no provision of flow meter at inlet and out let of ETP.		

Maharashtra Pollution Control Board

	<p>3) The effluent was accumulated into storm water drain.</p> <p>4) Two 4 TPH capacity boilers and two thermo pack are connected to one common chimney whereas as per the consent industry would have to provide one 30.5 meter height common chimney for boiler and second 30.5 meters height common chimney for thermo pack.</p> <p>5) Considering the fuel consumption a given by industry the chimney for boiler shall be 35.62 meters and for single thermo pack it shall be 17.63 meters.</p> <p>The case was placed before CC dtd-27/06/2014 and as per the CC decision SCN for refusal of consent was issued vide letter dtd-8/7/2014 to the industry based on the above non-compliances reported by RO Raigad.</p> <p>Industry vide letter dtd-15/7/2014 has submitted reply to our SCN [copy attached].</p>
Recommendation of RO/SRO	<p>In view of the above non compliances the renewal of consent may be granted subject to amendment in consent in respect of boiler & thermo pack chimney height with suitable B.G.</p>

Maharashtra Pollution Control Board

Agenda no. 8

Region : Aurangabad		Section : AST		Date : Aug 2014	
Name & Address		M/s Amri India Pvt. Ltd , G-1/1, MIDC Waluj Aurangabad.			
Consent For		Renewal & amendment in consent (with change in product mix & operation of new boiler)			
Capital Investment		Previous CI- Rs. 38.73 Cr ,Current CI- Rs. 39.02 Cr. Meager increase in CI i.e. Rs. 29 lakh.			
Previous Consent Validity		31/03/2014			
Industry Type		R-60 Pharmaceuticals (Excluding formulation)			
Industry Category		Red			
Compliance Of Water Pollution Related Conditions		No			
		Details :- IE- 15.93 CMD, DE- 3.00 CMD Full-fledged ETP of 25 CMD is provided .Disposal to CETP. Stripper & MEE installed for High COD stream. JVS report submitted are within limit except in one report sulphate & TDS limit exceeds. Industry has also started work of installation of RO of capacity 50 KLD.			
Water Cess		Assessment Done : Feb-2014		Paid Upto : March 2013	
Compliance Of Air Pollution Related Conditions		Yes			
		Industry has provided Scrubber & mechanical type dust collector for new boiler.			
<u>BG Details</u>		<u>Amount :</u> Rs. 5 Lakh		<u>Validity :</u> 31/03/2015	
		<u>BG Obtained against :</u> O & M of pollution control system.			
		<u>Details of BG forfeited/encashed , if any :</u> NA			
Submission of Environmental Statement		Period		2012-13	

Maharashtra Pollution Control Board

Other Relevant Information	<ol style="list-style-type: none">1. Case was discussed in CC dtd.27.06.2014 & It was decided to keep case in abeyance and put up in next CC after obtaining details of products & certification of no increase in pollution load.2. As per decision of CC this office has call certification of no increase in pollution load from PP vide email dtd. 05/07/2014.3. Vide email dtd 14/07/2014 PP has requested to allow them 8 to 10 days to submit certification of no increase in pollution load .4. Vide email dtd.25/07/2014 PP has submitted No increase in pollution load certified by institute of Chemical Technology, which is not seem to be in order as PP has fail to submit campaign basis proforma of pollution load assessment .5. This offices has called compliance report of consent conditions from SRO vide email dtd 07/05/2014 & 22/07/2014 .6. Vide email dtd 06/08/2014 SRO has reported that PP has already commissioned new briquette fired boiler , reported that spent solvent is sending to processor instead of CHWTSDF. Also reported that PP is one of the respondent in NGT matter regarding surface & ground water pollution.1st hearing of same is held on 1st August 2014, however no further communication received till date. JVS report submitted are within limit except in one report sulphate & TDS limit exceeds.
Recommendation of SRO	SRO has recommended for grant of consent to renewal with change in product mix.

Maharashtra Pollution Control Board

Agenda no. 9

Region : RO Pune	Section : JD (WPC)		Date : 07.08.2014
Name & Address	M/s. Kumuda Sugar & Agro Product Ltd., (Formerly Known as: Rayat SSK Ltd.,) At. Shewalewadi (Mhasoli) Tq. Karad Dist. Satara.		
Consent For	Applied for renewal of consent.		
Capital Investment	C.I. of Rs. 44.69 Cr.		
Previous Consent Validity	31.12.2013.		
Industry Type	R74 Sugar (excluding Khandsari)		
Industry Category	Red/LSI		
Compliance Of Water Pollution Related Conditions	YES		
	Details :- ETP comprising bar screen, oil & grase trap, equalization tank, Neut. Tank, Primary clarifier, aeration tank, secondary clarifier, holding tank, sand filter & SDB provided.JVS result exceed the consented limit. Industry has provided 75 acres of land for disposal of treated effluent, which is adequate.		
Compliance Of air Pollution Related Conditions	Boilers – multi-cyclone fly ash arrestor provided.		
	Assessment Done : done	Paid Upto : Nov. 2012	
	A) <u>Amount</u> : Rs. 5.0/- Lakhs	<u>Validity</u> : 26.04.2015	
	B) <u>Amount</u> : Rs. 2.0/- Lkajs.	<u>Validity:</u> 26.04.2015.	
	C) <u>Amount</u> : Rs. 4.0/- Lkajs	<u>Validity:</u> 26.04.2015..	
	A) <u>BG Obtained against</u> : O & M of ETP & air pollution control system. B) <u>BG Obtained against</u> : Providing necessary arrangement to cover the effluent collection system. C) <u>BG Obtained against</u> : Towards the compliance of CREP norms.		
	<u>Details of BG forfeited/encashed , if any :</u>		

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	September 2013.
Other Relevant Information	<p>Wet scrubber provided.</p> <p>Total BG of Rs. 11.00/- submitted.</p> <p>JVS result exceed the consented limit.</p> <p>Industry has provided 75 acres of land for disposal of treated effluent, which is adequate</p>	
Re-submitted	<p><u>Re-submitted:</u> The case of the industry was discussed in CC meeting on 09.05.2014 & it was decided to issue SCN for refusal as JVS results are exceeding prescribed standards. APC system not provided to boiler & failed to submit the Bank Guarantee as per previous consent conditions. Accordingly SCN was issued on 21.05.2014.</p> <p>Industry has submitted the total Bank Guarantee of Rs. 11.00/- Lakhs on 06.06.2014 as per previous consent conditions, in this respect RO/SRO reported on 17.06.2014 by email & stated that presently industry is not in operation, they have stopped the crushing season since, April 2014.</p> <p>Industry submitted letter dated 09.06.2014, to RO/SRO & same is forwarded by RO/SRO to JD (WPC) by mail on 17.06.2014, but without verification report. In the said letter industry has submitted compliance of SCN issued on 21.05.2014, which is as below..</p> <p>Provided full-fledge effluent treatment plant, based on activated sludge process & taken up measures for reduction of water consumption so as to meet CREP norms & prescribed standards.</p> <p>Provided air pollution control equipment (wet scrubber) & operating the same so as to achieve the emission standards.</p> <p><u>Submitted.</u></p> <p>Again case of the industry was re-discussed in CC meeting on 27.06.2014 decided to issue directions to sugar industry as per Policy decided for sugar unit in CAC dtd. 17.06.2014.</p> <p>Accordingly, as per CC decision directions issued to industry on 18.07.2014. In the said direction, directed to industry to submit the concrete time bounds bar chart to secure compliances within stipulated period.</p> <p>Thereafter, SRO has submitted compliance report by mail on 01.08.2014 along with industry reply.</p> <p>SRO reported that, presently sugar factory are closed & are expected to start in the ensuing crushing season by end of September- 2014-15 .</p> <p>SRO reported that Industry has not provided well designed wet scrubber in an</p>	

Maharashtra Pollution Control Board

	<p>engineering manner. Instead of that industry has provided in – house designed wet scrubber.</p> <p>In the industry reply, stated that they are in process of up-gradation of ETP as per direction. SRO reported it seems to be controversial.</p> <p>Industry has submitted additional consent fees of Rs. 43, 750/-for renewal of consent for period upto: 31.07.2015.</p> <p>In the said reply industry stated that, we have taken effective steps to reduce the waste water generation.</p>
Recommendation of SRO/RO	RO recommended, decision may be taken at HQ level.

Maharashtra Pollution Control Board

CC-Fresh Agenda

Agenda no. 1

Region : Pune	Section : RO(HQ)	Date : SRO Date of receipt;- 30/05/2014 Ro (HQ) Date of receipt;- 10/07/2014
Name & Address	M/s. Kohinoor Dreams Associate, "Dreams Ayana" Gat No. 13, Village : Sate, Tal : Maval, Dist : Pune.	
Consent For	C to E	
Capital Investment	60.38 Crore	
Industry Type	O08 Building and construction projects more than 20,000 Sq mtr	
Industry Category	Orange	
Compliance Of Water Pollution Related Conditions	YES ()	NO ()
	Details :-Water Consumption: 438.0 CMD, Effluent generated 379.0 CMD. STP Proposed of Capacity : 400.0 CMD	
Water Cess	Assessment Done :-	Paid Upto :
BG Details	Amount :	Validity :
	BG Obtained against :	
	Details of BG forfeited/encashed , if any :	
Submission of Environmental Statement	Period	--

Maharashtra Pollution Control Board

Other Relevant Information	Applied for	C to E	Residential Project	
	Plot Area	34300.0 sq.m	Built up area	54516.99 sq.mt
	EC Status	Applied	Dated	28/08/2012
	River Distance	7.0 Km	Name of River	Indrayani (A-II)
	Water Consumption	438.0 CMD	Effluent Generated	379.0 CMD
	STP Capacity	400.0 CMD	Recycle water	138.0 CMD
	Bio-degradable	1172.0 Kg/D	Treatment	OWC
	Non-Boi degradable	625.0 Kg/D	Treatment	Local Body
	No of DG Sets	2	Capacity	400 & 500.0 KVA
	Construction status	Started	Date of Visit	09/06/2014
	<p style="text-align: center;">SRO Pune-I recommended that Consent to establish may be granted by imposing condition that not to take any effective steps towards construction of project unless obtained EC.</p> <p style="text-align: center;">In view of above PP has started construction activity we may issue SCN for refusal of consent to establish.</p>			
Recommendation of SRO/RO				

Agenda no. 2

Maharashtra Pollution Control Board

CC -Item		
Region : Pune	Section : AS(Tech)	Date :- Aug 2014
Name & Address	M/s EFTEC (India) Pvt.Ltd., G-9,MIDC Ranjangaon ,Tal-Shirur,Dist- Pune.	
Applied for	C to E for expansion	
Capital Investment	Proposed : Rs.25.02 Cr. ,Existing : Rs.15.50 Cr, Total after expansion :Rs.40.52 Cr.	
Consent Valid upto	30.06.2014	
<u>Industry Type</u>	Chemicals	
<u>Industry Category</u>	<u>RED</u>	
Compliance of Water Pollution Related Conditions	Yes	
	Details:- Existing IE : Nil ,DE : 3.90 CMD ,Proposed IE :0.1 CMD,DE :1.68 CMD.Proposed to provide primary treatment for effluent generate from boiler blow down & same will utilised on land for gardening	
Water Cess	Assessment Done: - March-2014	Paid upto- ---
<u>BG Details</u>	<u>Amount: Nil</u>	<u>Validity : NA</u>
Submission of Environmental Statement	2012-13	
Compliance of Air Pollution Related Conditions	YES	
	Proposed to utilize existing Boiler & DG set.	
Other Relevant Information	<ol style="list-style-type: none"> 1. Located @ 6 KM away from river ghod (A_II Class).saticefied RRZ location criteria for expansion. 2. Regarding boiler this office has called report of SRO vide email dtd19/07/2014 but till date no reply received for same, however vide email dtd. 28/07/2014 PP has reported that existing boiler & DG set will be utilize for expansion. 	
Recommendation of SRO/RO	RO has recommended for grant of C to E for expansion.	

Maharashtra Pollution Control Board

Agenda no. 3

Region : SRO Thane - I		Section : RO (HQ) Section – Fresh application		Date : /07/2014
Name & Address		Lodha Buildcon Pvt. Ltd. (CASA ROYAL) , S. No. 161/1A/1, 161/1B, 161/1C/1 at vill. Balkum, Tal. Thane		
Consent For		CO (Part)		
Capital Investment		10224 Lacs		
Previous Consent Validity				
Industry Type		O08 Building and construction projects more than 20,000 Sq mtr		
Industry Category		Orange		
Compliance Of Water Pollution Related Conditions		YES ()	NO ()	
		Details :-		
Water Cess		Assessment Done :	Paid Upto :	
<u>BG Details</u>		<u>Amount :</u>		<u>Validity :</u>
		<u>BG Obtained against :</u>		
		<u>Details of BG forfeited/encashed , if any :</u>		
Submission of Environmental Statement		Period	N. A.	
Other Relevant Information		<p>The application is for part consent to operate for the residential cum commercial project.</p> <p><u>1)Area Details of Project :-</u> Total Plot Area : 1689706 Sq. meters Total BUA Area : 43573.52 Sq. meters</p> <p><u>2) Capital investment of part operate Project is Rs. –102.24 Crs</u></p> <p><u>3) The project proponent has obtained Environment Clearance from Govt of Maharashtra on 19/10/2011 and amended EC on 11/06/2014.</u></p> <p><u>4) PP has submitted copy of CC obtained from local body.</u></p> <p><u>5) Provided STP's of total capacity- 250 CMD for treatment of sewage.</u></p> <p><u>6) Details of water consumption as under :-</u> Water consumption – 329.00CMD Sewage Generation – 249.00 CMD</p>		

Maharashtra Pollution Control Board

	<p>7) Non-hazardous Waste: Bio degradable Waste : 691 kg/day Non- Bio Degradable : 462 kg/day</p> <p>8) Provided Organic Waste Converter for Treatment of bio-degradable waste and composted manure will be used for landscaping.</p> <p>9) SRO Thane – I, has recommended the case for grant of part consent to operate (i.e. for 3 buildings having BUA 43573.52 Sq. Mtrs. out of 4 buildings).</p> <p>It is proposed to place application before Consent Committee of the MPC Board for further discussion.</p>
Recommendation of SRO/RO	<p>C to E obtained vide No. BO/RO(HQ)/Thane/CE/CC-63, dated, 16.5.2011. STP, RWH, OWC, Solar system provided. 3 buildings out of 4 are completed. Fee paid for one term. Consent to operate (part) may be granted upto 31.7.2016.</p>

Agenda no. 4

Maharashtra Pollution Control Board

CC -Item		
Region : Pune	Section : AS(Tech)	Date :- Aug 2014
Name & Address	M/s Tata Chemicals Ltd.,S.No.315,,A/p Ambavet,Tal-Mulsi,Dist- Pune.	
Consent to	1st C to O with increase in CI	
Capital Investment	Proposed during C to E – Rs.17.02 Cr , Now applied with CI Rs 43.77 Cr	
Consent Valid upto	COU	
<u>Industry Type</u>	<u>R & D activity</u>	
<u>Industry Category</u>	<u>RED</u>	
Compliance of Water Pollution Related Conditions	Yes	
	Details:- Existing IE: 38 CMD,DE :10 CMD ,Combined fulfilled ETP is provided. Disposal: on land for gardening.	
Water Cess	Assessment Done: - NA	Paid upto- NA
<u>BG Details</u>	<u>Amount: ---</u>	<u>Validity : ---</u>
Submission of Environmental Statement	NA	
Compliance of Air Pollution Related Conditions	YES	
	Details: - Adequate APCS is provided	
Other Relevant Information	<ol style="list-style-type: none"> 1. C to E granted on 04.02.2011 with Proposed CI Rs.17.02 Cr.Now applied for 1st C to o with increase in CI by 26.75 Cr., Total CI is Rs.43.77 Cr.. 2. New entry for CC. 3. This office has called justification regarding increase in CI along with compliance report of letter issued by SRO regarding additional fees of Rs. 50000/- 4. PP has submitted their reply vide email dtd.15/07/2014 stating that ,during C to E CI was declared Rs. 17.02 Cr, now applied with increase in CI Rs. 26.75 Cr. due to increase in building cost, site development cost, furniture cost. 5. BUA is 2587 M². 6. Also vide email dtd. 18.07.2014 PP has submitted additional fees Rs. 50000/- towards increase in CI. 	
Recommendation of SRO/RO	RO has recommended to take decision after receipt of suitable reply for SRO letter.	

Maharashtra Pollution Control Board

Agenda no. 5

Region : SRO Tarapur II	Section : JD(WPC)		Date : 06.08.2014
Name & Address	M/s. WELSPUN SYNTEX LTD. , Plot No. I-116 to 118, 40 to 45 (Revised), Dewan Indl. Estate, Vill. Mahim, Tal. Palghar, Dist. Thane		
Consent For	CO Amendment		
Capital Investment	6562 Lacs		
Previous Consent Validity	30.07.2016		
Industry Type	R84 Yarn/ textile processing involving any effluent/ emission		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- Industrial Effluent Details as per the Water Budget submitted by Industry: a. Quantity 351 CMD, no change in I.E. b. Industrial Water consumption increased by 40 CMD for additional boiler. Domestic effluent Details: a. Quantity increased from 16.5 CMD to 33.5 CMD. b. Domestic water consumption increased from 21 CMD to 50 CMD.		
Compliance Of Air Pollution Related Conditions	APC Status: Multicyclone dust collector followed by Bag Filter is provided to coal fired Thermopack and the coal fired boiler.		
Water Cess	Assessment Done :	Paid Upto :	
BG Details	Amount :	Validity :	
	BG Obtained against :		
	Details of BG forfeited/encashed , if any :		

Maharashtra Pollution Control Board

Submission of Environmental Statement	Period	
Other Relevant Information		<p>a. ETP provided comprising primary, secondary and Reverse Osmosis (tertiary) and MEE to achieve Zero Discharge.</p> <p>b. 85% of the treated effluent is recycled in the process, and remaining is sent to MEE for Zero Discharge.</p> <p>c. Legal Action/Direction /SCN: Directions are issued dtd.04.03.2014 to the industry on the basis of the visit of Board Officials dtd.27.02.2014 for the following;</p> <ul style="list-style-type: none"> i. Non operation & maintenance of ETP scientifically. ii. Not operating Dust Collector efficiently. iii. For installing the additional Boiler without prior permission of the Board. iv. Non provision of STP to treat 50 CMD sewage. <p>d. Industry Reply to Direction dtd.10.03.2014:</p> <ul style="list-style-type: none"> I. Corrected the valve of MLSS, added nutrients to maintain the MLSS 2500. II. Increased air pulsation rate for cleaning for removing SPM particle from Bag filter. III. Applied for the amendment of consent for the Boiler. IV. Placed PO order for the STP, and will be commission in 3 months.
Recommendation of SRO/RO		RO Thane has recommended for grant of amendment upto 30.07.2016 with overriding effect to existing consent.

Maharashtra Pollution Control Board

Agenda no. 6

Region : SRO Chandrapur	Section : JD (WPC)		Date :
Name & Address	Vasant Sahakari Sakhar Karkhana Ltd. Pusad , At Pophali, Tq. Umerkhed		
Consent For	CR		
Capital Investment	32.41 Cr.		
Previous Consent Validity	31/12/2013		
Industry Type	R74 Sugar (excluding Khandsari)		
Industry Category	Red		
Compliance Of Water Pollution Related Conditions	YES ()	NO ()	
	Details :- <ul style="list-style-type: none"> • IE – 250 CMD treated into ETP comprising of Primary secondary. Treated effluent disposes on 100 acre of land. • DE – 100 CMD treated into septic tank followed by soak pit. • APC – Installed cyclone type dust collector attached to Boiler. No change in fuel no change in pollution load. 		
Water Cess	Assessment Done : Not submitted		Paid Up to : Not submitted
BG Details	Amount :		Validity :
	1. Rs. 5 Lakhs 2. Rs. 4 Lakhs		1. 31.12.2014 2. 31.12.2014
	BG Obtained against :		
	Details of BG forfeited/encashed , if any : 2 Lakhs forfeited		
Submission of Environmental Statement	Period	Not submitted	
Other Relevant Information	<ul style="list-style-type: none"> • JVS Results dt. 16.06.2012, 22.03.2012, 12.10.2012, 24.01.2013, 03.12.2013 are exceeding. JVS are not meeting hence violating consent condition. • CREP Compliances <ul style="list-style-type: none"> - 100 lit waste water/ton generation – Complied (IE 250 MLD) - 15 days storage tank – Complied (land available for disposal is 100 acre) - ESP/Bag Filter/Wet scrubber/ Ventury Scrubber to Bagasse fire Boiler- Not complied (installed dust collector) 		
Recommendation of SRO/RO	<ul style="list-style-type: none"> • As per SRO recommendation consider case for renewal of consent to operate up to 31.12.2014. 		

Maharashtra Pollution Control Board

Agenda no. 7

Region : SRO Ahmednagar		Section : JD-WPC		Date : 04.08.2014
Name & Address		M/s. Shree Ganesh SSK Ltd.(Sugar Unit) , Ganesh Nagar Post-Ranjangaon, Tal- Rahata, Dist- Ahmednagar		
Consent For		Consent to Renewal		
Capital Investment		60.83 Crores		
Previous Consent Validity		31/03/2010		
Industry Type		R74 Sugar (excluding Khandsari)		
Industry Category		Red		
Compliance Of Water Pollution Related Conditions		YES ()	NO ()	
		Details :- Industrial water consumption is 170 CMD whereas I.E. generation is 120 CMD. Domestic water consumption is 40 CMD whereas D.E. generation is 20 CMD. Industry has provided ETP which comprises of grit chamber, screen chamber, oil & greese trap. collection tank, neutralization tank, aeration tank and clarifier tank followed by sludge drying bed.		
Water Cess		Assessment Done : Not Reported		Paid Upto : Not Reported
BG Details		Amount : Not Reported		Validity :
		BG Obtained against : Not Reported		
		Details of BG forfeited/encashed , if any :		
Submission of Environmental Statement		Period	Submitted for the period of April-2012 to March 2013	

Maharashtra Pollution Control Board

Other Relevant Information	Industry has mentioned in their covering letter dtd 15.05.2014 that earlier they have applied for the consent to renewal and paid the consent fees for the period 01.04.2010 to 31.03.2013, but they have not received the consent for the same period. Now they have applied for period 01.04.2014 to 31.03.2015, where their C.I. is increased from 21.87 cr to 60.083 cr. Hence they have paid the the consent to establish and operate fees for increased C.I. which is Rs. 1,50,000(75,000+75,000). Explanation for the increased C.I. not submitted. SRO has not submitted the details regarding earlier consent as well comment about increased C.I. Mail has been sent to SRO Ahmednagar regarding earlier consent details and status of BG on 05.08.2014
Recommendation of SRO/RO	Industry has submitted application for renewal of consent to operate the total investment of Sugar and distillery is 60.83 Cr and 7.76 cr total 68.60 cr. The industry has not provided APC. ETP is provided also industry was not in operation since last two seasons as per the letter from commission i.e. 2012-2013, 2013-2014. Hence case may be considered with appropriate B.G. if approved.