

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 11th Consent Appraisal Committee Meeting of 2014-2015 held on 19.7.2014 at 11.00 am at Conference Hall, MPC Board, Kalpataru Point, 4th Floor, Sion Circle, Sion (E), Mumbai 22.

.....
The Consent Appraisal Committee meeting of the Board was held on 19.7.2014. Following members of the Consent Appraisal Committee were present:

- | | | |
|----|--|------------------|
| 1. | Shri. J. S. Sahni,
Chairman, MPC Board, Mumbai. | Chairman |
| 2. | Shri. Rajeev Kumar Mital,
Member Secretary, MPC Board, Mumbai | Member Secretary |
| 3. | Shri. Rakesh Kumar,
Scientist & Head, NEERI, Mumbai | Member |

The Secretary, Home (Transport) Dept., Mantralaya, Mumbai and Shri. R. L. Rajale, Technical Advisor(Env), MIDC, Mumbai could not attend the meeting. Leave of absence was granted to them.

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the agenda items (Book-let no. 24) placed before the committee and following decisions were taken.

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
(Book-let no. 24) Resubmission Items				
1	Moraj Infratech Pvt. Ltd., Sr. No. 30(pt), 31(pt), 33(pt) & 34(pt), 35(pt), Govt. Road & Nallah in Mihan, At Khapri, Tal. & Dist. Nagpur	Approved Establish	COU or 5 years whichever is earlier	It was decided to grant to consent to establish for residential building construction project on plot area-32374.8 sq.m. & BUA of 30197.56 sq.m. by imposing following conditions: 1. PP shall submit BG of Rs. 10 lakh by 3.8.2014 towards compliance of consent condition and EC granted to MIHAN SEZ. 2. PP shall submit an affidavit in Board's prescribed format regarding compliance of conditions C to E and EC granted to MIHAN SEZ.

2	Kapstone Construction Pvt. Ltd., Rustomjee 100 acres, S. No. 12(pt), 13(pt), 84(pt) and 21(pt) of Majiwade, Dist. Thane	Operate (Part) Not Approved	---	It was decided to issue SCN for refusal as PP has failed to submit required information.
Fresh Items				
1.	Uttam Galva Steels Limited, Village Donvat, Khopoli-Pen Road, Tal. Khalapur, Dist. Raigad	Establish (Expansion Phase-I) Not Approved	---	It was decided to keep the cases in abeyance and resubmit alongwith river distance certificate from Executive Engineer, Irrigation dept. in prescribed format as per RRZ policy, 2009. The Survey nos. mentioned in the certificate to be reflected in the application of C to E.
2.	Uttam Galva Steels Limited, Village Donvat, Khopoli-Pen Road, Tal. Khalapur, Dist. Raigad	Establish (Expansion Phase- II) Not Approved		
3.	Uttam Galva Steels Limited, Village Narangi, Donvat, Tal. Khalapur, Dist. Raigad	Establish (Expansion) Not Approved		
4.	Uttam Galva Steels Limited, Survey No. 39, 40, Village Dahivali, Tal. Khalapur, Dist. Raigad	Establish (Expansion) Not Approved		
5.	Bridgestone India Pvt. Ltd., Plot No. A-43, MIDC Chakan, Phase-II, Tal. Khed, Dist. Pune	Establish (Expansion) Not Approved	--	It was decided to keep the case in abeyance. As the location of this project is near to M/s. Schindler and ask PP to submit river distance certificate from Executive Engineer, Irrigation dept. in prescribed format as per RRZ policy, 2009.
6.	Vitthal Refined Sugars Ltd. (Distillery Unit), G. No. 247, 248, 252, 254, 256, A/p. Pande, Tal. Karmala, Dist. Solapur	Establish Not Approved	--	It was decided to keep the case in abeyance till submission of River distance certificate from Executive Engineer, Irrigation dept. in prescribed format as per RRZ policy, 2009.
7.	Nisarg Nirman Developers, RH-1, Residential Zone Industrial Area, Ambernath(E), Thane	Establish Not Approved	---	It was decided to keep the case in abeyance and obtain details of disposal of waste water & treatment and disposal of MSW. In case these are to be discharged/ disposed into Ambernath Municipal Council (AMC) PP shall obtain appropriate NOC from AMC
8.	Genext Hardware & Parks Pvt. Ltd. Of Byculla Division, Dr. A.L. Nair Road, Maulana Azad Road, Jacob circle, Mahalaxmi, Mumbai	Approved Establish (Expansion)	COU or 5 years whichever is earlier	It was decided to grant consent to establish for residential building cum public parking building project on total Plot area 61520.46 sq.mtrs. BUA (FSI) of 64142.62 sq.mtrs. & Construction area of 205546.42 sq.mtrs by imposing following condition(s): 1. PP shall not take any effective steps prior to obtaining EC and submit BG of Rs. 10/- Lakh by 3.8.2014 towards

				<p>compliance of the same.</p> <p>2. PP shall submit an affidavit in Board's prescribed format regarding compliance of conditions of EC and C to E.</p> <p>3. PP shall submit BG of Rs. 10 lakh towards compliance of consent conditions.</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
9.	Dhariwal Infrastructure Ltd., Plot No. C-6, C-7 & C-8, Tadali Growth Centre, MIDC Tadali, Dist. Chandrapur.	Approved 1st Operate (for Unit 2 alongwith Renewal & Amalgamation	31.8.2015	<p>It was decided to grant consent to 1st Operate for unit 2 and Renewal and amalgamation with existing unit 1 with overriding effect to earlier consent & extending the existing BGs for a period upto 31.12.2015 as below:</p> <ol style="list-style-type: none"> 1. BG of Rs. 1 lakh towards Mitigation of seepages from wet fly ash conveying system. 2. BG of Rs. 1 lakh Scientific operation of ash pond i.e. uniform distribution of wet slurry in the pond so as to have minimum depth of water. 3. BG of Rs. 1 lakh Providing arrangement for reuse of 100% seepage water, arising from ash pond, for ash slurry. 4. BG of Rs. 25 lakh Towards Operation and Maintenance of Air Pollution Control Devices to achieve emission standards. 5. BG of Rs. 5 lakh Towards Operation & Maintenance of the Effluent Treatment Plant to achieve disposal standards. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
10.	Dhariwal Infrastructure Ltd., Plot No. C-6, C-7 & C-8, Tadali Growth Centre, MIDC Tadali, Dist. Chandrapur.			
11.	Orient Green Power Company Ltd., Dnyanshanti Nagar, Vesraf-Palسامbe, Ganganavada, Dist. Kolhapur	Approved 1st Operate	31.8.2015	<p>It was decided to grant consent to 1st Operate and by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. PP shall submit design details of STP and APC by 20.8.2014 and submit BG of Rs. 2 Lakh each by 3.8.2014. 2. PP shall submit BG of Rs. 5 lakh by 3.8.3014 towards O & M of pollution control system. 3. PP shall recycle entire treated effluent into process so as to achieve zero discharge.

				Consent draft placed in the agenda is approved with above condition(s), with correction in boiler ash (28 TPD) disposal i.e. brick kiln etc, as per Board's policy for Co-gen plant.
12.	Serene Properties Pvt. Ltd., Bldg. No. 9, Plot No. 3, TTC, MIDC Airoli, Navi Mumbai	Approved Renewal (bldg no.8) and amalgamation with existing consent And 1 st Consent to Operate	31.10.2014	It was decided to supersede the earlier decision of CAC meeting held on 29.5.2014 for grant of amalgamated consent for bldg no.1 to 8, 10 &14. It was decided to grant only renewal of bldg no.8 and amalgamation with existing consent bldg no. 2 to 7 and 14. It was decided to keep the 1 st C to O applications for bldg no.1, 9 & 10 in abeyance till revalidation/amendment in EC is obtained.
13.	Akash Value Realty Pvt. Ltd., CTS No. 185A(Old CTS No. 185, 185/1 to 3) of Vill. Goregaon, Mumbai.	1st Operate Not Approved	----	It was decided issue SCN for refusal of consent/ Prosecution notice as PP has carried out and completed all construction work and also occupancy is observed prior to obtaining EC & C to E from competent authority.
14.	Gold Bricks Infrastructure Pvt. Ltd., CS No. 101/1, Model Mill, Ganesh Peth, Nagpur	Approved 1st Operate	31.1.2016	It was decided to grant consent to operate (part) to Mixed Use development project on total plot area of 1,17257 & BUA of 95936 sq.m. out of total BUA of 3,14144 sq.m.by imposing following condition(s): 6. PP shall submit BG of Rs. 10 lakh towards O & M of pollution control system. 7. PP shall submit an affidavit in Board's prescribed format by 3.8.2014 regarding the compliance of conditions of EC and C to E. 8. PP shall obtain amendment in C to E also, as per application of amendment in EC. Consent draft placed in the agenda is approved with above condition(s).
15.	Balkrishna Industries Ltd., B-66, MIDC Waluj, Aurangabad	1st Operate (amalgamation of existing consent) Not Approved	---	It was decided to issue SCN for Refusal of consent & forfeiture of BG as the industry has not provided primary treatment facility as per existing consent condition & present report of TAC.

16.	B.G. Chitale, A/p. Bhilwadi Station, Tal. Palus, Dist. Sangli	Approved Renewal with increase in CI	30.04.2018	<p>It was decided to grant of renewal of Consent to operate by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG of Rs. 5.0 lakh obtained towards O & M of pollution control systems for a period upto 31.8.2018. 2. PP shall submit design details STP by 20.8.2014 and submit BG of Rs. 2 Lakh by 3.8.2014. 3. Industry shall recycle 30 % of trade effluent for toilet flushing, floor washing purpose. 4. Industry shall submit an affidavit that due to increase in CI there is no any increase in BUA. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
17.	Mylan Laboratories, F-4 & F-12, MIDC Malegaon, Sinnar, Nashik	Approved Renewal	30.4.2016	<p>It was decided to grant renewal of the consent in RED category by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. BG of Rs 2 lakh to be forfeited as industry has submitted undertaking instead of Board Resolution which is not as per prescribed format of the Board. 2. Industry shall submit Board resolution in Board's prescribed format within one month and submit double the BG i.e Rs 4 lakh immediately for the compliance of the same. If industry fails to submit BR in prescribed format within one month, then the consent shall be treated as cancelled. 3. Industry shall submit BG of Rs 5 lakh by 3.8.2014 for O & M of PCS. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
18.	Ordnance Factory, Ambarnath Ministry of Defence, Govt. of India, Kalyan-Badlapur Road, Tal. Ambarnath, Dist. Thane	Renewal Not Approved	--	<p>It was decided to issue SCN for Refusal of consent for not complying with previous consent condition i.e. to provide STP & APC and for not submitting BG & affidavit from company CEO.</p> <p>It was also decided to check the contradiction mentioned by TAC as there is no mention of Induction Furnaces in existing consent.</p>

19.	ISMT Ltd., Plot No. C-1, MIDC Ahmednagar, Dist. Ahmednagar	Renewal (Expansion) Not Approved	--	It was decided to issue the SCN as 1. Industry has done expansion of bay 5 & 6 without obtaining consent to establish and also increased BUA by 4457.8 Sq. mtrs by constructing bay 5 & 6 and the total BUA is increased more than 20,000 Aq. Mtrs without obtaining prior environmental clearance. 2. As per the TAC report the domestic effluent is more than 20 m3 then industry should provide STP for the treatment. 3. Treatability study is recommended for adequacy check as it seems that primary clarifier unit is operating at higher side of residence time
20.	Hindalco Industries Limited, No. 95/1, 95/2, Village Dahali, Tal. Mouda, Nagpur	Approved Renewal / Not Approved		The minutes are kept in abeyance.
21.	Ordanance Factory, Ambajhari, Dist. Nagpur	Renewal Not Approved	---	It was decided to issue the SCN for refusal of consent towards non-compliances observed during the visit of Field Officer 1] Industry has not provided primary treatment facility for their fuge shop plating activity. 2] Industry has common pipe line for industrial and domestic effluent. 3] The treated effluent from common ETP is 40% reused for irrigation and gardening and 60% is discharge outside the factory premises into local nalla which finally meet Vena River. 4] Industry has not achieved zero discharge till date and not complied the consent condition stipulated in previous consent. 5] Some quantity of untreated effluent found discharged outside factory premises. During visit, industry has taken up a project of collecting the effluent into their main pipe line. Work found in progress but not yet completed. 6] Industry has not provided wet scrubber to their plating unit in Fuse shop for acid fumes. 7] JVS results are exceeding the consented standards.
22.	Western Coal Fields Ltd., Umred Open Cast Mine, Tal. Umred, Dist. Nagpur.	Approved Renewal (Increase in C.I.)	31.3.2016	It was decided to grant for renewal of consent after obtaining addl. requisite consent fees & by imposing BG of Rs. 5/- Lakh for O & M of pollution control

				<p>systems.</p> <p>The BG of Rs. 5 lakh shall be forfeited and BG of Rs. 10 lakh (top-up) shall be obtained towards provision of STP by 31.7.2015.</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
23.	SKF India Ltd., S. No. 159 to 162, 169, 186, Chinchwad, Pune	Renewal (Increase in C.I.) Not Approved	---	<p>It was decided to issue SCN for Refusal of consent as industry does not satisfy the RRZ siting policy & has increased CI & also not replied nor submitted justification with respect to increase in CI called by SRO vide letter dtd 02.01.2014</p>
24.	Jai Hind Sugars Pvt. Ltd., G. No. 390, A/p. Achegaon, Tal. South Solapur, Dist. Solapur	Approved Amendment (C to E of Sugar & Co-generation Unit)	COU or 20.8.2018 whichever is earlier	<p>It was decided to grant amendment in Consent to Establish with overriding effect to the earlier Consent to Establish granted by the Board and by imposing following condition(s):</p> <ol style="list-style-type: none"> 1) Industry shall provide separate ETP for the treatment of effluent generation from DM plant. 2) Industry shall have to submit double amount of BG for O & M towards achieving the standards while granting C to 1st Operate, in case, the ETP units are not right sized. 3) Industry shall not use auxiliary fuel more than 15% (as per amendment in EIA notification 2009) as co-gen capacity is less than 15 MW. 4) Industry shall submit BG of Rs. 10 Lakh by 3.8.2014 towards compliance of C to E conditions. 5) Industry shall submit an affidavit that total BUA is less than 20,000 sq.m. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
Review Items				
1	Nirlon Ltd., CTS No. 257/1, 257/B to 257F land 257 F2 of village Goregaon and CTS No. 557, 581 of Pahadi Goregaon at Goregaon(E), Borivali Tahshil, Mumbai	Consent fees and Category for Operate (Part)	---	<p>Industry's request for considering their IT park in Orange category was accepted. Hence, accordingly charge the fees.</p>

2	Serum Institute of India Ltd., Off. Soli Poonawalla Road, Plot No. 212/2, Pune-Solapur Road, Hadapsar, Tal. Haveli, Dist. Pune	Request to waive the condition of increasing the stack height of Furnace fired Boilers	---	It was decided to accept the request of the industry and waive off the condition and BG of Rs 5 lakh for increasing the stack height of FO fired boilers.
3	GE India Industrial Pvt. Ltd., Part of Plot No. F- 27(Part),Ranjangaon Industrial Area, MIDC Ranjangaon, Village Karegaon, Tal. Shirur, Dist. Pune	Amendment in Consent	---	Considering that sewage generation is only 10 CMD and that Board policy is for STP with sewage generation more than 20 CMD, it was decided to consider the request of the industry to relax the BOD standard to 100 mg/lit and consent shall be amended to include standards and condition as per Board standard policy for less than 20 CMD sewage generation and specific condition of not exceeding the sewage generation more than 10 CMD shall be imposed in the consent.
4	GE India Industrial Pvt. Ltd., Plot No. A-78/1, MIDC Chakan, Phase-II, Tal. Khed, Dist. Pune		---	It was noted that BOD standard of 10 mg/lit was erroneously mentioned in consent which shall be corrected to 30 mg/lit It was decided to reject industry's request for relaxation in standard and disposal condition as the condition imposed in consent is as per Board's policy.
5	St. George Hospital, Near CST Railway Station, Mumbai	Renewal of BMW Authorisation	---	It was decided to keep the application in abeyance and club with othe BMW application.
6	Wadhawa Residency Pvt. Ltd., "THE ADDRESS" on plot bearing No. 50, 50/1 to 50/7, 50/35 to 50/44 of Vill. Vikhroli, Ghatkopar(W), LBS Marg, Mumbai	Amendment in Consent to Establish	---	It was decided to consider PP's request for grant of C to E for expansion for construction of residential and public parking building with plot area of 71145.10 sq.m. & total construction area of 1,92,127.87 sq.m. for a period upto Commissioning of the project or 5 years whichever is earlier instead of earlier decision of CAC.
7	Kisanveer SSK Ltd., A/p. Kisanveer Nagar, Bhuinj, Tal. Wai, Dist. Satara	Application for Operation of Distillery in rainy season	---	It was decided to refuse the request of industry for operation of distillery in rainy season as SRO/RO has not recommended the same.
8	Kisanveer SSK Ltd., A/p. Kisanveer Nagar, Bhuinj, Tal. Wai, Dist. Satara	Action to be initiated	---	It was also decided to issue SCN for Revocation of Consent & to initiate legal action on the basis of illegal & unscientific disposal of spent wash, & industry still operating distillery in rainy season without permission of the Board which is a violation of conditions of

				Consent granted by the Board.
9	Lokmangal Sugar Ethanol & Co-gen Industries Ltd., A/p. Bhandarkavathe, Tal. South Solapur, Dist. Solapur	Action to be initiated	---	Industry is operating expansion plant i.e. 3500 TCD plant from last two years without obtaining Consent to Operate of the Board & EC, hence violated the Conditions of C to E & EC. Director MoEF has also issued Notice under section 5 of EPA 1986 for stop the work/operation.
10	Lokmangal Sugar Ethanol & Co-gen Industries Ltd., A/p. Bhandarkavathe, Tal. South Solapur, Dist. Solapur	Prosecution Proposal	---	Considering the violation of Consent to Establish & EC, it was decided to prosecute the Project Proponent under Water (P & Cp) Act, 1974, Air (P & CP) Act 1981 as per the recommendations of RO, SLO.

The meeting ended with vote of thanks to the chair.

General Points:

1. Circular/guidelines to be issued to all SRO/ RO that if the distance of nearest notified river is more than 5 Km then there is no need of distance certificate. Also the distanced mentioned by SRO in processing sheet should be justified alongwith the methodology used for mentioning the same.