

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 20th Consent Appraisal Committee Meeting of 2014-2015 held on 20.10.2014 at 11.00 am at Conference Hall, MPC Board, Kalpataru Point, 4th Floor, Sion Circle, Sion (E), Mumbai 22.

.....

The Consent Appraisal Committee meeting of the Board was held on 20.10.2014. Following members of the Consent Appraisal Committee were present:

- | | | |
|----|-----------------------------------------------------------|-----------------|
| 1. | Shri. J. S. Sahni,
Chairman, MPC Board, Mumbai. | Chairman |
| 2. | Shri. Nandusekar
Technical Advisor(Env), MIDC, Mumbai | Member |
| 3. | Shri. Rakesh Kumar,
Scientist & Head, NEERI, Mumbai | Special Invitee |

The Secretary, Home (Transport) Dept., Mantralaya, Mumbai, Member Shri. Rajeev Kumar Mital, Member Secretary, MPC Board, Mumbai could not attend the meeting. Leave of absence was granted to them.

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the agenda items (Book-let no. 45 & 46) placed before the committee and following decisions were taken.

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
(Book-let no. 45)				
RESUBMISSION ITEMS				
1	RITZ Arimas Developers Pvt. Ltd., S. No. 112(P), 113(P), 114/1, 114/2, 115/2, 116(P), 133/1, 133/2, 134 & 135 at Village Kune Nama, Tal. Maval, Dist. Pune	Approved Establish	COU or 5 years whichever is earlier	It was decided to grant C to E for proposed residential and club house project on total plot area of 214879.95 sq.m. and total construction area of 80523.81 sq.m. (FSI+Non-FSI) subject to submission of approved location plan of STP & MSW from planning authority showing crowfly distance of STP and MSW facility from HFL of Indrayani river and by imposing

				<p>following condition(s):</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 10 lakh towards compliance of EC and C to E conditions. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
2	Tata Consultancy Services, Kensington A-Wing at 8th to 10th Floor, Hiranandani Business Park at Powai, Mumbai	Approved 1st Operate	28.2.2016	<p>It was decided to grant Consent to 1st Operate to IT activity after obtaining requisite consent fees with condition of compliance of EC and consent condition without condition of BG as sewage generated and MSW are being treated and disposed off by builder of SEZ.</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
FRESH ITEMS				
3	New Bombay Merchants Common Warehouse Ltd., 124, 1st Floor, Central Facility Building APMC, Phase-II, Market-I, Vashi, Navi Mumbai.	Approved Establish	COU or 5 years whichever is earlier	<p>It was decided to grant consent to establish to Mercantile building project (commercial) on total plot area of 25033.73 sq.m. and total construction area of (FSI+Non-FSI) 102447.22 sq.m. by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. PP shall submit an affidavit regarding compliance of conditions of EC and C to E. 2. PP shall submit BG of Rs. 10 lakh towards compliance of consent and EC conditions. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
4	Dighi Port Ltd. (Stone Crusher & RMC) on North Bank of Dighi Port (Rajpuri Creek), Vill. Agardanda, Tal. Murud-Janjira, Dist. Raigad	Establish & Operate Not Approved	---	<p>It was decided to issue SCN for refusal as they have started operating RMC without obtaining C to E and CRZ clearance.</p>
5	Earnest Towers Pvt. Ltd., Mumbai Suburban, Mumbai	Approved Renewal	31.10.2016	<p>It was decided to grant renewal of consent to operate total plot area 8075.81 sq.mtrs and total BUA 41396.76 sq.mtrs. after receipt of additional consent fees and by extending existing BG towards O & M of pollution control system</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
6	VVF (India) Ltd., V-41, MIDC Talaja, Tal. Panvel, Dist. Raigad	Establish Not Approved	--	<p>It was decided to issue SCN for refusal of consent due to the following reasons:</p> <ol style="list-style-type: none"> 1. CI has increased by 321.11 crs. Industry has not submitted clarification for increase in CI.

				2. Water consumption for domestic purpose and cooling purpose from 60.54 CMD to 70.54 CMD and 1299 CMD to 1635 CMD respectively. Industry has not given justification for the same.
7	Roha Dyechem Pvt. Ltd., Plot No. 42, MIDC Dhatav, Roha, Raigad	Approved Plain Renewal	30.4.2015	It was decided to grant plain renewal of consent without the newly added coal fired 6 TPH boiler and 36 KL HAG by imposing following conditions: 1. Industry shall submit BG of Rs 5 for O & M of PCS. 2. Industry shall provide adequate effluent collection network from process plant to ETP within 3 months and submit BG of Rs 5 lakhs for the compliance of the same. Consent draft placed in the agenda is approved with above condition(s). Decision regarding expansion /addition of coal fired boiler is kept in abeyance till industry submits the data regarding bag filter and RRZ issue is examined. Thereafter revert to CAC.

Action Initiation Proposal

8	Proposal to take action u/S. 33A of the Water (P & C P) Act, 1974 , u/S. 31A of the Air (P & C P) Act, 198 and u/S. 5 of the Environment (Protection) Act, in respect of Total Oil India Pvt. Ltd., Plot No. A-26, TTC Industrial Area, MIDC Mahape, Navi Mumbai, Thane			It is proposed to issue SCN for revocation of consent and to initiate legal action towards violation of Consent /Authorisation condition.
9	Proposal to take action in respect of IOT Infrastructure & Energy Services Ltd., Plot No. 101, Sec-1, N.H., 4B, Dronagiri Node, Navghar, Navi Mumbai.			It was decided to call SRO's report and put it up in next meeting.

Review item

10	Saturn Rings & Forgings Pvt.Ltd., Gat No. 457, 458, Shindewadi, Vill. Shirwal, Tal. Khandala, Dist. Satara	Approved Consent to establish	COU or 5 years whichever is earlier	It was decided to grant consent to establish to manufacture steel & steel products of total capacity- 19,500 MT/A (Bearing Rings-12000 MT/A, Iron & Steel Flanges-1000 MT/A, Gear Blanks & Locking Collars-6500 MT/A) by imposing following condition(s): 1. Industry shall submit an affidavit that they shall not exceed the production threshold limit (i.e. 30000 MT/A) as per EIA notification 2006 and amendments thereto and shall submit BG of Rs. 5 lakh
----	------------------------------------------------------------------------------------------------------------	-------------------------------------	----------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

			<p>towards compliance of the same.</p> <p>2. The previous consent to establish granted vide no. BO/CAC cell/8702 dated 18.9.2014 is hereby cancelled.</p> <p>Consent draft placed in the agenda is approved with above condition(s) and modification(s).</p>																																	
11	Bank Guarantee Report of M/s. Gigaplex Estate Pvt. Ltd., Plot No. IT-5, TTC, Airoli Knowledge Park, Airoli, Navi Mumbai		It was decided to grant approval to extend BG of Rs. 10 lakh for a period upto 26.6.2016.																																	
12	Request of M/s. SI Group, Plot No. 2/1, TTC Industrial Area, Opp. Juinagar Rly. Station, Thane-Belapur Road, Turbhe, Navi Mumbai		<p>Considering Industry's request, it was decided as below:</p> <p>1. The parameters of Phosphates, Chlorides and Sulphates shall be waived and following parameters as per the CPCB specific standards for petrochemical</p> <table border="1" data-bbox="960 994 1469 1897"> <thead> <tr> <th>Sr. No</th> <th>Parameters</th> <th>Consented limits mg/l except pH</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>pH</td> <td>6.5-8.5</td> </tr> <tr> <td>2</td> <td>BOD 3 days at 27⁰C</td> <td>50</td> </tr> <tr> <td>3</td> <td>Phenol</td> <td>5</td> </tr> <tr> <td>4</td> <td>Sulphide (as S)</td> <td>2</td> </tr> <tr> <td>5</td> <td>COD</td> <td>250</td> </tr> <tr> <td>6</td> <td>Cyanide (as CN)</td> <td>0.2</td> </tr> <tr> <td>7</td> <td>Fluoride (as F)</td> <td>15</td> </tr> <tr> <td>8</td> <td>Total Suspended Solids</td> <td>100</td> </tr> <tr> <td>9</td> <td>Hexavalent Chromium (as Cr)</td> <td>0.1</td> </tr> <tr> <td>10</td> <td>Total Chromium (as Cr)</td> <td>2.0</td> </tr> </tbody> </table> <p>2. As sulphuric acid is used as process chemical in the manufacture of the products , monitoring shall be done for</p>	Sr. No	Parameters	Consented limits mg/l except pH	1	pH	6.5-8.5	2	BOD 3 days at 27 ⁰ C	50	3	Phenol	5	4	Sulphide (as S)	2	5	COD	250	6	Cyanide (as CN)	0.2	7	Fluoride (as F)	15	8	Total Suspended Solids	100	9	Hexavalent Chromium (as Cr)	0.1	10	Total Chromium (as Cr)	2.0
Sr. No	Parameters	Consented limits mg/l except pH																																		
1	pH	6.5-8.5																																		
2	BOD 3 days at 27 ⁰ C	50																																		
3	Phenol	5																																		
4	Sulphide (as S)	2																																		
5	COD	250																																		
6	Cyanide (as CN)	0.2																																		
7	Fluoride (as F)	15																																		
8	Total Suspended Solids	100																																		
9	Hexavalent Chromium (as Cr)	0.1																																		
10	Total Chromium (as Cr)	2.0																																		

				<p>six months and then will decide for the inclusion of acid mist parameter. Parameter of TPM of 150 mg/Nm³ shall be not be deleted as it is applicable to all type of industries.</p> <p>3. ETP Biosludge of 2400 MT/A with landfill as mode of disposal shall be considered under non-hazardous category instead of hazardous category.</p> <p>4. Validity period shall be considered upto 31.08.2018 as industry has paid the requisite fees.</p>
13	Compliance report of M/s. Balkrishna Industries Ltd., B-66, MIDC Waluj, Aurangabad	Approved Renewal	31.3.2015	<p>It was decided to grant renewal of the existing consent to be operated with existing boiler only and withdraw the closure direction with following conditions.</p> <ol style="list-style-type: none"> 1. Industry shall submit the BG of Rs. 5 lakhs towards O&M of pollution control system. 2. Industry shall not operate new 20 TPH Pet coke boiler without obtaining consent to operate and BG of Rs. 10 lakhs shall be obtained to ensure the compliance of the same. 3. In order to take decision about allowing use of pet coke in the existing boiler, the industry should carryout performance monitoring as per the protocol decided for use of pet coke separately by MPCB for Tarapur recently. The study should be completed within a period of three months and BG of Rs. 2 lakh shall be obtained for the compliance of the same. 4. Industry shall extend the existing BG of Rs. 5 lakhs towards up-gradation of ETP & submit BG of Rs. 5 lakhs towards up-gradation of existing STP.
General Item				

14	Compliance of Order dated 25/09/2014 passed by the Hon'ble High Court of Judicature at Mumbai in Public Interest Litigation (L) No. 111/2014 filed by Smt. Meera Sanyal & Anr. V/s. Union of India & Ors.	It was decided to obtain processing sheet and application from SRO and ask MbPT to make representation as per Hon'ble High Court's orders and put up application alongwith the representation in next CAC meeting.
15	Office Memorandum regarding clarification for consideration of development projects located within 10 km National Park and Sancturaries seeking environment clearance under EIA Notification, 2006	The Office Memorandum dated 20.8.2014 received to Board was noted and it was decided to prepare list of such National Parks and Sanctuaries in Maharashtra and display the same on website.

Representation

16	Serene Properties Private Ltd., Bldg. No. 1,9,10, Plot No. 3, TTC Industrial Area, MIDC Airoli, Navi Mumbai.			CAC noted that the decision has already been taken in previous CAC meeting.
17	Mahanagar Gas Limited, City Gate Station, Mahape, Navi Mumbai			CAC noted that the decision has already been taken in previous CAC meeting.
18	Kalpataru Ltd. "Kalpataru Aura", CTS No. 168 A/1 to 28, 168A/31 to 33, 168 G(pt), Vill. Ghatkopar, LBS Marg, Ghatkopar (W), Mumbai	Auto-renewal		It was decided to inform PP to submit required documents and self certification and Board resolution in prescribed format and transfer the case from CAC Cell to TAC for further submission to CAC.
19	Mudra Life Style, D-1, MIDC Tarapur, Thane	Renewal Not Approved		It was decided to put up in the next meeting of CAC alongwith other cases in Tarapur area, their present compliance report and policy guidelines.

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
(Book-let no. 46)				
RESUBMISSION ITEMS				
1	Kapstone Construction Pvt. Ltd. "Rustomjee 100 acres, S. No. 12(pt), 13(pt), 84(pt) and 21(pt) of Majiwade, Dist. Thane	1st Operate (Part) Not Approved	--	It was decided to keep the case in abeyance and refer the matter to SEIAA and MCZMA and seek clarification regarding survey numbers in EC and CRZ dtd 15.5.2012 and whether representation made by PP regarding two separate ECs and their respective survey nos. is valid.
2	M/s. Sai Enterprises "Rosa Vista", Sr. No. 199, 201 and 202, Vill. Kevsar, Thane.	1st Operate Not Approved	--	It was decided to issue final refusal of consent as PP has failed to submit reply to SCN for refusal issued.
3	Amby Valley City, Village Ambavane, Pethsahapur, Kolavali, Kumbhar, Pomgaon, Deoghar, Nangaon, Visakhar, Tal. Mulshi, Dist. Pune	1st Operate Not Approved		It was decided to keep the case in abeyance and get latest report from Env't. Dept.
4	Pidilite Industries Ltd., A-21, MIDC Mahad, Tal. Mahad, Dist. Raigad	Approved 1st Operate & Renewal & Amalgamation of both consent	31.7.2015	It was decided to grant 1st consent to operate (expansion) and renewal of consent with amalgamation by imposing following conditions: 1. Industry shall extend the BG of Rs 10 lakhs towards O & M of PCS upto 30.11.2015. Consent draft placed in the agenda is approved with above condition(s).
5	Balkrishna Paper Mills Ltd., (Co-gen) Ambivali, P.O. Mohane, Tal. Kalyan, Dist. Thane.	Approved Amendment in Consent	31.12.2014	It was decided to grant amendment in consent for inclusion of product i.e captive power - 4.5 MW, as per EC accorded on 29.9.2014, with condition that they shall comply with the conditions stipulated in EC.
FRESH ITEMS				
6	Tillari Hydro Electric Project (Stage-II), Kodali, Kalasgade, Mhalunge Khalsa, Kolik, Tal. Chandrapur, Dist. Kolhapur	Establish Not Approved	--	It was decided to issue SCN for refusal as the location of project is affected by Eco sensitive zone, as per MoEF direction u/s. 5 of EP act, 1986 dtd 13.11.2013
7	Kalyani Hayes Lemmerz Ltd., (Car Wheel Plant), G. No. 635, Tal. Khed, Dist. Pune.	Approved Establish	COU or 5 years whichever	It was noted that PP has carried out construction of new shed without obtaining consent to establish from Board. It was decided to obtain Resolution from

			is earlier	<p>Company's Board that they have carried out construction of new shed without obtaining Consent to Establish from board and thereby violated Environmental laws and that in future, they shall not do such violation.</p> <p>It was decided to grant consent to establish for expansion by imposing condition that industry shall submit above said Board Resolution by 30.11.2014 and shall submit BG of Rs. 2 lakh by 15.11.2014 towards compliance of the same.</p>
8	Sar Senapati Santaji Ghorpade Sugar Factory Ltd., Tal. Kagal, Dist. Kolhapur	Approved 1 st Operate	31.7.2015	<p>The industry has submitted application for EC for Co-gen and distillery until to MoEF, Gol Delhi. For Sugar Unit having capacity less than 5000 TCD EC is not required.</p> <p>Industry has submitted representation that they have applied for first consent to operate for Sugar and Co-gen plant and requested to give operate only for Sugar Unit having capacity 3500 TCD and also assured that they will not commission their Co-generation plant without obtaining Environment Clearance from MoEF, Gol, Delhi.</p> <p>It was decided to grant 1st consent to operate to Sugar Unit with capacity 3500 TCD by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. Industry shall submit an affidavit that the total BUA of sugar unit is not exceeding 20000 sq.m. 2. Industry to provide flow meter and data logger for recording purpose at the inlet of ETP of Sugar by 31.12.2014 and submit BG of Rs. 1 lakh. 3. Industry shall upgrade the ETP by 30.6.2015 and shall submit BG of Rs. 15 lakh. 4. Industry shall submit BG of Rs.5 lakh towards O & M of pollution control system. <p>These conditions will be incorporated in the consent letter.</p> <p>The application for Co-gen plant is kept in abeyance.</p>
9	KGS Sugar & Infra Corporation Ltd., Gut No. 147/4, Village Pimpalgaon (Nipani), Tal. Niphad, Dist. Nashik	Approved 1st Operate (Sugar & Co-generation)	31.7.2015	<p>It was decided to grant first consent to operate for Sugar (4000 TCD) and Co-gen (14 MW) by imposing following condition(s):</p> <ol style="list-style-type: none"> 1. Industry should not use auxiliary fuel more than 15% (as per amendment in EIA notification 2009, power plant

				<p>upto15 MW based on Bio-mass and using auxiliary fuel as coal upto 15% are exempt) as co-gen capacity is below 15 MW.</p> <ol style="list-style-type: none"> Industry to provide flow meter and data logger for recording purpose at the inlet of ETP of Sugar & Co-gen Units by 31.12.2014 and submit BG of Rs. 1 lakh. Industry shall upgrade the ETP by 30.6.2015 and shall submit BG of Rs. 15 lakh. Industry shall provide separate Primary ETP for DM plant effluent & cooling water by 31.1.2015 and shall submit BG of Rs. 10 lakh. Industry shall submit BG of Rs.5 lakh towards O & M of pollution control system. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
10	M/s. ABB India Ltd., Plot No. 79, MIDC Satpur, Street No. 17, Tal & Dist. Nashik	Approved 1st consent to operate (expansion) with amalgamation of existing consent	29.2.2016	<p>It was decided to grant 1st consent to operate (expansion) with amalgamation of existing consent subject to either neutralization of spent acid or sending to authorized ARP by imposing following condition(s):</p> <ol style="list-style-type: none"> The consent is issued with the overriding effect on existing consent granted by the Board vide consent no BO/JD(APC)/EIC No. NK-13197-13/Renewal/CAC-5840 dated 10.07.2013. Industry shall submit the BG of Rs. 2 lakhs towards regularly disposal of sludge to CHWTSDf or sending spent acid to authorized ARP. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
11	Maharashtra Seamless Limited, D-114, MIDC Vile-Bhagad, Dist. Raigad	Approved Renewal of consent to operate with increase in CI	30.6.2016	<p>It was decided to grant renewal of consent to operate with increase in CI by imposing condition of submission of affidavit regarding compliance of EIA notification 2006.</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
12	JSW Dharamtar Port Pvt. Ltd., Village Dolvi, Tal. Pen, Dist. Raigad	Approved Amendment in Consent to Establish	COU or 15.12.2016 whichever is earlier	<p>It was decided to grant amendment in consent to establish for expansion of existing jetty from 331.5 mtrs to 1750 mtrs for captive jetty with (26 nos. of items) total cargo handling capacity of 35,00,00,000 MT/year by imposing following condition(s):</p> <ol style="list-style-type: none"> This consent is issued with overriding effect over previous consent dtd 16.12.2011.

				<p>2. PP shall not take effective steps prior to obtaining EC and CRZ clearance and submit BG of Rs. 10 lakh towards compliance of the same.</p> <p>Consent draft placed in the agenda is approved with above condition(s).</p>
13	Serene developers Sr. No. 33/1, 44/1, A/p. Bhoirwadi, Tq. Mulshi, Pune	Approved Establish	COU or 5 years whichever is earlier	<p>It was decided to grant consent to establish for proposed mixed use development project on total plot area of 101220 sq.m. and total construction BUA 183929.14 sq.m. by imposing following condition(s):</p> <ol style="list-style-type: none"> 1) PP shall not take effective steps prior to obtaining EC and shall submit BG of Rs. 10 lakh towards compliance of the same. 2) PP shall submit BG of Rs. 10 lakh towards compliance of consent conditions. 3) PP shall submit an affidavit regarding compliance of EC and C to E. 4) PP shall obtain and submit NOC from local body for disposal of treated sewage in sewer line. <p>Consent draft placed in the agenda is approved with above condition(s).</p>
14	Reliance Corporate IT park, TTC ind Area, Thane Belapur Road, Ghansoli, Navi Mumbai	Amendment in Consent to Establish	---	<p>It was decided to keep the case in abeyance and call fresh application from PP for amendment in C to E for splitting of C to E in desired parts alongwith all pollution aspects details (industrial effluent generation and its disposal, hz waste generation and its disposal, air pollution etc.) for those parts as separate consents will be need to be issued.</p>
Action Proposal				
15	Action Proposal in respect of M/s. JSW Energy Ltd., Jaigad, Tal. & Dist. Ratnagiri			<p>It was decided to forfeit BG of Rs. 2 lakh as they have failed to conduct air modeling study by 15.6.2014 and BG of Rs. 2 lakh as they have failed to conduct ground water profiling by 15.6.2014 and obtain top-up BG of Rs. 4 lakh each towards compliance of both the conditions by 30.4.2015</p> <p>It was decided to issue Proposed direction for violation of consent condition(s).</p>
Review Item				
16	Request of M/s. Jindal Polyfilms ltd., 28 km Stone, Nashik-Igatpuri Road, NH-3, Village Mundhegaon, Tal. Igatpuri, Dist. Nashik for validity of consent period, appropriate interpretation			<p>The request of non-forfeiture of BG of Rs. 5 lakh for upgradation of ETP and their request for waiving condition of carrying</p>

	of MPCB's TAC re[prt. Deletion of forfeiture and requirement of Bank Guarantees		<p>out treatability study are considered subject to obtaining higher BG of Rs. 10 lakh towards O & M and rigorous monitoring by SRO for six months.</p> <p>It was decided to reject Industry's request for waiving condition of water audit as their reply is not satisfactory and condition of performance evaluation of STP as STP is designed for 300 CMD and operating at only 73 CMD.</p> <p>It was decided to reject industry's request to grant consent upto 28.02.2016 or 30.09.2016, as compliance of above points is pending.</p>
17	Application for approval of modification in exhaust stacks of current test cells of M/s. Cummins India Ltd., Kothrud, Pune.		It was decided to consider the application for approval for modification in existing exhaust stacks of current test cells on mentioned/applied operating engine power & fuel consumption conditions only for one year and obtain BG of Rs. 2 lakhs towards compliance of the same.
Directions			
18	Agenda for issued directions to M/s. Koradi Thermal Power Station of MAHAGENCO		It was decided to inform RO-Nagpur to issue direction, as per the approved draft, to the said industry.
Representations			
19	M/s. Schindler India Pvt. Ltd., Plot No. D-234, Chakan Indl. Area, Phase-II, Khed, Pune	Regarding current status of consent to Establish (Expansion)	It was decided to keep the application of C to O in abeyance as RRZ issue is still not resolved. Fresh application for C to E will be considered and put up in next meeting.
20	Saint Gobain Gyproc India Ltd., S. No. 300/1, 300/2, 302, 303, 364, Village Nare, Tal. Wada, Dist. Thane	Regarding deletion of clause pertaining to Environment Clearance in consent to Establish granted to the industry	It was decided to grant amendment in Consent to Establish for deletion of condition no. 15 i.e condition of not to take effective steps prior to obtaining EC, considering MoEF, GoI notification dtd 25.6.2014 for amendment in EIA notification, 2006 regarding thermal power plant.

The meeting ended with a vote of thanks to the chair.

General Points:

1. AST in consultation with Sr. law officer to prepare policy note on grant of consent to operate for infrastructure /construction projects which are in operation but not obtained Consent of the Board. It is necessary to cover such cases in consent management as per the directions issued by the CPCB in June, 2012 especially those who have commenced operation prior to CPCB directions of June, 2012.