

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 1st Consent Committee Meeting (2nd Part) of 2018-2019 held on 25.06.2018 at 11:30 a.m. at 3rd floor, Kalpataru Point, Sion, Mumbai .

.....

The following members of the Consent Committee were present:

- | | | |
|---|---|-------------|
| 1 | Dr. P. Anbalagan, IAS, Member
Maharashtra Pollution Control Board, | Chairman |
| 2 | Shri. R. G. Pethe
Retired WPAE, MPC Board | Member |
| 3 | Shri Y. B. Sontakke, Joint Director
Maharashtra Pollution Control Board, Mumbai | Member |
| 4 | Shri Shri P. K. Mirashe, Assistant
Maharashtra Pollution Control Board, Mumbai | Member |
| 5 | Shri V. M. Motghare, Joint Director (Air
Maharashtra Pollution Control Board, Mumbai | Member |
| 6 | Shri A. R. Supate, Principal Scientific
Maharashtra Pollution Control Board, Mumbai | Sp. Invitee |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The minutes of the 9th Consent Committee meeting of 2017-18 held on 06.02.2018 circulated under Board's letter No. MPCB/AS (T)/TB/B- 845 dated 12.02.2018 were confirmed.

The meeting thereafter deliberated on the agenda items placed before the committee and following decisions were taken.

Sr No	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Section	Remarks/ Discussion (1)
	Establish					
1	MPCB- CONSENT- 00000036+B28: D4367	M/s. VGS Realty Construction Pvt.Ltd.CTS No. 827/D1 Malad €	Not Approved Consent to Establish	_____	RO(HQ)	The Committee noted that PP has uploaded SCN reply letter dated 16.10.2017 & 2.11.2017, on webportal on 19.2.2018. PP has claimed that as per UDD, GoM directives dated 13.4.2017, no C to E is required for projects upto 1,50,000 sq.m., hence our project is exempted and did not reply to email dtd 22.5.2017. It was decided to issue final refusal of consent to establish on following non compliances: (i) PP reply to SCN is not satisfactory. (ii) Not submitted submitted details regarding STP and MSW proposal and present status of construction work

2	MPCB- CONSENT- 0000014352	Marvel Omega Builders Pvt. Ltd., S.no. 46/1/A+46/1/B+46/2+4 6/3, Bavdhan, Mulshi	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>The Committee noted the reply of SCN submitted by PP that previously the said project total BUA was 19059 sqmt hence Environment Clearance and Consent to Establish not applicable, now FSC changed from 0.33 to 1 accordingly obtained EC on 03.12.2017, EC has noted initiated work BUA 19059 sqmt. Hence, It was decided to grant of Consent to Establish for building and construction project (residential) for Total Plot area is 94400 Sq. mtrs & total built up area is 109474.24 Sq Mtrs., by imposing following conditions:</p> <p>(i) PP shall submit BG of Rs. 10 lakh towards compliance of EC and consent conditions.</p> <p>(ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p>
3	MPCB- CONSENT- 0000016137	Marvel Cerise, Sr.No. 58/2/1A/1A/1, Sr. No. 58/2/1A/3 Kharadi, Haveli	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>The Committee noted the reply of SCN submitted by PP on 22.09.2017 & reported that they have using tanker water for construction purpose & not used the borewell water.</p> <p>Hence, It was decided to grant of Consent to Establish for building and construction project (residential) for Total Plot area- 24900.00 Sq.mtr. Construction Built up area- 50158.75 Sq. mtr., (As per EC dtd. 07.09.2012), by imposing following conditions:</p> <p>(i) PP shall submit BG of Rs. 10 lakh towards compliance of EC and consent conditions.</p> <p>(ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p>

4	MPCB- CONSENT- 0000018266	Phonix Venture Ltd., S.No.274 &275/2Hinjewadi,Pune . Hinjewadi Maval	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>The Committee noted the reply of SCN submitted by PP on 06.10.2017 & reported that earlier they have applied for Consent to Establish on 24.06.2011 but not obtained the same. PP has obtained EC on 16.01.2016 and EC noted initiated work BUA 17000 sqmtr.</p> <p>Hence, It was decided to grant of Consent to Establish for building and construction project (residential) for Total Plot area- 25323.0 Sq.mtr. Construction Built up area-28529.63 Sq. mtr., (As per EC dtd. 16.01.2016), by imposing following conditions:</p> <p>(i) PP shall submit BG of Rs. 10 lakh towards compliance of EC and consent conditions.</p> <p>(ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p>
5	MPCB- CONSENT- 0000024857	Aarti Industries Ltd., K- 17/18/19 Tarapur MIDC Palghar	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	AS(T)	<p>The Committee noted that, industry has applied for consent to establish for expansion within existing premises. Committee also noted that, the proposed products falls under 5(f) of EIA Notification 2006 & requires Environmental Clearance and applied for Environmental Clearance. Committee also noted that, industry has proposed ZLD system for expansion activity and proposed air pollution control systems to control air emissions. Considering the above, it was decided to grant consent to establish expansion, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry Shall obtain Environmental Clearance from competent authority 2. Industry shall install ZLD system for entire trade effluent i.e. trade effluent generated from existing as well as expansion activity 3. Industry shall submit Bank Guarantee of rs. 5.0 Lakh towards the installation of ZLD system and compliance of consent conditions
6	MPCB- CONSENT- 0000029134	Metro Waste Handling Pvt. Ltd., 14,15,16,18,19,20,21,1 3 National highway 4, Shilphata Diaghar, Thane KALYAN	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>It was decided to grant Consent to Establish for Processing & Recycling facility for construction and demolition waste located at Vill-Diaghar waste processing plant i.e. manufacturing of aggregate and sand from Construction and Debris material by recycling process, by imposing following conditions:</p> <p>(i) PP shall submit Bank Guarantee of Rs. 5 lakh towards compliance of consent conditions.</p>

7	MPCB- CONSENT- 0000028407	IMC LIMITED, PLOT NO.6 JNPT - URAN URAN	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	The Committee noted that PP has obtain clarification from MCZMA vide letter dtd. 10.03.2016 regarding non requirement of fresh CRZ clearance for remaining work i.e installation of remaining 6 tanks. Hence it was decided to grant consent to establish for installation of 6 tanks, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems.
8	MPCB- CONSENT- 0000034985	Pratishthan Industries Pvt. Ltd., (Formerly know as Parason Ventures Pvt Ltd.), G- 1/1, 1/2 MIDC PAITHAN Paithan, Dist. - Aurangabad	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	APC	Committee noted that industry has submitted comprehensive plan for treatment and disposal of effluent. Hence, it was decided to grant consent to establish for manufacturing of Paper (Kraft Paper, Tissue Paper, Writing & Printing Paper & News Print) 60000 MT/Year, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards compliance of consent conditions.
9	MPCB- CONSENT- 0000035669	Bharat Petroleum Corporation Ltd., S.No - 233,234, A/p - Gaigaon, Tal - Balapur, Dist - Akola.	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	The Committee noted that SRO has reported that from the copy of License obtained from PESO and Existing Consent to Operate (for 9 tanks) and Consent to Establish (for 04 Tanks), the quantities of Class –A and Class –B Liquids being stored at one time are much below than the threshold limits defined in the column -3 of schedule -2 of Manufacture, Storage and Import of Hazardous Chemicals Rules 1989. From the above observation the said unit / isolated storage does not attracts EIA Notification 2006 and does not required to obtain EC. Hence, it was decided to grant grant Consent to Establish for expansion for installation of additional two tanks for storage of ethanol 200 KL each, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards compliance of consent conditions.

10	MPCB- CONSENT- 0000035601	River Residency Project by M/s. River Residency Developers, Gat No. 90 Village Chikhali Haveli, Pune	Approved Consent to Establish Revalidation & Expansion	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	It was decided to grant Consent to Establish (revalidation and expansion) for total plot area 231000 sq.m. & BUA 243263.79 sq.m., by imposing following conditions: (i) PP shall not take effective steps towards implementation of project beyond 229049.02 sq.m. without obtaining amendment in EC. (ii) In case the project is not completed within validity period of EC, PP shall not carry out construction work without obtaining fresh EC for remaining project. (iii) PP shall submit fresh BG of Rs. 20 lakh towards O & M of pollution Control system. (iv) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP. (v) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. (vi) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
11	MPCB- CONSENT- 0000036480	SOHAN HEALTHCARE PVT. LTD., D-30, MIDC, KURKUMBH, TALDAUND, DIST- PUNE 413802	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	AS(T)	The Committee noted that, industry has applied for consent to establish for expansion within existing premises. Committee also noted that, the proposed products falls under 5(f) of EIA Notification 2006 & requires Environmental Clearance and applied for Environmental Clearance. Committee also noted that, industry has proposed ZLD system for expansion activity and proposed air pollution control systems to control air emissions. Considering the above, it was decided to grant consent to establish expansion, by imposing following conditions: 1. Industry Shall obtain Environmental Clearance from competent authority 2. Industry shall install ZLD system for entire trade effluent i.e. trade effluent generated from existing as well as expansion activity 3. Industry shall submit Bank Guarantee of rs. 5.0 Lakh towards the installation of ZLD system and compliance of consent conditions

12	MPCB- CONSENT- 0000036492	Akzo Nobel India Limited, E-18,19 & 20, C-61(part) E-18,19 & 20, C-61(part), MIDC, Mahad, District Raigad, Pincode 402309 Mahad	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	AS(T)	The Committee noted that, Industry has applied for consent to establish for expansion within existing premises. Committee also noted that, the proposed products falls under 5(f) of EIA Notification 2006 & requires Environmental Clearance and applied for Environmental Clearance. Committee also noted that, trade effluent generation after expansion will be within the limit of existing consented quantity. Considering the above, it was decided to grant consent to establish expansion, by imposing following conditions: (i) Industry Shall obtained Environmental Clearance from competent authority (ii) Industry shall install ZLD system for entire trade effluent i.e. trade effluent generated from existing as well as expansion activity (iii) Industry shall submit Bank Guarantee of rs. 5.0 Lakh towards the installation of ZLD system and compliance of consent conditions
13	MPCB- CONSENT- 0000034273	EROS INFRASTRUCTURES PVT LTD., G-96, G-97, G-98 G-96, G-97, G-98 MIDC Industrial Area, Butibori, Nagpur HINGNA	Not Approved Consent to Establish	_____	APC	It was decided to keep the case in abeyance and put up in next meeting after verification from HOD regarding vacuum Distillation system/FeCL2 recovery and its feasibility.
14	MPCB- CONSENT- 0000036855	Paradise Apiary Farm, Sr. No. 36/8/9 A/P-Bhose, Panchgani Mahabaleshwar	Not Approved Consent to Establish	_____	WPC	It was decided to issue SCN for refusal of consent to establish with stop work directions, on following non-compliances: (i) As industry is in operation since 01.06.2017 without obtaining consent to establish or operate.

15	MPCB- CONSENT- 0000030266	Maharashtra Housing & Area Development Authority (MHADA), C.S. No. 223 (PT), 1/983 (PT) Dadar, Naigaon Division, Wadala, Mumbai	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>It was decided to grant Consent to Establish for development of existing textile mill (Bombay Dyeing) for TPA-33,822.89 sq.m and Total BUA-1,88,843.80 sq.m. (EC dtd. 13/02/2017) by imposing following conditions:</p> <p>(i) In case the project is not completed within validity period of EC, PP shall not carry out construction work without obtaining fresh EC for remaining project.</p> <p>(ii) PP shall submit fresh BG of Rs. 20 lakh towards O & M of pollution Control system.</p> <p>(iii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iv) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(v) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>PP shall comply with the following specific conditions:</p> <ol style="list-style-type: none"> 1. The PP shall obtain NOC /permission from the MCGM for carrying out construction on their sites that the construction debris generated from the particular site, shall be approved by the Municipal Corporation. 2. PP shall not dispose of any construction debris to the Deonar and Mulund Dumping sites. 3. The Consent is issued without prejudice to the order passed or being passed by the Hon'ble Supreme Court of India in special leave petition (Civil No. D23708/2017).
16	MPCB- CONSENT- 0000037265	P One Infrastructure Pvt. Ltd. (WTC IT PARK), S.No.1, Hissa No.1B,2B,1A,2A, Kharafi Haveli, Pune	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>It was decided to grant Consent to Establish for IT building on plot area 5431.93 sq.m. & BUA 25827.65 sq.m. by imposing:</p> <p>(i) PP shall not take effective towards implementation of the project prior to obtaining EC and submit BG of Rs. 10 lakh towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.</p>

17	MPCB- CONSENT- 0000037462	BHARAT PETROLEUM CORPORATION LIMITED, 300 and 338/3 AT-POST AKOLNER AHMEDNAGAR	Not Approved Consent to Establish Expansion	_____	AS(T)	The Committee noted that, Industry has applied for consent to establish for expansion activity within existing premises. Committee also noted that, existing unit engaged in storage & distribution of petroleum products and proposed to storage & distribute Bio-diesel. Hence, it was decided to issue SCN for refusal of consent to establish expansion on NGT case.
18	MPCB- CONSENT- 0000038390	M/s.Teirth Developers & Suyojit Infrastructers Ltd. S. No. 123/1, 123/2, 123/3/1, 123/3/2(p), 123/4/2(p), 123/6/2 S. No. 123/1, 123/2, 123/3/1, 123/3/2(p), 123/4/2(p), 123/6/2 Village Sus, Taluka – Mulshi, Pune Mulshi	Not Approved Consent to Establish	_____	RO(HQ)	It was decided to issue SCN for refusal of consent to establish (re-validation and amendment with expansion) and stop work directions on following non-compliances: (i) PP has carried out and completed construction upto 44284.58 sq.m. i.e. beyond BUA 37225 sq.m. without valid consent to establish from the Board and revised prior EC. (ii) PP has been using the borewell without obtaining NOC from CGWA. (iii) PP has submitted the same Capital Investment for C to E, 1st C to O , C to E (revalidation) and C to O (2nd part) even after increase in BUA.
19	MPCB- CONSENT- 0000038622	Vilas Javdekar Eco Homes, Gat No. 507/& 508/A/1, 507/& 508/A/2, 507/& 508/A/3, 507/& 508/A/4,507/& 508/A/5 & 323 (Part) Pirangut Mulshi	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	The Committee noted that PP has applied for Consent to establish for proposed residential cum commercial project and they have obtained ntegrated EC and CC from PMRDA on 7.12.2017 as per MoEF notification dtd 9.12.2016. Hence, It was decided to grant Consent to Establish for residential cum commercial project total plot area 14700 sq.m. & total BUA of 23508.6 sq.m. by imposing following conditions: (i) PP shall not take effective towards implementation of the project prior to obtaining EC and submit BG of Rs. 20 lakh towards compliance of the same. (ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP. (iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit. (iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E. Consent shall be issued only after verification of Integrated EC and CC from PMRDA on 7.12.2017 as per MoEF notification dtd 9.12.2016. If it is not valid then issue cosnent with condition to obtain fresh EC.

20	MPCB- CONSENT- 0000038678	Vilas Javdekar Eco Homes, 26/2/B/1, 26/2/B/2, 3, 4, 5, 6, 7, 8, 9 & 25(P) Sus Mulshi, Pune	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>The Committee noted that PP has applied for Consent to establish expansion for residential cum commercial project and they have obtained ntegrated EC and CC from PMRDA on 10.07.2017 as per MoEF notification dtd 9.12.2016. Hence, It was decided to grant Consent to Establish for residential cum commercial project total on total plot area 30010 sq.m.(including existing) & total BUA of 17514.28, by imposing following conditions:</p> <p>(i) PP shall not take effective towards implementation of the project prior to obtaining EC and submit BG of Rs. 20 lakh towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iii) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(iv) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.</p> <p>Consent shall be issued only after verification of Integrated EC and CC from PMRDA on 10.07.2017 as per MoEF notification dtd 9.12.2016. If it is not valid then issue cosnent with condition to obtain fresh EC.</p>
21	MPCB- CONSENT- 0000038543	Uni klinger Ltd., Gat No.1240, S.No.140,Village-Vadhu Budruk, Tal-Shirur,Dist-Pune - 4122016 Village-Vadhu Budruk,Shirur	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	APC	<p>The Committee noted that industry has applied for Consent to Establish for Expansion and earlier consent to operate granted by Board on dtd.16.02.2018 which is valid up to 30.04.2019 having CI Rs.26.25 Crs.</p> <p>Hence it was decided to grant consent to establish expansion for Spiral Wound Gasket with Powder Coating or Painting: 50 MT/A, Poly Tetra Fluro Ethylene (PTFE): 105 MT/A, and Expanded Graphite:360 MT/A, by imposing following conditions:</p> <p>(i) Industry shall not take any effective steps prior to obtaining Environment Clearance and submit Bank Gurantee of Rs. 10 lakh towards compliance of same and consent conditions.</p> <p>(ii) Industry shall obtain NOC from CGWA/Irriagtion department for utilization of ground/surface water before applying for consent to operate.</p>

22	MPCB- CONSENT- 0000038617	AGILE-M, S No. 33/1(P) + 33/1/12 Baner Haveli, Pune	Approved Consent to Establish	Commissioning of the unit or 5 years whichever is earlier	RO(HQ)	<p>It was decided to grant in principle consent to establish for commercial project on total plot area of 17509.5 sq.m. & BUA is 116850.96 sq.m. by imposing following conditions:</p> <p>(i) Industry shall not take effective steps towards implementation of the project prior to obtaining revised EC.</p> <p>(ii) Industry shall submit BG of Rs. 20 lakh towards compliance of the above condition.</p> <p>(iii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP.</p> <p>(iv) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(v) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.</p>
23	MPCB- CONSENT- 0000039288	GANDHAR OIL REFINERY INDIA LTD., T-9& T-10, Survey No.136/1, 136/2 137 Kharane MIDC INDUSTRIAL AREA, TALOJA PANVEL	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	AS(T)	<p>The Committee noted that, industry has applied for consent to establish for expansion within existing premises and additional plot out of MIDC area for mfg of Lubricating oil by blending and mixing process only and IE is nil. Whereas, existing consent to operate is valid up to 31/5/2021. Committee also noted that, the mfg process involves simple blending and mixing activity and does not attract the provisions under EIA Notification. Considering the above, it was decided to grant consent to establish expansion, by imposing following conditions:</p> <p>(i) Industry shall submit Bank Guarantee of rs. 5.0 Lakh towards the compliance of consent conditions.</p> <p>(ii) Industry shall not disposal any effluent outside factory and all the effluent generated from the expansion process shall be recycle/reused in to the process.</p> <p>Consent shall be issued with NIL effluent.</p>

24	MPCB- CONSENT- 0000035553	KELTECH ENERGIES LIMITED, 149/1,149/2,154/1,154/ 2,155 Village : Garamsur ,P.O.DUDHALA KATOL	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	AS(T)	The Committee noted that, Industry has applied for consent to establish for expansion within existing premises for mfg of explosive products. Committee also noted that, the proposed products falls under EIA Notification 2006 & requires Environmental Clearance. Committee also noted that, trade effluent generated from expansion activity will be treated in existing Effluent treatment plant & treated effluent 100% recycled in process. Committee also noted that, industry has proposed Air pollution control system to PETN section and briquette fired Boiler. Considering the above, it was decided to grant consent to establish expansion, by imposing following conditions: (i) Industry Shall obtain Environmental Clearance, CGWA permission & Explosive permission from competent authority (ii) Industry shall recycle the 100% treated effluent into process for various purposes so as to achieve ZLD. (iii) Industry shall submit Bank Guarantee of Rs. 5.0 Lakh towards the compliance of consent conditions
25	MPCB- CONSENT- 0000043632	Takshi Auto Components Pvt. Ltd., 152/2 Gat No. 152/2, Village- Ambethan, Tal.- Khed, Dist. Pune Khed	Approved Consent to Establish Expansion	Commissioning of the unit or 5 years whichever is earlier	APC	The Committee noted that industry has applied for Consent to Establish for Expansion and consent to operate granted by Board on 18/02/2016 for activity of Banjo Beam Assembly (with powder coating & phosphating activity):70000 nos/Year which is valid up to 31.12.2020 having CI Rs.22.46 Crs. Hence it was decided to grant consent to establish expansion for Banjo Beam Assembly (with powder coating & phosphating activity):60000 nos/Year and Engineering Components: 100000 Nos/Year., by imposing following conditions: (i) Industry shall not take any effective steps prior to obtaining Environment Clearance and submit Bank Gurantee of Rs. 10 lakh towards compliance of same and consent conditions. (ii) Industry shall obtain NOC from CGWA/Irrigation department for utilization of ground/surface water before applying for consent to operate.
	Renewal					
1	MPCB- CONSENT- 0000034292	Rallis India Ltd., D - 26 Lote-Parshuram, MIDC Khed,Tal. Chiplun, Dist. Kolhapur	Not Approved Amendment	_____	RO(HQ)	It was decided to keep the case in abeyance and put up in next CC after getting verification and feasibility for co-processing after treatment in ATFE/ATFD with HIGH TDS effluent.

2	MPCB- CONSENT- 0000020890	Kshitij Promoters and Developers, 'Crystal Garden' S.No. 134/3 & 4(C) Pashan Haveli	Not Approved Renewal of Consent to Operate	_____	RO(HQ)	The Committee noted that SCN issued on 3.3.2018 and PP vide letter dated 15.3.2018 received on 27.3.2018 stated as below: (i) We have received EC from Gol dtd 27.12.2007 as per EC conditions we have installed and operating vermi-composting pits for treatment of biodegradable waste. the manure generated from vermi-composting is being used for landscaping purpose. (ii) Regarding present status of project states that they have started construction in 2008, Bldg A, B,C, D, E and club House-completed and operational building F- RCC completed (12th floor), Building G- Under construction- 3rd floor RCC completed, Bldg H- under construction- RCC completed (12th floor). (iii) PP states that they have submitted BG of Rs. 5 lakh towards O & M of STP which was valid upto 31.12.2017. (iv) Regarding revalidation of EC PP states that original EC was granted on 27.12.2007, extension of EC dated 22.1.2012 and as per MoEF gazette dtd 29.4.2015 & 12.4.2016 EC of the projects which had not completed five years on the date of publication of notification i.e. 29.4.2015, there validity will stand automatically extended to seven years, hence the validity for our concern project is automatically extended upto 7 years. But PP has submitted minutes of SEIAA meeting held on 23rd & 24th December, 2013 and not submitted EC validity extension letter. Hence, it was decided to issue final refusal of renewal of C to O as they have not re-validated EC, not provided OWC as per previous consent conditions.
3	MPCB- CONSENT- 0000022104	Tata Communications Limited, S.No.56 &57,A2 , Pune Alandi Road, Dighi Haveli	Not Approved Renewal of Consent to Operate	_____	RO(HQ)	It was decided to issue SCN for refusal of consent to operate on following non-compliances: (i) STP is not in operation. (ii) PP has installed DG sets of 11250 KVA (more the earlier consented quantity) without obtaining C to E from Board. (iii) Forfeit existing Bank Guarantee for violation.
4	MPCB- CONSENT- 0000020530	Shrikrishna Khandsari Sugar Mill, Gut.No.395 Gut.No.395, At- Akkalkuwa Road Taloda, Tq.Taloda, Dist.Nandurbar. Taloda	Not Approved Renewal of Consent to Operate	_____	WPC	The Committee noted that, SCN was issued to Industry on 20.02.2018 for non-compliances of CREP conditions, nonsubmission of ETP,APC and fuel details, justification of increase in C.I. ,non provision of online monitoring system as per CPCB and non submission of BG as per earlier consent. Hence, it was decided to issue final refusal of renewal of consent to operate on above mention non-compliance and PP has failed to reply to SCN.

5	MPCB- CONSENT- 0000024882	Ultra Engineers (Unit IV), Sector No. 10, Plot No. 58 PCNTDA, Bhosari Haveli	Approved Renewal of Consent to Operate	28.08.2022	APC	<p>The Committee noted that, SCN for refusal of renewal of Consent operate with expansion & stop work issued to industry vide letter dtd. 09.03.2018. Industry reply to SCN stating that the manufacturing is on the basis of as per job order. They had applied for increase in production quantity. They had production capacity of 1000 Nos/Month. Industry has not increased the production quantity.</p> <p>Hence, It was decided to grant renewal of consent to operate with increased in investment, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems and compliance of consent conditions.</p> <p>Consent shall be issued after submission of requisite fee, if any.</p>
6	MPCB- CONSENT- 0000027362	Atul Enterprises, Sr. No. 100/1, 100/2, 100/3, 100/4, 100/5, 100/6B, 101/1, 101/2, 101/3, 101/4, 101/5B, 101/6B, 101/6C Mauje- Pimple Saudagar Haveli	Not Approved Renewal of Consent to Operate	_____	RO(HQ)	<p>The Committee noted that, SCN for refusal of consent issued on 06.03.2018 on following non compliances: (i) PP has not submitted latest CA certificate and also not replied to query letter issued by SRO. (ii). PP has not provided OWC as per Environmental Clearance condition for disposal of degradable solid waste and also not replied to the warning notice issued by SRO. (iii) PP has not carried out operation chlorination of treated effluent as reported by SRO. (iv) PP has not submitted BG as per Previous consent condition. PP has read the SCN on web portal but failed to submit reply. Hence, it was decided to issue final refusal of consent to operate as PP has failed to submit reply to SCN dtd. 06.03.2018.</p>
7	MPCB- CONSENT- 0000026525	Athani Sugars Ltd. (Bhudargad Unit) Tambale, Gat No's- 110,112,124,125,126,127,129,130,133. Anturli (Tambale) Bhudargad	Approved Renewal of Consent to Operate	31.07.2019	WPC	<p>It was decided to grant renewal of consent to operate for 2500 TCD sugar unit, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems.</p> <p>Consent shall be issued after obtaining requisite consent fee.</p>

8	MPCB- CONSENT- 0000028260	Polybond India Pvt. Ltd., Gat No. 1087, Sanaswadi, Tal:- Shirur, Dist:- Pune 412210	Not Approved Renewal of Consent to Operate	_____	APC	<p>The Committee noted that, SCN for refusal of renewal of Consent operate issued to industry vide letter dtd. 09.03.2018. Industry submitted reply stating, 1. Submitted BG of R 2.0 lacs which is valid upto 27th August 2018.</p> <p>2. ETP & STP are in working condition.</p> <p>3. STP is also in working condition</p> <p>4. Maintaining Log Books of both ETP & STP Separately.</p> <p>5. Scrubber has been ordered and will be in place in one week's time at the plant. Once the Scrubber is installed we will start the work of ducting also.</p> <p>6. Applied for CGWA permission and will submit a copy of the receipt too.</p> <p>SRO Pune-2 reported as per Show cause notice industry has not taken step for stop work of production hence recommended that further directions for disconnection of power supply.</p> <p>Hence it was decided to issue final refusal of renewal of consent to operate and clodure directions as industry has not obtain CGWA permission and not failed to comply with the SCN condition of stop work.</p>
9	MPCB- CONSENT- 0000028430	Polybond India Pvt. Ltd., Gat No. 144 / 145, Gat No. 144 / 145, Village Dhanore, Tal:- Khed, Dist:- Pune Khed	Approved Renewal of Consent to Operate	31.03.2020	APC	<p>The Committee noted that SCN for refusal of renewal of Consent operate issued to industry vide letter dtd. 15.03.2018. Industry submitted reply stating, 1. CI has increased by 10% due to plant & machinery. They have also paid the necessary fees as per increased CI.</p> <p>2. Industry has informed that, Scrubber has been ordered and will be in place in one week's time at the plant. Once the Scrubber is installed they will start the work of ducting also.</p> <p>3. BG of Rs 50,000/- was against the dismantling of the Incinerator, which was already done & the Photographs dismantling of the Incinerator attached.</p> <p>4. Industry has submitted bank Guarantee of Rs. 2.0 lakhs towards O & M.</p> <p>Hence, it was decided to grant renewal of consent to operate, by imposing following conditions:</p> <p>(i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems.</p> <p>Consent shall be issued after submission of requisiste fee, if any.</p>

10	MPCB- CONSENT- 0000032758	Mahindra & Mahindra Ltd., Plot No. 80 G. No. 64/B & 64/C MIDC Satpur, Nashik	Approved Renewal of Consent to Operate	30.11.2019	APC	The Committee noted that industry proposes to increase the quantity of Thermocol Pattern from 1450 Nos./Yr. to 3050 Nos./Yr. From the existing products, there is generation of I.E.- 0.08 C. Hence, it was decided to grant in princapally renewal of consent to operate in "Orange" category, subject to audit report of water and effluent generation, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems. Consent shall be issued after submission of requisiste fee, if any.
11	MPCB- CONSENT- 0000035076	WILO Mather and Platt Pumps Private Limited, E-25 Gokul Shirgaon, MIDC Kolhapur	Approved Renewal of Consent to Operate	31.12.2020	APC	It was decided to grant renewal of consent to operatefor production of Pumps and Castings in Red/LSI category without making any change in products and their quantities, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems. Consent shall be issued after submission of requisiste fee, if any.
12	MPCB- CONSENT- 0000035297	Birla Precision Technologies Ltd., B- 15/4 Waluj Aurangabad	Not Approved Renewal of Consent to Operate	_____	APC	It was decided to issue SCN for refusal & closure of renewal of consent to operate on following non-ccompliances: (i) Industry has not provided APC to blackening section. (ii) Analysis reports of JVS on 15.03.2017, 08.08.2017, are exceeding the consented limit. (iii) Industry has not submitted relevant document.(i.e. Registration, additional fees, ESR, membership copy of CETP/CHWTSDF ,Form No 4) (iv) Industry has not submitted replt to SRO Aurangabad Warning letter issued vide no./MPCB/SROA/125/2016 dated-22.01.2016. (v) Industry has not submitted Bank Guarantee of Rs.5 Lack as per consent condition.
13	MPCB- CONSENT- 0000035151	Brima Sagar Maharashtra Distilleries Limited, At Post Sheerpur, At Post Sheerpur, Tal:- Malshiras, Dist:- Solapur 413112	Not Approved Renewal of Consent to Operate	_____	WPC	It was decided to issue SCN for refusal of renewal of consent to operate, on following non-complinaces: (i) Industry increased CI by Rs. 12.89 Crs. Without propoer justification for increase in CI.

14	MPCB- CONSENT- 0000034656	Chirag Developers, 6/4, 6/5, 6/6 & 6/12 Ambegaon (Bk) Haveli	Approved Renewal of Consent to Operate	31.01.2019	RO(HQ)	<p>It was decided to grant renewal of consent to operate (part) for residential project on total plot area of 21061.17 sq.m. & construction area 26786.28 sq.m.by imposing following conditions:</p> <p>(i) PP shall not take effective steps towards implementation of remaining project without obtaining Consent to establish and Environmental Clearance from competent authority.</p> <p>(ii) PP shall submit fresh BG of Rs. 10 lakh towards O & M of pollution Control system.</p> <p>(iii) PP shall install online monitoring system for the parameters BOD, SS and flow at the outlet of STP within three months and submit BG of Rs. 5 lakh towards compliance of the same.</p> <p>(iv) PP shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/lit.</p> <p>(v) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(vi) PP shall apply for re-validation of C to E within 15 days.</p> <p>Consent shall be issued after submission of additional consent fees of Rs. 1,00,000/-</p>
15	MPCB- CONSENT- 0000036214	Sunflag Iron & Steel Co. Ltd. (Belgaon Underground Coal Mine), 135,136,137,138 Vill- Belgaon, Tal- Warora, Dist- Chandrapur Warora	Approved Renewal of Consent to Operate	31.03.2023	APC	<p>It was decided to grant renewal of consent to operate for production Coal:0.27 MT/A, by imposing following conditions:</p> <p>(i) Industry shall extend existing Bank Guarantee of Rs. 10 lakh submitted towards O & M of pollution control systems and compliance of consent conditions.</p> <p>Consent shall be issued after submission of requisite fee, if any.</p>
16	MPCB- CONSENT- 0000030667	SHRI VRIDHESHWAR SAHAKARI SAKHAR KARKHANA LTD., 106, 104/1, 105/1, 109/ZA ADINATHNAGAR, KASAR PIMPALGAON PATHARDI	Not Approved Renewal of Consent to Operate	_____	WPC	<p>The committee noted that SCN for refusal of renewal of consent was recommended by CC on 06.02.2018. Industry has only submitted reply stating that they have called quotation from various parties for installation of online monitoring system as per CPCB direction and are in the process of finalizing the supplier. Hence we may issue final refusal and closure directions on following non compliances:</p> <p>(i) ETP is inadequate and not in operation.</p> <p>(ii) Not submitted bank Guarantee as per earlier consent.</p> <p>(iii) Unit started crushing without valid consent and carried out excess crushing.</p> <p>(iv) Online monitoring system has not been installed.</p>

17	MPCB- CONSENT- 0000034808	Shri Kedareshwar Sahakari Sakhar Karkhana Ltd., 352,357 At Sumannagar, Post Bodhegaon Shevgaon	Not Approved Renewal of Consent to Operate	_____	WPC	The Committee noted proposal submitted by SRO Ahmednagar dated 06.04.2018 wrt SCN issued on 14.03.2018, accordingly following non-compliance are pointed out: (1) Industry was not in operation for 2011-2015, hence fees for that period not submitted. (2) Not complied to CPCB direction for installation of online monitoring system. (3) Untreated effluent is disposed without treatment in this season. (4) ETP is inadequate and not in operation. JVS results are exceeding the consented standards. Hence, it was decided to issue SCN for refusal of consent to operate and closure directions on above mention non-compliances.
18	MPCB- CONSENT- 0000038623	Kores (India) Limited, Plot No - 58/1, 58/2, 59-A, 65-A, 65-B, 65- C, 66-A MIDC Dhataw, Roha Roha	Approved Renewal of Consent to Operate	31.12.2022	AS(T)	The committee noted, Industry has applied for plain renewal of consent to operate with ZLD of HIGH TDS/COD stream. Committee taken on record of technical details of RO & MEE installed for treatment of HIGH COD/HIGH TDS stream as per the Boards directions. Considering the above, it was decided to grant renewal of consent to operate, by imposing following conditions: (i) Industry segregate high COD/TDS effluent and treat in RO & MEE so as to achieve ZLD of HIGH COD/TDS stream. (ii) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems & compliance of consent conditions.
19	MPCB- CONSENT- 0000039598	Royal Embroidery Threads Pvt. Ltd., Plot No. D-11 MIDC Kurkumbh Daund	Approved Renewal of Consent to Operate	31.01.2023	WPC	The Committee noted that Industry is engaged in Mfg Embroidery Yarn. Industrial effluent is about 98.0 CMD. Industry has provided ETP consist of Primary and Tertiary treatment. Industry has provided RO system to treat the effluent. Hence it was decided to grant renewal of consent to operate, by imposing following conditions: (i) Industry shall extend existing Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems and compliance of consent conditions. Consent shall be issued after obtaining requisite consent fee, if any.
20	MPCB- CONSENT- 0000038550	Mahabaleshwar Madhotpadak Co- Operative Society Ltd., 163 Mahad Road, Mahabaleshwar	Not Approved Renewal of Consent to Operate	_____	WPC	Committee noted that Board has granted Consent to Operate in Red/SSI vide Consent No. MPCB/PCI-III/EIC-PN-2460-08/284 dtd. 23.09.2008 with CI of Rs.36 Lacs, the same was valid up to 31.12.2008. Hence it was decided to issue SCN for refusal of consent to operate, on following non compliance: (i) Industry has failed to submit lapse period fee since 2008. (ii) Industry has not applied or obtain renewal of consent to operate since 2008.

21	MPCB- CONSENT- 0000039205	PUNE TERMINAL INDIAN OIL CORPORATION LIMITED, KADAM VAK VASTI PUNE SHOLAPUR HIGHWAY LONI KALBHOR HAVELI	Approved plain renewal of consent to operate	31.01.2021	AS(T)	The committee noted that, industry has applied for plain renewal of consent to operate for storage and distribution of petroleum products using existing 12.0 nos. of storage tank. Considering the above, it was decided to grant plain renewal of consent to operate by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems.
22	MPCB- CONSENT- 0000041282	M/s Vedant Dyestuff Intermediates Pvt. Ltd., V-28, 29 MIDC Taloja Panvel	Approved renewal of consent to operate	28.02.2023	AS(T)	The committee noted that, Industry has applied for renewal of consent without change in production with enhancement CI for mfg. of Dyes & Dye intermediate. Committee also noted that, Industry has provided full-fledged ETP for treatment of trade effluent and treated effluent connected to CETP. Committee also noted that, industry has provided necessary air pollution control system. Considering the above, it was decided to grant plain renewal of consent to operate by imposing following conditions: (i) Industry shall segregate high COD stream effluent and provide separate treatment system for the same within 03 month period. (ii) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems & compliance of consent conditions
23	MPCB- CONSENT- 0000042336	Royal Carbon Black Pvt Ltd., Survey No. 1,2,4,5,6,7,8/2,8/3,8/4, 10/0 and 94/1 Village Vanivali Khalapur	Approved renewal of consent to operate	31.03.2023	AS(T)	The committee noted that, Industry has applied for renewal of consent to operate without change in production quantity with increase in CI. Committee also noted that, there is no generation of trade effluent and Air pollution control system in the form of scrubbing system provided to the Pyrolysis Reactor Furnace. Considering the above, it was decided to grant renewal of consent to operate with increase in CI, by imposing following conditions: (i) Industry shall submit Bank Guarantee of Rs. 5 lakh towards O & M of pollution control systems.

For: 1st CC Meeting (2nd part) minutes held on 25.06.2018, Put up for approval.

JD(WPC):

Member Secretary: