

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 22nd Consent Appraisal Committee Meeting of 2013-2014 held on 15.02.2014 at 11.00 am at Conference Hall, MPC Board, Kalpataru Point, 4th Floor, Sion Circle, Sion (E), Mumbai 22.

.....

The Consent Appraisal Committee meeting of the Board was held on 15.2.2014. Following members of the Consent Appraisal Committee were present:

- | | | |
|----|------------------------------------------------------------------|------------------|
| 1. | Shri. J. S. Sahni,
Chairman, MPC Board, Mumbai. | Chairman |
| 2. | Shri. Rajeev Kumar Mital,
Member Secretary, MPC Board, Mumbai | Member Secretary |
| 3. | Shri.P.P.Nandusekar
Technical Advisor(Env), MIDC, Mumbai | Member |
| 4. | Shri. Rakesh Kumar,
Scientist & Head, NEERI, Mumbai | Special Invitee |

The Secretary, Home (Transport) Dept., Mantralaya, Mumbai, Member could not attend the meeting. Leave of absence was granted to him.

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The minutes of 21st CAC meeting of 2013-14 held on 1.2.2014 circulated under Board letter no. MPCB/CAC-Cell/Minutes/B-578 dated 7.2.2014 were confirmed.

The meeting thereafter deliberated on the agenda items **(Book-let no.40)** placed before the committee and following decisions were taken.

Sr. No.	Name of Industry	Decision on grant of consent	Consent granted upto	Remarks/Discussion (1)
(Book-let no. 40) RESUBMISSION				
1	Nipro India Corporation Pvt. Ltd., Plot No. E-1, Kesurdi MIDC, Village Dhangarwadi, Tal. Khandala, Dist. Satara	Approved 1st Operate & Amalgamation	31.1.2017	It was decided to grant consent to 1 st operate and amalgamation with existing consent subject to obtaining requisite consent fees for additional CI by imposing following conditions: 1. PP shall operate the plant at 60% manufacturing capacity and limit industrial effluent to 242 CMD and Domestic effluent to 60 CMD as stated in the reply submitted by industry, PP shall submit BG of Rs. 10 lakh to

				<p>ensure compliance of the same.</p> <ol style="list-style-type: none"> Existing BG of Rs. 5 lakh shall be extended for period upto 31.5.2017 towards O & M of pollution control system. PP shall install flowmeter within 15 days. PP shall recycle 113 CMD of treated effluent in process (at 90% mfg capacity recycle of treated effluent percentage is approx 37.8%, hence at 60% mfg capacity proportionate qty of treated effluent i.e. 113 CMD shall be recycled which includes sewage & trade effluent). <p>Consent draft placed in the agenda is approved with above condition.</p>
2	Starion India Pvt. Ltd., Plot No. A6/1, MIDC-Ranjangaon, Tal. Shirur, Dist. Pune	Approved Renewal	30.4.2015	<p>It was decided to grant renewal of consent after obtaining additional consent fees for validity as per Sectoral Approach Validity policy and with the condition that industry shall not operate painting activity without specific permission of the Board and submit BG of Rs. 2 lakh towards the compliance of the same. Extend existing BG of Rs. 5 lakh for a period upto 31.8.2015 towards O & M of pollution control system.</p> <p>Consent draft placed in the agenda is approved with above condition and correction in 1 A] under Schedule –I for design capacity of 1.5 CMD in place of 315 CMD.</p>
3	Cargill India Pvt. Ltd., Plot No.E-45, MIDC Kurkumbh, Tal. Daund, Dist. Pune	Approved Renewal & 1st Operate (Co-gen & amalgamation of both consents)	31.3.2016	<p>It was decided to grant renewal of consent, 1st consent to operate for bio-mass based Co-gen and amalgamation of both consents with following conditions :-</p> <ol style="list-style-type: none"> There shall be joint responsibility of both the plants at plot no. E-45 and E-4 towards treatment of effluent from E-4 unit in their ETP unit at E-45. In case of the non-compliance of proper O & M, discharging pollutants, both the plants at plot no. E-45 and E-4 will be jointly & severally liable for the same & any legal obligation, action etc. PP shall submit BG of Rs. 2 lakh by 5.3.2014 towards treatability study within 3 months i.e. 31.5.2014. The BG of O & M to be extended till 31.07.2016. Industry should not use auxiliary fuel more than 15%(as per EIA notification, a amended in 2009). <p>Consent draft placed in the agenda is</p>

				approved with above condition
4	Rieter India Pvt. Ltd., Vadu Road, Koregaon Bhima, Tal. Shirur, Dist. Pune	Approved Renewal	Corresponding to the fees paid	It was decided to grant plain renewal of consent with Capital Investment of Rs. 93.94 Crs. and issue final refusal for increase in CI & construction area more than 20,000 sq.m. in totality.
		Refused Expansion/ increase in C.I.	-----	
5	Polygenta Technologies Ltd., 265/266, Vill. Avankhed, Tal. Dindori, Dist. Nashik	Approved Renewal	31.07.2016	It was decided to grant renewal of consent and with following conditions :- 1. PP shall provide STP within six months and submit BG of Rs. 5 Lakh towards compliance of the same. 2. As ETP is not designed as per TAC report and some of the JVS results are not within limit, PP shall submit BG of Rs. 10 Lakh towards operation and maintenance of pollution control system. 3. Existing BG of Rs. 6 Lakh shall be released. Consent draft placed in the agenda is approved with above conditions and corrections in BG schedule as above.
6	M/s. Lloyds Metals & Energy Ltd., Ghugus Plot No. A-1&2 MIDC Industrial Area, Dist. Chandrapur	Approved Renewal / Not approved	-----	It was decided to keep the case in abeyance and resubmit in next CAC when JD(APC) and SLO will be present to brief the matter.
7	Sandoz Pvt. Ltd., Plot No. L-1, Addl. MIDC Mahad, Dist. Raigad	Amendment Not approved	---	It was decided to keep the case in abeyance to re-examine the no increase in pollution load certificate.
8	Golden Falcon Pacific Ltd., Plot No. C-39/A, TTC Indl Area, MIDC, Pawane, Navi Mumbai	Establish Not approved	---	It was decided to return the application to SRO for resubmission in revised format within 15 days, and direct industry to co-operate with SRO for submission of required information.
FRESH				
1	Topworth Urja & Metals Limited, Mouza-Ukkervahi, Village Heti, Tah- Umred, Umred Road, Dist. Nagpur.	Approved Establish (expansion)	COU or 5 years whichever is renewal	It was decided to grant consent to Establish for expansion by imposing following conditions :- 1. PP shall not take effective steps prior to obtaining EC and shall submit BG of Rs. 10 Lakh towards compliance of the same. 2. The existing consent to operate is due for renewal in May-2014, hence, prior to renewal of existing consent to operate or 1 st consent to operate for expansion get clarification from unit by 31.03.2014 regarding water balance as per TAC's comment as well as compliance of existing unit and put up to TAC & CAC thereafter. PP to submit BG of Rs. 2 lakh towards compliance of same,

				5.3.2014. Consent draft placed in the agenda is approved with the above condition.
2	Lenzing Modi Fibers India Pvt. Ltd., Plots M-1 & M-2, Additional Patalganga MIDC, Village Sarsai, Tal. Panvel, Dist. Raigad	Establish Not approved	-----	It was decided to keep the case in abeyance and resubmit to CAC with following details :- 1. Details of original C to E and amendments in C to E issued from time to time. 2. Verification of applicability of RRZ policy /CRZ notification. 3. Full details regarding the Court case and the order passed by the Hon"ble Court.
3	Jinbhuvish Power Generations Pvt. Ltd., Villae Ghanmukh, Bijora, Ningnur, Nandgwhan, Taluka-Mahagaon & Umerkhed, Dist. Yavatmal	Approved Establish	COU or 5 years whichever is earlier	TAC confirmed that the ESP with 99.92% efficiency is adequate to achieve 50 mg/Nm3 of TPM concentration. It was decided to grant consent to Establish by imposing condition of compliance of EC conditions. Consent draft placed in the agenda is approved with the above condition.
4	Maharashtra Breweries Ltd., Gat No. 25 at Kadwamahlungi, Tal. Dindori, Dist. Nashik	Establish Not approved	---	It was decided to keep the case in abeyance and get clarification regarding inadequate land reserved for disposal of effluent even though the land is available with the company.
5	Atlas Copco (I) Ltd., Plot No. 90, MIDC Satpur, Tal. & Dist. Nashik	Establish (expansion) Not approved	----	It was decided to keep the case in abeyance and get the distance certificate from Executive Engineer, Irrigation Dept. in the prescribed format which is available on website of MPCB, for verification of distance given by SRO.
6	Bharat Petroleum Corporation Ltd., Survey No. 8/6, Vill. Bhendkhal, Uran, Raigad	Approved Establish (expansion)	COU or 5 years whichever is earlier	It was decided to grant consent to establish for expansion with condition that PP shall not take effective steps prior to obtaining EC (as BUA is more than 20,000 sq.m. in totality) and shall submit BG of Rs. 5 Lakh towards compliance of the same. Consent draft placed in the agenda is approved with the above condition.
7	Fine Organic Industries Pvt. Ltd., Plot No. N-2, MIDC Additional Ambernath, Kalyan.	Approved Establish (expansion)	COU or 5 years whichever is earlier	It was decided to grant consent to establish for expansion with following conditions : 1. PP shall not take effective steps prior to obtaining EC for BUA more than 20,000 sq. mtrs. and shall submit BG of Rs. 5 Lakh towards compliance of the same. 2. PP shall carryout treatability study by 31.05.2014 and submit BG of Rs. 2 Lakh by 05.03.2014 towards compliance of the same. 3. The treatability study report shall be

				<p>appraised by TAC before granting consent to operate for expansion.</p> <p>Consent draft placed in the agenda is approved with the above condition.</p>
8	Kirloskar Oil Engines Ltd., Plot No. D-1, Five Star MIDC Kagal-Hatkanangale, A/p. Talandage, Dist. Kolhapur	Approved 1st Operate (Expansion & Amalgamation)	28.2.2015	<p>It was decided to grant 1st consent to Operate for expansion and amalgamation with existing consent by imposing following conditions :-</p> <ol style="list-style-type: none"> 1. Consent is issued with overriding effect to previous consent. 2. Existing BG of Rs. 5 Lakh extended for a period upto 30.6.2015 towards O & M of pollution control system. <p>Consent draft placed in the agenda is approved with the above condition and correction in schedule no. 1 for incorporating primary treatment for trade effluent & then further treatment with Sewage in STP of 360 CMD.</p>
9	KSB Pumps Ltd., Plot No. E-3/4, MIDC, Sinnar, Tal. Sinnar, Dist. Nashik	Approved 1st Operate (Expansion), Renewal & Amalgamation	30.6.2018	<p>It was decided to grant 1st consent to Operate for expansion, renewal of existing consent and amalgamation of both consents by imposing following conditions :</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 10 Lakhs towards O & M of pollution control system as the STP design is at variance with the design advised by TAC. <p>PP shall be advised to reconsider the STP design and its performance based on TAC report.</p> <p>Consent draft placed in the agenda is approved with the above condition.</p>
10	Fine Organic Industries Pvt. Ltd., Plot No. N-2, MIDC Additional Ambernath, Kalyan.	Approved 1st Operate & Renewal with reduction & addition in quantity of products & amalgamation of both consent	31.1.2017	<p>It was decided to grant 1st consent to operate for expansion and renewal of existing consent with reduction & addition in quantity of products and amalgamation of both consents after receipts of fees for validity upto 31.01.2017 as per sectoral approach and by imposing following conditions :</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 5 Lakh towards O & M and pollution control systems. 2. Consent is issued subject to condition of submission of treatability study report which is already stipulated in C to E for expansion. <p>Consent draft placed in the agenda is approved with the above condition.</p>

11	JSW Steel Coated Products Ltd., A-10/1&2 MIDC Industrial Area, Kalmeshwar	Approved Renewal & Amalgamation	30.6.2016	<p>It was decided to grant renewal of two consent and amalgamation of consents by imposing BG of Rs. 5 Lakh towards O & M and pollution control system.</p> <p>Consent draft placed in the agenda is approved with the above condition.</p>
12	Ratnagiri Gas & Power Pvt. Ltd., LNG Terminal (A joint Venture of NTPC & Gail), Gat No.1036, 1037, 1039, 1040, A/p. Vill. Anjanwel, Tal. Guhagar, Dist. Ratnagiri	Approved Renewal	30.06.2015	<p>It was decided to grant renewal of consent after obtaining additional consent fees for validity upto 30.06.2015 as per sectoral approach</p> <p>Consent draft placed in the agenda is approved with the above condition.</p>
13	Brintons Carpets Asia Pvt. Ltd., Gat No. 414/415/416, Urawade, Tal. Mulshi, Dist. Pune	Approved Renewal	31.1.2019	<p>It was decided to grant renewal of consent by imposing following conditions :</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 5 Lakh towards providing arrangement of treated effluent, recycle and reuse atleast 50% along with Multiple Effect Evaporator (MEE). 2. PP shall submit BG of Rs. 2 Lakh towards providing adequate stack height. 3. PP shall submit BG of Rs. 10,000/- towards providing ash collection and disposal arrangements. 4. PP shall submit BG of Rs. 1 Lakh towards storage (proper cover, leachate collection system, connection to ET, not exceeding 90 days storage etc.). 5. PP shall submit BG of Rs. 25,000/- towards maintaining records. 6. PP shall submit BG of Rs. 10 Lakh towards O & M of the effluent treatment plant to achieve disposal standards. 7. PP shall submit BG of Rs. 5 Lakh towards O & M of Air Pollution Control Devices to achieve emission standards. <p>Consent draft placed in the agenda is approved with the above condition</p>
14	Atlas Copco (I) Ltd., Plot No. 90, MIDC Satpur, Tal. & Dist. Nashik	Approved Renewal	30.4.2015	<p>It was decided to grant renewal of consent with trade effluent quantity of 2.5 CMD and without heat treatment and short blasting activity by extending BG of Rs. 5 Lakh for a period upto 31.08.2015 towards O & M of pollution control system and after obtaining additional consent fees for validity upto 30.04.2015 as per sectoral approach.</p> <p>Consent draft placed in the agenda is approved with the above condition.</p>

15	Shivratna Udyog Pvt. Ltd., Village Karkamb, Tal. Pandharpur, Dist. Solapur	Approved Renewal (Sugar & Co- gen)	31.7.2014	<p>It was decided to grant renewal of consent for Sugar & Co-gen Plant after obtaining additional consent fees towards increase in C.I. and imposing following conditions :</p> <p>1. Applicant shall submit BGs as below:</p> <ul style="list-style-type: none"> • Rs. 9 lakh- towards reduction of waste water generation to 100 liters per ton of cane crushed. • Rs. 1 lakh- towards providing flow meter at inlet of ETP of Sugar & Co-Gen unit. • Rs. 10 lakh- towards providing separate primary ETPs for DM Plant effluent and cooling water. • Rs. 5 lakh- towards making arrangements to cover the effluent collection and carrying system to avoid the ingress of Bagasse and other material. • Rs. 2 lakh- towards Adequate land to be made available (owned by self or with bilateral agreement with land owners) for disposal of treated effluent (20 cubic meter per acre of land) to achieve zero discharge into in land surface water bodies (Sugar + Co-gen). • Rs. 10000/- towards Plans to be submitted for Utilization of Fly ash & Bottom ash as per Fly ash Notification • Rs. 5 lakh- towards O & M for achieving consented standards of Effluent & Stack emission. <p>Consent draft placed in the agenda is approved with the above condition</p>
16	Rajarambapu Patil SSK Ltd., (Unit No. 2), Wategaon, Tal. Walwa, Dist. Sangli	Approved Renewal (Sugar & Co- gen)		<p>It was decided to grant renewal of consent for Sugar & Co-gen Plant and imposing following conditions :</p> <p>1. Applicant shall submit BGs as below:</p> <ul style="list-style-type: none"> • Rs. 1 lakh- towards providing flow meter at inlet of ETP of Sugar & Co-Gen unit. • Rs. 10 lakh- towards upgradation & making the ETP operational with improvement to meet the standards • Rs. 10 lakh- towards providing separate primary ETPs for DM Plant effluent and cooling water. • Rs. 10000/- towards Plans to be submitted for Utilization of Fly ash & Bottom ash as per Fly ash Notification • Rs. 5 lakh- towards O & M for achieving consented standards of Effluent & Stack emission.

				Consent draft placed in the agenda is approved with the above condition.
17	Sanstar Ltd. Sr. No. 267, 268, 440/1,2,3,356 to 361, Vill. Karwand, Tal. Shirpur, Dist. Dhule	Approved Amendment in Consent to establish	COU or 8.10.2017	It was decided to grant amendment in consent to establish for Biomass based Power Plant (4.5 MW) by imposing following conditions: 1. Consent is issued with overriding effect over previous consent. 2. Industry should not use auxiliary fuel more than 15%(as per EIA notification, a amended in 2009). Consent draft placed in the agenda is approved with the above condition.
18	Redco Hotels Pvt. Ltd., Plot No. P-7, Phase-1, MIDC Chakan. Dist. Pune	Approved Renewal	31.5.2016	It was noted that existing BG is not valid and one of the JVS results are exceeding. It was decided to grant consent to operate by imposing following conditions: 1. PP shall submit BG of Rs. 10 lakh towards O & M of pollution control system. 2. PP shall submit details of Environment Statement and Cess Paid by 15.3.2014 and submit BG of Rs. 2 lakh towards compliance of the same. 3. PP shall submit an affidavit that they not operating the laundry activity at present and in future, shall obtain MPCB's permission to operate laundry activity. Consent draft placed in the agenda is approved with the above condition.
19	Zydus Takeda Health Care P.Ltd., C-4, MIDC, Thane-Belapur Roads, Vill-Pawne, Vashi, Navi.	Approved Amendment (Change in Product mix)	30.4.2016	It was decided to grant amendment in consent to operate for change in product-mix by imposing following conditions: 1. Industry to comply with MoEF Circular regarding clarification for change in product mix dated 14.12.2006. 2. Combined stack height of 40 mtrs with fuel consumption of FO-385 Kg/hr, PNG-400 SCMH with one boiler operational and other boiler stand-by. Consent draft placed in the agenda is approved with the above condition.
Infrastructure Consent to Operate(part) (Green Field -Resubmission Cases)				
20	Ascent Construction Pvt. Ltd. "Acmezone" Off Glady Alwares Road, Pokharan Road no. 2, Manpada, Thane(W)	Approved 1 st operate (part)	31.11.2015	It was decided to grant consent to operate (Part) for residential-cum-commercial project on total plot area of 45617.49 sq. mtr. and built-up area of 63,872.73 sq. mtrs., out of total BUA of 1,76,508.22 sq. mtr. by imposing following conditions :-

				<ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 10 Lakh towards operation and maintenance of pollution control system. 2. PP shall an affidavit within 15 days in the prescribed format regarding the compliance of conditions of EC CRZ clearance and C to E. If the affidavit is not submitted by 5.3.2014, the consent granted now will be deemed to be cancelled. 3. PP shall comply with the conditions stipulated in EC. <p>Consent draft circulated during the meeting is approved with above conditions.</p>
21	Iven Township(pune) Pvt. Ltd. Village-Jambhe Marunji, Nere, Tal-Mulshi	Refused 1 st Consent to Operate (Part)	----	It was decided to refuse the 1 st Consent to Operate (Part) as the EC is not valid and PP has not submitted reply to the SCN in terms of status of STP and revalidation of EC.
22	Nanded City Township Development & Construction Ltd. Village-Nanded, Tahsil-Haveli, Dist-Pune	Refused 1 st Consent to Operate (Part)	----	It was decided to refuse the 1 st Consent to Operate (Part) as C to E and EC are not valid and PP requires to obtain amendment and revalidation of C to E & EC.
23	Oberoi Constructions Pvt. Ltd. CTS no.1 at Village Majas, At Jogeshwari(E), Mumbai	Refused 1 st Consent to Operate (Part)	----	It was decided to refuse the 1 st Consent to Operate (Part) as EC is not valid. It was also decided that PP shall apply for fresh C to E in the light of revised EC which is under consideration at SEIAA level.

Sugar -Resubmission Cases

24	Mahadik Sugar & Agro Products Ltd., At Post Farale, Tal. Radhanagari, Dist. Kolhapur	1 st operate Not approved	—	It was decided to keep the case in abeyance and resubmit after re-examination of applicability of RRZ policy 2000 and 2009.
----	--------------------------------------------------------------------------------------	-----------------------------------------	---	-----------------------------------------------------------------------------------------------------------------------------

REVIEW AGENDA

1	Ordnance Factory, Jawahar Nagar, Bhandara, Tal. & Dist. Bhandara	BG Issue		It was decided to keep the case in abeyance and resubmit in next CAC when JD(APC) will be present to brief the matter.
2	Chandrapur Super Thermal Power Station, Chandrapur	BG Issue		
3	Shree Sidhabali Ispat Pvt. Ltd., Plot No. c-2 & 3, MIDC Tadali Growth Center, Tal. & Dist. Chandrapur	BG Issue		
4	Bilt Graphics Paper Products Ltd., Ballarpur. Chandrapur	BG Issue		
5	Issue of Bank Guarantee to MPCB by MCGM, Chief Engineer (Sewerage Deptt.) Deptt.			It was decided to keep the case in abeyance and resubmit in next CAC when SLO will be present to brief the matter.
4	Note on action to be initiated u/S. 33A of the Water (P & C P) Act, 1974, u/S. 31A of the Air (P & C P) Act, 1981 & u/S. 5			It was decided to keep the case in abeyance and resubmit in next CAC when JD(APC) will be present to brief the matter.

	of the Environment (Protection) Act, 1986 in respect of M/s. Greta Energy Ltd., Plot No. A-28, MIDC, MUL, Dist. Chandrapur			
--	----------------------------------------------------------------------------------------------------------------------------	--	--	--

The meeting ended with vote of thanks to the Chair.

General Points:

1. CAC has given instructions to CAC Cell for revision of format of summary sheet to get more clarity and uniformity, such as a) existing consent details to be rearranged starting from consent no., date, validity and ending with CI, b) Applicability of EC/siting criteria to be mentioned uniformly by each FO of CAC CC cell i.e. either write Y or N only and the details of EC should include applied/obtained/not obtained/ not applied and whether EC is required based on construction area or mfg activity, C) While processing the application of first C to O, FO shall give the ref. of C to E which is to be converted to C to O in the column of “Applied for “of summary sheet.
2. The new IMIS/Consent management system shall be modified to include menu approach for EC requirement and its status. CAC cell shall coordinate with the software consultant for this modification in the system.
3. Representation received for uploading the complete agenda of CAC/CC meeting on MPCB website (and not only index of cases) was considered during the meeting and it was decided that CAC/CC Cell shall upload the summary sheet, as placed in the agenda of CC and CAC cases, on MPCB website.
4. All MIDC areas shall distinguished by MIDC into zones which comes in RRZ basin. JD (WPC) to hand over the map of RRZ river basin to Shri. Nandusekar, Technical Advisor of MIDC.