

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701  
Fax: 24023516/24024068/24044531  
Website: <http://mpcb.gov.in>  
E-mail: [enquiry@mpcb.gov.in](mailto:enquiry@mpcb.gov.in)



Kalpateru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai- 400 022.

No. BO/JD (WPC) /PH/B-2487


Date: 30/05/2013

## OFFICE ORDER NO. E- 51 OF 2013

In compliance of Notification S. O. 1533 dtd. 14/09/2006 and amended Notification S. O 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of M/s. Meta Rolls & Commodities Pvt. Ltd., for proposed project for expansion of M.S Billets from 6600 TPM to 13200 TPM and New unit of 13200 TPM TMT Bars at Gut No.48, Adjacent to MIDC Phase II Daregaon, Dist.- Jalna is as below;

- 1) **District Magistrate, Jalna**  
Or his representative not below the  
Rank of an **Additional District Magistrate**
  - 2) Representative of Maharashtra Pollution Control Board  
Sub Regional Officer, M. P. C. Board, Aurangabad -II  
will work as;
- Chairman
- } Member, Convener.

The Members are requested to make it convenient to attend the Public Hearing on 29/06/2013 at 11.00 a.m. At -Project Site at Gut No.48, Adjacent to MIDC Phase II Daregaon, Dist.- Jalna positively.

  
(Rajeev Kumar Mital, IAS)  
Member Secretary

### Copy submitted for Information to:

- 1) The Principal Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400032
- 2) The Chairman M. P. C. Board, Mumbai

### Copy for Information to:

District Collector, Jalna, Dist.- Jalna

### Copy to project proponenet:

M/s. Meta Rolls & Commodities Pvt. Ltd., at Gut No.48, Adjacent to MIDC Phase II, Daregaon, Dist.- Jalna

### Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Aurangabad.
- 2) Sub Regional Officer, M. P. C. Board, Aurangabad -II.
- 3) EIC, M. P. C. Board, Mumbai- For information & display on website. - Soft copy already sent to EIC section.