

Polluted River Stretch Priority-I (Godavari River, State - Maharashtra)							
Latest Water Quality As per Assessment Targeted (Characteristics of River)							
12 - Godavari River at Dhalegaon, Village- Dhalegaon, Taluka- Pathari, District- Parbhani.							
Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.1	7.1	4.0	2	140	Non Complying
	2018	8.2	5.6	6.2	2	140	Non Complying
	2019	7.88	7.35	2.2	2	140	Complying
	2020	7.9	6.5	5.2	2	50	Non Complying
	2021	9	4.2	5.6			Non Complying
	2022	7.88	7.1	3.2			Non Complying
February	2017	7.6	7	4.0	2	130	Non Complying
	2018	7.6	5.6	4.6	2	130	Non Complying
	2019	7.88	7.42	3.5	4	140	Non Complying
	2020						Dry
	2021	8.38	7	3			Complying
	2022	8.15	7.5	3.4			Non Complying
March	2017	8	6.8	4.0	2	110	Non Complying
	2018	7.7	3.2	8.2	4	130	Non Complying
	2019	7.92	7.02	3.0	2	110	Complying
	2020	7.1	6.92	2.2	2	50	Complying
	2021	8.14	6.9	2			Complying
	2022	8	6.8	3.4			Non Complying
April	2017	7.7	6.9	4.0	2	110	Non Complying
	2018	7.48	5.32	5.2	4	280	Non Complying
	2019	7.77	7.2	2.8	2	140	Complying
	2020	8.12	6.72	2.8	2	50	Complying
	2021	8.3	6.90	2.6			Complying
	2022	8.4	6.5	5	1.8(BDL)	7.8	Non Complying
May	2017	7.7	6.8	4.0	2	140	Non Complying
	2018	7.7	5.5	5.0	2	140	Non Complying
	2019						Dry
	2020	7.72	6.14	4.2	4	130	Non Complying
	2021	7.79	6.90	2.2			Complying
	2022	7.4	6.4	3.6	1.8(BDL)	1.8(BDL)	Non Complying
June	2017	7.9	7.3	4.4	2	130	Non Complying
	2018	7.4	5	6.8	2	140	Non Complying
	2019						Dry
	2020	7.7	6.8	3	4	140	Complying
	2021	8.01	6.8	2.8			Complying
	2022	8.4	6.3	2.8	1.8(BDL)	7.8	Complying
July	2017	8.2	6.1	3.0	9	250	Complying
	2018	8.1	6.6	2.9	2	140	Complying
	2019						Dry
	2020	7.9	5.2	8	4	120	Non Complying
	2021	8	6.8	2.8			Complying
	2022	8.4	6.9	3.2	1.8(BDL)	14	Non Complying
August	2017	8.4	6.4	3.0	2	140	Complying
	2018	7.7	7.2	4.4	2	170	Non Complying
	2019	8.44	6.02	3.6	2	70	Non Complying
	2020	8.38	6.00	5.8	2.0	110.0	Non Complying
	2021	8.3	7.40	4.0			Non Complying
	2022	8.1	4	6	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.4	7	3.2	4	170	Non Complying
	2018	7.9	6.6	4.2	2	130	Non Complying
	2019	8.05	6.92	3.0	2	110	Complying
	2020	7.76	7.1	2.6	2.0	120.0	Complying
	2021	8.1	7.6	3.9			Non Complying
	2022	7.8	5.6	4.4	2	2	Non Complying
October	2017	8.6	7	3.0	2	110	Complying
	2018	7.6	7.3	3.2	4	170	Non Complying
	2019	7.7	5.04	5.6	2	70	Non Complying
	2020	8.26	6.20	4.4			Non Complying
	2021	8.04	7.10	3.2			Non Complying
	2022	8.5	5.1	3.2	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8	6.2	4.4	2	140	Non Complying
	2018	8.18	7.37	2.6	4	140	Complying
	2019	6.98	5.92	5.0	2	70	Non Complying
	2020	8.34	4.90	5.6			Non Complying
	2021	8.13	6.90	5.8			Non Complying
	2022	7.8	6.8	3.6	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.3	5.8	4.2	2	140	Non Complying
	2018	8.2	7.39	2.4	4	170	Complying
	2019	7.58	6.36	4	2	110	Non Complying
	2020	8.12	5.70	5.4			Non Complying
	2021	8.23	6.80	3.4			Non Complying
	2022	8.6	6.8	3.6	4	13	Non Complying

1095 - Godavari River at U/s of Gangapur Dam, Village- Gangapur, Taluka & District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.26	6	5.0	<2.0	130	Non Complying
	2018	7.89	6.2	2.8	2	58	Complying
	2019	7.91	6.1	4.4	<1.8	170	Non Complying
	2020	8.87	5.8	3.6	4	120	Non Complying
	2021	7.32	6.0	2.8	4.0	40.0	Complying
2022	7.60	5.6	3.0	4	48.0	Complying	
February	2017	7.92	7.0	3.0	2	130	Complying
	2018						Dry
	2019	7.66	6.3	3.2	<1.8	140	Non Complying
	2020	8.10	6.1	3	2	49	Complying
	2021	7.51	6.1	2.8	3.6	32	Complying
2022	7.3	6.2	4	4	46	Non Complying	
March	2017	8.67	6.5	3.0	<2.0	130	Complying
	2018	7.91	6.4	3.2	2	150	Non Complying
	2019	7.38	6.4	3.2	1.8	140	Non Complying
	2020	7.29	6.7	3.0	3.7	41.0	Complying
	2021	7.1	6	3	2	32	Complying
2022	7.8	5.9	3.6	4	48	Non Complying	
April	2017	8.62	6.3	2.5	<2.0	130	Complying
	2018	8.21	7.2	3.0	1.8	170	Complying
	2019	7.69	6.1	3.0	<1.8	140	Complying
	2020	7.31	6.8	2.8	3.6	32.0	Complying
	2021	7.02	6.6	2.8	3.6	32.0	Complying
2022	7.4	6.1	3	4	46	Complying	
May	2017	7.44	5.1	4.0	<2.0	110	Non Complying
	2018	8.16	6.3	3.0	4.1	140	Complying
	2019	7.94	6.0	3.6	<1.8	140	Non Complying
	2020	7.28	6.6	3	4	24	Complying
	2021	7.32	6	3	4	46	Complying
2022	8	6.2	3	4	43	Complying	
June	2017	7.92	6.6	3.0	<2.0	22	Complying
	2018	8.3	5.7	5.6	2	140	Non Complying
	2019	7.72	6.4	2.8	<1.8	170	Complying
	2020	7.49	6.1	3.2	12	70	Non Complying
	2021	7.19	6.2	3	4	48	Complying
2022	7.4	5.9	3.4	4	46	Non Complying	
July	2017	7.59	6.4	2.8	<2.0	22	Complying
	2018	7.24	7.1	3.0	1.8	150	Complying
	2019	7.62	6.2	3.4	<1.8	140	Non Complying
	2020	7.72	6.2	3	11	63	Complying
	2021	7.11	6.3	3	4	47	Complying
2022	8.1	6.3	3.2	4	48	Non Complying	
August	2017	7.54	1.2	7.0	<2.0	70	Non Complying
	2018	7.69	6.5	3.0	1.8	140	Complying
	2019	6.92	6.3	3.4	<1.8	170	Non Complying
	2020	7.38	6.2	3.2	11.0	70.0	Non Complying
	2021	7.11	6	3.0	4.0	47.0	Complying
2022	7.2	6.2	3	4	46	Complying	
September	2017	7.79	6.1	2.8	2	70	Complying
	2018	7.9	6.2	3.0	1.8	170	Complying
	2019	7.17	5.9	2.2	<1.8	140	Complying
	2020	7.77	6.7	3.0	6.0	63.0	Complying
	2021	7.72	7.4	2.6	4.0	47.0	Complying
2022	7.5	6.1	3.2	4	43	Non Complying	
October	2017	8.59	6	3.2	2	58	Non Complying
	2018	7.78	6.1	3.0	1.8	170	Complying
	2019	7.88	6.1	3.0	<1.8	170	Complying
	2020	7.58	6.0	2.8	9.0	46.0	Complying
	2021	7.50	6.9	2.4	4.0	47.0	Complying
2022	7	6.3	3	4	43	Complying	
November	2017	8.19	6.0	3.0	2	70	Complying
	2018	7.65	6.4	3.2	1.8	170	Non Complying
	2019	7.88	5.9	3.2	<1.8	140	Non Complying
	2020	7.08	6.3	2.8	6.0	43.0	Complying
	2021	7.50	5.9	2.8	6.0	58.0	Complying
2022	7.2	6.1	3.2	4	43	Non Complying	
December	2017	8.31	6.1	3.6	2	58	Non Complying
	2018	7.5	6.4	3.4	1.8	140	Non Complying
	2019	7.88	6.5	3	1.8	120	Complying
	2020	7.90	6.2	2.8	4.0	46.0	Complying
	2021	7.60	6.4	3.0	4.0	46.0	Complying
2022	7.9	6.2	3	4	63	Complying	

1096 - Godavari River at Ramkund, Village- Panchavati, Taluka- Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.18	7	3.0	2	220	Complying
	2018	7.59	5.8	3.8	7	540	Non Complying
	2019	7.81	5.0	14.0	2	220	Non Complying
	2020	8.97	6.2	3.1	6.0	170	Non Complying
	2021	7.16	5.5	5.0	12.0	150.0	Non Complying
	2022	7.50	5.9	3.2	11	70.0	Non Complying
February	2017	7.18	2.1	30.0	2	350	Non Complying
	2018						Dry
	2019	7.41	5.7	7.6	2	220	Non Complying
	2020	7.67	5.6	3.8	21.0	170	Non Complying
	2021	7.74	5.8	4.8	13	170	Non Complying
	2022	7.9	5.8	5.6	18	79	Non Complying
March	2017	7.97	6.7	2.5	<2	400	Complying
	2018	7.75	5.1	11.6	3.6	280	Non Complying
	2019	7.59	5.7	7.8	2	240	Non Complying
	2020	7.44	5.6	4.0	34.0	280.0	Non Complying
	2021	7.82	5.5	4	14	170	Non Complying
	2022	7.4	5.7	3	13	94	Complying
April	2017	7.99	5.3	6.0	9	350	Non Complying
	2018	8.09	7.1	3.0	1.8	240	Complying
	2019	7.72	6.0	3.8	2	220	Non Complying
	2020						Dry
	2021	7.49	6.5	3.0	12	150	Complying
	2022	7.6	5.6	3.4	11	79	Non Complying
May	2017	8.07	5	5.0	22	400	Non Complying
	2018	8.04	5.9	6.0	1.8	280	Non Complying
	2019	7.88	5.6	7.2	2	280	Non Complying
	2020	7.46	6	3.8	31.0	150	Non Complying
	2021	7.45	5.7	3.8	12	150	Non Complying
	2022	7.9	5.6	3.4	11	70	Non Complying
June	2017	7.92	6.5	3.0	2	26	Complying
	2018	7.94	5.9	5.0	4	350	Non Complying
	2019	7.58	5.8	6.8	2	240	Non Complying
	2020	7.96	5.9	4	25.0	280	Non Complying
	2021	7.32	5.9	3.8	12	150	Non Complying
	2022	8.3	5.7	3.8	11	79	Non Complying
July	2017	8.06	6.3	3.0	2	26	Complying
	2018	7.53	6.9	6.0	2	350	Non Complying
	2019	7.59	5.8	4.6	4	240	Non Complying
	2020	7.79	5.9	3.6	17	220	Non Complying
	2021	7.42	5.8	3.6	14	170	Non Complying
	2022	7.6	6	3.4	12	110	Non Complying
August	2017	7.63	1.6	6.0	2	140	Non Complying
	2018	7.58	5.7	8.0	1.8	220	Non Complying
	2019	6.89	6.1	4.8	7	280	Non Complying
	2020	7.54	5.8	4.0	21.0	140.0	Non Complying
	2021	7.12	5.8	3.2	12	94.0	Non Complying
	2022	7.3	5.8	3.6	11	79	Non Complying
September	2017	7.43	5	3.4	2	140	Non Complying
	2018	7.82	5.9	6.0	2	220	Non Complying
	2019	7.72	5.9	3.4	6	240	Non Complying
	2020	7.89	5.8	3.8	24.0	210.0	Non Complying
	2021	7.75	6.2	3.0	11	79.0	Complying
	2022	7.5	5.9	3.2	11	70	Non Complying
October	2017	7.83	6.1	3.2	33	350	Non Complying
	2018	7.69	5.8	6.0	2	220	Non Complying
	2019	7.75	5	5.6	<1.8	210	Non Complying
	2020	7.30	5.8	4.0	25.0	170.0	Non Complying
	2021	7.60	6.8	2.8	11	79.0	Complying
	2022	7.6	5.8	3.4	6	58	Non Complying
November	2017	8.06	5.4	4.6	4	120	Non Complying
	2018	7.71	5.5	6.2	2	280	Non Complying
	2019	7.81	5.7	3.6	<1.8	220	Non Complying
	2020	7.88	6.0	3.8	14.0	210.0	Non Complying
	2021	7.60	5.9	2.8	12	70.0	Complying
	2022	7.3	5.9	3.4	6	63	Non Complying
December	2017	8.30	5.9	3.8	14	280	Non Complying
	2018	7.72	5.9	4.0	2	240	Non Complying
	2019	7.89	6.1	3.8	1.8	140	Non Complying
	2020	7.76	5.8	3.0	17.0	170.0	Complying
	2021	7.70	6.2	3.2	11	79.0	Non Complying
	2022	7.9	5.8	3.6	6	58	Non Complying

1209 - Godavari River at Raher, Village-Raher, Taluka- Nayagaon, District- Nanded.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.1	7.2	5.0	2	170	Non Complying
	2018	8.4	6	4.2	4	130	Non Complying
	2019	8.2	7.2	2.6	2	140	Complying
	2020	8.1	6.7	4.6	2	50	Non Complying
	2021	8.81	6.25	4.4			Non Complying
	2022	8.31	6.90	5.8			Non Complying
February	2017	7.9	7.1	3.6	2	130	Non Complying
	2018	8.1	5.5	4.6	2	110	Non Complying
	2019	7.51	7.38	6.5	2	110	Non Complying
	2020	7.6	6.8	3.8	2	70	Non Complying
	2021	8.41	7	3.2			Non Complying
	2022	7.8	7.3	3.8			Non Complying
March	2017	8	7.2	3.0	2	170	Complying
	2018	7.7	4.8	6.6	2	140	Non Complying
	2019	7.59	6.72	4.2	4	170	Non Complying
	2020	7.16	6.32	3.2	2	60.0	Non Complying
	2021	8.17	6.8	2.2			Complying
	2022	8.11	6.9	3.8			Non Complying
April	2017	7.3	7.3	3.0	2	130	Complying
	2018	7.9	5.1	6.4	4	120	Non Complying
	2019						Dry
	2020	7.96	6.28	2.8	2	50.0	Complying
	2021	8.26	7.00	2.0			Complying
	2022	8.1	7.1	3.2	1.8(BDL)	1.8(BDL)	Non Complying
May	2017	7.9	6.9	3.0	2	170	Complying
	2018	7.4	6.9	3.4	4	120	Non Complying
	2019						Dry
	2020	7.87	6.73	4.0	2	110.0	Non Complying
	2021	7.95	6.90	3.0			Complying
	2022	8.4	5.4	4.8	1.8(BDL)	1.8(BDL)	Non Complying
June	2017	7.9	6.8	4.0	2	170	Non Complying
	2018	7.2	5.1	6.6	2	130	Non Complying
	2019						Dry
	2020	7.8	6.6	3.8	2	120	Non Complying
	2021	7.98	6.9	2.6			Complying
	2022	8.1	6.3	3.2	4.5	7.8	Non Complying
July	2017	8.6	6.6	8.2	2	140	Non Complying
	2018	8.3	6.1	3.3	2	170	Non Complying
	2019						Dry
	2020	7.9	6.8	4.4	4	130	Non Complying
	2021	7.8	7.1	2.2			Complying
	2022	8.3	4.3	6.2	12	14	Non Complying
August	2017	8.4	5.6	6.2	2	110	Non Complying
	2018	7.2	7	4.6	2	140	Non Complying
	2019	7.45	4.32	4.8	2	95	Non Complying
	2020	8.54	5.44	7.6	2.0	120.0	Non Complying
	2021	7.98	7.20	2.6			Complying
	2022	8.3	6.7	3.6	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.2	6.8	3.0	6	170	Complying
	2018	8.4	7.2	4.2	2	140	Non Complying
	2019	7.89	5.1	5.5	2	110	Non Complying
	2020	7.50	6.9	2.8	2.0	120.0	Complying
	2021	8.15	7.1	4.8			Non Complying
	2022	7.8	5.7	4.5	1.8(BDL)	4.5	Non Complying
October	2017	8.6	6.2	4.8	2	130	Non Complying
	2018	8.26	7.2	4.0	2	130	Non Complying
	2019	8.0	6	5	2	95	Non Complying
	2020	8.29	6.24	4.2			Non Complying
	2021	8.19	7.00	3.8			Non Complying
	2022	8.6	6.1	3.2	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8.4	6.2	4.6	2	110	Non Complying
	2018	8	7.41	2.4	4	130	Complying
	2019	7	5.5	8	2	85	Non Complying
	2020	8.24	5.80	4.4			Non Complying
	2021	8.2	7.40	4.8			Non Complying
	2022	8.5	6.2	4.6	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.2	4.8	6.2	2	140	Non Complying
	2018	7.9	7.23	3.0	2	130	Complying
	2019	8.0	6.5	4	2	110	Non Complying
	2020	7.88	6.36	4.4			Non Complying
	2021	8.15	6.90	4.5			Non Complying
	2022	8.5	6.2	4.8	6	40	Non Complying

1210 - Godavari River near Intake water pump house, Village - Vishnupuri, Taluka & District - Nanded.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.1	7.2	4.0	2	110	Non Complying
	2018	8.4	6.8	3.0	2	110	Complying
	2019	8.0	7.3	2.4	2	130	Complying
	2020	7.6	6.8	4.4	2	60	Non Complying
	2021	8.9	6.22	4.2			Non Complying
2022	8.09	7.00	3.8			Non Complying	
February	2017	8.0	7.1	3.2	2	110	Non Complying
	2018	8.0	6.6	3.2	4	130	Non Complying
	2019	8.1	7.4	4.0	2	120	Non Complying
	2020	8.0	6.7	4.0	2	60	Non Complying
	2021	8.47	7.1	3			Complying
2022	8.06	7.3	4.8			Non Complying	
March	2017	7.9	7.0	4.0	2	130	Non Complying
	2018	8.0	5.4	4.6	2	110	Non Complying
	2019	7.7	7.0	3.0	2	130	Complying
	2020	7.2	6.22	3.6	2	70.0	Non Complying
	2021	8.43	6.7	2.4			Complying
2022	8.12	7	3.2			Non Complying	
April	2017	7.6	7.2	4.0	2	110	Non Complying
	2018	7.6	7.0	3.0	2	110.0	Complying
	2019	7.4	7.1	2.8	2	120.0	Complying
	2020	7.72	6.40	2.6	2	60	Complying
	2021	8.3	6.70	2.4			Complying
2022	8.3	7.3	3	1.8(BDL)	1.8(BDL)	Complying	
May	2017	8.3	7.1	3.8	2	140.0	Non Complying
	2018	7.2	6.6	4.8	2	110	Non Complying
	2019	8.0	6.1	3.8	2	110	Non Complying
	2020	7.78	6.78	3.6	4.0	120.0	Non Complying
	2021	8	6.90	3.2			Non Complying
2022	8.2	6.6	4	1.8(BDL)	1.8(BDL)	Non Complying	
June	2017	8.0	7.0	3.2	2	140	Non Complying
	2018	7.1	5.5	5.2	2	120.0	Non Complying
	2019	8.0	7.1	3.6	2	110.0	Non Complying
	2020	7.9	6.6	3.6	4.0	140	Non Complying
	2021	8.16	7.1	2.2			Complying
2022	8.3	6.8	3	2	6	Complying	
July	2017	8.5	6.5	6.4	4	170.0	Non Complying
	2018	8.3	7.1	2.4	2	130	Complying
	2019	7.6	6.3	3.8	4	120	Non Complying
	2020	7.9	5.4	6.2	2	110	Non Complying
	2021	7.93	7.2	2.0			Complying
2022	8.5	5.3	4.4	8	12	Non Complying	
August	2017	8.4	6.0	4.2	2	130	Non Complying
	2018	7.6	7.2	3.4	2	170	Non Complying
	2019	7.8	4.9	4.0	2	85	Non Complying
	2020	8.32	5.68	4.4	2.0	90.0	Non Complying
	2021	8	7.20	2.4			Complying
2022	8.3	6.6	4.8	1.8(BDL)	1.8(BDL)	Non Complying	
September	2017	8.1	5.2	4.8	4	140	Non Complying
	2018	8.4	7.0	5.0	4	170	Non Complying
	2019	7.6	6.3	4.4	2	120	Non Complying
	2020	7.40	6.8	3.0	2.0	110.0	Complying
	2021	8.16	7.2	4.5			Non Complying
2022	8.2	4.2	6.8	1.8(BDL)	1.8(BDL)	Non Complying	
October	2017	8.5	5.9	4.2	4	130	Non Complying
	2018	8.2	7.3	3.2	2	140	Non Complying
	2019	8.0	6	4.2	2	85	Non Complying
	2020	8.26	5.50	7.4			Non Complying
	2021	8.18	7.00	4.2			Non Complying
2022	8.5	6.4	3.2	1.8(BDL)	1.8(BDL)	Non Complying	
November	2017	8.5	6.8	3.2	4	130	Non Complying
	2018	8.1	7.3	2.8	2	140	Complying
	2019	7.5	5.6	6.5	2	70	Non Complying
	2020	8.31	5.90	4.2			Non Complying
	2021	8.05	7.10	3.6			Non Complying
2022	8.5	6.2	4.6	1.8(BDL)	1.8(BDL)	Non Complying	
December	2017	8.3	5.6	4.8	2	110	Non Complying
	2018	8	7.19	3.2	2	110	Non Complying
	2019	7.9	6.6	3.8	2	95	Non Complying
	2020	7.56	5.68	5.4			Non Complying
	2021	8.02	7.00	3.8			Non Complying
2022	8.6	6.5	3.8	1.8(BDL)	1.8(BDL)	Non Complying	

1211 - Godavari River at D/s of Nashik near Amardham, Village- GadgebabaMaharaj Nagar, Taluka - Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.3	7.1	2.4	2	280	Complying
	2018	7.96	5.0	4.0	4	500	Non Complying
	2019	7.84	5.5	8.2	2	240	Non Complying
	2020	8.16	6.2	3.1	4.0	110	Non Complying
	2021	7.88	5.4	5.2	17.0	220.0	Non Complying
	2022	7.6	5.8	3.4	11	79	Non Complying
February	2017	7.31	2.4	22	2	280	Non Complying
	2018						Dry
	2019	7.42	5.3	9.8	2	280	Non Complying
	2020	8.07	5.5	3.8	17.0	220	Non Complying
	2021	7.2	6.4	2.8	11	170	Complying
	2022	7.9	4.9	5.4	6	63	Non Complying
March	2017	8.16	6.4	4.0	<2	500	Non Complying
	2018	7.93	5.2	9.8	4	220	Non Complying
	2019	7.72	5.8	7.6	4	280	Non Complying
	2020	8.10	5.1	5.2	21.0	220.0	Non Complying
	2021	7.58	5.8	3.2	17	210	Non Complying
	2022	7.6	4.8	4.2	6	58	Non Complying
April	2017	8.01	4.7	8.0	<2	110	Non Complying
	2018	7.50	5.7	7.0	3.6	280	Non Complying
	2019	7.70	5.8	5.6	2	280	Non Complying
	2020	7.18	5.9	3.8	27.0	170.0	Non Complying
	2021	7.56	6.0	3.8	11	170.0	Non Complying
	2022	7.3	5.8	3.2	11	70	Non Complying
May	2017	8.37	3	6.0	22	400	Non Complying
	2018	8.12	5.4	7.0	1.8	240	Non Complying
	2019	7.94	5.7	8.8	2	220	Non Complying
	2020	7.54	5.8	4	46.0	170.0	Non Complying
	2021	7.40	5	4.6	17	170.0	Non Complying
	2022	7.9	5.2	4	11	79	Non Complying
June	2017	7.87	6.1	3.4	2	120	Non Complying
	2018	7.9	6.1	4.8	2	280	Non Complying
	2019	7.52	5.8	6.4	2	280	Non Complying
	2020	7.59	5.8	4.4	46.0	350	Non Complying
	2021	7.58	5.7	4.4	11	150	Non Complying
	2022	8.3	5.1	4.2	6	58	Non Complying
July	2017	8	2.5	8.0	2	70	Non Complying
	2018	7.51	6.9	7.0	1.8	210	Non Complying
	2019	7.51	5.3	8.6	9	220	Non Complying
	2020	7.93	5.4	4.8	49	350	Non Complying
	2021	7.36	5.2	3.8	12	150	Non Complying
	2022	7.7	5.6	3.6	4	46	Non Complying
August	2017	7.72	2.8	6.0	17	220	Non Complying
	2018	7.78	5.1	14.0	2	240	Non Complying
	2019	7.18	6.0	5.4	7	210	Non Complying
	2020	7.64	5.8	3.8	17.0	170.0	Non Complying
	2021	7.24	5.4	3.6	6	58.0	Non Complying
	2022	7.3	5.5	6.8	4	48	Non Complying
September	2017	7.69	5.9	3.0	2	170	Complying
	2018	7.62	5.6	8.0	4	300	Non Complying
	2019	7.76	5.9	3.6	9	280	Non Complying
	2020	7.77	5.7	4.0	13.0	140.0	Non Complying
	2021	7.70	6.0	3.2	4	47.0	Non Complying
	2022	7.6	5.4	3.4	4	46	Non Complying
October	2017	8.01	5.9	3.2	46	540	Non Complying
	2018	7.52	5.7	7.6	2	220	Non Complying
	2019	7.85	5.9	3.8	2	210	Non Complying
	2020	7.46	5.4	4.2	11.0	170.0	Non Complying
	2021	7.50	5.9	3.2	11	70.0	Non Complying
	2022	7.6	5.5	3.6	4	43	Non Complying
November	2017	8.00	5.8	3.6	12	150	Non Complying
	2018	7.7	5.1	6.4	2	240	Non Complying
	2019	7.89	5.6	3.8	2.1	280	Non Complying
	2020	7.84	5.9	4.0	11.0	170.0	Non Complying
	2021	7.60	5.8	3.0	6	63.0	Complying
	2022	7.2	5.8	3.4	4	46	Non Complying
December	2017	8.31	5.9	4.2	14	500	Non Complying
	2018	7.81	6.1	5.8	2	220	Non Complying
	2019	7.8	6.3	3.4	2.0	280	Non Complying
	2020	7.94	5.3	4.0	22.0	210.0	Non Complying
	2021	7.80	5.8	3.7	4	48.0	Non Complying
	2022	7.9	5.4	3.8	4	43	Non Complying

1312 - Godavari River at Jaikwadi Dam, Village- Paithan, Taluka- Paithan, District-Aurangabad.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.7	6.9	4.0	4	110	Non Complying
	2018	8.3	6.3	3.2	2	130	Non Complying
	2019	8	7.3	2.4	2	140	Complying
	2020	7.6	7.2	3.0	2	60	Complying
	2021	8.8	6.20	4.4			Non Complying
	2022	8.03	7.30	3.2			Non Complying
February	2017	8.1	7.1	3.0	2	130	Complying
	2018	8.3	6.2	3.2	4	120	Non Complying
	2019	8	7.5	3.5	2	110	Non Complying
	2020	7.5	6.7	4.0	2	70	Non Complying
	2021	7.9	7.2	2.4			Complying
	2022	8.26	7.5	3.8			Non Complying
March	2017	8.1	7.2	3.0	2	140	Complying
	2018	7.7	6.4	3.2	2	170	Non Complying
	2019	8.37	6.9	3.8	2	140	Non Complying
	2020	7.28	6.75	2.4	2	70	Complying
	2021	8.2	6.7	2.4			Complying
	2022	8.34	7.3	3.4			Non Complying
April	2017	8	7.1	3.0	2	140	Complying
	2018	7.84	6.8	4.6	4	130.0	Non Complying
	2019	8.01	7.0	3.6	2	110.0	Non Complying
	2020	8.06	6.72	2.6	2	50.0	Complying
	2021	8.93	6.60	2.8			Complying
	2022	8.8	6.8	3.2	1.8(BDL)	1.8(BDL)	Non Complying
May	2017	8.1	6.8	4.0	2	130.0	Non Complying
	2018	7.7	6.1	3.0	4	170	Complying
	2019	8.1	6.6	2.8	2	140	Complying
	2020	8.0	6.5	3.0	2	60	Complying
	2021	8.07	6.9	3.0			Complying
	2022	8.6	6.9	2.4	1.8(BDL)	1.8(BDL)	Complying
June	2017	8	7.0	3.0	2	140	Complying
	2018	7.3	5.5	5.0	2	120.0	Non Complying
	2019	7.74	7.3	2	2	112.0	Complying
	2020	7.9	6.9	3.2	4	140	Non Complying
	2021	8.1	6.6	3.0			Complying
	2022	8.6	6.6	2.8	4	11	Complying
July	2017	8.8	6.8	3.0	4	120.0	Complying
	2018	8.5	7.6	2.0	2	140	Complying
	2019	7.79	6.5	2.4	2	110	Complying
	2020	8.0	7.0	2.8	4	130	Complying
	2021	8.02	7.0	2.4			Complying
	2022	8.6	6.6	2.8	1.8(BDL)	12	Complying
August	2017	8.3	5.9	4.4	4	170	Non Complying
	2018	7.9	7.2	3.6	2	170	Non Complying
	2019	8.29	6.4	3.4	2	65	Non Complying
	2020	7.47	6.76	3.4	2.0	110.0	Non Complying
	2021	7.86	7.00	3.0			Complying
	2022	8.4	6.7	3.6	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.4	7.2	3.2	2	170	Non Complying
	2018	8.4	7.2	3.6	4	130	Non Complying
	2019	8.15	6.0	4.5	2	120	Non Complying
	2020	7.83	6.8	3.0	2.0	110.0	Complying
	2021	8.32	7.6	2.6			Complying
	2022	7.8	6.2	3.6	1.8(BDL)	1.8(BDL)	Non Complying
October	2017	8.5	7	3.0	2	130	Complying
	2018	8.2	7.4	3.2	2	120	Non Complying
	2019	8	6	4.6	2	120	Non Complying
	2020	8.31	6.20	5.8			Non Complying
	2021	8.11	7.00	3.8			Non Complying
	2022	8.7	6.2	3.2	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8.3	6.2	4.2	2	140	Non Complying
	2018	8.23	7.4	2.6	2	110	Complying
	2019	8	5.74	3.5	2	70	Non Complying
	2020	7.84	6.40	3.2			Non Complying
	2021	8.27	7.10	4.4			Non Complying
	2022	8.6	6.6	3.6	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.3	7.0	3.0	2	170	Complying
	2018	7.6	7.38	2.4	2	120	Complying
	2019	8	7	3.2	2	110	Non Complying
	2020	7.66	6.66	3.0			Complying
	2021	8.49	6.90	3.8			Non Complying
	2022	8.5	6.3	2.8	1.8(BDL)	1.8(BDL)	Complying

2157 - Godavari River at Latur water intake near Pump house. Village- Dhamegaon, Taluka- Kalumb, District- Osmanabad.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.3	7	4.0	2	140	Non Complying
	2018	8.1	5.8	4.2	2	140	Non Complying
	2019	7.8	7.4	2.2	2	110	Complying
	2020	7.4	6.4	6.0	2	60	Non Complying
	2021	8.2	6.50	4.2			Non Complying
	2022	8.42	7.10	3.8			Non Complying
February	2017	8	7.0	3.0	4	170	Complying
	2018	7.6	6.4	3.4	2	140	Non Complying
	2019	8	7.3	4.0	4	120	Non Complying
	2020	7.6	7.0	3.0	2	60	Complying
	2021	7.8	7.3	2.2			Complying
	2022	7.85	7.3	4.4			Non Complying
March	2017	8.1	7.2	4.0	2	110	Non Complying
	2018	7.8	5.6	4.6	2	140	Non Complying
	2019	8.01	6.5	3.8	2	140	Non Complying
	2020	7.22	6.12	3.8	2	50.0	Non Complying
	2021	7.81	6.9	2.6			Complying
	2022	8	7.7	3			Complying
April	2017	7.8	6.9	4.0	2	170	Non Complying
	2018	7.54	5.5	5.0	2	130.0	Non Complying
	2019	7.96	5.8	4.2	2	110.0	Non Complying
	2020	8.12	6.52	3.0	2	70.0	Complying
	2021	8.1	6.80	2.2			Complying
	2022	7	7.1	3	1.8(BDL)	1.8(BDL)	Complying
May	2017	8.2	7.0	3.0	2	130.0	Complying
	2018	7.2	6.0	3.2	2	170	Non Complying
	2019	7.7	5.9	3.6	2	130	Non Complying
	2020	7.5	6.8	3.4	2	110	Non Complying
	2021	8.24	7.1	4.0			Non Complying
	2022	8	7.5	3	1.8(BDL)	1.8(BDL)	Complying
June	2017	8.2	6.6	4.2	2	130	Non Complying
	2018	7.5	5.6	5.2	2	110.0	Non Complying
	2019	7.93	6.9	3.8	2	130.0	Non Complying
	2020	7.7	6.3	3.2	4	130	Non Complying
	2021	8.0	6.9	2.4	1.8(BDL)	1.8(BDL)	Complying
	2022	8.2	6.3	3.2	4.5	14	Non Complying
July	2017	8.7	6.2	4.6	4	130.0	Non Complying
	2018	8.4	6.9	2.8	2	140	Complying
	2019	7.85	5.68	2.2	4	140	Complying
	2020	7.8	7.1	2.8	4	120	Complying
	2021	7.72	7.1	2.2			Complying
	2022	7.8	6.3	4.2	1.8(BDL)	1.8(BDL)	Non Complying
August	2017	7.9	4.8	8.0	4	170	Non Complying
	2018	7.5	7.3	4.2	4	170	Non Complying
	2019	8.14	7.0	3.2	2	85	Non Complying
	2020	7.36	5.60	7.4	2.0	120.0	Non Complying
	2021	7.9	7.20	2.6			Complying
	2022	8	5.1	6	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.14	5.2	4.8	2	110	Non Complying
	2018	8.5	7.2	4.0	4	130	Non Complying
	2019	8.01	5.8	4.2	4	120	Non Complying
	2020	7.81	7.0	2.6	2.0	130.0	Complying
	2021	8.00	7.4	2.2			Complying
	2022	7.9	5.2	5.2	1.8(BDL)	1.8(BDL)	Non Complying
October	2017	8.7	6.6	4.2	4	120	Non Complying
	2018	8.32	7.3	3.1	2	110	Non Complying
	2019						Dry
	2020	8.12	6.18	5.8			Non Complying
	2021	7.9	7.20	2.4			Complying
	2022	8	6.5	3.2	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8.4	5.2	6.4	2	110	Non Complying
	2018	8.33	7.3	2.8	2	140	Complying
	2019	7.4	5.8	4	2	85	Non Complying
	2020	7.66	5.80	4.4			Non Complying
	2021	8	7.00	5.6			Non Complying
	2022	8.5	6.2	4	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.5	6.8	3.0	2	110	Complying
	2018	8.1	7.15	3.8	2	140	Non Complying
	2019	8.0	6.7	4	2	95	Non Complying
	2020	7.96	6.10	5.0			Non Complying
	2021	8.1	7.60	2.6			Complying
	2022	8	6.2	2.2	1.8(BDL)	1.8(BDL)	Complying

2158 - Godavari River at U/s of Paithan at Paithan intake pump house, Village- Jayakwadi, Taluka- Paithan, District- Aurangabad.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.04	7.1	3.0	2	130	Complying
	2018	8.3	6.4	4.8	4	120	Non Complying
	2019	8	7.4	2.2	2	180	Complying
	2020	8.1	6.9	4.2	2	60	Non Complying
	2021	8.72	5.34	5.6			Non Complying
	2022	8.21	7.50	2.6			Complying
February	2017	7.7	6.8	5.0	2	140	Non Complying
	2018	8.3	5.3	4.2	2	110	Non Complying
	2019	8	7.4	3.5	4	170	Non Complying
	2020	7.8	7.0	3.0	2	50	Complying
	2021	8.07	7.4	2			Complying
	2022	7.31	7.4	4.2			Non Complying
March	2017	8	7.2	4.0	4	170	Non Complying
	2018	7.8	3.1	8.0	2	130	Non Complying
	2019	8.41	6.9	3.8	2	120	Non Complying
	2020	7.25	6.58	2.8	2	70.0	Complying
	2021	8.32	6.6	2.8			Complying
	2022	8.35	7.5	3.2			Non Complying
April	2017	8.1	7.1	3.0	2	130	Complying
	2018	7.79	6.9	3.2	2	110.0	Non Complying
	2019	7.65	5.4	4.0	2	140.0	Non Complying
	2020	8.08	6.80	2.4	2	60.0	Complying
	2021	8.31	6.80	2.2			Complying
	2022	8.8	7.1	2.2	1.8(BDL)	1.8(BDL)	Complying
May	2017	8	6.9	3.0	2	140.0	Complying
	2018	7.9	6.6	4.6	2	110	Non Complying
	2019	7.8	6.1	3.0	2	110	Complying
	2020	8.0	6.3	2.8	2	50	Complying
	2021	8.1	7.0	2.0			Complying
	2022	8.6	7.1	3	1.8(BDL)	1.8(BDL)	Complying
June	2017	8.7	7.3	2.8	2	130	Complying
	2018	7.3	5.3	6.4	2	130.0	Non Complying
	2019	7.82	7.3	2.0	2	110.0	Complying
	2020	7.9	6.8	3.4	2	110	Non Complying
	2021	8.15	6.7	2.8			Complying
	2022	8.6	7	2.6	2	9	Complying
July	2017	8.9	6.6	6.2	2	110.0	Non Complying
	2018	8.5	7.3	2.2	4	120	Complying
	2019	8.11	6.6	2.3	2	112	Complying
	2020	8.1	6.3	4.6	2	120	Non Complying
	2021	7.99	7.0	3.0			Complying
	2022	8.5	6.3	2.8	1.8(BDL)	12	Complying
August	2017	8.2	5.2	6.4	4	130	Non Complying
	2018	7.9	7.3	3.6	2	140	Non Complying
	2019	8.25	6.4	3.2	2	50	Non Complying
	2020	7.68	5.81	4.2	2.0	130.0	Non Complying
	2021	7.76	7.10	3.0			Complying
	2022	8.4	6.7	3.6	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.3	4.8	4.6	2	130	Non Complying
	2018	8.2	7.3	3.4	2	110	Non Complying
	2019	8.21	6.4	3.5	2	110	Non Complying
	2020	7.79	6.7	3.0	2.0	130.0	Complying
	2021	8.32	7.4	4.6			Non Complying
	2022	8.3	5.8	4.5	1.8(BDL)	1.8(BDL)	Non Complying
October	2017	8.6	6.8	4.8	2	140	Non Complying
	2018	8.17	7.2	3.3	2	140	Non Complying
	2019	7.9	6	4	2	70	Non Complying
	2020	8.37	6.40	4.4			Non Complying
	2021	8.3	7.80	4.6			Non Complying
	2022	8.7	3.6	7	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8.4	6.8	3.0	2	170	Complying
	2018	8.35	7.4	2.4	2	120	Complying
	2019	8	5.85	3.0	2	85	Complying
	2020	7.98	5.80	4.4			Non Complying
	2021	8.29	7.30	4.2			Non Complying
	2022	8.6	4.2	5.6	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.3	5.6	6.2	2	110	Non Complying
	2018	7.9	7.35	2.6	2	110	Complying
	2019	8.0	7	3	2	95	Complying
	2020	7.8	6.50	4.4			Non Complying
	2021	8.48	7.40	3.2			Non Complying
	2022	8.5	6.6	2.2	1.8(BDL)	1.8(BDL)	Complying

2159 - Godavari River at D/s of Paithan at Pathegaon bridge, Village- Pathegaon, Taluka- Paithan, District- Aurangabad.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.11	7	5.0	2	140	Non Complying
	2018	8.2	5.4	6.4	2	110	Non Complying
	2019	7.7	7.3	2.4	2	140	Complying
	2020	7.8	7.1	3.2	2	50	Non Complying
	2021	8.86	6.50	2.6			Complying
	2022	8.41	7.10	3.2			Non Complying
February	2017	8	6.9	4.0	4	170	Non Complying
	2018	8.3	6.8	3.0	2	140	Complying
	2019	7.8	7.2	4.0	2	120	Non Complying
	2020	8.1	6.8	3.5	2	60	Non Complying
	2021	8.08	7.3	2.2			Complying
	2022	8.11	7.4	3.2			Non Complying
March	2017	8	7.0	5.0	2	130	Non Complying
	2018	8	6.8	3.0	4	120	Complying
	2019	8.3	6.4	4.2	4	120	Non Complying
	2020	7.24	6.42	2.6	2	60	Complying
	2021	7.96	6.6	3			Complying
	2022	8.35	7.2	3.2			Non Complying
April	2017	8	7.1	4.0	2	130	Non Complying
	2018	7.83	6.2	4.4	2	140.0	Non Complying
	2019	7.83	7.1	2.8	2	120.0	Complying
	2020	8.11	6.38	2.8	2	60	Complying
	2021	8.34	7.10	2.0			Complying
	2022	8.8	7	2.4	1.8(BDL)	1.8(BDL)	Complying
May	2017	8.2	7.1	2.8	2	170.0	Complying
	2018	7.9	5.0	6.6	4	130	Non Complying
	2019	7.85	6.1	3.0	2	130	Complying
	2020	7.9	6.4	2.6	2	60	Complying
	2021	8.18	7.0	2.2			Complying
	2022	8.6	6.6	3.6	1.8(BDL)	1.8(BDL)	Non Complying
June	2017	8.4	7.4	2.6	2	170	Complying
	2018	7.3	6.8	3.2	2	110.0	Non Complying
	2019	8.02	7.1	3.2	2	140.0	Non Complying
	2020	7.9	6.7	4.0	4	140	Non Complying
	2021	8.16	6.8	2.4			Complying
	2022	8.6	6.6	2.4	4	12	Complying
July	2017	8.9	6.6	3.2	4	130.0	Non Complying
	2018	8.5	7.3	2.2	2	110	Complying
	2019	7.88	5.7	2.7	2	140	Complying
	2020	8.2	6.3	4.6	2	130.0	Non Complying
	2021	7.99	7.1	2.2			Complying
	2022	8.6	6.6	3.2	1.8(BDL)	12	Non Complying
August	2017	8.2	6.4	3.2	2	110	Non Complying
	2018	7.9	7.3	3.4	2	140	Non Complying
	2019						Dry
	2020	7.86	6.66	3.6	2.0	120.0	Non Complying
	2021	8.11	7.00	3.2			Non Complying
	2022	8.1	6.7	4.8	1.8(BDL)	1.8(BDL)	Non Complying
September	2017	8.4	7.0	3.2	4	130	Non Complying
	2018	8.0	7.5	3.0	2	130	Complying
	2019	7.96	6.4	4.0	2	120	Non Complying
	2020	7.75	6.1	4.2	2.0	110.0	Non Complying
	2021	8.32	7.4	3.8			Non Complying
	2022	8.4	5.5	5.8	1.8(BDL)	1.8(BDL)	Non Complying
October	2017	8.5	6.2	4.8	4	170	Non Complying
	2018	8.18	7.1	3.9	2	140	Non Complying
	2019	8.0	6.0	4.8	2	110	Non Complying
	2020	8.12	6.35	4.2			Non Complying
	2021	8.3	7.00	2.4			Complying
	2022	8.7	6.2	4.2	1.8(BDL)	1.8(BDL)	Non Complying
November	2017	8.4	6.8	3.0	2	130	Complying
	2018	8.47	7.3	2.8	2	120	Complying
	2019	7.7	5.3	4.50	2	70	Non Complying
	2020	7.88	5.20	5.2			Non Complying
	2021	8.24	7.20	4.1			Non Complying
	2022	8.6	6.4	4.4	1.8(BDL)	1.8(BDL)	Non Complying
December	2017	8.1	5.8	6.2	2	130	Non Complying
	2018	8.0	7.38	2.4	2	140	Complying
	2019	8.0	6.7	4.0	2	120	Non Complying
	2020	7.94	6.22	4.8			Non Complying
	2021	8.53	6.60	4.2			Non Complying
	2022	8.5	6.2	3	1.8(BDL)	1.8(BDL)	Complying

**2160 - Godavari River at U/s of Aurangabad Reservoir, Kaigaon Tokka near Kaigaon bridge, Village- Kaigaon,
Taluka- Gangapur, District- Aurangabad.**

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.08	7.1	4	4	170	Non Complying
	2018	8.4	6.2	4	2	170	Non Complying
	2019	7.9	7.2	3	4	170	Complying
	2020	8.0	6.7	4.8	2	50	Non Complying
	2021	8.91	6.22	4.0			Non Complying
2022	8.39	7.10	3.4			Non Complying	
February	2017	7.8	6.9	5	2	140	Non Complying
	2018	8.3	5.2	4	4	130	Non Complying
	2019	8.1	7.3	6.5	2	130	Non Complying
	2020	7.8	7.0	3.0	2	50	Complying
	2021	8.2	7.5	2			Complying
2022	7.58	7.6	2.4			Complying	
March	2017	8.1	7.1	3.0	2	140	Complying
	2018	7.7	4.7	6.6	2	110	Non Complying
	2019	7.88	7.0	3.0	2	130	Complying
	2020	7.15	6.38	3.2	2	50	Non Complying
	2021	7.96	6.8	2.4			Complying
2022	8.35	7.6	3.6			Non Complying	
April	2017	8.1	6.9	3.0	2	140	Complying
	2018	7.8	4.6	6.2	2	170.0	Non Complying
	2019	7.33	6.1	3.6	2	110.0	Non Complying
	2020	7.96	6.18	3.2	2	60.0	Non Complying
	2021	8.16	6.70	2.4			Complying
2022	8.8	7.2	2.4	1.8(BDL)	1.8(BDL)	Complying	
May	2017	8.1	7.2	3.2	2	140.0	Non Complying
	2018	8.0	5.2	6.4	2	110	Non Complying
	2019	7.35	6.6	2.8	4	120	Complying
	2020	8.0	6.7	2.8	2	70	Complying
	2021	8.22	6.9	2.4			Complying
2022	8.7	6.4	3.8	1.8(BDL)	1.8(BDL)	Non Complying	
June	2017	8.4	6.8	3.2	2	130	Non Complying
	2018	6.9	3.9	8.2	4	170.0	Non Complying
	2019	8.1	7.2	3.0	2	120.0	Complying
	2020	7.9	6.3	3.8	2	120	Non Complying
	2021	8.13	6.7	2.8			Complying
2022	8.6	6.3	3.2	1.8(BDL)	7.8	Non Complying	
July	2017	8.9	6.9	4.4	6	170.0	Non Complying
	2018	8.5	7.2	2.4	2	110	Complying
	2019	7.71	5.8	2.8	2	120	Complying
	2020	8.0	6.9	2.8	2	110	Complying
	2021	8.08	7.1	2.0			Complying
2022	8.6	6.6	2.8	2	12	Complying	
August	2017	8.1	6.4	3.2	2	130	Non Complying
	2018	7.8	7.5	3.2	4	130	Non Complying
	2019	8.16	6.0	4.2	2	70	Non Complying
	2020	7.39	5.40	4.8	2.0	120.0	Non Complying
	2021	8.17	7.00	3.2			Non Complying
2022	8.4	6.5	4.8	1.8(BDL)	7.8	Non Complying	
September	2017	8.5	5.2	6.4	2	140	Non Complying
	2018	8.3	7.4	3.2	2	140	Non Complying
	2019	7.74	6.0	4.5	2	110	Non Complying
	2020	7.62	6.9	2.8	2.0	120.0	Complying
	2021	8.22	7.3	4.5			Non Complying
2022	8.3	6.3	3.6	1.8(BDL)	1.8(BDL)	Non Complying	
October	2017	8.5	7.2	3.0	4	120	Complying
	2018	8.14	7.2	3.8	4	130	Non Complying
	2019	7.8	6.1	4.8	2	85	Non Complying
	2020	8.22	6.32	4.4			Non Complying
	2021	8.05	7.00	6.6			Non Complying
2022	8.6	5.1	5.4	1.8(BDL)	1.8(BDL)	Non Complying	
November	2017	8.4	7.2	3.0	2	110	Complying
	2018	8.51	7.3	3.2	2	140	Non Complying
	2019	7.5	5.2	4.5	2	95	Non Complying
	2020	7.53	5.50	5.2			Non Complying
	2021	8.31	7.40	4.5			Non Complying
2022	8.6	6.5	3.6	1.8(BDL)	1.8(BDL)	Non Complying	
December	2017	8.2	6.4	4.2	4	120	Non Complying
	2018	8.1	7.28	2.28	2	130	Complying
	2019	7.6	7.0	3.4	2	85	Non Complying
	2020	8.1	5.46	5.8			Non Complying
	2021	8.52	6.80	4.2			Non Complying
2022	8.5	6.4	2.8	4	23	Complying	

2161 - Godavari River at Jalna Intake water pump house, Village- Shahabad, Taluka- Ambad, District- Jalna.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8	7	7.0	2	130	Non Complying
	2018	8.4	6.2	4.0	2	110	Non Complying
	2019	8.2	7.3	2.6	4	120	Complying
	2020						Dry
	2021	8.57	6.26	4.6			Non Complying
February	2022	8.27	7.30	4.4			Non Complying
	2017	8.0	6.9	6.0	2	110	Non Complying
	2018	7.9	5.5	4.6	4	170	Non Complying
	2019	8.2	7.3	6.5	4	170	Non Complying
	2020						Dry
March	2021	8.55	7.5	2			Complying
	2022	7.6	7.3	3.2			Non Complying
	2017	8.3	6.9	4.0	2	130	Non Complying
	2018	7.9	5.3	4.8	2	110	Non Complying
	2019	7.9	7.1	3.0	2	110	Complying
April	2020						Dry
	2021	8.09	6.5	3.8			Non Complying
	2022	8.84	7.3	2.8			Complying
	2017	7.6	7.2	4.0	2	140	Non Complying
	2018	7.6	5.5	5.0	2	140.0	Non Complying
May	2019	7.8	6.2	3.8	2	110.0	Non Complying
	2020						Dry
	2021						Stagnant Water
	2022	9.1	6.5	4.4	2	20	Non Complying
	2017	8.3	7.1	3.2	2	130.0	Non Complying
June	2018	7.7	6.8	3.2	2	140	Non Complying
	2019	7.7	6.4	3.2	2	140	Non Complying
	2020						Dry
	2021	8.32	6.9	2.8			Complying
	2022	8.8	6.7	4.8	1.8(BDL)	1.8(BDL)	Non Complying
July	2017	8.0	6.7	4.4	2	140	Non Complying
	2018	7.2	5.5	5.0	2	110.0	Non Complying
	2019	7.8	7.1	3	2	120.0	Complying
	2020	7.8	6.2	4.2	2	120	Non Complying
	2021						Stagnant Water
August	2022	7.6	6.6	2.8	2	9	Complying
	2017	8.7	6.5	8.0	2	110.0	Non Complying
	2018	8.4	7.0	2.8	2	110	Complying
	2019	7.2	5.9	2.1	2	110	Complying
	2020	7.8	4.6	8.6	2	120	Non Complying
September	2021						Stagnant Water
	2022	7.9	6.5	3.6	1.8(BDL)	13	Non Complying
	2017	8.0	6.0	4.2	2	140	Non Complying
	2018	7.7	7.4	3.6	4	170	Non Complying
	2019	8.5	6.4	3.2	2	95	Non Complying
October	2020	8.30	4.81	8.0	2.0	130.0	Non Complying
	2021	8.00	7.10	2.6			Complying
	2022	8.3	6.4	3.6	2	13	Non Complying
	2017	8.0	7.2	3.2	2	110	Non Complying
	2018	8.5	7.5	3.2	4	120	Non Complying
November	2019	7.3	5.9	4.2	2	110	Non Complying
	2020	8.21	5.50	5.8			Non Complying
	2021	7.85	7.40	3.6			Non Complying
	2022	8.2	5.4	5.8	1.8(BDL)	1.8(BDL)	Non Complying
	2017	8.7	6.9	3.0	2	110	Complying
December	2018	8.2	7.3	3.6	2	130	Non Complying
	2019	8.1	6.5	3.8	2	110	Non Complying
	2020	8.27	5.40	7.2			Non Complying
	2021	8.27	7.10	2.8			Complying
	2022	8.5	5.1	5.4	2	9.2	Non Complying
November	2017	8.0	6.8	3.0	4	170	Complying
	2018	8.3	7.3	3.0	2	140	Complying
	2019	7.8	5.0	5.0	2	85	Non Complying
	2020	8.23	5.30	5.4			Non Complying
	2021	8.39	7.50	3.4			Non Complying
December	2022	8.5	6.2	4.4	1.8(BDL)	1.8(BDL)	Non Complying
	2017	8.1	6.6	3.0	4	130	Complying
	2018	8.0	7.24	3.0	2	120	Complying
	2019	7.9	7.0	4.0	2	95	Non Complying
	2020	8.01	6.41	4.2			Non Complying
December	2021	7.74	6.10	5.5			Non Complying
	2022	8.5	6.7	3.2	9	110	Non Complying

2177 - Godavari River near Someshwar Temple, Village- Someshwar, Taluka- Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.27	6.2	6.0	<2	140	Non Complying
	2018	7.62	6.0	3.0	2	110	Complying
	2019	7.90	5.9	5.6	<1.8	220	Non Complying
	2020	7.96	5.6	3.4	3.6	120	Non Complying
	2021	7.94	5.2	4.2	14.0	94.0	Non Complying
	2022	7.60	5.9	3.2	6	63.0	Non Complying
February	2017	7.88	NIL	60.0	2	170	Non Complying
	2018						Dry
	2019	7.80	6.0	3.8	<1.8	170	Non Complying
	2020						Dry
	2021	7.8	6.5	2.8	17	120	Complying
	2022	7.8	6	4.2	11	70	Non Complying
March	2017	8.17	6.7	2.5	2	240	Complying
	2018	8.09	5.3	8.6	2	280	Non Complying
	2019	7.42	6.0	5.4	1.8	150	Non Complying
	2020	7.98	5.8	3.4	20.0	170.0	Non Complying
	2021	7.6	5.8	2.8	4	70	Complying
	2022	7.9	5.6	3.4	6	63	
April	2017	8.91	6.0	3.0	<2	110	Complying
	2018	8.09	7.0	3.0	1.8	210	Complying
	2019	7.74	5.9	4.4	<1.8	170	Non Complying
	2020	7.04	6.5	3.2	17.0	140.0	Non Complying
	2021	7.60	6.2	3.4	14	94.0	Non Complying
	2022	7.1	5.7	3.6	4	48	Non Complying
May	2017	7.47	5	4.0	2	140	Non Complying
	2018	8.22	6.8	3.0	1.8	170	Complying
	2019	7.88	5.9	4.6	2	210	Non Complying
	2020	7.28	6.4	3.2	40	120	Non Complying
	2021	7.32	6	3.4	12	84	Non Complying
	2022	7.4	5.7	3.4	4	46	Non Complying
June	2017	7.8	6.5	3.0	2	70	Complying
	2018	8.19	6	4.2	1.8	140	Non Complying
	2019	7.69	5.6	3.2	<1.8	220	Non Complying
	2020	7.61	6	3.2	20	150	Non Complying
	2021	7.72	5.9	3.8	13	120	Non Complying
	2022	7.9	5.5	3.6	6	63	Non Complying
July	2017	7.93	5.8	4.0	2	70	Non Complying
	2018	7.87	7.2	3.2	1.8	220	Non Complying
	2019	7.76	6.0	3.2	2	170	Non Complying
	2020	7.66	5.9	3.2	17	140	Non Complying
	2021	7.30	5.9	3.6	11	110	Non Complying
	2022	7.4	6.1	3.4	11	79	Non Complying
August	2017	7.68	2.2	6.0	2	130	Non Complying
	2018	8.11	5.9	7.2	1.8	170	Non Complying
	2019	7.06	6.1	4.8	<1.8	170	Non Complying
	2020	7.68	5.8	3.8	14.0	150.0	Non Complying
	2021	7.59	5.9	3.2	6.0	58.0	Non Complying
	2022	7.3	6	3.2	6	63	Non Complying
September	2017	7.81	5.8	3.0	2	140	Complying
	2018	7.8	5.8	7.0	2	280	Non Complying
	2019	7.4	5.8	2.4	<1.8	170	Complying
	2020	7.81	5.8	4	8.0	94.0	Non Complying
	2021	7.2	7.2	2.8	11.0	70.0	Complying
	2022	7	6	3.2	4	46	Non Complying
October	2017	8.26	5.3	4.2	17	210	Non Complying
	2018	7.8	5.6	6.2	1.8	170	Non Complying
	2019	7.86	5.8	3.8	<1.8	220	Non Complying
	2020	7.1	6.0	2.8	14.0	120.0	Complying
	2021	7.5	6.8	2.8	6.0	58.0	Complying
	2022	7.6	5.8	3.4	4	46	Non Complying
November	2017	8.13	6.1	3.0	4	140	Complying
	2018	7.7	5.9	4.8	1.8	140	Non Complying
	2019	7.9	5.7	3.6	2.1	170	Non Complying
	2020	7.82	6.1	2.8	6.0	94.0	Complying
	2021	7.7	6.0	2.6	11.0	79.0	Complying
	2022	7.4	6	3.2	4	43	Non Complying
December	2017	8.31	6.2	3.0	2	150	Complying
	2018	7.76	5.9	6.2	1.8	220	Non Complying
	2019	7.93	6	3.6	2	120	Non Complying
	2020	7.82	5.9	3.2	12.0	84.0	Non Complying
	2021	7.5	6.3	3.2	6.0	58.0	Non Complying
	2022	7.8	6.2	3	6	58	Complying

2179 - Godavari River at Hanuman Ghat, Village- Nashik city, Taluka- Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.69	6	5.0	2	280	Non Complying
	2018	7.69	5.8	4.0	11	500	Non Complying
	2019	7.80	5.2	9.2	<1.8	170	Non Complying
	2020	8.11	3.4	5.5	6.1	170	Non Complying
	2021	7.96	5.2	4.2	4.0	70.0	Non Complying
February	2022	7.80	5.2	3.6	6	58.0	Non Complying
	2017	7.36	2.6	26.0	2	220	Non Complying
	2018						Dry
	2019	7.40	5.4	7.8	2	220	Non Complying
	2020	7.93	5.6	3.8	13.0	150	Non Complying
March	2021	7.34	5.3	4.2	4	110	Non Complying
	2022	7.7	4.5	5.8	11	70	Non Complying
	2017	8.14	6.5	3.0	2	220	Complying
	2018	8.56	2.9	20.0	4	350	Non Complying
	2019	7.62	5.9	5.8	2	220	Non Complying
April	2020						Dry
	2021						Stagnant Water
	2022						Stagnant Water
	2017	7.93	5.8	4.5	<2	130	Non Complying
	2018	8.03	6.4	4.0	1.8	220	Non Complying
May	2019	7.76	6.1	3.6	<1.8	210	Non Complying
	2020						Dry
	2021						Stagnant Water
	2022	7.4	5.6	3.4	5	58	Non Complying
	2017	7.96	4.5	6.0	14	150	Non Complying
June	2018	7.94	5.9	6.0	1.8	220	Non Complying
	2019	7.95	5.8	7.6	2	170	Non Complying
	2020	7.59	5.7	4.2	32.0	140	Non Complying
	2021						Stagnant Water
	2022	7.9	5.4	3.6	6	63	Non Complying
July	2017	7.79	6.8	3.0	2	140	Complying
	2018	7.74	6.4	3.8	2	220	Non Complying
	2019	7.71	5.9	4.2	2	210	Non Complying
	2020						Dry
	2021						Stagnant Water
August	2022	8.3	5.2	3.8	11	70	Non Complying
	2017	8.14	5.5	4.0	2	140	Non Complying
	2018	7.46	6.0	4.8	1.8	280	Non Complying
	2019	7.48	5.6	5.4	6	240	Non Complying
	2020	8.16	5.8	4	21	170	Non Complying
September	2021	7.39	6	3.4	12	150	Non Complying
	2022	7.8	5.8	3.4	6	63	Non Complying
	2017	7.7	1.2	8.0	17	230	Non Complying
	2018	7.53	4.9	13.0	2	240	Non Complying
	2019	7.40	6.0	5.2	8	280	Non Complying
October	2020	7.79	5.2	4.0	25.0	150.0	Non Complying
	2021	7.54	5.6	3.4	11	79.0	Non Complying
	2022	7.3	5.8	3.4	4	46	Non Complying
	2017	7.9	5.9	3.0	11	220	Complying
	2018	7.6	5.2	8.0	4	350	Non Complying
November	2019	7.7	5.7	3.4	6	240	Non Complying
	2020	7.72	5.6	3.8	13.0	130.0	Non Complying
	2021	7.72	5.6	3.6	6	63.0	Non Complying
	2022	7.4	6	3.2	4	48	Non Complying
	2017	7.95	6	3.2	33	350	Non Complying
December	2018	7.8	6	4.2	1.8	170	Non Complying
	2019	7.34	5.9	3.5	<1.8	210	Non Complying
	2020	7.12	5.8	4.2	14.0	120.0	Non Complying
	2021	7.50	6.6	2.6	11	79.0	Complying
	2022	7.5	5.3	3.8	4	46	Non Complying
November	2017	7.85	4.2	4.0	25	430	Non Complying
	2018	7.5	6	6.8	2	220	Non Complying
	2019	7.9	5.6	3.8	5.6	240	Non Complying
	2020	7.85	5.4	4.0	10.0	110.0	Non Complying
	2021	7.60	6.0	2.6	6	63.0	Complying
December	2022	7.1	5.9	3.4	4	46	Non Complying
	2017	8.20	5.9	3.0	4	220	Complying
	2018	7.76	6.5	8.0	1.8	170	Non Complying
	2019	7.72	6.3	3	1.8	140	Complying
	2020	7.38	5.4	3.8	11.0	94.0	Non Complying
December	2021	7.50	6.1	3.4	18	70.0	Non Complying
	2022	7.6	5.8	3.4	4	43	Non Complying

2180 - Godavari River at Tapovan,Village- Tapovan, Taluka- Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.36	4.2	8.0	<2	220	Non Complying
	2018	7.90	5.2	3.8	7	500	Non Complying
	2019	7.80	3.8	27.0	2	280	Non Complying
	2020	8.17	5.1	3.8	4.0	150	Non Complying
	2021	7.94	3.8	8.2	13.0	350.0	Non Complying
	2022	7.80	5.9	3.4	11	79.0	Non Complying
February	2017	7.26	NIL	8.0	7	350	Non Complying
	2018						Dry
	2019	7.50	4.6	15.0	4	220	Non Complying
	2020	7.87	5.3	6.8	26.0	280	Non Complying
	2021	7.15	4.6	7.6	21	350	Non Complying
	2022	7.9	4.8	4.2	13	94	Non Complying
March	2017	8.66	6.6	3.0	<2	220	Complying
	2018	8.13	4.4	17.0	3.6	280	Non Complying
	2019	7.66	6.2	3.8	2	210	Non Complying
	2020	7.10	3.1	8.8	70.0	1600.0	Non Complying
	2021	7.6	4.2	6.8	17	280	Non Complying
	2022	7.5	4.2	5.2	6	63	Non Complying
April	2017	8.66	5.1	9.0	4	220	Non Complying
	2018	8.03	5.9	6.0	1.8	210	Non Complying
	2019	7.72	6	3.4	2	220	Non Complying
	2020	7.84	5.0	6.2	47.0	920.0	Non Complying
	2021	7.42	5.0	3.9	14.0	350.0	Non Complying
	2022	7.4	5	4.8	11	79	Non Complying
May	2017	8.35	2.3	6.8	40	710	Non Complying
	2018	8.1	5.8	6.0	1.8	210	Non Complying
	2019	7.78	5.4	7.8	2	220	Non Complying
	2020	7.38	5.2	5.6	94.0	430	Non Complying
	2021	7.38	5.2	4.3	14	350	Non Complying
	2022	7.6	5.3	3.8	11	70	Non Complying
June	2017	7.8	6.1	4.0	2	150	Non Complying
	2018	7.98	5.9	4.6	2	240	Non Complying
	2019	7.67	6.1	3.4	4	280	Non Complying
	2020	7.41	5.2	4.8	94.0	540	Non Complying
	2021	8.03	3.9	5.4	20	280	Non Complying
	2022	8.3	4.8	4.6	11	70	Non Complying
July	2017	8.3	5.4	4.0	120	540	Non Complying
	2018	7.61	5.4	9.0	1.8	220	Non Complying
	2019	7.51	5.4	5.8	6	280	Non Complying
	2020	7.73	4.3	6.8	70	350	Non Complying
	2021	8.01	4.8	4.4	17	220	Non Complying
	2022	7.7	5.1	4.2	12	120	Non Complying
August	2017	7.65	2.9	6.0	11	280	Non Complying
	2018	7.74	3.6	21.0	2	220	Non Complying
	2019	6.92	5.9	5.8	7	240	Non Complying
	2020	7.75	4.3	6.0	43.0	280.0	Non Complying
	2021	7.30	5.2	3.8	12	84.0	Non Complying
	2022	7.4	5.4	3.6	11	79	Non Complying
September	2017	7.81	6	3.0	11	210	Complying
	2018	7.7	5	13.0	2	280	Non Complying
	2019	7.4	4.7	7.8	4	280	Non Complying
	2020	7.70	4.8	5.2	33.0	220.0	Non Complying
	2021	7.60	5.8	3.4	6	58.0	Non Complying
	2022	7.4	5.2	3.8	11	70	Non Complying
October	2017	7.7	4.6	6.0	63	540	Non Complying
	2018	7.7	5.9	5.6	1.8	220	Non Complying
	2019	7.53	5.0	6.3	2	220	Non Complying
	2020	7.05	4.7	5.0	40.0	350.0	Non Complying
	2021	7.50	5.9	3.2	6	63.0	Non Complying
	2022	7.4	5.1	4	4	46	Non Complying
November	2017	8.10	6.1	3.0	21	540	Complying
	2018	7.7	6.1	5.2	2	220	Non Complying
	2019	7.9	5.8	3.6	11.0	540	Non Complying
	2020	7.81	5.0	5.2	21.0	430.0	Non Complying
	2021	7.60	5.9	2.8	11	70.0	Complying
	2022	7.2	4.2	4.6	6	63	Non Complying
December	2017	8.15	5.7	4.0	120	540	Non Complying
	2018	7.84	5	12.0	2	220	Non Complying
	2019	7.31	6	3.6	5.6	240	Non Complying
	2020	7.91	4.8	6.0	14.0	350.0	Non Complying
	2021	7.4	5.9	3.4	11	79.0	Non Complying
	2022	8	3.8	4.8	6	63	Non Complying

2181 - Godavari River at Kapila- Godavari confluence point, Village- Tapovan, Taluka- Nashik, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.24	6.4	4.0	<2	140	Non Complying
	2018	7.81	5.0	4.4	7	540	Non Complying
	2019	7.30	3.9	28.0	4	280	Non Complying
	2020	8.06	6.7	3	8.1	170	Complying
	2021	7.80	3.1	8.0	17.0	170.0	Non Complying
	2022	7.80	5.4	3.8	11	70.0	Non Complying
February	2017	6.81	NIL	70.0	4	350	Non Complying
	2018						Dry
	2019	7.70	5.0	12.5	2	200	Non Complying
	2020	7.83	5.8	5.4	25.0	350	Non Complying
	2021	7.9	4.1	8	13	210	Non Complying
	2022	7.9	4.9	5.2	6	58	Non Complying
March	2017	8.21	6.9	3.0	<2	280	Complying
	2018	8.14	4.2	21.0	4	430	Non Complying
	2019	7.71	5.9	4.2	2	240	Non Complying
	2020	8.3	3.0	8.0	58.0	920.0	Non Complying
	2021	7.64	3.8	4.4	13	170	Non Complying
	2022	7.4	5.8	3.8	11	70	Non Complying
April	2017	8.52	5.2	8.0	2	240	Non Complying
	2018						Dry
	2019	7.84	6.2	3.2	2	210	Non Complying
	2020						Dry
	2021	7.26	6	3.8	20	220	Non Complying
	2022	7.5	5.7	3.6	4	48	Non Complying
May	2017	8.14	1.8	10.0	22	400	Non Complying
	2018	8.16	5.6	7.0	1.8	170	Non Complying
	2019						Dry
	2020	7.35	5.3	5	63.0	350	Non Complying
	2021	7.19	5	4.8	17	170	Non Complying
	2022	7.5	5.5	3.6	6	58	Non Complying
June	2017	7.75	4.6	5.8	2	150	Non Complying
	2018						Dry
	2019						Dry
	2020	7.39	5	5.2	150.0	430	Non Complying
	2021						Stagnant Water
	2022	8.4	4.9	4.8	6	63	Non Complying
July	2017	8.07	4.9	4.4	120	540	Non Complying
	2018	7.54	5.8	6.0	1.8	280	Non Complying
	2019	7.44	5.8	5.2	4	220	Non Complying
	2020	7.67	5.2	5.2	70	350	Non Complying
	2021	8.04	4.9	4.2	11	140	Non Complying
	2022	7.8	4.7	4.4	11	70	Non Complying
August	2017	7.4	1.2	9.0	14	400	Non Complying
	2018	7.39	2.4	32.0	2	280	Non Complying
	2019	7.01	5.5	6.2	9	280	Non Complying
	2020	7.66	3.6	8.0	49.0	210.0	Non Complying
	2021	7.16	4.4	4.0	12	70.0	Non Complying
	2022	8.1	5.6	3.4	6	63	Non Complying
September	2017	7.51	4.8	5.0	17	270	Non Complying
	2018	7.7	4.2	18.0	4	300	Non Complying
	2019	7.2	3.8	12.5	7	240	Non Complying
	2020	7.72	4.1	6.8	26.0	220.0	Non Complying
	2021	7.60	5.0	4.4	11	70.0	Non Complying
	2022	7.8	5.4	3.4	4	48	Non Complying
October	2017	7.76	6.2	2.4	63	540	Complying
	2018	7.7	6	6.4	1.8	170	Non Complying
	2019	7.43	5.2	4.2	6.8	280	Non Complying
	2020	7.14	4.6	5.2	25.0	280.0	Non Complying
	2021	7.50	5.6	3.6	11	70.0	Non Complying
	2022	7.4	5.4	3.6	4	43	Non Complying
November	2017	7.59	BDL	10.0	21	540	Non Complying
	2018	7.7	6.1	4.4	1.8	170	Non Complying
	2019	7.9	5.6	4.0	12.0	540	Non Complying
	2020	7.83	5.0	5.0	79.0	240.0	Non Complying
	2021	7.60	5.8	3.0	11	79.0	Complying
	2022	7.2	4.5	4.2	6	58	Non Complying
December	2017	8.05	5.8	4.0	120	540	Non Complying
	2018	7.81	5.4	10.0	2	280	Non Complying
	2019	7.27	6.1	3.8	11.0	540	Non Complying
	2020	7.98	5.0	4.2	20.0	220.0	Non Complying
	2021	7.60	5.8	3.6	11	70.0	Non Complying
	2022	7.8	5.9	3.6	4	46	Non Complying

2182 - Godavari River at Saikheda village, Village- Saikheda, Taluka- Niphad, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	7.86	6.2	4.2	<2	140	Non Complying
	2018	7.80	5.8	3.4	4	350	Non Complying
	2019	7.72	6.1	3.8	<1.8	170	Non Complying
	2020	8.04	5.7	4	4.0	110	Non Complying
	2021	7.7	5.4	6.0	6.0	94.0	Non Complying
	2022	7.4	6.0	3.2	11	70.0	Non Complying
February	2017	7.76	6.0	5.0	2	110	Non Complying
	2018						Dry
	2019	7.32	5.8	5.6	2	220	Non Complying
	2020	8.14	5.8	4.2	17.0	170	Non Complying
	2021	7	5	4	14	130	Non Complying
	2022	7.9	5.4	3.8	13	84	Non Complying
March	2017	7.16	6.0	6.0	2	130	Non Complying
	2018	8.30	5.8	4.8	2	120	Non Complying
	2019	7.26	6.0	4.2	<1.8	170	Non Complying
	2020	7.78	5.6	3.8	14.0	150.0	Non Complying
	2021	7.28	5.2	4.8	17	140	Non Complying
	2022	7.3	5.8	3.2	11	79	Non Complying
April	2017	8.36	5.6	4	<2	130	Non Complying
	2018	8.17	6.8	4	1.8	170	Non Complying
	2019	7.68	6.4	3.4	<1.8	240	Non Complying
	2020	7.10	6.3	3.4	8.3	120.0	Non Complying
	2021	7.42	6.7	3.0	6	58.0	Complying
	2022	7.7	5.4	3.8	6	63	Non Complying
May	2017						Dry
	2018	8.16	5.7	6	1.8	170	Non Complying
	2019	7.94	5.8	5.6	<1.8	240	Non Complying
	2020	7.52	6.5	3.2	32.0	140	Non Complying
	2021	7.36	6	3.4	6	58	Non Complying
	2022	7.6	5.9	3.2	4	48	Non Complying
June	2017	7.35	6.3	3	2	140	Complying
	2018	7.46	5.4	4.8	1.8	240	Non Complying
	2019	7.78	5.8	3.8	2	280	Non Complying
	2020	7.20	6	3.4	46.0	280	Non Complying
	2021	7.61	6	3.4	10	120	Non Complying
	2022	8.1	5.6	3.6	4	46	Non Complying
July	2017	8.29	3.1	6	2	150	Non Complying
	2018	7.9	6.8	4.8	1.8	280	Non Complying
	2019	6.91	6.1	3.2	2	220	Non Complying
	2020	7.73	6	2.8	20	150	Complying
	2021	7.19	5.8	3.4	11	110	Non Complying
	2022	7.6	5.8	3.4	6	63	Non Complying
August	2017	7.69	5	4.2	2	110	Non Complying
	2018	7.9	5.9	6	1.8	140	Non Complying
	2019	7.3	6.3	3.2	<1.8	280	Non Complying
	2020	7.64	5.9	3.9	22.0	170.0	Non Complying
	2021	7.15	6.0	3.0	4	48.0	Complying
	2022	7.2	6	3.2	4	46	Non Complying
September	2017	7.44	5.8	2.6	2	110	Complying
	2018	7.78	6.0	5	1.8	140	Non Complying
	2019	7.43	5.2	4	<1.8	240	Non Complying
	2020	7.74	5.8	4.0	20.0	110.0	Non Complying
	2021	7.60	6.6	3.0	4	49.0	Complying
	2022	7.4	6.2	3	4	43	Complying
October	2017						Dry
	2018	7.64	6.1	5.8	1.8	220	Non Complying
	2019	7.8	5.90	3.8	4	280	Non Complying
	2020	7.84	6.1	2.8	7.0	58.0	Complying
	2021	7.60	6.2	2.8	6	63.0	Complying
	2022	7.6	6	3.2	4	46	Non Complying
November	2017	8.32	5.1	4	2	110	Non Complying
	2018	7.65	6.1	4.8	2	280	Non Complying
	2019	7.39	5.8	3.8	6.0	280	Non Complying
	2020	7.79	5.8	3.2	4.0	48.0	Non Complying
	2021	7.70	6.0	2.4	11	70.0	Complying
	2022	7.2	5.8	3.4	4	43	Non Complying
December	2017	7.86	6.4	3	2	70	Complying
	2018	7.16	6.2	3	1.8	170	Complying
	2019	7.78	6.4	3.4	2.0	220	Non Complying
	2020	7.90	5.4	3.8	6.0	58.0	Non Complying
	2021	7.60	6.2	3.0	11	70.0	Complying
	2022	7.8	5.2	3.8	4	46	Non Complying

2183 - Godavari river at Nandur-Madhmeshwar Dam, Village- Nandur, Taluka- Niphad, District- Nashik.

Month	Year	pH	DO (mg/L)	BOD (mg/L)	FC MPN /100ml	TC MPN /100ml	Water Quality
January	2017	8.02	6.8	3.2	<2	130	Non Complying
	2018	7.59	6.1	3.0	4.9	150	Complying
	2019	7.76	6.7	2.8	<1.8	240	Complying
	2020	7.7	5.8	4.2	6.0	140	Non Complying
	2021	7.6	5.6	3.8	2.0	58.0	Non Complying
	2022	7.9	6.2	3.0	6	58.0	Complying
February	2017	7.72	6.0	5.0	2	170	Non Complying
	2018						Dry
	2019	7.66	6.1	3.4	<1.8	170	Non Complying
	2020	8.26	6	3.8	24.0	150	Non Complying
	2021	7.33	6.4	2.8	12	79	Complying
	2022	7.4	5.9	3.2	4	48	Non Complying
March	2017	8.15	6.6	3.0	2	110	Complying
	2018	8.41	6.4	3.8	2	150	Non Complying
	2019	7.31	6.5	3.4	<1.8	220	Non Complying
	2020	7.60	6.1	3.4	11.0	63.0	Non Complying
	2021	7	5.9	3	11	110	Complying
	2022	7.4	5.6	3.4	6	63	Non Complying
April	2017	8.90	6.2	3.0	<2	110	Complying
	2018	8.32	7.1	3.0	1.8	240	Complying
	2019	7.74	6.1	3.6	<1.8	170	Non Complying
	2020	7.33	6.5	3.2	6.1	46.0	Non Complying
	2021	7.46	6.8	2.8	2	58.0	Complying
	2022	7.5	5.5	3.6	6	58	Non Complying
May	2017	8.1	5.6	4.0	<2	110	Non Complying
	2018	8.11	6.0	5.0	1.8	110	Non Complying
	2019	7.95	6.0	4.6	<1.8	210	Non Complying
	2020	7.86	6.3	3.4	11.0	58	Non Complying
	2021	7.12	6.9	3	10	39	Complying
	2022	7.6	6	3.2	6	63	Non Complying
June	2017	7.42	6.5	3.0	2	110	Complying
	2018	7.42	6.2	3.4	1.8	170	Non Complying
	2019	7.71	6	3.2	<1.8	220	Non Complying
	2020	7.31	6.1	3.4	14.0	120	Non Complying
	2021	7.12	6.2	3	4	63	Complying
	2022	8	5.8	3.4	6	58	Non Complying
July	2017	8.27	6.4	2.8	2	140	Complying
	2018	7.58	6.1	5.0	1.8	170	Non Complying
	2019	7.02	6.0	3.8	2	240	Non Complying
	2020	7.60	6	3	14	48	Complying
	2021	7.34	6.2	3	11	79	Complying
	2022	7.7	6	3.2	4	46	Non Complying
August	2017	7.9	4.8	4.4	2	120	Non Complying
	2018	7.9	6.2	6.0	1.8	130	Non Complying
	2019	7.6	6.2	3.4	<1.8	210	Non Complying
	2020	7.90	5.9	3.8	11.0	84.0	Non Complying
	2021	7.31	6.2	3.0	6	47.0	Complying
	2022	7.3	6.2	3	4	48	Complying
September	2017	7.5	6.1	2.6	2	110	Complying
	2018	7.66	6.8	5.0	2	170	Non Complying
	2019	7.56	5.9	3.0	<1.8	140	Complying
	2020	7.73	6.0	3.4	6.0	43.0	Non Complying
	2021	7.20	7.2	2.8	4	63.0	Complying
	2022	7.5	6.3	3.4	4	46	Non Complying
October	2017						Dry
	2018	7.78	5.7	7.2	1.8	170	Non Complying
	2019	7.84	6.2	3	2	240	Complying
	2020	7.82	5.9	4.2	11.0	40.0	Non Complying
	2021	7.50	6.8	2.6	11	70.0	Complying
	2022	7.7	6.1	3.2	4	43	Non Complying
November	2017	8.32	5.7	3.6	2	150	Non Complying
	2018	7.64	6.2	3.6	1.8	220	Non Complying
	2019	7.26	5.9	3.6	2.0	150	Non Complying
	2020	7.94	6.2	3.0	12.0	33.0	Complying
	2021	7.4	6.2	2.2	6	63	Complying
	2022	7.2	6	3.2	4	46	Non Complying
December	2017	8.19	6.1	3.6	2	58	Non Complying
	2018	7.34	6.5	4.2	1.8	130	Non Complying
	2019	7.82	6.2	3.6	1.8	170	Non Complying
	2020	7.21	6.2	2.8	10.0	39.0	Complying
	2021	7.6	6.3	3	6	58	Complying
	2022	7.5	6.1	3	6	58	Complying