

| Polluted River Stretch Priority-II (Wardha River, State - Maharashtra) | | | | | | | |
|--|------|------|-----------|------------|---------------|---------------|---------------|
| Latest Water Quality As per Assessment Targeted (Characteristics of River) | | | | | | | |
| 1212 - Wardha River at Rajura bridge, Village- Rajura, Taluka- Chandrapur, District- Chandrapur. | | | | | | | |
| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
| January | 2017 | 8.0 | 8.0 | 6.8 | | | Non Complying |
| | 2018 | 7.1 | 5.9 | 5.8 | 110 | 540 | Non Complying |
| | 2019 | 8.2 | 7.8 | 3.2 | 34 | 240 | Non Complying |
| | 2020 | 8.5 | 8 | 3.2 | 40 | 350 | Non Complying |
| | 2021 | 8.1 | 7.0 | 4.5 | 34.0 | 350.0 | Non Complying |
| | 2022 | 8.2 | 5.8 | 3.8 | 10.0 | 140.0 | Non Complying |
| February | 2017 | 8.0 | 7.0 | 7.0 | | | Non Complying |
| | 2018 | 7.5 | 6.8 | 5.2 | 94 | 280 | Non Complying |
| | 2019 | 8.3 | 6.1 | 5.7 | 33 | 220 | Non Complying |
| | 2020 | 7.7 | 7.8 | 3.5 | 40 | 350 | Non Complying |
| | 2021 | 8 | 7 | 4 | 39 | 280 | Non Complying |
| | 2022 | 8.5 | 6 | 3.6 | 14 | 170 | Non Complying |
| March | 2017 | 7.7 | 6.2 | 5.8 | | | Non Complying |
| | 2018 | 8.3 | 4.9 | 6.8 | 94 | 280 | Non Complying |
| | 2019 | 7.7 | 5.5 | 5.0 | 38 | 210 | Non Complying |
| | 2020 | 8.4 | 7.8 | 3.6 | 34.0 | 350 | Non Complying |
| | 2021 | 7.8 | 6.7 | 4.5 | 34 | 350 | Non Complying |
| | 2022 | 8.5 | 6.1 | 3.5 | 21 | 220 | Non Complying |
| April | 2017 | 8.3 | 5.7 | 4.8 | | | Non Complying |
| | 2018 | 7.1 | 6.1 | 5.8 | 94 | 280 | Non Complying |
| | 2019 | 8.1 | 4.1 | 6.8 | 33 | 220 | Non Complying |
| | 2020 | | | | | | |
| | 2021 | 8.2 | 6.5 | 4.8 | 39 | 430 | Non Complying |
| | 2022 | 8.2 | 5.8 | 3.8 | 17 | 240 | Non Complying |
| May | 2017 | 7.6 | 5.7 | 4.8 | | | Non Complying |
| | 2018 | 7.4 | 6.1 | 6.8 | 94 | 280 | Non Complying |
| | 2019 | 8.9 | 5.3 | 6.4 | 33 | 220 | Non Complying |
| | 2020 | 7.8 | 7.7 | 3.2 | 34 | 240 | Non Complying |
| | 2021 | 8.4 | 6.4 | 4.5 | 39 | 430 | Non Complying |
| | 2022 | 7.8 | 6.3 | 3.2 | 21 | 280 | Non Complying |
| June | 2017 | 7.3 | 4.2 | 11.4 | 540 | 1600 | Non Complying |
| | 2018 | 7.0 | 5.2 | 8.8 | 79 | 280 | Non Complying |
| | 2019 | 8.8 | 4.8 | 8.2 | 38 | 210 | Non Complying |
| | 2020 | 7.5 | 7.6 | 3.2 | 39 | 280 | Non Complying |
| | 2021 | 8.4 | 6.4 | 4.5 | 34 | 350 | Non Complying |
| | 2022 | 7.8 | 6.1 | 3.2 | 27 | 220 | Non Complying |
| July | 2017 | 7.2 | 6.1 | 4.2 | 350 | 1600 | Non Complying |
| | 2018 | 7.5 | 5.3 | 9.1 | 170 | 350 | Non Complying |
| | 2019 | 7.9 | 8.3 | 5.2 | 39 | 280 | Non Complying |
| | 2020 | 7.6 | 7.6 | 3.6 | 34 | 240 | Non Complying |
| | 2021 | 8 | 6.6 | 4.8 | 39 | 430 | Non Complying |
| | 2022 | 8.2 | 6.4 | 3.5 | 43 | 280 | Non Complying |
| August | 2017 | 7.9 | 6.0 | 4.8 | 540 | 1600 | Non Complying |
| | 2018 | 7.4 | 6.7 | 10.2 | 80 | 300 | Non Complying |
| | 2019 | 7.7 | 6.6 | 4.6 | 47 | 350 | Non Complying |
| | 2020 | 7.9 | 7 | 4 | 39 | 280 | Non Complying |
| | 2021 | 8.43 | 6.8 | 4.6 | 14 | 140 | Non Complying |
| | 2022 | 8.3 | 6.3 | 3.8 | 41 | 240 | Non Complying |
| September | 2017 | 8.0 | 6.1 | 4.8 | | | Non Complying |
| | 2018 | 7.7 | 5.8 | 8.7 | 80 | 300 | Non Complying |
| | 2019 | 7.8 | 7.1 | 4.2 | 40 | 300 | Non Complying |
| | 2020 | 8.6 | 6.9 | 5 | 33 | 350 | Non Complying |
| | 2021 | 8.1 | 5.7 | 6.4 | 21 | 220 | Non Complying |
| | 2022 | 8 | 5.5 | 5.2 | 48 | 220 | Non Complying |
| October | 2017 | 7.1 | 6.1 | 5.8 | 110 | 220 | Non Complying |
| | 2018 | 8.0 | 5.3 | 4.6 | 70 | 280 | Non Complying |
| | 2019 | 8.4 | 7.5 | 3.2 | 39 | 280 | Non Complying |
| | 2020 | 8.5 | 7.1 | 4.5 | 34 | 350 | Non Complying |
| | 2021 | 7.9 | 6 | 4.2 | 17 | 220 | Non Complying |
| | 2022 | 8.2 | 6.1 | 3.2 | 40 | 210 | Non Complying |
| November | 2017 | 7.0 | 5.6 | 13.4 | | | Non Complying |
| | 2018 | 7.4 | 6.5 | 4.2 | 40 | 280 | Non Complying |
| | 2019 | 8.9 | 8.0 | 3.4 | 34 | 350 | Non Complying |
| | 2020 | 8.4 | 7.4 | 4 | 33 | 350 | Non Complying |
| | 2021 | 8.3 | 6.5 | 4 | 14 | 150 | Non Complying |
| | 2022 | 8.2 | 6.2 | 3.2 | 33 | 150 | Non Complying |
| December | 2017 | 8.0 | 5.3 | 8.6 | 22 | 210 | Non Complying |
| | 2018 | 8.6 | 7.3 | 5.8 | 33 | 280 | Non Complying |
| | 2019 | 8.7 | 7.5 | 3.6 | 39 | 280 | Non Complying |
| | 2020 | 8.2 | 6.9 | 5.0 | 39.0 | 280.0 | Non Complying |
| | 2021 | 8.0 | 6.0 | 3.2 | 4.0 | 120.0 | Non Complying |
| | 2022 | 8.4 | 6.1 | 3.4 | 22 | 170 | Non Complying |

1315 - Wardha River at Pulgaon Railway Bridge, Village- Pulgaon, Taluka - Wardha, District- Wardha.

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 7.7 | 8.0 | 4.8 | 79.0 | 240.0 | Non Complying |
| | 2018 | 8.6 | 6.6 | 5.9 | 94 | 220 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | 8.2 | 7 | 5.0 | 34 | 240 | Non Complying |
| | 2022 | 8.5 | 5.8 | 4.0 | 13 | 170 | Non Complying |
| February | 2017 | 7.9 | 7.6 | 5.6 | 70 | 140 | Non Complying |
| | 2018 | 7.7 | 6.1 | 5.8 | 79 | 280 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | 8.1 | 7 | 4.8 | 39 | 350 | Non Complying |
| | 2022 | 8.6 | 6 | 4 | 24 | 210 | Non Complying |
| March | 2017 | 7.6 | 6.9 | 5.8 | 79 | 220 | Non Complying |
| | 2018 | 8.2 | 4.4 | 6.8 | 94 | 220 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | | | | | | Dry |
| | 2022 | | | | | | Dry |
| April | 2017 | 8.0 | 5.6 | 6.1 | 94 | 280 | Non Complying |
| | 2018 | 8.5 | 4.4 | 9.8 | 94 | 280 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | | | | | | Dry |
| | 2022 | | | | | | Dry |
| May | 2017 | 8.1 | 5.4 | 9.8 | 58 | 280 | Non Complying |
| | 2018 | | | | | | Dry |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | | | | | | Dry |
| | 2022 | | | | | | Dry |
| June | 2017 | 8.5 | 6.0 | 6.6 | 58 | 210 | Non Complying |
| | 2018 | | | | | | Dry |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | | | | | | Dry |
| | 2022 | | | | | | Dry |
| July | 2017 | 6.8 | 5.5 | 7.6 | 94 | 280 | Non Complying |
| | 2018 | 7.4 | 5.5 | 11.4 | 40 | 350 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | | | | | | Dry |
| | 2021 | 8.1 | 7.0 | 4 | 34 | 240 | Non Complying |
| | 2022 | 8.2 | 5.7 | 4.6 | 32 | 150 | Non Complying |
| August | 2017 | 8.0 | 6.8 | 3.0 | 94 | 280 | Complying |
| | 2018 | 7.8 | 5.2 | 10.4 | 40 | 350 | Non Complying |
| | 2019 | 8.1 | 6.4 | 3.8 | 39 | 350 | Non Complying |
| | 2020 | 8.2 | 7.6 | 4.2 | 39 | 280 | Non Complying |
| | 2021 | 8.67 | 7 | 4 | 11 | 170 | Non Complying |
| | 2022 | 8.4 | 6.2 | 3.8 | 27 | 170 | Non Complying |
| September | 2017 | 8.1 | 6.2 | 5.2 | 110 | 210 | Non Complying |
| | 2018 | 8.3 | 6.1 | 10.1 | 80 | 300 | Non Complying |
| | 2019 | 8.1 | 7.9 | 3.6 | 130 | 300 | Non Complying |
| | 2020 | 8.6 | 7 | 5.8 | 39 | 280 | Non Complying |
| | 2021 | 7.8 | 6.7 | 3 | 14 | 120 | Complying |
| | 2022 | 8.2 | 6.4 | 3.6 | 22 | 140 | Non Complying |
| October | 2017 | 7.0 | 5.7 | 5.4 | 94 | 220 | Non Complying |
| | 2018 | 7.4 | 6.6 | 4.8 | 39 | 280 | Non Complying |
| | 2019 | 8.4 | 6.3 | 4.4 | 34 | 350 | Non Complying |
| | 2020 | 8.5 | 7.2 | 4.5 | 34 | 350 | Non Complying |
| | 2021 | 8.2 | 5.9 | 5.2 | 21 | 220 | Non Complying |
| | 2022 | 8.3 | 6.3 | 3.1 | 21 | 140 | Non Complying |
| November | 2017 | 7.5 | 5.9 | 12.2 | 110 | 210 | Non Complying |
| | 2018 | 7.7 | 7.8 | 3.8 | 47 | 350 | Non Complying |
| | 2019 | 8.9 | 8.2 | 3.2 | 39 | 280 | Non Complying |
| | 2020 | 8.5 | 7.6 | 3.8 | 39 | 280 | Non Complying |
| | 2021 | 8.4 | 6 | 4.4 | 17 | 150 | Non Complying |
| | 2022 | 8.3 | 6.2 | 3.4 | 26 | 140 | Non Complying |
| December | 2017 | 8.2 | 4.5 | 9.4 | 94 | 210 | Non Complying |
| | 2018 | 8.6 | 7.2 | 6 | 33 | 220 | Non Complying |
| | 2019 | 8.1 | 7.2 | 3.6 | 39 | 280 | Non Complying |
| | 2020 | 8.4 | 7.1 | 4.0 | 39 | 280 | Non Complying |
| | 2021 | 8.2 | 6.2 | 3.2 | 11 | 170 | Non Complying |
| | 2022 | 8.4 | 5.9 | 3.5 | 32 | 110 | Non Complying |

2156 - Wardha River at confluence point of Penganga & Wardha, Village- Jugad, Taluka- Wani, District- Yavatmal.

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 8.0 | 8.0 | 4.8 | | | Non Complying |
| | 2018 | 7.2 | 6.9 | 6.8 | 94 | 350 | Non Complying |
| | 2019 | 8.5 | 7.7 | 3.4 | 33 | 220 | Non Complying |
| | 2020 | 8.6 | 7.6 | 4.2 | 39 | 350 | Non Complying |
| | 2021 | 8.4 | 6.8 | 5.0 | 39.0 | 280.0 | Non Complying |
| | 2022 | 8.2 | 6.1 | 3.2 | 4.0 | 120.0 | Non Complying |
| February | 2017 | 8.0 | 7.6 | 6.6 | | | Non Complying |
| | 2018 | 7.5 | 5.8 | 6.0 | 79 | 280 | Non Complying |
| | 2019 | 8.7 | 5.4 | 5.4 | 38 | 210 | Non Complying |
| | 2020 | 8 | 7.8 | 4 | 39 | 280 | Non Complying |
| | 2021 | 8.4 | 6.7 | 5 | 34 | 350 | Non Complying |
| | 2022 | 8.4 | 6 | 3.5 | 12 | 140 | Non Complying |
| March | 2017 | 7.6 | 6.2 | 6.2 | | | Non Complying |
| | 2018 | 8.3 | 3.4 | 6.9 | 79 | 280 | Non Complying |
| | 2019 | 8.2 | 6.8 | 3.4 | 34 | 240 | Non Complying |
| | 2020 | 8.4 | 7.0 | 4.6 | 34.0 | 240.0 | Non Complying |
| | 2021 | 7.7 | 6.6 | 5.2 | 39 | 350 | Non Complying |
| | 2022 | 8.7 | 5 | 3.5 | 34 | 220 | Non Complying |
| April | 2017 | 8.6 | 6.3 | 3.2 | | | Non Complying |
| | 2018 | 6.9 | 5.2 | 10.3 | 94 | 280 | Non Complying |
| | 2019 | 8.0 | 5.0 | 4.9 | 39 | 280 | Non Complying |
| | 2020 | 8 | 7.6 | 3.2 | 33.0 | 220.0 | Non Complying |
| | 2021 | 8.1 | 6.9 | 5.2 | 39.0 | 280.0 | Non Complying |
| | 2022 | 8.3 | 6.1 | 3.4 | 11 | 150 | Non Complying |
| May | 2017 | 8.4 | 6.0 | 4.2 | | | Non Complying |
| | 2018 | 7.8 | 5.7 | 7.6 | 79 | 280 | Non Complying |
| | 2019 | 9.0 | 8.5 | 3.4 | 34 | 240 | Non Complying |
| | 2020 | 7.9 | 7.6 | 3.4 | 38 | 210 | Non Complying |
| | 2021 | 8.1 | 6.2 | 5 | 39 | 350 | Non Complying |
| | 2022 | 7.8 | 5.9 | 3.6 | 12 | 110 | Non Complying |
| June | 2017 | 7.8 | 6.0 | 5.8 | 94 | 350 | Non Complying |
| | 2018 | 7.1 | 4.6 | 10.1 | 94 | 280 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | 8.4 | 7.4 | 3.6 | 39 | 430 | Non Complying |
| | 2021 | 8.1 | 6.2 | 5 | 39 | 430 | Non Complying |
| | 2022 | 8 | 5.2 | 4.8 | 26 | 220 | Non Complying |
| July | 2017 | 7.4 | 6.2 | 3.6 | 70 | 350 | Non Complying |
| | 2018 | 7.7 | 5.2 | 8.9 | 80 | 280 | Non Complying |
| | 2019 | 8.0 | 7.8 | 3.4 | 34 | 240 | Non Complying |
| | 2020 | 8.3 | 7.7 | 3.4 | 34 | 350 | Non Complying |
| | 2021 | 8.1 | 6 | 5 | 34 | 350 | Non Complying |
| | 2022 | 8.1 | 5.1 | 5 | 33 | 220 | Non Complying |
| August | 2017 | 7.9 | 6.3 | 3.8 | 130 | 450 | Non Complying |
| | 2018 | 7.7 | 6.4 | 10.9 | 80 | 300 | Non Complying |
| | 2019 | 7.1 | 5.6 | 7.8 | 47 | 350 | Non Complying |
| | 2020 | 7.9 | 6.6 | 6 | 39 | 430 | Non Complying |
| | 2021 | 8.58 | 6.4 | 5 | 20 | 170 | Non Complying |
| | 2022 | 8.3 | 5.7 | 4.8 | 22 | 170 | Non Complying |
| September | 2017 | 7.5 | 6.3 | 3.8 | | | Non Complying |
| | 2018 | 8.2 | 6.4 | 6.4 | 33 | 280 | Non Complying |
| | 2019 | 7.5 | 7.5 | 4.3 | 39 | 280 | Non Complying |
| | 2020 | 8.6 | 4.5 | 13.5 | 34 | 350 | Non Complying |
| | 2021 | 7.8 | 5.4 | 7 | 32 | 280 | Non Complying |
| | 2022 | 8.1 | 6.2 | 4.2 | 26 | 120 | Non Complying |
| October | 2017 | 7.4 | 6.4 | 5.2 | | | Non Complying |
| | 2018 | 7.8 | 6.1 | 4.8 | 40 | 280 | Non Complying |
| | 2019 | 8.1 | 7.6 | 3.2 | 39 | 280 | Non Complying |
| | 2020 | 8.2 | 6.8 | 5 | 39 | 430 | Non Complying |
| | 2021 | 8.1 | 5.7 | 4.8 | 17 | 170 | Non Complying |
| | 2022 | 8.3 | 5.9 | 4 | 22 | 140 | Non Complying |
| November | 2017 | 7.7 | 6.8 | 12.6 | | | Non Complying |
| | 2018 | 7.3 | 7.3 | 4.0 | 70 | 280 | Non Complying |
| | 2019 | 8.9 | 8.4 | 3.2 | 34 | 240 | Non Complying |
| | 2020 | 8.4 | 7.3 | 4 | 34 | 350 | Non Complying |
| | 2021 | 8.2 | 6 | 4.5 | 27 | 210 | Non Complying |
| | 2022 | 8.2 | 5.4 | 3.8 | 26 | 140 | Non Complying |
| December | 2017 | 6.8 | 7.1 | 3.5 | 14 | 110 | Non Complying |
| | 2018 | 8.5 | 6.6 | 5.0 | 34 | 240 | Non Complying |
| | 2019 | 8.6 | 6.2 | 4.0 | 33 | 280 | Non Complying |
| | 2020 | 8.0 | 6.8 | 5.2 | 33.0 | 220.0 | Non Complying |
| | 2021 | 8.0 | 5.8 | 4.6 | 6.0 | 150.0 | Non Complying |
| | 2022 | 8.3 | 5.9 | 3.8 | 25 | 150 | Non Complying |

**2174 - Wardha River at D/s of ACC Ltd. Ghuggus near WCL pump house, Village- Ghuggus,
Taluka- Chandrapur, District- Chandrapur.**

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 7.8 | 7.8 | 7.0 | | | Non Complying |
| | 2018 | 7.2 | 7.1 | 5.2 | 110 | 540 | Non Complying |
| | 2019 | 8.3 | 6.5 | 5.2 | 39 | 280 | Non Complying |
| | 2020 | 8.5 | 7.2 | 5.4 | 20 | 170 | Non Complying |
| | 2021 | 8.4 | 7.1 | 4.0 | 39.0 | 280.0 | Non Complying |
| | 2022 | 8.2 | 6.2 | 3.0 | 14.0 | 170.0 | Complying |
| February | 2017 | 8.0 | 7.0 | 9.8 | | | Non Complying |
| | 2018 | 7.5 | 6.6 | 5.2 | 110 | 540 | Non Complying |
| | 2019 | 8.1 | 6.9 | 5.7 | 34 | 240 | Non Complying |
| | 2020 | 8 | 7.9 | 4.6 | 33 | 220 | Non Complying |
| | 2021 | 8.4 | 7.4 | 4 | 39 | 280 | Non Complying |
| | 2022 | 8.4 | 6.2 | 3.2 | 9.2 | 120 | Non Complying |
| March | 2017 | 7.0 | 6.0 | 9.0 | | | Non Complying |
| | 2018 | 8.1 | 4.7 | 8.6 | 110 | 350 | Non Complying |
| | 2019 | 8.3 | 5.6 | 4.8 | 33 | 220 | Non Complying |
| | 2020 | 8.4 | 7.0 | 5.6 | 34.0 | 240.0 | Non Complying |
| | 2021 | 7.8 | 7.2 | 4.5 | 34 | 240 | Non Complying |
| | 2022 | 8.7 | 5.9 | 3.6 | 10 | 130 | Non Complying |
| April | 2017 | 8.2 | 5.3 | 7.8 | | | Non Complying |
| | 2018 | 7.0 | 6.0 | 4.4 | 120 | 350 | Non Complying |
| | 2019 | 7.4 | 5.4 | 5.3 | 38 | 210 | Non Complying |
| | 2020 | 8.2 | 7.4 | 3.4 | 33 | 220 | Non Complying |
| | 2021 | 8.0 | 7.0 | 4.5 | 39 | 280 | Non Complying |
| | 2022 | 8.2 | 6 | 3.4 | 22 | 210 | Non Complying |
| May | 2017 | 8.7 | 6.6 | 5.8 | | | Non Complying |
| | 2018 | 7.3 | 5.0 | 8.6 | 79 | 280 | Non Complying |
| | 2019 | 9.0 | 7.5 | 4.4 | 31 | 150 | Non Complying |
| | 2020 | 7.9 | 6.9 | 4 | 38 | 210 | Non Complying |
| | 2021 | 8.5 | 6.9 | 4.6 | 39 | 350 | Non Complying |
| | 2022 | 7.8 | 6.1 | 3.4 | 17 | 220 | Non Complying |
| June | 2017 | 7.3 | 5.8 | 9.8 | 220 | 920 | Non Complying |
| | 2018 | 7.0 | 5.6 | 8.2 | 79 | 280 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | 8.3 | 7 | 4 | 34 | 240.0 | Non Complying |
| | 2021 | 8.7 | 7 | 4.5 | 39 | 280.0 | Non Complying |
| | 2022 | 8.3 | 5.6 | 3.6 | 32 | 280 | Non Complying |
| July | 2017 | 7.5 | 6.8 | 4.6 | 170 | 920 | Non Complying |
| | 2018 | 7.6 | 5.6 | 8.1 | 70 | 280 | Non Complying |
| | 2019 | 8.0 | 7.8 | 3.4 | 32 | 170 | Non Complying |
| | 2020 | 7.7 | 7.8 | 3.6 | 39 | 280 | Non Complying |
| | 2021 | 8 | 6.8 | 4.8 | 39 | 280 | Non Complying |
| | 2022 | 7.9 | 5.2 | 4.9 | 41 | 240 | Non Complying |
| August | 2017 | 7.7 | 6.2 | 4.9 | 540 | 920 | Non Complying |
| | 2018 | 7.6 | 4.9 | 10.7 | 33 | 280 | Non Complying |
| | 2019 | 7.7 | 6.2 | 4.8 | 39 | 280 | Non Complying |
| | 2020 | 8 | 6.8 | 5 | 38 | 210 | Non Complying |
| | 2021 | 8.59 | 6.9 | 4.5 | 13 | 140 | Non Complying |
| | 2022 | 8.3 | 6 | 4.6 | 40 | 350 | Non Complying |
| September | 2017 | 8.0 | 6.2 | 4.2 | | | Non Complying |
| | 2018 | 8.1 | 5.1 | 8.8 | 34 | 240 | Non Complying |
| | 2019 | 7.9 | 7.5 | 3.8 | 33 | 220 | Non Complying |
| | 2020 | 8.4 | 5.8 | 12 | 33 | 220 | Non Complying |
| | 2021 | 8 | 5 | 9.2 | 25 | 280 | Non Complying |
| | 2022 | 8 | 5.2 | 5.2 | 33 | 350 | Non Complying |
| October | 2017 | 7.4 | 5.5 | 7.2 | 110 | 540 | Non Complying |
| | 2018 | 7.8 | 5.7 | 5.2 | 34 | 240 | Non Complying |
| | 2019 | 8.0 | 6.6 | 3.8 | 39 | 350 | Non Complying |
| | 2020 | 8.4 | 6.6 | 6 | 34 | 240 | Non Complying |
| | 2021 | 8.1 | 6.1 | 3.4 | 17 | 140 | Non Complying |
| | 2022 | 8.3 | 6.2 | 3.4 | 46 | 350 | Non Complying |
| November | 2017 | 6.8 | 6.7 | 12.2 | | | Non Complying |
| | 2018 | 8.0 | 7.2 | 6.2 | 40 | 280 | Non Complying |
| | 2019 | 8.7 | 7.7 | 4.4 | 39 | 280 | Non Complying |
| | 2020 | 8.3 | 7.4 | 3.5 | 33 | 220 | Non Complying |
| | 2021 | 8.3 | 6.2 | 3.2 | 17 | 140 | Non Complying |
| | 2022 | 8.1 | 6 | 3.6 | 48 | 350 | Non Complying |
| December | 2017 | 8.0 | 6.6 | 6.2 | 63 | 220 | Non Complying |
| | 2018 | 7.5 | 6.6 | 5.6 | 34 | 240 | Non Complying |
| | 2019 | 8.3 | 6.3 | 4.2 | 34 | 240 | Non Complying |
| | 2020 | 8.4 | 7.4 | 3.5 | 33.0 | 220.0 | Non Complying |
| | 2021 | 8.7 | 6.0 | 3.8 | 40.0 | 210.0 | Non Complying |
| | 2022 | 8.3 | 6.1 | 3.4 | 49 | 280 | Non Complying |

2719 - Wardha River at D/s of Erat River at Hadasti near Arun Engg. Works, Village- Hadasti, Taluka- Chandrapur, District- Chandrapur.

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 7.0 | 4.0 | 13 | 130 | 280 | Non Complying |
| | 2018 | 7.3 | 6.8 | 5.2 | 47 | 220 | Non Complying |
| | 2019 | 8.4 | 6.1 | 5.0 | 39 | 280 | Non Complying |
| | 2020 | 8.6 | 6.9 | 5 | 33 | 280 | Non Complying |
| | 2021 | 8.2 | 6.5 | 4.4 | 39.0 | 280.0 | Non Complying |
| | 2022 | 8.2 | 6.0 | 3.6 | 12.0 | 170.0 | Non Complying |
| February | 2017 | 6.9 | 3.3 | 15 | 170 | 350 | Non Complying |
| | 2018 | 7.5 | 6.4 | 5.4 | 120 | 430 | Non Complying |
| | 2019 | 8.4 | 6.7 | 5.8 | 34 | 240 | Non Complying |
| | 2020 | 8 | 8 | 4.5 | 39 | 350 | Non Complying |
| | 2021 | 8.3 | 6.7 | 5 | 39 | 280 | Non Complying |
| | 2022 | 8.3 | 6.1 | 3.4 | 14 | 110 | Non Complying |
| March | 2017 | 7.0 | - | 44 | 140 | 210 | Non Complying |
| | 2018 | 8.2 | 4.3 | 7.1 | 110 | 350 | Non Complying |
| | 2019 | 7.4 | 5.8 | 4.2 | 33 | 220 | Non Complying |
| | 2020 | 8.4 | 7.0 | 5 | 39 | 430.0 | Non Complying |
| | 2021 | 8.08 | 6.3 | 5.2 | 39 | 280 | Non Complying |
| | 2022 | 7.2 | 5.8 | 3.4 | 17 | 120 | Non Complying |
| April | 2017 | 7.2 | 4.4 | 13 | 110 | 280 | Non Complying |
| | 2018 | 7.2 | 5.6 | 7.8 | 94 | 280 | Non Complying |
| | 2019 | 8.1 | 3.0 | 7.8 | 33 | 220 | Non Complying |
| | 2020 | | | | | | |
| | 2021 | 8.2 | 7.2 | 3.4 | 39 | 350 | Non Complying |
| | 2022 | 8.1 | 5.9 | 4 | 34 | 210 | Non Complying |
| May | 2017 | 7.3 | - | 60 | 110 | 350 | Non Complying |
| | 2018 | 8.2 | 4.7 | 8.0 | 94 | 280 | Non Complying |
| | 2019 | 9.0 | 7.4 | 5.4 | 31 | 150 | Non Complying |
| | 2020 | 7.5 | 7.2 | 3.8 | 39 | 280 | Non Complying |
| | 2021 | 8.6 | 7 | 4 | 39 | 280 | Non Complying |
| | 2022 | 7.8 | 6.3 | 3.5 | 33 | 220 | Non Complying |
| June | 2017 | 7.4 | 4.3 | 10 | 130 | 350 | Non Complying |
| | 2018 | 7.0 | 5.2 | 7.9 | 94 | 280 | Non Complying |
| | 2019 | 8.6 | 6.2 | 4.0 | 32 | 170 | Non Complying |
| | 2020 | 8.4 | 7 | 4 | 39 | 350 | Non Complying |
| | 2021 | 8.3 | 7 | 4.6 | 34 | 350 | Non Complying |
| | 2022 | 8 | 6.1 | 3.1 | 21 | 280 | Non Complying |
| July | 2017 | 7.0 | 6.0 | 5 | 220 | 540 | Non Complying |
| | 2018 | 7.8 | 5.4 | 8.1 | 110 | 350 | Non Complying |
| | 2019 | 7.9 | 7.6 | 3.6 | 38 | 210 | Non Complying |
| | 2020 | 8.2 | 7.5 | 4.8 | 39 | 280 | Non Complying |
| | 2021 | 8.1 | 6.7 | 4.8 | 34 | 350 | Non Complying |
| | 2022 | 8.1 | 5.8 | 4.4 | 41 | 350 | Non Complying |
| August | 2017 | 6.5 | 6.9 | 4 | 79 | 240 | Non Complying |
| | 2018 | 7.5 | 6.3 | 9.1 | 90 | 350 | Non Complying |
| | 2019 | 7.2 | 5.6 | 11.4 | 34 | 240 | Non Complying |
| | 2020 | 7.9 | 6.4 | 4.8 | 34 | 350 | Non Complying |
| | 2021 | 8.43 | 6.5 | 5 | 17 | 150 | Non Complying |
| | 2022 | 8.3 | 6 | 4.2 | 48 | 430 | Non Complying |
| September | 2017 | 6.5 | 7.4 | 3.6 | 33 | 170 | Non Complying |
| | 2018 | 7.3 | 5.8 | 7.1 | 90 | 280 | Non Complying |
| | 2019 | 7.8 | 7.1 | 4.2 | 40 | 300 | Non Complying |
| | 2020 | 8.5 | 4.8 | 14 | 34 | 350 | Non Complying |
| | 2021 | 8.2 | 4.7 | 10 | 22 | 210 | Non Complying |
| | 2022 | 7.9 | 5.9 | 4.5 | 33 | 280 | Non Complying |
| October | 2017 | 7.0 | 4.8 | 6 | 49 | 210 | Non Complying |
| | 2018 | 8.1 | 7.4 | 5.2 | 70 | 280 | Non Complying |
| | 2019 | 7.6 | 7.3 | 4.2 | 39 | 350 | Non Complying |
| | 2020 | 8.4 | 7 | 4.5 | 39 | 280 | Non Complying |
| | 2021 | 7.9 | 5.6 | 4.2 | 25 | 210 | Non Complying |
| | 2022 | 8.3 | 6.1 | 3.4 | 34 | 240 | Non Complying |
| November | 2017 | 7.3 | 5.5 | 9 | 70 | 220 | Non Complying |
| | 2018 | 7.8 | 7.0 | 5.2 | 50 | 300 | Non Complying |
| | 2019 | 8.5 | 7.5 | 4.2 | 39 | 280 | Non Complying |
| | 2020 | 8.4 | 7.6 | 3.5 | 34 | 350 | Non Complying |
| | 2021 | 8.2 | 5.9 | 3.8 | 17 | 170 | Non Complying |
| | 2022 | 7.8 | 6.1 | 3.5 | 43 | 280 | Non Complying |
| December | 2017 | 6.5 | 4.0 | 10 | 79 | 220 | Non Complying |
| | 2018 | 8.2 | 6.1 | 5.6 | 39 | 280 | Non Complying |
| | 2019 | 8.6 | 7.0 | 4.6 | 39 | 350 | Non Complying |
| | 2020 | 8.2 | 7.0 | 4.0 | 34.0 | 350.0 | Non Complying |
| | 2021 | 8.0 | 5.1 | 4.2 | 12.0 | 140.0 | Non Complying |
| | 2022 | 8.3 | 6.2 | 3.4 | 46 | 350 | Non Complying |

**2720 - Wardha River at U/s of Erai River at Hadasti near Arun Engg. Works, Village- Hadasti,
Taluka- Chandrapur, District- Chandrapur.**

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 8.0 | 8.0 | 4.6 | | | Non Complying |
| | 2018 | 7.3 | 6.9 | 3.7 | 39 | 140 | Non Complying |
| | 2019 | 8.4 | 7.0 | 3.0 | 32 | 170 | Complying |
| | 2020 | 8.6 | 7.6 | 3.8 | 26 | 140 | Non Complying |
| | 2021 | 8.3 | 7.0 | 3.8 | 27.0 | 170.0 | Non Complying |
| | 2022 | 8.2 | 6.3 | 3.0 | 7.0 | 130.0 | Complying |
| February | 2017 | 8.0 | 7.0 | 6 | | | Non Complying |
| | 2018 | 7.5 | 6.6 | 5.2 | 39 | 140 | Non Complying |
| | 2019 | 8.6 | 7.4 | 4.2 | 31 | 150 | Non Complying |
| | 2020 | 8.2 | 7.8 | 3.2 | 33 | 220 | Non Complying |
| | 2021 | 8.2 | 7 | 4.5 | 26 | 140 | Non Complying |
| | 2022 | 8 | 6.4 | 3 | 4 | 84 | Complying |
| March | 2017 | 7.7 | 6.0 | 4.8 | | | Non Complying |
| | 2018 | 8.1 | 5.4 | 4.6 | 39 | 140 | Non Complying |
| | 2019 | 8.6 | 5.9 | 4.0 | 32 | 170 | Non Complying |
| | 2020 | 8.4 | 7.7 | 3.4 | 39.0 | 280.0 | Non Complying |
| | 2021 | 8.02 | 7 | 4 | 31 | 150 | Non Complying |
| | 2022 | 7.3 | 6 | 3 | 4 | 94 | Complying |
| April | 2017 | 8.5 | 6.1 | 3.4 | | | Non Complying |
| | 2018 | 7.2 | 6.1 | 5.5 | 39 | 170 | Non Complying |
| | 2019 | 8.1 | 3.9 | 7.2 | 32 | 170 | Non Complying |
| | 2020 | 8.0 | 7.9 | 2.6 | 38.0 | 210.0 | Complying |
| | 2021 | 8.1 | 7.5 | 3.4 | 27.0 | 170.0 | Non Complying |
| | 2022 | 8.2 | 6.2 | 3.2 | 26 | 170 | Non Complying |
| May | 2017 | 7.3 | 5.9 | 3.6 | | | Non Complying |
| | 2018 | 8.2 | 5.8 | 6.1 | 39 | 140 | Non Complying |
| | 2019 | 9.0 | 7.6 | 4.0 | 21 | 84 | Non Complying |
| | 2020 | 7.5 | 7.5 | 3 | 27 | 170 | Complying |
| | 2021 | 8 | 7.3 | 3.8 | 26 | 140 | Non Complying |
| | 2022 | 7.8 | 6.6 | 3 | 21 | 150 | Complying |
| June | 2017 | 7.7 | 6.4 | 4.5 | 39 | 140 | Non Complying |
| | 2018 | 7.1 | 5.8 | 7.1 | 46 | 170 | Non Complying |
| | 2019 | 8.6 | 6.6 | 3.8 | 21 | 94 | Non Complying |
| | 2020 | 8.4 | 7.5 | 3.4 | 38 | 210 | Non Complying |
| | 2021 | 8.3 | 7.2 | 4 | 27 | 170 | Non Complying |
| | 2022 | 8.1 | 6.2 | 3 | 17 | 170 | Complying |
| July | 2017 | 7.0 | 6.2 | 4.0 | 47 | 220 | Non Complying |
| | 2018 | 7.8 | 5.9 | 7.9 | 50 | 170 | Non Complying |
| | 2019 | 8.0 | 7.0 | 3.8 | 22 | 79 | Non Complying |
| | 2020 | 8.3 | 7.9 | 3 | 27 | 170 | Complying |
| | 2021 | 8 | 6.9 | 4.2 | 27 | 170 | Non Complying |
| | 2022 | 8.1 | 6.2 | 3.8 | 32 | 210 | Non Complying |
| August | 2017 | 7.8 | 6.0 | 5.2 | 39 | 140 | Non Complying |
| | 2018 | 7.3 | 6.5 | 7.0 | 26 | 140 | Non Complying |
| | 2019 | 7.2 | 5.0 | 9.2 | 21 | 94 | Non Complying |
| | 2020 | 7.9 | 7.4 | 4.0 | 38 | 210 | Non Complying |
| | 2021 | 8.44 | 6.8 | 4.5 | 21 | 170 | Non Complying |
| | 2022 | 8.3 | 6.2 | 4 | 33 | 280 | Non Complying |
| September | 2017 | 8.0 | 6.0 | 5.8 | | | Non Complying |
| | 2018 | 7.6 | 6.2 | 6.2 | 27 | 140 | Non Complying |
| | 2019 | 8.1 | 7.0 | 3.4 | 21 | 90 | Non Complying |
| | 2020 | 8.6 | 6.8 | 6.5 | 38 | 170 | Non Complying |
| | 2021 | 8 | 5 | 9.4 | 26 | 170 | Non Complying |
| | 2022 | 8.1 | 6.1 | 3.8 | 22 | 220 | Non Complying |
| October | 2017 | 7.2 | 6.1 | 5.5 | 40 | 170 | Non Complying |
| | 2018 | 8.1 | 5.1 | 4.2 | 33 | 220 | Non Complying |
| | 2019 | 7.5 | 7.3 | 3.0 | 21 | 94 | Complying |
| | 2020 | 8.4 | 7.2 | 4.2 | 26 | 140 | Non Complying |
| | 2021 | 7.9 | 5.8 | 3.8 | 25 | 210 | Non Complying |
| | 2022 | 8.3 | 6.3 | 3 | 41 | 220 | Complying |
| November | 2017 | 6.9 | 6.9 | 22.0 | | | Non Complying |
| | 2018 | 7.9 | 7.6 | 4.4 | 70 | 280 | Non Complying |
| | 2019 | 8.8 | 8.1 | 3.4 | 22 | 110 | Non Complying |
| | 2020 | 8.5 | 7.8 | 2.8 | 38 | 170 | Complying |
| | 2021 | 8.3 | 6.2 | 3.0 | 11 | 150 | Complying |
| | 2022 | 8.1 | 6.3 | 3 | 27 | 240 | Complying |
| December | 2017 | 8.0 | 5.0 | 9.6 | 40 | 170 | Non Complying |
| | 2018 | 8.3 | 6.5 | 4.8 | 31 | 150 | Non Complying |
| | 2019 | 8.7 | 7.8 | 3.4 | 21 | 94 | Non Complying |
| | 2020 | 8.0 | 7.4 | 3.4 | 38.0 | 210.0 | Non Complying |
| | 2021 | 8.1 | 5.8 | 3.9 | 13.0 | 170.0 | Non Complying |
| | 2022 | 8.4 | 6.4 | 3 | 33 | 220 | Complying |

**2721 - Wardha River at U/s of ACC Ltd. Ghuggus near WCL pump house, Village- Ghuggus,
Taluka- Chandrapur, District- Chandrapur.**

| Month | Year | pH | DO (mg/L) | BOD (mg/L) | FC MPN /100ml | TC MPN /100ml | Water Quality |
|-----------|------|------|-----------|------------|---------------|---------------|---------------|
| January | 2017 | 8.0 | 8.0 | 4.4 | | | Non Complying |
| | 2018 | 7.0 | 7.2 | 3.5 | 97 | 350 | Non Complying |
| | 2019 | 8.4 | 7.5 | 3.6 | 26 | 140 | Non Complying |
| | 2020 | 8.5 | 7.8 | 4.6 | 33 | 280 | Non Complying |
| | 2021 | 8.0 | 7.70 | 3.5 | 27.0 | 170.0 | Non Complying |
| | 2022 | 8.2 | 6.20 | 3.0 | 12.0 | 140.0 | Complying |
| February | 2017 | 8.0 | 7.3 | 5.6 | | | Non Complying |
| | 2018 | 7.6 | 6.6 | 5 | 79 | 350 | Non Complying |
| | 2019 | 8.3 | 7.6 | 3.46 | 22 | 110 | Non Complying |
| | 2020 | 8.6 | 8.1 | 4 | 38 | 210 | Non Complying |
| | 2021 | 8.2 | 7.8 | 3 | 31 | 150 | Complying |
| | 2022 | 8.3 | 6.4 | 3 | 6.8 | 94 | Complying |
| March | 2017 | 7.0 | 6.0 | 6.0 | | | Non Complying |
| | 2018 | 8.0 | 5.3 | 3.8 | 97 | 140 | Non Complying |
| | 2019 | 8.3 | 5.6 | 4.6 | 32 | 170 | Non Complying |
| | 2020 | 8.5 | 7.90 | 4.2 | 32.0 | 170.0 | Non Complying |
| | 2021 | 7.6 | 7.6 | 3 | 26 | 140 | Complying |
| | 2022 | 8.6 | 6.2 | 3.4 | 11 | 110 | Non Complying |
| April | 2017 | 8.3 | 5.9 | 5.8 | | | Non Complying |
| | 2018 | 7.1 | 6.1 | 3.5 | 63 | 170 | Non Complying |
| | 2019 | 7.5 | 4.6 | 4.9 | 31 | 150 | Non Complying |
| | 2020 | 8.2 | 7.80 | 2.8 | 17.0 | 120.0 | Complying |
| | 2021 | 8.1 | 7.40 | 3.5 | 26.0 | 120.0 | Non Complying |
| | 2022 | 8.2 | 6.1 | 3.4 | 12 | 150 | Non Complying |
| May | 2017 | 8.7 | 6.6 | 3.4 | | | Non Complying |
| | 2018 | 7.3 | 5.3 | 7.6 | 97 | 140 | Non Complying |
| | 2019 | 8.8 | 7.9 | 3.6 | 21 | 94 | Non Complying |
| | 2020 | 7.9 | 7.5 | 3 | 22 | 110 | Complying |
| | 2021 | 8.2 | 7.2 | 3.8 | 32 | 170 | Non Complying |
| | 2022 | 7.8 | 6.3 | 3 | 21 | 170 | Complying |
| June | 2017 | 7.4 | 6.4 | 3.6 | 48 | 350 | Non Complying |
| | 2018 | 7.0 | 6.3 | 6.4 | 97 | 150 | Non Complying |
| | 2019 | | | | | | Dry |
| | 2020 | 8.3 | 7.6 | 3 | 26 | 120.0 | Complying |
| | 2021 | 8.7 | 7.3 | 3.6 | 26 | 140.0 | Non Complying |
| | 2022 | 8.2 | 5.9 | 3.4 | 25 | 150 | Non Complying |
| July | 2017 | 7.4 | 6.8 | 3.2 | 94 | 350 | Non Complying |
| | 2018 | 7.5 | 6.1 | 7.1 | 50 | 170 | Non Complying |
| | 2019 | 8.0 | 7.6 | 3.6 | 17 | 63 | Non Complying |
| | 2020 | 7.6 | 7 | 3.2 | 31 | 150 | Non Complying |
| | 2021 | 8 | 6.8 | 4.8 | 39 | 280 | Non Complying |
| | 2022 | 8 | 5.6 | 4.6 | 32 | 210 | Non Complying |
| August | 2017 | 7.7 | 6.4 | 3.6 | 79 | 350 | Non Complying |
| | 2018 | 7.6 | 5.2 | 7.1 | 26 | 170 | Non Complying |
| | 2019 | 7.5 | 5.0 | 9 | 17 | 70 | Non Complying |
| | 2020 | 8.2 | 7 | 4.8 | 32 | 170 | Non Complying |
| | 2021 | 8.61 | 7 | 3.4 | 11 | 110 | Non Complying |
| | 2022 | 8.3 | 6.1 | 4.4 | 34 | 240 | Non Complying |
| September | 2017 | 8.0 | 6.4 | 3.2 | | | Non Complying |
| | 2018 | 7.9 | 6.3 | 6.6 | 25 | 150 | Non Complying |
| | 2019 | 7.1 | 7.4 | 3.4 | 21 | 90 | Non Complying |
| | 2020 | 8.6 | 6.8 | 5.8 | 32 | 120 | Non Complying |
| | 2021 | 8 | 5.8 | 8.0 | 21 | 220 | Non Complying |
| | 2022 | 7.8 | 5.5 | 5 | 38 | 280 | Non Complying |
| October | 2017 | 7.3 | 5.6 | 5.1 | 94 | 220 | Non Complying |
| | 2018 | 8.1 | 5.5 | 4.0 | 27 | 170 | Non Complying |
| | 2019 | 8.1 | 7.4 | 3.2 | 21 | 94 | Non Complying |
| | 2020 | 8.1 | 6.9 | 5.6 | 31 | 150 | Non Complying |
| | 2021 | 8.1 | 6.9 | 3.0 | 20 | 130 | Complying |
| | 2022 | 8.3 | 6.2 | 3.2 | 26 | 240 | Non Complying |
| November | 2017 | 6.8 | 6.6 | 7 | | | Non Complying |
| | 2018 | 7.4 | 6.6 | 4.0 | 25 | 150 | Non Complying |
| | 2019 | 8.6 | 8.3 | 3.2 | 22 | 79 | Non Complying |
| | 2020 | 8.6 | 7.6 | 3.2 | 32 | 120 | Non Complying |
| | 2021 | 8.3 | 6.4 | 3.0 | 14 | 110 | Complying |
| | 2022 | 8.2 | 6.2 | 3.4 | 32 | 220 | Non Complying |
| December | 2017 | 8.0 | 7.1 | 3.6 | 40 | 170 | Non Complying |
| | 2018 | 7.6 | 6.9 | 5 | 32 | 170 | Non Complying |
| | 2019 | 8.5 | 7.1 | 3.8 | 21 | 84 | Non Complying |
| | 2020 | 8.3 | 7.60 | 3.2 | 32.0 | 170.0 | Non Complying |
| | 2021 | 8 | 6.2 | 3 | 23 | 220 | Complying |
| | 2022 | 8.4 | 6.4 | 3 | 38 | 170 | Complying |