

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 14th Consent Appraisal Committee Meeting of 2022-2023 held on 09.02.2023 at Dalamal House, Nariman Point, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Pravin Darade,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |
| 4. Dr. Jitendra Sangewar,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The meeting thereafter deliberated on the fresh agenda items [Booklet No. 64 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	Booklet No. 64				
1	MPCB- CONSENT- 0000110738	Dighi Port Limited Agardanda, Shrivardhan, Raigad.	APPROVED Consent to operate of Dighi Port [North Side] At -Agardanda Site	30.06.2024	<p>Committee noted that, PP has applied for part Consent to Operate for Operation of port in the Rajapuri Creek at Agardanda (North Side).</p> <p>Committee also noted that, The application was previously discussed in CAC meeting and decided to obtain clarification in respect of Environmental clearance from MOEFCC for inclusion of Both sides i.e South & North sides.</p> <p>PP submitted TOR copy dtd. 22.08.2022 for cumulative after expansion and for balance work as per Existing EC of North side MoEFCC also exempt public hearing as PP completed 80% work of existing EC. The Both TOR includes both side i.e North & South side.</p> <p>Board has submitted letter to Ministry of Environment, Forests and Climate Change (MoEF&CC), on 18.11.2022 regarding full project details of approved components in EC & CRZ clearance of Dighi Port Limited.</p> <p>MoEF&CC submitted clarification on the said letter on 06.02.2023, as per letter they informed that EC & CRZ clearance has been accorded for construction of 4 new multi-purpose berths to cater to break bulk liquid cargoes and strengthening and upgrading of the existing (one number) berth – there are two berths on south side & three berth on North side (Agardanda Side). They also submitted that the Ministry seeking the TOR for construction of balance work of Dighi port on both sides.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to issue part Consent to Operate for Operation of port in the Rajapuri Creek at Agardanda (North Side), by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/Extend BG of Rs. 25 lakh for compliance of consent condition and O & M of pollution control system. 2. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEAC-2013/CR-259/TC-2 dtd. 14/12/2015 and amended /Corrigendum issued thereof. 3. PP shall not take any effective steps for expansion and for balance work as per previous EC till obtain valid EC from competent authority. <p>Consent will be issued after submission of required consent fee.</p>
2	MPCB- CONSENT- 0000121927	Skylark Heights (Amalgamated Slum Rehabilitation Scheme) F.P No. 1076, 1077, 1078 of TPS- IV of Mahim division, C.S No. 286 (pt) & 912 of Lower Parel Division, Dr. Annie Besant Road,	NOT APPROVED Renewal of Consent to Operate Part-I	-----	<p>Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for SRA Scheme with Residential & Hotel building project having Total Plot Area of 83,853.83 Sq.m and Total Construction BUA of 6,43,000 Sq.m (as per EC dtd. 28/01/2016).</p> <p>Committee also noted that, PP has not submitted the Audited balance sheet and clarification/justification regarding decrease in CI by Rs. 138.02 Crs as compared to earlier C to E, pointwise compliance verification report of Environment Clearance conditions called from SRO-Mumbai-I it was decided to issue</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Worli, Mumbai " 400025.			<p>Show Cause Notice for refusal of Revalidation of Consent to Establish for above non-compliances.</p> <p>Committee further noted that, show cause notice was issued vide letter dtd. 08/08/2022, but till date PP has not submitted any reply or documents.</p> <p>After due deliberation it was decided to issue final refusal of Renewal of Consent to Operate Part-I.</p>
3	MPCB- CONSENT- 0000117589	Skylark Buildcon Pvt. Ltd. "Skylark Height" F.P No. 1076, 1077, 1078 of TPS-IV of Mahim division, C.S No. 286 (pt) & 912 of Lower Parel Division, Dr. Annie Besant Road, Worli, Mumbai " 400025.	NOT APPROVED Revalidation of Consent to Establish	-----	<p>Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-I) for Rehabilitation Building Nos. 7, 8, 10, 11, 12 & 13 under SRA Scheme project having Total Plot Area of 38,857.50 Sq.m and Construction BUA of 28,413.40 Sq.m out of Total Construction BUA of 2,64,770 Sq.m (as per EC dtd. 28/01/2016).</p> <p>Committee also noted that, PP has not submitted CA certificate in Boards prescribed format / Audited balance sheet, pointwise compliance verification report of Environment Clearance conditions called from SRO-Mumbai-I and it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate (Part-I) for above non-compliances.</p> <p>Committee further noted that, show cause notice was issued vide letter dtd. 08/08/2022, but till date PP has not submitted any reply or documents.</p> <p>After due deliberation it was decided to issue final refusal of Revalidation of Consent to Establish.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
4	MPCB- CONSENT- 0000123001	GENEXT HARDWARE & PARKS PVT. LTD. Sub Plot B, of CS No.1903,1904,1905 ,1/1905&2/1905 Building No. 2 on sub plot B, of CS No. 1903, 1904,1905,1/1905 & 2/1905 of Byculla Division, Sane Guruji Marg, Near Jacob Circle, Mahalaxmi, Mumbai	APPROVED Renewal of Consent to Operate (Part-I)	30.06.2024	<p>Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of 1st Consent to Operate for Building. No. 3 Residential wing having Total plot area of 61,520.46 Sq.m and Total construction BUA of 79,279.61 Sq.m.</p> <p>Committee also noted that, PP has not submitted an audited balance sheet and pointwise EC compliance verification report from SRO-Mumbai-I and it was decided to issue Show Cause Notice for refusal of 1st Consent to Operate for the above non-compliances</p> <p>Committee further noted that, PP has submitted reply stating therein that, their Company's balance sheet is yet not finalized therefore they have submitted CA certificate having figures mentioned as per unaudited books of account and requested to accept the same and submitted a copy of Data sheet of EC compliance submitted to Integrated Regional Office, MoEF & CC, Nagpur.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate (Part-I) by imposing standard conditions for Infrastructure projects.</p> <p>Consent may be issued after receipt of additional Consent fees, if any.</p>
5	MPCB- CONSENT- 0000124162	NESCO Limited Plot No. 223/1, 223/A/1, 225, 239A, 240, 241, 241/1 to 6, 242B, 243A and	NOT APPROVED Consent to Establish	-----	<p>Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of Consent to Establish for IT Building No.3 having Total plot area of 2,48,354.40 Sq.m and BUA of 74,863.18 Sq.m out of Total construction BUA 2,23,409.03 Sq.m.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		248A of Village Goregaon, NESCO Centre, Western Express Highway, Goregaon (East), Mumbai-400063.			<p>Committee also noted that it is a violation case, as PP has started construction activity without obtaining Environment Clearance & Consent to Establish in 19/01/2009 (copy of CC enclosed). Subsequently, completed construction work, obtained OC, and given possession without obtaining Consent to Operate from Board.</p> <p>Committee further noted that PP has not mentioned the cost of land in the undertaking submitted along with the application and it was decided to issue Show Cause Notice for refusal of Consent to Establish for above non-compliances and 0.1% Environment Compensation for the period of violation.</p> <p>Accordingly, SCN was issued vide letter dtd. 08/08/2022. In reply, PP has submitted that, they have obtained EC for bldg. No. 3 dtd. 31/03/2020 and applied for Consent to Operate directly 18/08/2020. Further, applied for grant of Consent to Establish on 22/10/2021. PP has not commented violation issue i.e. starting and completion of construction activity without obtaining Consent to Establish and handed over possession without obtaining Consent to Operate form Board.</p> <p>After due deliberation it was decided defer the case and call the details from PP regarding Environment Clearance and consents obtained from Board with reference to present BUA and architect certificate.</p>
6	MPCB- CONSENT- 0000123714	Century Textiles & Industries Ltd. (Century Estates) Century Mills, C. S No. 794, Lower Parel Division, G/S	APPROVED Renewal of Consent to Operate (Part)	31.10.2025	Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part) for IT & Commercial building project having Total plot area of 61,184.93

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		ward, Pandurang Budhkar Marg, Worli, Mumbai-400 030.			<p>Sq.m and Construction Built Up area of 58,326.06 Sq.m out of Total Construction BUA of 2,69,918.62 Sq.m.</p> <p>Committee also noted that, compared to earlier Consent to Operate there is variation in Water budget, Non-hazardous Waste generation and CI. Needs to be verified, pointwise compliance verification report of Environment Clearance conditions called from SRO-Mumbai-I and it was decided to issue a Show Cause Notice for refusal of Renewal of Consent to Operate (Part) for the above non-compliances.</p> <p>Committee further noted that, show cause notice was issued vide letter dtd. 08/08/2022, PP has submitted reply stating therein that, due to approval plan some part of commercial project demolished and the part occupation of the built-up area reduces as well as water sewage and CI of the projects gets reduced and that area has been transferred to revised EC and Revised C to E. The balance constructed area is enclosed with the architect certificate, regarding pointwise compliance report of EC conditions verified by SRO-Mumbai-I, they have stated that, they have submitted post monitoring report to SRO-Mumbai-I.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate (Part)</p>
7	MPCB-CONSENT-0000124556	THE WESTIN MUMBAI GARDEN CITY	APPROVED	31.10.2024	Committee noted that, the case was discussed in CAC meeting held on 24/06/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Hotel activity including Restaurant, Lodging & Boarding, Swimming pool,

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		(Unit of M/s. Oberoi Realty Ltd), International Business Park, Goregaon, Mumbai.	Renewal of Consent to Operate		<p>laundry activity and Commercial complex with 269 Rooms having Total Construction Built Up Area of 38,430 Sq.m Five-star category.</p> <p>Committee also noted that, JVS analysis report dtd. 11/04/2022 are exceeding to Consented limits and it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate for the above non-compliances.</p> <p>Committee further noted that, SCN issued on 08/08/2022, In reply to, PP has submitted JVS analysis reports of private laboratory.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for Hotel activity by forfeiting BG of Rs. 5 Lakh towards JVS exceedance and top-up the BG to the sum of Rs. 25 Lakh.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
8	MPCB- CONSENT- 0000115535	Paranjape Schemes Construction Limited (C/o FOREST TRAILS HIGHLANDS 7 and 8 Co-operative Housin Sr.No. 16/1 to 102/1/3(pt), 113/1/1 to 113/1/7, At. Bhugaon, Tal Mulshi, Dist.Pune.	APPROVED Renewal of Consent to Operate	30.04.2024	<p>Committee noted that, the case was discussed in CAC meeting held on 28/07/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Residential Construction project having Total Plot Area of 7,69,195 Sq.m and Total Construction Built Up Area of 18,944.54 Sq.m out of TCBUA of 6,79,837.73 Sq.m.</p> <p>Committee also noted that, PP has not submitted an audited balance sheet, pointwise compliance verification report of Environment Clearance conditions called from SRO-Pune-II and it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate for above non-compliances.</p> <p>Committee further noted that, SCN was issued, in reply to PP has submitted copy of audited balance sheet and a copy of EC compliance verification report of MoEF & CC, Regional Office, Nagpur.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for Infrastructure projects.</p> <p>Consent may be issued after receipt of additional Consent fees.</p>
9	MPCB- CONSENT- 0000115453	Paranjape Schemes Construction Limited (C/o Forest Trails Unit-2 Co-operative Housing Society L Sr.No.83, 84/2, 86/1/1, 86/2, 86/1,	APPROVED Renewal of Consent to Operate	30.04.2024	<p>Committee noted that, the case was discussed in CAC meeting held on 28/07/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate only for building Meadows, Servant Quarters and Shopping Complex having Total Plot Area of 1,04,401.08 Sq.m out of TPA of 7,69,195 Sq.m and Total Construction Built Up Area of 19,927 Sq.m out of TCBUA of 6,79,837.73 Sq.m.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		86/1A/2, 86/1A, 86/1A/1, 8 8/2, 88/3, 90/2, 35/1, 40/1, 44/5, At. Bhugaon, Tal Mulshi, Dist.Pune.			<p>Committee also noted that, PP has not submitted an audited balance sheet, pointwise compliance verification report of Environment Clearance conditions from SRO-Pune-II and it was decided to issue a Show Cause Notice for refusal of Renewal of Consent to Operate only for building Meadows, Servant Quarters and Shopping Complex for above non-compliances.</p> <p>Committee further noted that, SCN was issued, in reply, PP has submitted copy of audited balance sheet and a copy of EC compliance verification report of MoEF & CC, Regional Office, Nagpur.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for Infrastructure projects.</p>
10	MPCB-CONSENT-0000123312	Festus Properties Pvt Ltd CTS No. 28A, Kensington A & B, Village. Powai, Tal. Kurla, Mumbai.	APPROVED Renewal of Consent to Operate	30.11.2026	<p>Committee noted that, the case was discussed in CAC meeting held on 20/10/2022 & 03/11/2022, earlier the case was discussed in CAC meeting held on 28/07/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for IT/ITES activity having Total Plot Area of 26,437.41 Sq.m and Total Construction Built Up Area of 15,11,671 Sq.m.</p> <p>Committee also noted that, PP has not submitted an audited balance sheet, not provided OWC followed by composting facility, pointwise compliance verification report of Environment Clearance conditions called from SRO-Mumbai-III and decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate for above non-compliances.</p> <p>Committee further noted that, show cause notice issued. In reply, PP has submitted copy of audited balance sheet,</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>clarification regarding OWC, Audited balance sheet checked, and capital investment mentioned by the PP seems to be correct. SRO-Mumbai-III has submitted verification report of pointwise compliance of EC conditions, and it was decided to defer the case for want of information and resubmit the case after obtaining report from SRO-Mumbai-III regarding BUA.</p> <p>Accordingly, PP has submitted all the required documents. During personal hearing they have made clarity regarding BUA as they have purchased this property from Hiranandani Builders.</p> <p>SRO-Mumbai-III, through mail dtd. 02/01/2023 confirmed the BUA as mentioned in Architect certificate.</p> <p>After due deliberation it was decided to Renewal of Consent to Operate for IT/ITES activity having Total Plot Area of 36,277.14 Sq.m and Total Construction Built Up Area of 2,08,277.18 Sq.m by imposing standard conditions for Infrastructure projects.</p>
11	MPCB- CONSENT- 0000124847	Sanvo Resorts Pvt. Ltd. (Marathon Nexzone) Property Bearing S. No. 94, (H.NO.1D), S.NO.95.94,(H.N 94, (H.NO.1D), S.NO.95.94,(H.No. 1D),S.No.95 Village Kolkhe PANVEL	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that PP has applied for grant plain renewal of consent to operate with increased capital investment of Rs. 515.86 Cr. (Increase by 206.94)</p> <p>Committee also noted that the case was discussed in 4th CAC meeting held on 24.06.2022, it was decided to issue show cause notice for refusal of renewal of consent to operate on following non-compliances: 1. PP has increased capital investment by 206.94 Crs. without obtaining prior permission from the Board 2. Not submit Bank Guarantee of Rs. 25 lakh as per earlier</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>consent conditions. 3. Not submitted point wise compliance of Environment Clearance.</p> <p>Committee further noted that Show cause notice issued on 15.07.2022 and PP submitted reply on 20.09.2022, (a) stating that Total cost of project is Rs. 859.64 Crs. (Part1- 108.59 Crs., Part-2 – 200.32 Crs. & Part-3 – 206.64 Crs.) Hence total cost is 515.86 Crs. (b) Submitted bank guarantee of Rs. 25 lakh as per earlier consent conditions. (c) Point wise Environment Clearance compliance dated 21.09.2022 from SRO.</p> <p>After due deliberation, it was decided to grant plain renewal of consent to operate for total plot area 114920 sq. Mtr and construction BUA of 2,70,735 sq.mtrs., with bank guarantee and standard conditions for infrastructure projects.</p>
12	MPCB- CONSENT- 0000133014	MUMBAI PORT TRUST HOSPITAL WADALA (EAST)	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.12.2026	<p>Committee noted that HCE has applied for Renewal of Combined consent & BMW Authorization for Hospital – 241 beds on total plot area of 46,822.10 Sq.Mtr & total BUA of 23,560.11 Sq.Mtr.</p> <p>Committee also noted that the case is resubmitted for extension of approved validity period as it was discussed in CAC meeting dated 24.06.2022 & approved for the period up to 31.12.2022. However, consent was not issued due to non-submission of BNH certificate and additional consent fees of Rs. 3,00,000/-.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that HCE is ready to pay additional consent fees.</p> <p>After due deliberation, it was decided to grant renewal of combined consent & BMW Authorization for Hospital – 241 beds on total plot area of 46,822.10 Sq.Mtr & total BUA of 23,560.11 Sq.Mtr. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE shall provide full-fledge ETP & STP to treat the trade & domestic effluent generated from hospital within next 6 Months. 2. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of additional consent fees.</p>
13	MPCB- CONSENT- 0000135181	F.M. Hammerle Textiles Ltd., Plot No. T-5 + T-5/ Part 1 Kagal Hatkanangale Five Star MIDC Kagal	APPROVED Renewal of consent	31.08.2024	<p>Committee noted that, PP has applied for Renewal of Consent for Dyed Yarn Shirting Fabric.</p> <p>Committee also noted that, Application was discussed in the earlier CAC meeting dated 20.05.2022 decided to issue SCN for refusal and accordingly SCN was issued on 14.06.2022. application Resubmitted on CAC meeting dtd. 28.07.2022 and call information from SRO. Application again resubmitted to CAC meeting dtd. 24.09.2022 and it was decided defer the case and put up in next CAC meeting after obtaining legal opinion.</p> <p>The previous application was refused on 22.12.2021 and PP applied on 28.03.2022 i.e after 96 days.</p> <p>Penal fee- Rs. 6,22,467/- and lapse period fee – Rs. 28,39,993/- Total Fee- Rs. 34,62,470/-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>In view of above we may issue Renewal of Consent to unit after obtaining lapse period Consent fee and penal fee.</p> <p>After due deliberation, it was decided to issue Renewal of Consent for textile processing, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/Extend BG of Rs. 25 lakh for compliance of consent condition and O & M of pollution control system. 2. Industry shall Provide RO system within 1 year for compliance of earlier directions. <p>Consent will be issued after submission of lapse period Consent fee and penal fee, if PP fail to submit the same within 15 days the consent will be refused, and further action may be initiated.</p>
14	MPCB- CONSENT- 0000135016	Classic Citi Investment Pvt. Ltd S. No. 36/3-B, Koregaon Park Annexe, Mundhwa Road, Ghorpadi, Tal. Haveli, Dist. Pune 411001.	APPROVED Renewal of Consent to Operate	31.03.2025	<p>Committee noted that, the case was discussed in CAC meeting held on 20/10/2022 & 03/11/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Hotel activity including Restaurant, Lodging, Swimming pool, Laundry, Lounge, Banquet Hall, Bar, Club with 270 Rooms having Total Plot Area of 14,528 Sq.m and Total Construction Built Up Area of 66,905 Sq.m Five-star category.</p> <p>Committee also noted that, PP has not submitted audited balance sheet and it was decided to defer the application and issue show cause notice as PP has not submitted the Environment Clearance compliance and audited balance sheet.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, SCN issued. In reply, PP has submitted copy of EC and audited balance sheet.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for Hotel activity.</p>
15	MPCB- CONSENT- 0000134010	Amtek Auto Ltd. B-6 MIDC Ranjangaon , Post Koregaon Ranjangaon MIDC Shirur	APPROVED Renewal of Consent	28.02.2025	<p>Committee noted that Industry has applied for renewal of Consent to Operate for mfg of High Pressure Die Casting Parts for Automobiles Industry. Earlier consent is valid up to 28.02.2021.</p> <p>Committee also noted that the application was discussed in CAC meeting dtd. 28.07.2022 and was decided to issue SCN for non-submission for increase in CI, Old CA certificate, JVS exceedance, STP not in operation, installed furnace & shot blasting which is not in consent. PP has submitted their reply mentioning (a) Earlier PP had declared the total C.I. which does not include the cost of shot blasting unit & furnace, now cost of the same are included hence CI is increased by Rs. 17.46 Crs. (b) PP mentioned new CA certificate. (c)PP mentioned that provided 40 CMD MBBR based STP and will maintain the operations of the same to achieve the consented standards. (d) Furnace & shot blasting machine was already in the unit but in the earlier application they skipped to mention the same and now add in the application</p> <p>Committee further noted that earlier applied for Renewal vide UAN No. 115144 dtd. 04.06.2021 and said application is refused vide dtd. 19.06.2022 and PP already submitted this Application</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>on 06.04.2022. Also applied Amendment for change in name vide UAN No. 9713 and ROC is submitted change in name from Amtek Auto Limited to Revent Precision Engineering Limited. Submitted balance sheet, As per multi-unit CA certificate CI is Rs. 124.4309 Crs. (CA certificate with application shows CI as Rs. 134.09 Crs)</p> <p>After due deliberation, it was decided to grant renewal of Consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting proportionate BG of Rs. 5 Lakh towards JVS exceedance and imposing total BG of RS. 25 lakh towards operation and maintenance of pollution control system and compliance of consent conditions. 2. PP shall operate and maintain the pollution control system properly and regularly so as to achieve the consented norms.
16	MPCB- CONSENT- 0000136178	JSW STEEL PLANT LTD INTEGRATED STEEL PLANT PHASE II(CAPACITY 5 TO 10 MTPA)(including Billet Caster 42,43,50,44,45,54, 55,56,33,32,38,49, 75,77,139,142, 158,160 ETC OF	APPROVED Renewal of Consent and amalgamation of two consent to operate for Billet Caster& Bar Mill and Integrated Steel Plant	30.04.2024	<p>Committee noted that Industry has applied for renewal and amalgamation of two consent to operate for Billet Caster& Bar Mill and Integrated Steel Plant Phase-II with increased CI. The case was discussed in the earlier CAC meeting dtd. 14.09.2022 and was deferred and call the PP for technical presentation on compliance of consent and EC conditions and status of the Hon'ble NGT court case</p> <p>Committee also noted that accordingly, presentation was extended on 09.11.2022 (Mom of the presentation are attached herewith). PP has Briefed about overall production process of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		DOLVI VILLAGE GEETAPURM DOLVI PEN	Phase-II with increased CI		<p>the unit including Raw material handling, technology comparison in the phase-I & Phase-II, details of the NGT case and status of the same. JVS results of AAQM monitoring in the premises of integrated steel Plant are found exceeding the RSPM parameter most of the time. JVS of source monitoring also found exceeding the consented norms. (JVS of source monitoring dtd. 04.05.2022 TPM – 65 mg/Nm³, 140 mg/Nm³, 52 mg/Nm³ and dtd. 05.05.2022 TPM- 18 mg/Nm³ against 50 mg/Nm³). There is NGT court case pending.</p> <p>Committee further noted that Industry has submitted balance sheet, As per multi-unit CA certificate CI of 5 to 10 unit + Billet caster is Rs. 19287 Crs. (CA certificate with application shows CI as Rs. 19121.25 Crs) difference is Rs. 165.75 Crs)</p> <p>After due deliberation, it was decided to grant renewal of Consent to operate with amalgamation of two consents i.e. of integrated steel plant phase -II and for Billet caster and Bar Mill. By imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting proportionate BG of Rs. 5 Lakh towards JVS exceedance and imposing total BG of RS. 25 lakh towards operation and maintenance of pollution control system and compliance of consent conditions. 2. PP shall carry out total water budget / audit including water consumption effluent generation, quantity of effluent reuse and disposal, etc of all the integrated [plants and submit the report to the Board within 3 months.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 3. PP shall restrict quantity of effluent discharge with the consent limit only. PP shall submit action plan about 100 % reuse of treated effluent. 4. PP shall provide monitoring system for Benzo(a) pyrene (Bap) parameter. 5. PP shall submit action plan for control of fugitive emission generated from coke oven battery section, coke pushing in coke oven and during quenching operation within a month. 6. PP shall comply with the recommendation of CREP. 7. PP shall comply the conditions of the Environmental Clearance conditions vide no. F.No.J-11011/76/2013-IA-II(I) dtd. 16.06.2020. 8. This Consent is issued subject to an order passed or may be passed by Hon'ble NGT in application no. OA. 165 of 2020.
17	MPCB- CONSENT- 0000136270	HOTEL ACTIVITY INCLUDING RESTAURANT, BOARDING & LODGING, SWIMMING POOL, LAUNDRY, PARKING, GARDEN Bandstand, Bandra Reclamation, Bandra (West), Mumbai- 400050.	APPROVED Renewal of Consent to Operate	31.05.2025	<p>Committee noted that, the case was discussed in CAC meeting held on 28/07/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Hotel activity including Restaurant, Lodging & Boarding, Swimming pool & Laundry activity, Food Items- 50 MT/M, Laundry- 100 MT/M with 493 Rooms having Total Plot Area of 44,417 Sq.m and Total Construction Built Up Area of 40,260.70 Sq.m Five-star category.</p> <p>Committee also noted that, PP has not submitted audited balance sheet and it was decided to issue Show Cause Notice</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>for refusal of Renewal of Consent to Operate for above non-compliances.</p> <p>Committee further noted that, SCN was issued. In reply, PP has submitted copy of audited balance sheet and BG details.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for Hotel activity.</p>
18	MPCB- CONSENT- 0000137207	JSW Cement Limited 95/1 95/1, Khar Karavi, PO-Gadab Pen	APPROVED Renewal of Consent	30.06.2027	<p>Committee noted that PP has applied for renewal of renewal of consent for Slag Sand / Manufactured Sand (M-Sand)-1.0 MTPA. The unit is located within the premises of M/s. JSW Steel Ltd (Integrated Steel Plant) 95/1, Khar-Karvai, Tal. Pen, Dist. Raigad. Audited balance sheet and Multi unit certificate are submitted. Industry has provided bag filters to fluidized bed dryer followed by 30-meter stack height. OCEMS provided stack and connected to MPCB server.</p> <p>Committee also noted that earlier the Case was discussed in CAC meeting held on 28.07.2022 and it was decided to defer the case and issue show cause notice for refusal of renewal of consent towards following non-compliances:</p> <ol style="list-style-type: none"> 1. Final product M-sand is stored openly and not provided designated silo due to which spillage of sand was found within the premises. 2. PP has not submitted the design details of pollution control system adopted for fugitive emission control at material handling section, Hoppers, Conveyor Belts,

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>transfer points, vibrating screen, grinder, and product storage etc.</p> <ol style="list-style-type: none"> 3. PP has not submitted the details of waste slag (Granulated Blast furnace or Steel Mill Slag) utilized for cement and RMC. 4. PP has not submitted hazardous waste annual return and environment statement. <p>Committee further noted that Board has issued show cause notice vide letter dated 06.09.2022.</p> <p>PP has submitted the reply vide letter dated 07.09.2022 stating that-</p> <ol style="list-style-type: none"> 1. Due to high moisture content (6-8%) of the product, M-sand is stored in covered shed. 2. Bag filter is provided to fluidized dryer. 3. Dry fog dust suppression system installed at conveyor belts. 4. Blast furnace slag is utilized at JSW Cement Plant. 5. Environment Statement and Form-4 of HW submitted. <p>The case was again discussed in CAC meeting held on 14.09.2022 & it was decided to defer the case and call the PP for technical presentation for Pollution control arrangements provided, compliance of consent & EC conditions.</p> <p>Industry has submitted the copy of presentation vide email dated 9.11.2022. Technical presentation was scheduled on 09/11/2022 at 12 noon at HQ MPC Board Sion Office before</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Hon'ble Chairman. Technical Presentation could not be conducted.</p> <p>After due deliberation, it was decided to grant of renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG of Rs.25.0 Lakh for the period up to 31.12.2025 towards O & M of Pollution control system and towards compliance of consent conditions.
19	MPCB- CONSENT- 0000140170	Shell inn International Private Limited Holiday Inn Mumbai International Airport, Sakinaka Junction, Andheri- Kurla Road, Andheri (E) Mumbai-400072.	APPROVED Renewal of Consent to Operate	31.05.2025	<p>Committee noted that, the case was discussed in CAC meeting held on 28/07/2022 and Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Hotel activity including Restaurant, Lodging & Boarding & Swimming pool (without Laundry activity) with 225 Rooms having Total Plot Area of 5,150 Sq.m and Total Construction Built Up Area of 11,325.66 Sq.M Four-star category.</p> <p>Committee also noted that, PP has not submitted an audited balance sheet and it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate for above non-compliances.</p> <p>Committee further noted that, SCN issued dtd. 10/10/2022 for non-submission of audited balance sheet. In reply, PP has submitted audited balance sheet and updated CA certificate.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation it was decided to grant Renewal of Consent to Operate by imposing standard conditions for hotel activity.
20	MPCB- CONSENT- 0000144072	JSW STEEL 55 MW CAPATIVE POWER PLANT Survey No.129,130 A,130B,131,132 Village- Khar Kharav, Village- Dolvi, Tal-Pen , Dist-Raigad.	APPROVED Renewal of Consent with increase in CI	31.08.2027	<p>Committee noted that PP has applied for renewal of consent to operate for 55 MW Captive Power Plant (Gas based thermal power Plant). Provided ETP & STP. Provided stack having height 40 meter to the Blast Furnace gas-based Boiler. Provided online monitoring system (OCEMS) to the stack & connected to MPCB Server.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 02.12.2022 and it was decided to defer the case and issue show cause notice for non-compliance of consent conditions. Board has issued SCN vide letter dated 16.12.2022. Industry has submitted the reply of SCN vide letter dated 20.12.2022 stating that</p> <ol style="list-style-type: none"> i. Balance sheet for the year 2021-2022 is submitted. ii. The 55 MW CPP are located within the existing JSW integrated Steel Plant. The Survey No. of the CPP are 129,130A,130B,131,132 Khar Karav village, copies of 7/12 are attached herewith. iii. Compliance of consent conditions and EC conditions are submitted. iv. The details of ETP with RO facility submitted. Water Budget submitted. v. Process water consumption 4724 m3/day. Effluent generation-996 m3/day.RO reject-156 m3/day is being collected in the tank and used for slag cooling purpose.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>There is no wastewater discharge to outside from the plant.</p> <p>vi. Actual domestic water consumption is 5 m³/day. Domestic effluent generation-3 m³/day. Septic tank soak pit provided.</p> <p>vii. RO reject is sent to blast furnace slag cooling purpose.</p> <p>After due deliberation, it was decided to grant renewal of consent for the period up to 31.08.2026 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution Control System and compliance of consent and EC conditions. <p>Consent shall be issued with the conditions of the FGD to be provided in the time bound manner.</p>
21	MPCB- CONSENT- 0000146931	Ambuja Cements Ltd. (Unit: Maratha Cement Works) Village-Upparwahi, Tal- Korpana, Dist- Chandrapur.	APPROVED Renewal of consent with increased in CI	31.10.2024	<p>Committee noted that PP has applied for renewal of consent for Integrated Cement Plant & CPP. Cement (Various Types/Grades i.e OPC/PPC/PSC/Composite Cement/Masonry Cement) -4.75 MTPA, Clinker-2.85 MTPA, Electricity (60 MW Coal based Captive Thermal Power Plant and 10 MW CPP on DG Set)-70 MW, AFR Feeding System (Co-Processing of Non-Hazardous Wastes-650 Ton/day with incorporation of the Railway Siding- 24000 Ton/D which is in their premises.</p> <p>Committee also noted that PP has provided Pollution control systems, i.e. ETP & STP, Provided Bag filters to Raw mill & Kiln, Coal Mill, Cement Mill ad Packers, Provided ESP to Clinker</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Cooler & Boilers & OCEMS & CAAQMS are provided and connected to MPCB server. JVS results of effluent and stack monitoring are within limit.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 02.12.2022 and it was decided to defer the case and issue show cause notice for towards non compliances of consent conditions. Board has issued show cause notice vide letter dated 16.12.2022. Industry has submitted the reply of SCN vide letter dated 21.12.2022 stating that-</p> <ul style="list-style-type: none"> i. Submitted the details of storage and handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as Annexure-I ii. Submitted application for authorization for co-processing of HW in cement mill under H&OW (M & TBM) Rules, 2016. Annexure -II iii. Submitted the list of sources along with category of HW available as Annexure-III iv. Audited balance sheet about Gross capital investment and Justification about increase in CI is submitted. Annexure-V & VI v. Wastewater generated from CPP is 100% utilized in cement plant for cooling purpose. Hence sludge generation is Nil. vi. Form-V Environment Statement is submitted. vii. Source of coal is from WCL mines as per EC conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>viii. Railway siding is part of the plant infrastructure since inception/ The total Capital Investment amount is inclusive of the railway siding infrastructure since the beginning and request for inclusion of railway siding in the renewal of consent.</p> <p>ix. Analysis results of stack monitoring carried out on 20.10.2022 for CPP & cement plant which are within limits.</p> <p>After due deliberation, it was decided to grant renewal of consent with inclusion of railway siding for the period up to 31.10.2024 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall obtain the authorization under H&OW (M & TBM) Rules, 2016 and as amended. Industry shall not utilize the HW brought from industries directly for co-processing unless obtain authorization under H&OW (M & TBM) Rules. 2. Industry shall provide the adequate storage, shed and facilities for handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016 & as amended. 3. Industry shall extend the existing BG of Rs.70.0 Lakh as per earlier consent for the period up to 31.10.2025

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
22	MPCB- CONSENT- 0000147315	ACC Limited Plot No 1, Ghugus Industrial Area, MIDC, P O Cementnagar, Tal & District- Chandrapur.	APPROVED Renewal of Consent with increase in CI	31.10.2024	<p>Committee noted that PP has applied for renewal of consent for Integrated Cement Plant, CPP & Co-processing of non-hazardous wastes.</p> <p>Earlier the Case was discussed in CAC meeting held on 20.10.2022 & 03.11.2022 and it was decided to defer the case and issue show cause notice for refusal of consent for following non compliances of consent conditions.</p> <ul style="list-style-type: none"> i) Analysis results of AAQM & effluent are exceeding the standards. ii) Unscientific storage and disposal /burning of Municipal solid waste brought from Nagpur MSW facilities. iii) PP has not obtained the authorization for coprocessing of HW under H & OW (M & TBM) Rules 2016 and as amended. iv) As per HW form-4, Sludge from Wastewater treatment & RO reject is not disposed to CHWTSDF. v) Audited balance sheet for the year 2021-2022 is not submitted. <p>Committee also noted that Board has issued SCN vide letter dated 16.11.2022. Industry has submitted the reply of SCN vide letter dated 18.11.2022 stating that-</p> <ul style="list-style-type: none"> i. Analysis results of AAQM carried out on 21.02.2022 are exceeding the standards for PM10. Industry has taken initiatives towards reduction/minimization of fugitive emission.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ul style="list-style-type: none"> ii. Industry has provided the storage shed for municipal solid waste and processing of legacy MSW in Nagpur and led to increasing in MSW processing for the region. iii. Industry requested for regular renewal of consent and industry will apply for the co-processing of HW in separate application. iv. Industry has already given the purchase order to the CHWTSDf for the disposal of the Sludge generated from wastewater treatment. v. Industry has submitted the annual report for the year 2021. <p>Committee further noted that analysis results of AAQM carried out on 21.02.2022 are exceeding the standards for PM10 parameter. All the three monitoring results are exceeding. Avg value are in ug/m3- 415.34,349.34 &127.67 against the std of 100 ug/m3.</p> <p>After due deliberation, it was decided to grant plain renewal of consent excluding coprocessing facilities for the Hazardous waste for one year period by imposing following conditions:</p> <ul style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh toward exceeding the AAQM results. 2. Industry shall obtain the authorization under H&OW (M & TBM) Rules, 2016 and as amended. Industry shall not utilize the HW unless obtain authorization under H&OW (M & TBM) Rules.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. Industry shall provide the adequate storage, shed and facilities for handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016 & as amended.</p>
23	MPCB-CONSENT-0000148486	Jindal Poly Films Limited 333 28th KM Milestone, Nasik Igatpuri Highway, NH - 3 Village Mundhegaon, Taluka Igatpuri, Distt NASHIK Igatpuri	REFUSED	---	<p>Committee noted that, PP has applied for 1st Consent to Operate for mfg of Solid-State Polymerized PET Chips with amalgamation of existing Consent to Operate.</p> <p>Committee considered the report of industry that, during recent fire incidence the said plant has been damaged and final assessment of the condition of the above plant as to whether it will be operated again or discarded can be done in couple of months after getting the clearance from the insurance company.</p> <p>After due deliberation, it was decided to refuse/dispose of the application as the applied unit damaged due to recent fire incidence.</p>
24	MPCB-CONSENT-0000149465	Laxmi Organic Industries Ltd B-2/2 B-3/1/1 B-3/1/2 B1/3/1 B-1/2 B-1/3/2 MIDC Mahad Mahad	APPROVED Renewal of Consent to Operate	31.12.2027	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg of various synthetic organic chemicals.</p> <p>Committee also noted that, PP has segregated trade effluent & provided separate treatment system and treated effluent is partly recycled & partly connected to CETP.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, ETP adequacy verified from Govt College of Engg. Karad and reported that, ETP is adequate. Further, STP provided treatment of sewage.</p> <p>Committee further noted that, PP has provided Air Pollution control system at all sources of emissions and disposal of HW disposal as per consent conditions.</p> <p>Committee further noted that, Capital Investment submitted earlier are fixed costs & not a gross block investment.</p> <p>Committee further noted that, the said case was discussed in CAC meeting held on 27/12/2022 and issued SCN on 02/02/2023 for clarity on Capital Investment, non-submission of compliance of interim directions & performance of ETP is not satisfactory. Accordingly, industry has submitted reply which is in line with SCN.</p> <p>After due deliberation, it was decided to consider the case for renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate the pollution control systems scientifically to achieve the consented norms. 2. Industry shall comply with all the conditions imposed in Interim Directions. 3. Industry shall dispose the Hazardous Waste as per the provisions of Rule. 4. By forfeiting of 25% of existing Bank guarantee towards JVS exceedance and top-up with total amount of Rs. 25 Lakh towards O&M of pollution control system. 5. Consent shall be issued after receipt of additional differential lapse consent fee.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
25	MPCB- CONSENT- 0000151522	Koradi Thermal Power Station, 3X660MW Khasara no.. 188-189, Koradi, Tal-Kamptee, Dist-Nagpur.	APPROVED Renewal of consent with increase in CI	31.12.2023	<p>Committee noted that PP has applied for plain renewal of consent for Electricity Generation-1980 MW (i.e.3x660 MW) UnitNo.8,9 & 10. ETP and STP provided. ESP provided to all the units.</p> <p>Committee also noted that Prosecution Notice issued by RO Nagpur vide letter No.MPCB/746/2022 dated 18.07.2022 for following non compliances-</p> <ul style="list-style-type: none"> i. Incident of Khasara Ash Bund Busting on 16.07.2022 & submergence of large agriculture area of adjoining village and discharge of ash mixed water into surrounding area and River from Khasara ash bund. ii. Received frequent complaints regarding water pollution through ash bund in the vicinity from residents. iii. Industry failed to carry out pre and post monsoon survey of all ash bund/pond and check the safety of ash bund/pond resulting incidence of breakdown of Khasara Ash bund. iv. Entire ash containing effluent discharge into low lying area, agriculture fields, natural drain and into drinking water source causing harm to Environment at large scale. v. Industry has raised the height of Khasara ash bund wall without obtaining Environment Clearance <p>Committee further noted that RO Nagpur has issued SCN vide letter PCB/EC/2210100002dated 10.10.2022 & levy Environment compensation of Rs.1.5 crore towards damaging</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Environment. RO Nagpur has issued direction u/s 33 A of Water Act and u/s 31A of Air Act vide letter no. MPCB/EC/2212120002 dated 12.12.2022 for submission of Environment compensation of 1.5 crore towards non-compliance specified for non-utilization of pond ash.</p> <p>After due deliberation, it was decided grant plain renewal of consent for Electricity Generation-1980 MW (i.e.3x660 MW) UnitNo.8,9 & 10, with bank guarantee and standard conditions of power plants.</p> <p>1. By forfeiting propionate bank guarantee after obtaining compliance report from RO, Nagpur with reference to frequent compliant received to the Board and ash management and obtain Rs.25.0 Lakh towards non-compliance of consent & EC conditions.</p>
26	MPCB- CONSENT- 0000150183	MORARJEE TEXTILES LIMITED PLOT NO. G-1 & G-2 BUTIBORI INDUSTRIAL AREA HINGNA	APPROVED Renewal of Consent	31.12.2024	<p>Committee noted that Industry has applied for Renewal of Consent for textile processing.</p> <p>Committee also noted that, Industry having old ETP of capacity 2300 CMD which comprises of primary & secondary treatment and treated effluent send to CETP, however provided separate ETP of capacity 1400 CMD for treatment of dye-bath effluent, which comprises of primary, secondary followed by RO & MEE for treatment of RO reject effluent.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for textile processing, by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. By forfeiting appropriate BG for non-compliances of consent conditions and Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions. 2. Submit upgradation plan for ETP and MEE within period of 3 months and up-grade the same within period of 6 Months. 3. PP shall provide scientific arrangement for storage of ETP sludge with in period of 3 months. <p>Consent will be issued after obtaining BG as per previous consent in 1 month period.</p>
27	MPCB- CONSENT- 0000151790	JPFL Films Private Limited 322 and 332 28th Km Milestone NH 3 Nasik Mumbai Highway Mundhegaon Igatpuri	APPROVED Consent to Establish (Expansion)	Commissioning of the unit or 5 years, whichever is earlier.	<p>Committee noted that, PP has applied for Consent to Establish (Expansion) for mfg of Biaxially Oriented PA6 Film-5000 MT/A.</p> <p>Committee also noted that, the said unit has obtained Consent to Operate for existing activity which is valid upto 30/9/2025.</p> <p>Committee further noted that, the said unit has obtained Consent to Establish for another proposed projects on 21/12/2021 & 15/8/2022.</p> <p>Committee further noted that, there will be no additional effluent generation from expansion activity. Further, existing utilities will be used for expansion activity.</p> <p>Committee further noted that, there will be additional 5.1 Category generation from expansion activity & its disposal through Authorized Party.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for grant of Consent to Establish (Expansion) by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall dispose the Hazardous Waste as per the provisions of Rule. 2. Industry shall comply provisions of Plastic Waste Management Rule. 3. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of Consent to Establish conditions.
28	MPCB- CONSENT- 0000152262	Pidilite Industries Limited Plot No A21/1, A21/2 and A22/1 MIDC Mahad Mahad	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that, PP has applied for renewal of consent to operate for production of Polymer based on Vinyl Acetate Monomer, Acrylate, Styrene, Ethylene Monomers and Adhesive based PVA.</p> <p>Committee also noted that, PP has provided ETP followed by RO & single stage MEE and treated effluent partly (21 CMD) partly recycled & partly (30.5 CMD) connected to CETP. Further, STP provided for treatment of domestic wastewater.</p> <p>Committee further noted that, PP has provided Air Pollution Control system at all sources of emissions and disposal of Hazardous Waste as per consent conditions.</p> <p>Committee further noted that, PP has not submitted Audited Balance sheet & multi-unit CA certificate even though after repeated reminders through mail dated 21/12/2022, 05/1/2023 & 30/1/2023.</p> <p>After due deliberation, it was decided to issue show cause notice for non-submission of Audited Balance sheet & multi-unit CA certificate.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
29	MPCB- CONSENT- 0000151511	Deepak Novochem Technologies Limited. Plot No D-27/3/1 & D-27/2 Plot No D-27/3/1 & D-27/2 MIDC - Lote Parshuram, Taluka - Khed, District " Ratnagiri Taluka - Khed	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that, PP has applied for renewal of Consent to Operate for mfg of various Organic Chemicals with enhancement in Capital Investment.</p> <p>Committee also noted that, capital investment increased from 91.4655 Cr to 159.48 Cr.(by 74 %).</p> <p>Committee further noted that, PP has provided ETP comprising of Primary, Secondary, Tertiary followed by RO & MEE and treated effluent recycled in the process to achieve ZLD. Further, provided STP for treatment of sewage.</p> <p>Committee further noted that, PP has provided Air Pollution Control system at all sources of emissions and disposal of Hazardous Waste as per consent conditions.</p> <p>After due deliberation, it was decided to issue show cause notice for following non-compliances:</p> <ol style="list-style-type: none"> 1. Industry has not complied with directions/SCN issued by the Regional Officer vide letter dated 04/8/2022. 2. Industry has not made connectivity of IP Camera to Boards server as per consent conditions. 3. Industry has increased Capital Investment by 74% without obtaining Consent to Establish of the Board.
30	MPCB- CONSENT- 0000152243	RCCPL Private Limited (Integrated Cement Plant & CPP)	NOT APPROVED Renewal of consent with addition of	-----	<p>Committee noted that PP has applied for renewal of consent for Integrated Cement Plant & CPP. Cement (Ordinary Portland Cement (OPC)- 1.2 MTPA, Portland Pozzolana Cement (PPC)- 3.6 MTPA, Clinker -2.9 MTPA, Electricity Generation (Coal</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		42-46,49-66,104-138,156,159, 162 & 164-168 at Mukutban & 312-322, 324-329 & 381-384 at Adegaon Village-Mukutban & Adegaon,Tal-Zari Jamni,Dist - Yavatmal	WHRB, Railway siding and Co-processing of Non-Hazardous solid waste		<p>based Captive Thermal Power Plant)-40 MW with the addition of Railway siding facility-27000 MT/day, WHRB based CPP-8 MW and Co-Processing of Non-Hazardous Wastes as an AFR (Dolochar, Plastic waste, RDF from MSW, Lime sludge, Carbon black & Biomass)-600 MT/day.</p> <p>Committee also noted that PP has provided ETP and STP. Provided Bag filters to raw mill, kiln coal mill, cement mill and packers. Audited balance sheet and multi-unit certificate is submitted. Analysis results of AAQM & Stack Monitoring carried out on 27.12.2022 & 28.12.2022 are within limit JVS sample of ETP and STP are within limit.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent on following non-compliances:</p> <ol style="list-style-type: none"> 1. Industry has not obtained valid consent to establish for WHRB based CPP-8 MW, Railway siding & Co-processing of Non-hazardous waste in Cement Kiln/Mill. 2. Industry has not submitted the details of WHRB, the amount of waste heat gases to be used and source of waste heat gases. 3. Industry has installed WHRB without obtaining valid consent to establish from Board. (Revalidation of Consent to establish is not obtained) 4. Industry has not mentioned the date of installation of WHRB. 5. Industry has not submitted the details of Non-Hazardous solid waste utilized.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. Industry has not submitted the details of storage and handling of non-Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016.</p> <p>7. The detail Plan and proposal regarding transport and handling of the non-hazardous waste and agreement with respective industries are not submitted.</p> <p>8. Industry has not obtained authorization for co-processing of HW in cement mill under H&OW (M & TBM) Rules, 2016.</p> <p>9. The details of sludge generated from ETP is not furnished. Copy of membership of CHWTSDF is not submitted.</p> <p>10. Industry has installed and operated the Railway siding without consent.</p>
31	MPCB- CONSENT- 0000153389	Paras Thermal Power Station, Paras S.No.120A, 120B,120C,120D,1 032&1184 Paras,Vidyut Nagar Paras Tal- Balapur, Dist-Akola.	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Unit-3 & 4) (2x250 MW)- 500 MW.</p> <p>Committee also noted that PP has provided ETP and STP provided, and ESP provided to all the units.</p> <p>After due deliberation, it was decided to issue show cause notice for renewal of consent on following non compliances:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. Analysis result of Stack monitoring carried out on 05.01.2023-TPM-87mg/Nm3 are exceeding the standards for TPM (STD-50 mg/Nm3) parameter. 2. Analysis result of AAQM carried out on 05.01.2023 exceed the standards for PM10 parameter. Analysis results of ETP outlet exceed the standards. 3. PP has not submitted the pointwise compliance of consent & EC conditions. 4. Audited balance sheet for Gross Capital Investment for the year 2021-2022 is not submitted. 5. Justification for the increase in CI is not submitted. 6. Industry is using sub-standard coal with exceeding ash percent and sulphur content. The Sulphur and ash contents in the coal are not maintain below 0.5% & 34% respectively. 7. Online Real time coal ash analyzer not provided. 8. Fly ash utilization as per the Fly ash notification are not furnished. 9. Detailed plan regarding installation of Flue Gas De-sulphuration (FGD) System is not submitted as per MoEF CC Gol notification dated 5th september,2022. (Timeline for compliance of SO2 emission standards is 31.12.2026 & for parameter other than SO2 emissions is 31.12.2024) for C category TPP. 10. Industry has not submitted the consent to establish fees towards increase in CI 11. We may forfeit the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and towards

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					exceedance of stack monitoring, AAQM and effluent results.
32	MPCB- CONSENT- 0000140178	Prism Johnson Limited -Unit -I (H & R Johnson (India) Division) Gut no 13,14,15 and 17 Village : Khar Devali ,Gadab, Tal. Pen Dist. - Raigad	NOT APPROVED Renewal of consent with decrease in CI under RED category	-----	<p>Committee noted that PP has applied for renewal of consent for manufacturing of Glazed / Unglazed Ceramic / Vetrified / Porselano Tiles- 18334 MT/M only.</p> <p>Committee also noted that SRO Raigad-II reported that Industry has dismantled the gas-based power plant with a capacity of 4.3 MW and removed gas-based power plant. Also, Industry has removed One Spray dryer, Three Vertical dryer, Five nos. of Press and Three nos. of Dipping Dust collector with hydro filters. Industry has removed Two nos. of DG set having capacity 1250 KVA each. Provided ETP and STP. Dust collection system provided to dipping line and vertical dryer & scrubber to spray dryer.</p> <p>It was decided to issue show cause notice for refusal of consent on following non compliances:</p> <ol style="list-style-type: none"> 1. Delay in submission of application for renewal of consent for 175 days. Industry has not submitted the penal fees of Rs.11,76,324/-. 2. Industry has not submitted the Audited balance sheet for the year 2021-2022 & Multi unit certificate. 3. As per previous consent conditions, Industry has not submitted the action plan for reduction of particulate matter concentration from raw material handling section

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					and upgrade APCS. Also not submitted the BG of Rs.5.0 Lakh towards compliance of same.
33	MPCB- CONSENT- 0000152225	Raymond Luxury cottons Ltd Nandgaonpeth T- 18/1 Additional industrial area Amravati	APPROVED Renewal of Consent	31.01.2028	<p>Committee noted that Industry has applied for Renewal of Consent for -Yarn / Textile processing involving bleaching, dyeing, printing, and coloring) for manufacturing of fabric of various fibers and yarn of different natural and manmade fibers.</p> <p>Committee also noted that, Industry provided the ETP of capacity 660 M3 comprises of Bar screen - oil and grease trap - Collection sump - Equalization tank - Primary clarifier tank - Aeration tank (ASP)- Secondary clarifier - Reaction tank - Tertiary clarifier - Treated effluent holding tank - Sludge Thickner - Sludge collection tank – Decanter - Culture preparation tank. Treated water disposed in CETP. All JVS are with in consented limit.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for textile processing, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
34	MPCB- CONSENT- 0000152901	Henkel Adhesives Technologies India Pvt. Ltd Plot No. D-4/1 & D- 4/2, MIDC Kurkumbh Duand	APPROVED 1st Consent to Operate with Renewal of	31.03.2028	<p>Committee noted that, PP has applied for grant of 1st Consent to Operate (Expansion) with renewal of existing consent to operate for mfg of Adhesives, Surface Treatment Products & sealants.</p> <p>Committee also noted that, the said unit has obtained Consent to Establish for expansion activity on 04/9/2020.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			existing Consent to Operate		<p>Committee further noted that, PP has provided ETP with a capacity of 150 CMD & comprising of primary, secondary & tertiary treatment system and STP having capacity 90 CMD. Further, treated effluent & sewage connected to CETP.</p> <p>Committee further noted that, PP has provided Air Pollution Control system at all sources of emissions and disposal of Hazardous Waste as per consent conditions.</p> <p>Committee further noted that, the said unit located at Kurkumbh Industrial area where local public raising environmental pollution problems. Hence, committee desires to know the total pollution aspect including detailed manufacturing process of the said unit.</p> <p>After due deliberation, it was decided to consider the case for grant of 1st Consent to Operate (Expansion) with renewal of existing consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate the pollution control systems scientifically to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste as per the provisions of Rule. 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution Control System and compliance of consent conditions.
35	MPCB- CONSENT- 0000153693	Sudarshan Jeans Pvt Ltd Plot No-A-35, Plot No-A-35, Village-	APPROVED	31.01.2028	Committee noted that, PP has applied for Renewal of Consent for textile processing.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Loni Devkar, Indapur MIDC Area, Tal- Indapur, Dist-Pune Indapur	Renewal of Consent		<p>Committee also noted that, PP Provided primary, secondary & tertiary treatment with Reverse osmosis and MEE to achieve ZLD. Sent ETP sludge to MEPL (CHWTSDf) on regular basis.</p> <p>After due deliberation, it was decided to issue Renewal of Consent for textile processing, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/Extend BG of Rs. 25 lakh for compliance of consent condition and O & M of pollution control system.
36	MPCB-CONSENT-0000154929	Ball Beverage Packaging (India) Private Limited C-7 Plot No. C-7, MIDC Taloja Panvel	APPROVED Renewal of Consent with decrease in CI	28.02.2026	<p>Committee noted that Industry has applied for Renewal of Consent with decrease in CI for manufacturing of beverage/fruit juice cans from aluminium plates/sheets/coils – 1861 MT/M.</p> <p>Committee also noted that PP has obtained renewal of consent vide dated 08.07.2020 which is valid up to 28.02.2023. PP has submitted that this CI is gross block which is prepared as per India accounting standards provision. Earlier it was not prepared as per India accounting standards provision. Balance Sheet submitted showing the total CI 980.69 Crs, multiunit CA certificate not submitted.</p> <p>Committee further noted that DE- 9.0 CMD – Septic tank provided, IE – 198 CMD, Provided ETP of capacity 250 CMD. Treated effluent discharged into CETP. JVS result of ETP outlet collected on 14.12.2022 is well within the limit. PP has submitted audited balance sheet showing the CI of Rs. 980.35 Crs, along with multi-unit CA certificate showing the CI of Rs. 491.06 Crs.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent for manufacturing of beverage/fruit juice cans from aluminium plates/sheets/coils – 1861 MT/M by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate ETP to achieve the consented norms. 2. PP shall submit/extend BG to form the sum of Rs. 25 Lakh towards O & M of PCs and compliance of consent conditions. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
37	MPCB- CONSENT- 0000151025	Sheth Developers & Realtors (India) Limited “Viviana Mall” Survey No. 73/1G, 74P, 77 /1B, 77/2B, 73/1G, 74P, 77 /1B, 77/2B, 78/1A, 78/2A, 78/3A--- Eastern Express Highway, village- Panchapakhadi, Thane (West), Thane - 400 602. Thane	APPROVED Renewal of Consent	31.12.2027	<p>Committee noted that PP has applied for Renewal of Consent to Operate with increase in CI, for total plot area 93,114.0 Sq. Mtr. & BUA- 1,48,369.16 Sq. mtr with C.I. of Rs. 830.95 Crs. (Increase in CI of Rs. 303.45 Crs.)</p> <p>Committee also noted that 1st Operate for operation of Natural Gas fired 1851 KVA Gen Set and amalgamation with existing Consent to operate valid up to 31.12.2022. Environment Clearance obtained on 16.12.2014 for Residential Cum Commercial Building Project for Total Plot Area- 93,114 sq.m and Total BUA- 3,13,272.64 sq.m. with C.I. of Rs. 552 Crs. water consumption is 450 CMD, Sewage generation is 350 CMD, STP with MBBR Technology is 870 CMD capacity.</p> <p>After due deliberation, it was decided to grant Renewal of Consent to Operate with increase in CI. for total plot area</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>93,114.0 Sq. Mtr. & BUA- 1,48,369.16 Sq. mtr., by imposing bank guarantee and standard conditions for infrastructure project.</p> <p>Consent shall be issued after submission of justification for increase in capital investment and penal fees.</p>
38	MPCB- CONSENT- 0000155442	TAPIR CONSTRUCTIONS LIMITED 53/1,55,70/1(pt),70/2(pt),70/4(pt),70/6(pt),70/7pt,70/8pt,70/9pt,71/1/A/1/1,71/1/A/1/3,71/2,71/3A/2 Panchpakhadi, Thane (W) THANE	APPROVED Consent to Establish (Revalidation)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for revalidation of consent to establish Residential project (TDR Housing scheme) for total plot area- 27,310 Sq. Mtr, BUA- 1,59,820.16 Sq. Mtr. with CI 1303 Cr.</p> <p>Committee also noted that consent to establish for the same project dtd 29.01.2018 for Total plot area 27,310 Sq. mtrs and Total construction BUA 1,59,820.16 Sq. mtrs, with CI 696 Cr. Environment Clearance Status: obtained EC on 29.03.2017 for plot area 27,310 Sq. Mtr & BUA 1,59,820.16 Sq. mtr. With CI of Rs. 546 Crs.</p> <p>Committee further noted that present status of Construction is Bldg structure work for Tower No. 1A, 1/3, 1 C- 30 th Floor (Basement 2+Basement-1+Lower Ground + Upper Ground + Podium-parking facility completed. PCC work for parking area is found under progress. Water consumption 509 CMD, Sewage generation 687 CMD, STP with MBBR Technology – 690 CMD capacity.</p> <p>After due deliberation, it was decided to grant revalidation of consent to establish Residential project (TDR Housing scheme) for total plot area- 27,310 Sq. Mtr, BUA- 1,59,820.16 Sq. Mtr.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>with CI 1303 Cr., with standard conditions for infrastructure projects.</p> <p>Consent shall be issued after submission of justification for increase in capital investment and penal fees.</p>
39	MPCB- CONSENT- 0000155358	KORADI THERMAL POWER STATION (210 MW) Unit 6 (1x210 MW), At-Koradi, Tal-Kamptee,Dist- Nagpur.	NOT APPROVED Renewal of consent with decrease in CI	-----	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation-210 MW (UnitNo.6) only. Industry reported that Unit no.7 is retired & decommissioned from 03.08.2021. Provided ETP and STP. ESP provided to unit 6. Installed OCEMS and connected to MPCB server.</p> <p>Committee also noted that the analysis result of Stack monitoring carried out on 16.11.2022 are exceeding the standards for parameter TPM-384 & 454 & SO2-1506 & 1189 (Std-TPM-100, SO2-600) in mg/Nm3. Analysis results of AAQM are exceeding the standards for parameter PM10-194 (Std-100) ug/m3. JVS result of ETP outlet is within limit.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of renewal of consent, on following non-compliances:</p> <ol style="list-style-type: none"> 1. Analysis result of Stack monitoring and AAQM are exceeding the standards. 2. Online Stack monitoring results reveals that average value of TPM & SO2 for a period April 2021 to March 2022 for unit no 6 are 135 mg/Nm3 & 1098 mg/Nm3 respectively which are higher than consented standards (i.e TPM – 100 mg/Nm3, SO2- 600 mg/Nm3).

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 3. Audited balance sheet for Gross Capital Investment for the year 2021-2022 & Multi unit CA certificate is not submitted. 4. Online Real time coal ash analyzer not provided. 5. Chemical sludge arises from wastewater treatment is not send to CHWTSDF for disposal. Details of HW such as E-waste, battery waste, sludge from ETP is not furnished. 6. Industry has not submitted detailed plan for utilization of legacy ash dumped in ash pond 7. Average ash content is about 44.07 %. Industry is using high ash content coal hence not complied with the consent condition. 8. Dry fly ash collection facility is not provided. 9. Detailed plan regarding installation of Flue Gas De-sulphuration (FGD) System & to comply with emission norms is not submitted as per MoEF CC Gol notification dated 5th september,2022. (Timeline for compliance of SO2 emission standards is 31.12.2024 & for parameter other than SO2 emissions is 31.12.2022) for 'A' category TPP. 10. Industry has not submitted the remaining consent fees of Rs. 26,64,548/- as per the Capital Investment of the industry Rs.1568.7173 Cr. 11. By forfeiting the BG of Rs.35.0 Lakh towards JVS results exceedance of AAQM and stack monitoring and non-compliance of consent conditions
40	MPCB- CONSENT_A	DRT-ANTHEA AROMA	NOT APPROVED	-----	Committee noted that, PP has applied for amendment in existing Consent to Operate for change in disposal path of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	MMENDMEN T-0000008073	CHEMICALS PVT. LTD 51-A/1 Roth Budrukh, Dhatav MIDC , Tal- Roha , Dist - Raigad Maharashtra India	AMENDMENT		<p>treated effluent as connect to CETP instead of 100% recycle in the process to achieve ZLD.</p> <p>Committee also noted that, Board has granted 1st Consent to Operate on 03.02.2009 which subsequently renewed with disposal of treated effluent connect to CETP.</p> <p>Committee further noted that, Board has granted consent to operate on 08/2/2020 with a condition to recycle the treated effluent to achieve the ZLD. Further, the said unit has earlier applied for amendment in consent for change the disposal path of treated effluent & other changes vide application No. MPCB-CONSENT-0000109029, dated 19.02.2021 and CAC considered amendment without change in disposal path & granted consent on 20/2/2022 & asked to submit reason behind imposing ZLD conditions earlier by CAC through file.</p> <p>Committee further desires to know the present status of the industry including operation of ETP & treated effluent disposal details and performance of CETP.</p> <p>After due deliberation, it was decided to defer the case & ask to submit present status of the industry including operation of ETP & treated effluent disposal details and performance of CETP.</p>
41	MPCB-CONSENT-0000009361	Lupin Ltd. Plot No. T-142, MIDC Tarapur, Tal & Dist- Palghar	APPROVED	-----	<p>Committee noted that, PP has applied for Amendment in in existing Consent to Operate as per below:</p> <p>a. Schedule-I: Point No. 2]:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			Amendment in Consent to Operate		<p>Board has imposed condition that, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.</p> <p>Industry reported that, domestic effluent is not primary treated but mixed with trade effluent & then treated in ETP. Treated effluent 100% recycled in the process to achieve ZLD.</p> <p>b. Schedule-II: Board has mentioned Stack No. S-15 to S-41 (Process vents (27 Nos)) with process emissions Acid Mist, HCL, SO2 (Process), Chlorine.</p> <p>Industry bifurcated stack details as per the emissions & requested for amendment on the basis of emissions:</p> <p>Stack No. S-15 to S-38 (Process vents (24 Nos)) with process emissions Acid Mist, HCL, SO2 (Process) and S-39 to S-41 (Process vents (03 Nos)) with process emissions Acid Mist, HCL, SO2 (Process), Chlorine.</p> <p>c. Inclusion of additional disposal path (Send to MPCB/CPCB Authorized Preprocessor/co-processor) for disposal of Hazardous Waste:</p> <p>Industry requested to inclusion of additional disposal path for Category No. 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 33.1, 34.1 & 36.1 as a Send to MPCB/CPCB Authorized</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Preprocessor/co-processor as per Boards Circular dated 23/8/2022.</p> <p>After due deliberation it was decided to amend the consent as per following:</p> <ol style="list-style-type: none"> a. Schedule-I: Point No. 2]: The domestic effluent is mixed with trade effluent before Secondary treatment for further treatment in Effluent Treatment Plant. b. Schedule-II: Stack details as Stack No. S-15 to S-38 (Process vents (24 Nos)) with process emissions Acid Mist, HCL, SO2 (Process) and S-39 to S-41 (Process vents (03 Nos)) with process emissions Acid Mist, HCL, SO2 (Process), Chlorine. c. Inclusion of disposal path of HW for Category No. 28.1, 28.2, 28.3, 28.4, 28.5, 28.6, 33.1, 34.1 & 36.1 as a Send to MPCB/CPCB Authorized co-processor through CHWTSDF
42	MPCB- CONSENT_A MMENDMEN T- 0000009672	Reliance Hospital Plot No.X-8 & X- 8/1, TTC Industrial Area, MIDC, Thane Belapur Road, Koparkhairane, Navi Mumbai (M Corp.), Thane	APPROVED Amendment in consent for change in name	-----	<p>Committee noted that PP has applied for change in name from Reliance Hospital, Plot No. X-8, 8/1, Koparkhairne, Navi Mumbai to Kokilaben Dhirubhai Ambani Hospital, Plot No. X-8, 8/1, Koparkhairane, Navi Mumbai.</p> <p>Committee also noted that HCE has obtained the renewal of combine consent & BMW authorization in the name of Reliance Hospital vide dated 04.11.2022 which is valid up to 31.03.2027</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>for Hospital – 225 Beds on total plot area of 4880.68 Sq.Mtr & Total BUA of 9758.74 Sq.mtr.</p> <p>Committee further noted that HCE has obtained BNH certificate for change in name from Reliance Hospital, Plot No. X-8, 8/1, Koparkhairane, Navi Mumbai to Kokilaben Dhirubhai Ambani Hospital, Plot No. X-8, 8/1, Koparkhairane, Navi Mumbai.</p> <p>After due deliberation, it was decided to grant amendment in consent for change in name from Reliance Hospital to Kokilaben Dhirubhai Ambani Hospital.</p>
43	MPCB- CONSENT_A MMENDMEN T- 0000009788	Uttam Galva Metallics Limited Bhugaon -link Road, Wardha	APPROVED Amendment in consent for incorporation of one product	-----	<p>Committee noted that PP has applied for amendment in 1st Consent to Operate for expansion & amalgamation with existing consent for incorporation of product sinter - 0.76 MTPA with increased CI by Rs. 28.83 Crs.</p> <p>Committee noted that PP had applied for 1st Consent to Operate for expansion vide UAN No. 139809 with products Hot metal from blast furnace – 0.73 MTPA, Sinter – 0.76 MTPA. The case was discussed & approved in CAC meeting dated 30.08.2022. At that time, the consent was issued for only one product i.e. Hot metal from blast furnace – 0.73 MTPA along with amalgamation of existing consent due to incomplete expansion work of sinter plant.</p> <p>Committee further noted that now the work of sinter plant has completed & applied for amendment in consent for incorporation of this product i.e. Sinter – 0.76 MTPA with amalgamation of existing consent. PP has submitted the CA certificate showing</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>the CI of Rs. 1687.98 Crs which is increased by Rs. 28.83 Crs, accordingly, industry has paid consent fees of Rs. 1,15,320/-. PP has submitted the audited balance sheet; the total gross block investment is of Rs. 3371.79 Crs & as per existing consent, the CI shown is of Rs. 5031.38 Crs. The JVS result of stack dtd 07.11.2022 is well within limit. The JVS result of stack dtd 08.03.2022, 11.02.2022 are not meeting with consented parameter TPM – 103 mg/Nm³ & 82 mg/Nm³ respectively against 50 mg/Nm³. Accordingly, during grant of 1st C to O for expansion, BG of Rs. 5.0 Lakh is forfeited. PP has obtained EC for expansion vide dated 04.09.2014 which is amended vide dated 12.02.2015.</p> <p>After due deliberation, it was decided to grant amendment in 1st Consent to Operate for incorporation of product sinter - 0.76 MTPA with increased CI by Rs. 28.83 Crs.</p>
44	MPCB- CONSENT_A MMENDMEN T- 0000010073	Uttam Value Steels Limited Bhugaon-link Road, Wardha	Amendment in consent for change in name	-----	<p>Committee noted that PP has applied for change in name from M/s. Uttam Value Steels Ltd., (Cold Roll Mill & Oxygen plant), Bhugaon-Link Road, Tal. & Dist. Wardha to M/s. Evonith Value Steel Ltd., (Cold Roll Mill & Oxygen plant), Bhugaon – Link Road, Tal. & Dist. Wardha.</p> <p>Committee also noted that PP has obtained existing consent in the name of M/s. Uttam Value Steel Ltd., (Cold Roll Mill & Oxygen plant), vide dated 02.02.2022 which is valid up to 31.05.2024 for manufacturing of Cold rolled coils & sheets – 18,750 MT/M, Galvanized coils & sheets – 18,750 MT/M, Oxygen gas – 200 Ton/d, Nitrogen gas – 6500 M³/hr.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has obtained the ROC for change in name from M/s. Uttam Value Steels Ltd. to M/s. Evonith Value Steel Ltd. This unit is takeover by M/s. Evonith through Hon'ble NCLT. PP has submitted audited balance sheet.</p> <p>After due deliberation, it was decided to grant amendment in consent for change in name from Uttam Value Steels Ltd., (Cold Roll Mill & Oxygen plant) to Evonith Value Steel Ltd., (Cold Roll Mill & Oxygen plant).</p>
45	MPCB- CONSENT_A MMENDMEN T- 0000010074	Uttam Value Steels Limited Bhugaon-link Road, Wardha	Amendment in consent for change in name	-----	<p>Committee noted that PP has applied for change in name from M/s. Uttam Value Steels Ltd., (Steel Division), Bhugaon-Link Road, Tal. & Dist. Wardha to M/s. Evonith Value Steel Ltd., (Steel Division), Bhugaon – Link Road, Tal. & Dist. Wardha.</p> <p>Committee also noted that PP has obtained existing consent in the name of M/s. Uttam Value Steel Ltd., (Steel Division) vide dated 06.10.2021 which is valid up to 30.06.2024 for manufacturing of Hot rolled steel coils, sheets & plates – 10,00,000 MT/A, Hot metal – 1,52,240 MT/A.</p> <p>Committee further noted that PP has obtained the ROC for change in name from M/s. Uttam Value Steels Ltd. to M/s. Evonith Value Steel Ltd. This unit is takeover by M/s. Evonith through Hon'ble NCLT. PP has submitted audited balance sheet.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to grant amendment in consent for change in name from Uttam Value Steels Ltd., (Steel Division), to Evonith Value Steel Ltd., (Steel Division)
46	MPCB- CONSENT_A MMENDMEN T- 0000010075	Uttam Galva Metallics Limited Bhugaon -link Road, Wardha	APPROVED Amendment in consent for change in name	-----	<p>Committee noted that PP has applied for change in name from Uttam Galva Metallics Ltd., Bhugaon Link Road, Tal. & Dist. Wardha to M/s. Evonith Metallics Ltd., Bhugaon Link road, Tal. & Dist. Wardha.</p> <p>Committee also noted that PP has obtained existing consent in the name of Uttam Galva Metallics Ltd., Bhugaon Link road, Tal. & Dist. Wardha vide dated 19.09.2022 which is valid up to 30.06.2024 for manufacturing of Hot Metal from blast furnace (Captive consumption) – 1202000 MT/A, sinters (Captive consumption) – 768000 MT/A, Metallurgical coke – 500000 MT/A & by products such as Granulated slag – 458260 MT/A, coal tar – 12500 Ton/Y.</p> <p>Committee further noted that PP has obtained the ROC for change in name from M/s. Uttam Galva Metallics Ltd. to M/s. Evonith Metallics Ltd. This unit is takeover by M/s. Evonith through Hon'ble NCLT. PP has submitted audited balance sheet.</p> <p>After due deliberation, it was decided to grant amendment in consent for change in name from Uttam Galva Metallics Ltd. to Evonith Metallics Ltd.</p>