

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 14th Consent Appraisal Committee Meeting of 2020-2021 held on 16.10.2020 & 20.10.2020 at 03:00 p.m. conducted through Video Conferencing (Microsoft Teams).

.....

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri Sudhir Shrivastava, Chairman, M.P.C. Board, Mumbai. | Chairman |
| 2. Shri Ashok Shingare, Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.P. Nandusekar, Technical Advisor, MIDC. | Member |
| 4. Shri Tuhin Banerjee, Sr. Scientist, NEERI. | Member |
| 5. Shri P.K. Mirashe, Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai on leave of absence was granted to them.

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri Y.B. Sontakke, Joint Director (WPC), M.P.C. Board, Mumbai. | Invitee Member |
| 3. Dr. A.S. Supate, Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav, Regional Officer (HQ), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 16 of Consent to Establish/ Operate/Renewal cases] placed before the committee and following decision were taken:

| Sr. No. | Application Unique Number | Industry name and Address | Decision on grant of consent | Consent granted Upto | Remarks / Discussion |
|-----------------------|---------------------------------|---|------------------------------|----------------------|---|
| Booklet No. 16 | | | | | |
| 1 | MPCB- CONSENT- 0000041538 | M/s/ Bombay Rayon Fashions Ltd., C-6 & C-7 MIDC Tarapur Palghar | APPROVED Renewal | 30.06.2021 | <p>Committee noted that PP has applied for renewal of consent for Processing Fabrics (Including Yarn, Dying, Printing, Finishing)- 9.0 Million Meters /M, Electricity Generation-8.0 MW. Earlier consent was valid up to 31.01.2018.</p> <p>Committee also noted that Industry has submitted representation on 14.10.2020 and submitted technical presentation. They have installed RO plant of 2400 m3/day capacity. Further noted the reply submitted to PD on 09.09.2020 stating that they are under economic situation and facing financial crunch due to Covid-19 and they have started production since 1st September and for regular production (total) they would require 6 to 12 months and requested for approval of renewal of consent without STP & MEE. Also submitted letter on 09.10.2020 stating that they have started installation of STP and will be completed within 30 days and installed RO and for installation of MEE they will require 6 to 12 months' time.</p> <p>The committee also noted the observation made by the Board officials during their visit dated 20.08.2020 stating that at present manufacturing activity is not in operation since 22.03.2020, Industry has provided SBR based ETP with the provision to discharge treated industrial and domestic effluent to CEPT. Industry has provided ESP for power plant with 67-meter stack height and Bag filter with 48 meters stack to coal fired boiler and Thermopack</p> |

| | | | | | |
|---|---------------------------------|--|---|------------|---|
| | | | | | <p>section. The JVS report are exceeding the consented norms.</p> <p>In view of above, it was decided to grant short renewal of consent by imposing following conditions;</p> <ol style="list-style-type: none"> 1. Industry shall commissioned the STP within 30 days and submit the time bound programme along with bar chart towards installation of MEE within 15 days 2. Industry shall recycle 50% treated effluent for the process and utility purposes and remaining shall be discharge to CETP by confirming the norms. 3. Industry shall submit plan for effluent reduction within three months as the location in CEPI area. |
| 2 | MPCB- CONSENT- 0000074991 | Ichalkaranji Powerloom Mega Cluster Ltd. (Signal Stake Holder Company - Kallappanna Awade Co - op.), Phase II, Sector B, Plot No. 1 to 7 Shri Laxmi Co - oprative Industrial Estate Ltd. Hatkanangle | APPROVED 1 st Operate | 31.05.2021 | <p>Committee noted that PP has applied for 1st consent to operate for sizing and warped yarn-25 MT/D, Dyed Yarn-4.0 MT/D, Processed fabrics-1,25,000 Mtrs/Day and captive power-2.5 MW. PP has obtained consent to establish for the same products on 12.10.2018 with the ZLD condition.</p> <p>The committee also noted the observation made by the Board officials during their visit dated 21/09/2020 that at present industry have installed the machinery for capacity 50,000-60,000 Mtrs/day and rest of machineries will be installed within 1 to 2 years for achieving the full capacity of 1,25,000 Mtrs/day. The total industrial effluent will be 3 MLD for full capacity of production but at present @ 2 MLD effluent will be generated from proposed production qty of 60,000 Mtrs/day. Provided ETP of 3 MLD capacity consisting of two streams of capacity 2600 CMD and 400 CMD capacity. Also installed RO stage-1 of capacity 120 m3/Hrs capacity and industry has proposed to install RO</p> |

| | | | | | |
|--|--|--|--|--|---|
| | | | | | <p>stage II, III IV within a year. Also proposes to install carrier gas extraction system technology-based MEE 150 CMD capacity within a year. The permeate from RO i.e. 1.30 MLD will be stored in 2 MLD storage tank and will be recycled back in process. The RO reject 0.70 MLD will be further treated for color removal and used for agriculture purpose in 101 acres of land for which bilateral agreement is made with the Farmers. The 4-inch pipeline work from treated water storage tank up to irrigation land has been completed. Also provided mechanical dust collectors and bag filter to coal fired boiler of 10 TPH capacity and Thermic fluid heater-20 Lakh KCL/Hr with stack height 31 mtrs.</p> <p>In view of above, it was decided to grant 1st consent to operate subject to submission of proposal regarding curtailment of dye bath effluent till provision of all RO systems followed by MEE, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit bank guarantee of Rs. 10 lakh towards compliance of consent conditions. 2. Industry shall provide water metering system and sent the report about treated effluent utilisation to Board office on monthly basis. 3. The industry shall take utmost care towards surface runoff. In no case the treated effluent shall find its way to River from the irrigated land. 4. Consent shall be issued only after submission of proposal regarding curtailment of dye bath effluent till provision of all RO systems followed by MEE. |
|--|--|--|--|--|---|

| | | | | | |
|---|---------------------------------|--|---|------------|--|
| 3 | MPCB- CONSENT- 0000081771 | Indian Institute of Medical Science & Research Medical Collage (Noor Hospital), Warudi, Post: Givari Bazar, Tal- Badnapur, Dist-Jalna | APPROVED 1st Combined Consent & BMW Authorization | 31.01.2022 | <p>Committee noted that PP has applied for 1st Combined Consent & BMW Authorization for 545 nos of beds and Total plot area -17,973.15 sq.mtrs and BUA-16,996.9 sq.mtrs. Obtained BMW Authorization for 300 nos of beds on 23.02.2013 valid up to 30.04.2016.</p> <p>Committee also noted that they have provided STP of 50 CMD capacity for domestic effluent. treated effluent disposed on land for gardening. Submitted copy of BNH for 545 nos of beds. Obtained membership of CBMWTSDf.</p> <p>In view of above it was decided to grant 1st Combined Consent & BMW Authorization for 545 nos of beds and Total plot area -17,973.15 sq.mtrs and BUA-16,996.9 sq.mtrs for the period up to 31.01.2022 by imposing BGs as per regime of HCEs.</p> <p>Consent shall be issued after obtaining details of BMW generation, valid copy of CBMWTSDf and annual report and additional consent fees from PP.</p> |
| 4 | MPCB- CONSENT- 0000085755 | Uttam Value Steels Limited (Cold Roll Mill), Sr. No.162,144,369,3 70,371, Bhugaon Link Road, Bhugaon, Tal. & Dist-Wardha 442001 Wardha | APPROVED Short period Renewal of consent | 31.05.2021 | <p>Committee noted that PP has applied for renewal of consent for manufacturing of cold rolled coils & sheets, galvanized coils & sheets, Oxygen gas, Nitrogen gas.</p> <p>It was also noted that this case was discussed in earlier CAC meeting & was issued SCN for refusal of consent due to non-compliances such as;</p> <ol style="list-style-type: none"> 1. Industry has not yet installed secondary fumes extraction system to HRM section. 2. Untreated effluent having pH 4 to 5 found discharged in nearest nalla. 3. The red oxide containing effluent found percolated in Bhangarpur nalla. |

| | | | | | |
|--|--|--|--|--|--|
| | | | | | <ol style="list-style-type: none"> 4. The generated ETP sludge approx. 150 to 200 tons, stored on open ground unscientifically. 30 to 40 tons found dumped/settled in nearest nalla. 5. The red oxide generated from ARP plant store unscientifically. 6. The existing ARP plant installed in 1984 of capacity 30 KLD, is under-capacity and required maintenance for leakages. 7. The all 04 nos of RCC tank provided sludge storage found leaked. 8. Not provided leachate collection system at filter press area. 9. The OCMS provided to ETP not found in operation. <p>Committee further noted that PP has submitted the compliance report & subsequently this case was again discussed in earlier CAC meeting and was deferred due to non-submission of present status by SRO office.</p> <p>Further, it was also noted that, SRO Office has submitted the present status report & noted that PP has not taken concrete & effective steps towards compliances.</p> <p>In view of above, it was decided to consider short renewal of consent for manufacturing of cold rolled coils & sheets - 18750 MT/M, galvanized coils & sheets - 18750 MT/M, Oxygen gas- 200 TPD, Nitrogen gas - 6500 M3/Hr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit time bound & concrete proposal with bar chart for upgradation of Acid Recovery Plant, air pollution control system of pickling section & existing effluent treatment facility. 2. PP shall submit the monthly progress report to the Board Office towards compliance of time bound program for upgradation of Acid Recovery Plant & air pollution control system. |
|--|--|--|--|--|--|

| | | | | | |
|---|---------------------------------|--|--|------------|--|
| | | | | | <p>3. PP shall provide alternate option towards spent acid generated from the unit for recovery purpose within 15 days.</p> <p>4. PP shall curtail pickling activity till full-fledged upgradation of ARP in place.</p> <p>Consent shall be issued after issuance of direction to PP towards submission of time bound & concrete proposal with bar chart for upgradation of Acid Recovery Plant, air pollution control system of pickling section & existing effluent treatment facility.</p> |
| 5 | MPCB- CONSENT- 0000092723 | Dalmia Bharat Sugar & Industries Limited, Sugar Unit, Village & Post- Karungali - NA Karungali - Arala Shirala | APPROVED Renewal with 1 st operate expansion | 31.07.2021 | <p>Committee noted that, PP has applied for renewal for sugar unit of capacity 2500 TCD & 1st operate for expansion of 1000 TCD & 4.5 MW respectively I.e for total 3500 TCD & 4.5 MW.</p> <p>Committee also noted that, PP has provided ETP with primary, secondary & tertiary system and Provided Wet scrubber as APC. Provided online Monitoring system. Committee further noted that 1 JVS of ETP outlet & 1 JVS of source emission are exceeding the consented limits.</p> <p>Committee also took the cognizance of the of the complaint about effluent discharge and subsequent action from the Board.</p> <p>In view of above it was decided to grant Renewal for sugar unit of capacity 2500 TCD & 1st operate for expansion of 1000 TCD & 4.5 MW respectively I.e for total 3500 TCD & 4.5 MW, by imposing following conditions.</p> <p>1. By forfeiting BG of Rs. 5 Lakh towards JVS exceedance and top up with double the amount I.e with Rs. 10 lakh for compliance of consent conditions and operation and maintains of pollution control system.</p> |

| | | | | | |
|---|---------------------------------|---|--|------------|---|
| | | | | | <p>2. PP shall submit adequacy report of pollution control system from recognized institute with action plan for proper operation and maintains with in period of 3 months</p> <p>Consent shall be issued by imposing conditions of the restart directions and additional consent fee, if any.</p> |
| 6 | MPCB- CONSENT- 0000093241 | Rajuri steel Pvt Ltd., Plot No. F-12, MIDC, Jalna Plot No. F-12, MIDC ,Jalna | DEFFERED Establish (Expansion) | --- | <p>Committee noted that Industry has applied for consent to establish for expansion for manufacturing of M.S. Billets-9500 MT/M & TMT Bars – 10000 MT/M. Existing consent was valid up to 31.03.2020.</p> <p>Committee also noted that case was discussed in CC meeting held on 27.08.2020 and it was decided to submit it to CAC as the total CI of the unit is Rs. 148.35 Crs. Industry has proposed to provide Fume extraction hood, Bag Filter, Ducting, ID Fan followed by Chimney of 30 mtrs height. Industry has obtained Environment Clearance for expansion on 28.02.2020.</p> <p>In view of above, it was decided to defer the case and obtain detail compliance report of the existing unit and designed details of proposed air pollution control system.</p> |
| 7 | MPCB- CONSENT- 0000094036 | NATURAL SUGAR AND ALLIED INDUSTRIES LDT., 354 SAINAGAR, RANJANI KALLAM | APPROVED Renewal | 31.07.2021 | <p>Committee noted that Industry has applied for renewal of consent for 5000 TCD sugar & 22 MW cogeneration unit. ETP of capacity 500 CMD and Industry has provided 15 days storage tank for storage of treated effluent.</p> <p>Committee also noted that Industry having 03 no's boiler of capacity 70 TPH. 40 TPH & 30 TPH with provision of wet venturi scrubbers and adequate stack height. Industry was not in operation in last crushing season 2019-2020.</p> |

| | | | | | |
|---|---------------------------------|---|-------------------------|------------|---|
| | | | | | <p>In view of above, it was decided to grant renewal of consent for 5000 TCD sugar unit & 22 MW co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 10 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall ensure the operational status of pollution control system before start of crushing and submit the report in this regard to Board office. |
| 8 | MPCB- CONSENT- 0000094435 | Shiur Sakhar Karkhana Limited Wakodi, S.No.85 At.Post. Wakodi Kalamnuri | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 2500 Sugar unit. Further noted provision of ETP of 500 CMD capacity including provision of wet scrubber as APC to 45TPH capacity Boiler.</p> <p>Committee also noted that Proposed direction issued on 05.02.2020 for non-provision of online monitoring system to MPCB server. Also noted the observation made by the Board officials during their visit dated 18.03.2020 that industry has provided online monitoring system but was not possible to check as the industry was not in operation at the time of visit.</p> <p>In view of above, it was decided to grant renewal of consent for 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs. 5 lakh towards non provision of OCEMS connectivity to MPCB server and top up with double the amount towards its proper and scientific operation. 2. PP shall submit additional BG of Rs. 5 lakhs towards O&M of pollution control system and compliance of consent conditions. |

| | | | | | |
|----|---------------------------------|---|-------------------------|------------|--|
| 9 | MPCB- CONSENT- 0000094119 | Tilaknagar Industries Ltd (Grain base Distillery), 65 P.O. Tilaknagar Shrirampur | APPROVED Renewal | 31.08.2023 | <p>Committee noted that industry has applied for renewal of consent for Grain Based Distillery-100 KLPD. Also noted that the Grain Base Distillery is not in operation since 2012.</p> <p>Committee also noted that Treatment of spent wash they have provided ZLD system in the form of Collection tank followed by MEEE followed by Dryer and having 45 TPH Boiler for which ESP along with stack of height 60 mtr provided.</p> <p>In view of above, it was decided to grant renewal of consent for Grain Based Distillery-100 KLPD, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing BG of Rs. 5 lakh towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall obtain permission from Board office about operational conditions of the pollution control system before re-starting of the operation. |
| 10 | MPCB- CONSENT- 0000094190 | Tilaknagar Industries Ltd. (molasses-based distillery), 45 P O Tilaknagar Shrirampur | APPROVED Renewal | 31.08.2023 | <p>Committee noted that Industry is having 50 KLPD molasses base Distillery and obtained Board consent for 100 KLPD. Now applied for renewal of consent for 3-year period.</p> <p>Committee also noted that for the treatment of spent wash PP has provided Bio-methanation plant of capacity-400 m3/day, RO plant of 250 m3/day followed by MEE of capacity 475 m3/day followed by incineration Boiler. Industry having 2 nos of impervious lagoon of capacity 40,000 m3 each.</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | | | | <p>In view of above, it was decided to grant renewal of consent for 50 KLPD molasses-based distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing BG of Rs. 15 lakh towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall obtain permission from Board office about operational conditions of the pollution control system before re-starting of the operation |
| 11 | MPCB- CONSENT- 0000094571 | Shree Satpuda Tapi Parisar Sahkari Sakhar karkhana ltd. (Distillery Unit), 286 to 290,300,307,311,3 15,316,327,328,23 3 to250,161,165,Do ngargoan, & S.No 27/32 of P.nagar 90,300 purushottamnagar v Shahada | APPROVED Renewal | 31.03.2021 | <p>Committee noted that industry has applied for 75 KLPD distillery unit which was valid up to 31.08.2020 & Ethanol manufacturing for 30 KLPD capacity for which consent is valid up to 31.03.2021.</p> <p>Committee also noted that Industrial effluent generation is @ 524 CMD for treatment of same PP has provided ETP with RO and bio-composting with 10 Acres of land for composting. Also provided 30 days impervious storage tank for the storage of spent wash. Industry has provided Wet scrubber as APC for the Boiler stack. JVS results of 2018 are not meeting with consented standard.</p> <p>In view of above, it was decided to grant renewal of consent for 75 KLPD distillery unit with amalgamation of Ethanol manufacturing plant consent valid up to 31.03.2021, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs. 5 lakh as JVS of air and water are exceeding the consented standard and top-up with double the amount i.e. Rs. 10 lakh towards O & M of pollution control systems. 2. The balance consent fees shall be adjusted at the time of next renewal. |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| 12 | MPCB- CONSENT- 0000094302 | SHRADDHA ENERGY AND INFRAPROJECTS PVT LTD. MAA BAGESHWARI SAKHAR KARKHANA UNIT NO.1,WARPHAL TQ.PARTU, 74,75,76 & 77 AT.POST.WARPH AL PARTUR | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar and 12 MW co-generation unit.</p> <p>Committee also noted that the PP has provided ETP of capacity 400 CMD & Wet Scrubber as APCS for two separate Boiler of 38 TPH Capacity.</p> <p>Further noted that industry has provided online monitoring system and one JVS result out of two sample collected is exceeding consented standards.</p> <p>In view of above, it was decided to grant renewal of consent for 2500 TCD sugar & 12 MW co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs 2.5 lakh towards JVS exceedance and top-up with double the amount making total BG of Rs. 7.5 lakh towards O & M of pollution control systems and compliance of consent conditions. |
| 13 | MPCB- CONSENT- 0000094440 | Shree Kranti Sugar and Power Ltd., (Unit of parner sugar) 433 Devibhoire Parner | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for Renewal of consent for 1250 TCD sugar unit. Also noted that case was discussed in CC meeting held on 24.09.2020 and it decided to forward the application to CAC as earlier consent was granted by CAC as PP has applied separately for consent to establish for expansion.</p> <p>Committee also noted that Industrial has provided ETP of 150 CMD capacity and provided and 2 Nos of Boiler of capacity 20 TPH each equipped with Multicyclone Dust Collectors system with stack height 30 Mtrs. The JVS report is not submitted as the unit was not in operation during last crushing season.</p> |

| | | | | | |
|----|---------------------------------|---|---------------------|------------|--|
| | | | | | <p>In view of above, it was decided to grant renewal of consent for 1250 TCD sugar, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall replace dust collector by wet scrubber within 3 months and submit BG of Rs. 5 lakh towards compliance of the same and separate BG of Rs. 5 lakh towards O&M of Pollution control system and compliance of consent conditions. |
| 14 | MPCB- CONSENT- 0000093282 | Baramati Agro Ltd (Renewal of Consent to Operate 160 KLPD Distillery Unit) 96 Shetphalgadhe Indapur | APPROVED Renewal | 31.08.2024 | <p>Committee noted that industry has applied for renewal of consent for 160 KLPD Molasses base Distillery (Working day for 60 KLPD -270 Days & for 100 KLPD-330 Days).</p> <p>Committee also noted that, spent wash generated @ 1000 CMD which is treated in MEE and after volume reduction spent wash 237 CMD is treated in incinerator. Remaining 570 CMD spent wash is treated through Bio-digester followed by MEE and bio-composting of 120 CMD on concrete compost yard. Also provided CPU for MEE condensate and same is reused in process. Also provided wet scrubber to existing Boiler and ESP to New Incineration Boiler.</p> <p>In view of above it was decided to grant Renewal of consent for 160 KLPD Molasses base Distillery (Working day for 60 KLPD -270 Days & for 100 KLPD -330 Days) by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit/extend Bank Guarantee of Rs. 5 Lakh towards compliance of consent conditions and operation and maintains of pollution control system to achieve consented standards 2. BG of Rs. 5 Lakh obtain towards compliance of C to E & EC condition is released. |

| | | | | | |
|----|---------------------------------|--|---------------------|------------|---|
| 15 | MPCB- CONSENT- 0000095170 | M/S JUBILANT INDUSTRIES LIMITED, Gat No 20/1, 24, 25/2, 28, 26/2, 27/2 Village - Nimbut-Nira BARAMATI | APPROVED Renewal | 31.08.2025 | <p>Committee noted that industry has applied for renewal of consent for potable liquor (By using fresh bottle) & Hand sanitizer (By Mixing and blending only).</p> <p>Committee also noted that, the industrial effluent generation is nil from both activities.</p> <p>In view of above it was decided to grant Renewal of consent for potable liquor (By using fresh bottle) & Hand sanitizer (By Mixing and blending only), by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit/extend Bank Guarantee of Rs. 5 Lakh towards compliance of consent conditions. |
| 16 | MPCB- CONSENT- 0000094847 | KARMAYOGI SHANKARRAOJI PATIL SAHAKARI SAKHAR KARKHANA LTD., 24275 MAHATMA PHULENAGAR BIJWADI INDAPUR | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of consent for 30 KLPD Molasses base distillery.</p> <p>Committee also noted that, PP has provided Re-boiler followed by Biodigester and Bio-Composting to achieve ZLD. Also provided leak proof guard pond of 30 days holding capacity.</p> <p>In view of above it was decided to grant Renewal of consent for 30 KLPD Molasses base distillery, by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit/extend Bank Guarantee of Rs. 5 Lakh towards compliance of consent conditions. |
| 17 | MPCB- CONSENT- 0000095150 | MANAS AGRO INDUSTRIES & INFRASTRUCTU RE LIMITED (UNIT-1) (DISTILLERY UNIT), H.NO. 397 | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of consent for 135 KLPD molasses-based distillery unit. Also noted the remark of SRO about installed capacity of 90 KLPD Distillery.</p> <p>Committee also noted that spent wash generation is @ 1340 CMD and provided Re-boiler followed by Bio-</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | KHURSAPAR (BELA) TAHSIL UMRED, DISTRICT NAGPUR UMRED | | | <p>digester, MEE by Bio-composting on 10 Acre of RCC platform with partial leachate collection arrangement.</p> <p>Committee also noted that industry has failed to report the incidence of accident voluntarily. The site was inspected on 01.08.2020 by SRO/RO/FO preliminary report was submitted. Based on the preliminary report, directions were issued for not to restart the operation of distillery till the rectification work of damaged portion of digester completed.</p> <p>In view of above, it was decided to grant renewal of consent for 90 KLPD molasses base distillery unit, subject to clarification from SRO regarding discrepancy in previous processing by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall not restart the operation of Distillery till they obtain necessary permission form the competent Authority. |
| 18 | MPCB- CONSENT- 0000095139 | Dr. Babasaheb Ambedkar Sahakari Sakhar Karkhana Ltd. Arvindnagar, 117,118,202,203,2 04 Dr. Babasaheb Ambedkar Sahakari Sakhar Karkhana Ltd. Arvindnagar, at/post-Keshegaon Osmanabad | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 5000 TCD sugar and 26 MW co-generation unit and provided ETP of 550 CMD & provided 15 days storage tank for storage of treated effluent.</p> <p>Committee also noted that industry has 04 nos. of boiler in which 02 no's of 32 TPH 01 no of 30 TPH and 01 of capacity 50 TPH. Wet scrubber provided & common stack attached (height 65 meter) to boiler 32 TPH+32 TPH+ 30 TPH boiler and ESP provided to stack attached to 50 TPH Boiler. Industry was non-operational in in crushing Season 2019-2020.</p> |

| | | | | | |
|----|---------------------------------|---|--------------------------------|-------|---|
| | | | | | <p>In view of above, it was decided to grant renewal of 5000 TCD sugar and 26 MW co-generation unit, subject to submission of bank guarantee of Rs. 22.5 lakhs, by imposing following conditions:</p> <p>1. Industry shall submit/extend bank guarantee of Rs. 22.5 lakhs towards O & M of pollution control systems and compliance of consent conditions.</p> |
| 19 | MPCB- CONSENT- 0000094886 | SHREE LAXMI NARSHINHA SUGARS LLP, GUT NO 62 AMDAPUR PARBHANI | NOT APPROVED Renewal | ----- | <p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar unit with change of name from Tridhara Sugar Pvt. Ltd. to Shree Laxmi Narshinha Sugars LLP.</p> <p>Committee also noted that Industry has provided 600 CMD ETP & industry has provided boiler 32 TPH- 2 Numbers-wet scrubber provided to both boilers. JVS results are exceeding consented standards and bank guarantee as per previous consent not submitted.</p> <p>In view of above, it was decided to issue SCN for refusal of renewal of consent for 2500 TCD sugar unit, as industry has failed to submit bank guarantee and JVS results of air and water are exceeding consented standards.</p> |
| 20 | MPCB- CONSENT- 0000094866 | Godrej & Boyce Mfg. Co. Ltd. Godrej Garden Enclave (Building B4 first CTO) CTS No. 8 To 13, 25 To 29, 56 To 61, 66(PT), 90(PT) To 92, 205(pt) of Phirojshanagar, | ----- | ----- | <p>Committee noted that PP has applied for grant of Consent to Operate (part) for Building No- B4 for Residential Construction project having Total plot area of 3,456.20 Sq.m and Total construction BUA of 10,893.17 Sq.m (out of Total plot area of 80,672 Sq.m and Total construction BUA of 1,18,277 Sq.m).</p> <p>The minutes are kept in abeyance for wants of clarity on the information submitted by the PP.</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | Village. Vikhroli (E), Mumbai. | | | |
| 21 | MPCB- CONSENT- 0000094969 | Tokai Sahakari Sakhar Karkhana Ltd. Kurunda, Gut No. 291 Kurunda Basmath Nagar | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for 1250 TCD sugar unit and provided ETP of 250 CMD and Boiler of 40 TPH with wet scrubber as APC system.</p> <p>Committee also noted that industry has industry has provided online monitoring system to ETP but not to boiler. JVS results are exceeding consented standards.</p> <p>In view of above, it was decided to grant renewal of consent for 1250 TCD sugar, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit bank guarantee of Rs. 10 lakhs as JVS are exceeding consented standards and to-up with Rs. 20 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall submit up-gradation plan for ETP and APC system within 3 months. |
| 22 | MPCB- CONSENT- 0000093527 | Bhaurao Chavan Sahakari Sakhar Karkhana Ltd. Unit-2, Shivajinagar, Dongarkada 48,67 Dongarkada Kalamnuri | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 1250 TCD sugar unit with increase in CI from Rs 41.01Cr to Rs 93.75 Cr. ETP capacity 750 CMD and has provided 32 Acre land for disposal of treated effluent.</p> <p>Committee also noted that industry has provided boiler 20 TPH- 2 Numbers- With Common Stack 38.10 mtrs -wet scrubber provided as APC. JVS results of air and water are exceeding consented standards. v) Justification regarding increase in CI not submitted by industry.</p> <p>In view of above, it was decided to grant renewal of consent for 1250 TCD sugar unit, subject to submission of</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | | | | <p>justification for increase in capital investment, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit bank guarantee of Rs. 15 lakhs as JVS are exceeding consented standards and top-up with Rs. 30 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall submit improvement plan for pollution control systems within 1 month. |
| 23 | MPCB- CONSENT- 0000095477 | Audambarraoji Patil Sakhar Karkhana Ltd. Ashti 195/1, 195/2, 195/3, 196/1/A, 196/1/B, 196/2 A/P: Ashti Mohol | NOT APPROVED | ----- | <p>Committee noted that industry has applied for first consent to operate for 2500 TCD sugar unit & 10 MW Co-generation unit</p> <p>Committee also noted that, the installation of plant and machinery is in progress & unit does not obtain permission from CGWA/ irrigation department for source of water. Unit also not provided online monitoring system.</p> <p>In view of above, it was decided to issue SCN for refusal of consent for above non-compliances.</p> |
| 24 | MPCB- CONSENT- 0000093252 | NSL Sugars Ltd, Unit-III, Jay Mahesh 85 & 86 Pawarwadi Majalgaon | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 7000 TCD sugar unit & 30 MW co-generation unit. Unit has provided ETP of capacity 1400 CMD and STP of 100 CMD capacity.</p> <p>Committee also noted that has provided one 135 TPH boiler with ESP as APC system and stack of 65 mt. Industry has not installed CPU. JVS results of air and water are exceeding consented standards.</p> <p>In view of above, it was decided to grant short renewal of consent for 7000 TCD sugar unit & 30 MW cogeneration unit, by imposing following conditions:</p> |

| | | | | | |
|----|---------------------------------|---|-------------------------------------|--|--|
| | | | | | <p>1. By forfeiting BG of Rs. 5 lakh as JVS are exceeding consented standards and top-up with double the amount i.e. Rs. 10 lakh towards O & M of pollution control systems and compliance of consent conditions.</p> <p>Consent shall be issued after obtaining detailed water budget from the industry.</p> |
| 25 | MPCB- CONSENT- 0000095209 | Histyle Retail Pvt. Ltd., Sr. No. 243B, 243B/1 to 9 & 243C, At. Village. Kodivita in K/E Ward, Andheri (E) Mumbai-400059. | APPROVED Consent to Establish | Up to Commissioning of Project or 5 years whichever is earlier. | <p>Committee noted that PP has applied grant of Consent to Establish for proposed Commercial Development with Cinema Theatre project having Total plot area of 12,342.20 Sq.m and Total construction BUA 87,341.11 Sq.m.</p> <p>Committee also noted that PP has obtained EC, proposed to provide STP and Organic Waste Converter.</p> <p>Committee further noted that as per EC dtd. 31/03/2020, at specific condition No. IV. SEAC committee noted that more than 35% wastewater is proposed to be disposed off in the sewer. PP to explore measures to use maximum treated wastewater to reduce disposal to 35% and at specific condition No. VIII. SEIAA decided to grant EC for- FSI: NIL m2, Non-FSI: 29704.15 m2 and Total BUA: 29704.15 m2 (Plan Approval no-CHE/WS/5747/K/E/337(NEW), Date-30.09.2019).</p> <p>In view of above, it was decided to grant Consent to Establish for proposed Commercial Development with Cinema Theatre project having Total plot area of 12,342.20 Sq.m and Total construction BUA 29,704.15 Sq.m by imposing following conditions.</p> <p>1. PP shall provide STP to achieve BOD standards 10 mg/l.</p> |

| | | | | | |
|----|---------------------------------|--|---------------------|------------|---|
| | | | | | <ol style="list-style-type: none"> 2. PP shall recycle/reuse 60% of treated domestic effluent for toilet flushing, firefighting and apply remaining on land for gardening purpose by providing dual pumping arrangements for fresh water & recycled treated water. 3. PP shall install OWC followed by Composting facility for the treatment of Biodegradable waste and compost obtained shall be used as manure for gardening. 4. PP shall explore measures to use maximum treated wastewater to reduce disposal to 35% and submit the plan within 3 months. 5. PP shall obtain NOC from MCGM for disposal of construction debris at specific site inspected and approved by Municipal Corporation. 6. Consent is issued without prejudice to the order passed as may be passed by the Hon'ble Supreme Court of India in special leave petition Civil No. D23708/2017. 7. PP shall submit BG of Rs. 25 Lakh towards compliance of EC & CTE conditions. |
| 26 | MPCB- CONSENT- 0000095382 | Yashwantrao Mohite Krishna sahakari Sakhar Karkhana Ltd.,Rethare (BK), 500 Shivnagar karad Tal- Karad,Dist-Satara | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 7500 TCD cane crushing capacity sugar unit & Co-gen- of 16 MW</p> <p>Committee also noted that, PP provided ETP with primary & secondary system and Provided Wet scrubber & ESP as APC. Provided online Monitoring system.</p> <p>Committee further noted that the JVS of ETP outlet are within consented limit. But 2 JVS out of 3 JVS of source emission are exceeding the limit.</p> <p>In view of above it was decided to grant Renewal of consent for 7500 TCD cane crushing capacity sugar unit & Co-gen- of 16 MW, by imposing following conditions;</p> |

| | | | | | |
|----|---------------------------------|--|--|------------|--|
| | | | | | <ol style="list-style-type: none"> 1. By forfeiting BG of Rs. 5 Lakh towards Exceedance of source emission results and top up with double the amount totaling Rs. 15 Lakh towards compliance of consent conditions and operation and maintains of pollution control system. 2. PP shall submit adequacy report of pollution control system with action plan for proper operation and maintains with in period of 3 months. 3. To improve water economy, PP shall submit detail water budget along with proposal towards recycling of treated effluent to the maximum extent including excess condensate into the process to reduce freshwater consumption, within a period of 3 months with activity bar chart. |
| 27 | MPCB- CONSENT- 0000095779 | SHARAD PAWAR DENTAL COLLEGE AND HOSPITAL, SAWANGI MEGHE, Sawangi (Meghe) (CT), Wardha | APPROVED Combine Consent and BMW authorization | 31.03.2022 | <p>Committee noted that PP has applied for combine consent to establish and BMW Authorization for 307 numbers of Beds for plat area 16,200 Sq.m and build up area 11974.58 Sq.m. However, this Dental Hospital is in an operation. Hospital is in the premises of Jawaharlal Neharu Medical Collage, Sawangi.</p> <p>Committee also noted that they have provided common STP (Jawaharlal Neharu Medical collage) of capacity 400 CMD for the treatment of sewage. Treated effluent is used on land for gardening. Provided ETP of capacity 5 CMD for the treatment of trade effluent.</p> <p>In view of above, it was decided to grant combine consent and BMW authorization for period up to 31.03.2022, for 307 chairs and for total Plot area 16,200 Sq.m and BUA 11,974.58 Sq.mtrs by imposing condition of BG's as per regime of HCE's. Consent shall be issued after receipt of additional consent fees from PP, if any.</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|---|
| 28 | MPCB- CONSENT- 0000095612 | BAJAJ AUTO LIMITED, A-1 MIDC WALUJ BAJAJANAGAR GANGAPUR | APPROVED Renewal | 30.09.2025 | <p>Committee noted that industry has applied for renewal of consent for mfg of motorized two, three and four wheelers – 3000000 vehicles/Y; Motor cars and other motor vehicles (LCV) & four wheelers – 60000. vehicles/Y; Spare Parts Warehouse Management and Distribution. ETP of 3200 CMD capacity followed by RO and MEE (ATFD).</p> <p>Committee also noted that Industry has provided 4 nos of thermo pack with stack attached having height of 30 meter each with LPG as a fuel. Industry has also provided 2 nos of hot clean oven with stack attached having height of 12 meter each by using fuel as LPG. JVS results are within consented limits, except 1 result of STP is marginally exceeding.</p> <p>In view of above, it was decided to grant renewal of consent for mfg of motorized two, three and four wheelers – 3000000 vehicles/Y; Motor cars and other motor vehicles (LCV) & four wheelers – 60000 vehicles/Y; Spare Parts Warehouse Management and Distribution, subject to submission of justification for decrease in CI, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit bank guarantee of Rs. 25 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Bank guarantee of Rs. 5 lakh & 5 lakhs obtained as per previous consent shall be return to industry. |
| 29 | MPCB- CONSENT- 0000093487 | Agasti Sahakari Sakhar Karkhana Ltd, Agastingar, 58/2 & 48/2 Agastinagar, Akole Akole | APPROVED Renewal | 31.07.2021 | Committee noted that industry has applied for renewal of consent for 2500 TCD Sugar Unit. ETP capacity 275 CMD and provided 2 boilers of 32 TPH with wet scrubber as APC system. |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|---|
| | | | | | <p>Committee also noted that industry has installed online monitoring system. JVS is exceeding consented standards.</p> <p>In view of above, it was decided to grant renewal of consent for 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit bank guarantee of Rs. 7.5 lakhs as JVS is exceeding consented standards and top-up with Rs. 15 lakhs hence, to make total BG of Rs. 22.5 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall submit plan for improvement of pollution control systems within one month. |
| 30 | MPCB- CONSENT- 0000095987 | YASHWANT SUGAR & POWER PRIVATE LIMITED, 567/1, 568,571,540/B NAGEWADI KHANAPUR | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar unit.</p> <p>Committee also noted that industry has provided ETP with primary, secondary & tertiary treatment system and Provided Wet scrubber as APC for the Boiler. Provided online Monitoring system.</p> <p>Committee further noted that, Board has issued SCN for refusal to earlier application as CPCB issued Direction on 1.03.2019 under section 5 and directed to unit to close all its manufacturing operations and not to restart manufacturing till compliance of directions issued. PP obtain Revoked direction issued by CPCB on 02/09/2020.</p> <p>In view of above it was decided to grant Renewal of Consent for sugar unit of capacity 2500 TCD, by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit/extend Bank Guarantee of Rs. 10 Lakh towards compliance of consent conditions and |

| | | | | | |
|----|---------------------------------|--|-----------------------------------|--|---|
| | | | | | <p>operation and maintains of pollution control system before starting crushing season.</p> <ol style="list-style-type: none"> 2. Unit shall comply with CPCB directions. 3. To improve water economy, PP shall submit detail water budget along with proposal towards recycling of treated effluent to the maximum extent including excess condensate into the process to reduce fresh water consumption, within a period of 3 months with activity bar chart. |
| 31 | MPCB- CONSENT- 0000096141 | Shri Dutt India Pvt. Ltd., 69,74, Sakharwadi Phaltan | APPROVED C to E for expansion. | Up to commissioning or 5 year whichever is earlier | <p>Committee noted that industry has applied for expansion of sugar unit by 3650 TCD & Electric Power - 14.5 MW. i.e for total 4900 TCD & 14.5 MW.</p> <p>Committee also noted that industry has provided ETP with primary, secondary & tertiary system and Provided ESP & Wet scrubber as APC. Provided CPU for excess condensate. Provided online Monitoring system to existing unit.</p> <p>In view of above it was decided to grant Consent to Establish for expansion of sugar unit by 3650 TCD & Electric Power - 14.5 MW. i.e for total 4900 TCD & 14.5 MW., by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall submit Bank Guarantee of Rs. 5 lakh towards compliance of consent to establish conditions. 2. PP shall upgrade the existing ETP to achieve consented standard. 3. PP shall submit adequacy report of pollution control system from recognised institute. 4. 1st Consent to Operate shall be issued only after obtaining the NOC of CGWA/Irrigation Department |
| 32 | MPCB- CONSENT- 0000095778 | M/s Indo Rama Synthetics (I) Ltd., A-31 MIDC | APPROVED Renewal | 30.04.2023 | <p>Committee noted that industry has applied for renewal of consent to operate for polyester yarn manufacturing unit along with CPP of 30 MW with increase in CI. Provided ETP</p> |

| | | | | | |
|----|---------------------------------|--|--------------------------------|-------|---|
| | | Industrial Area, Butibori, Nagpur- 441122 | | | <p>of capacity -541 CMD. RO Plant having capacity @1000 CMD and treated effluent utilized in cooling tower. Provided STP of capacity -2000 CMD JVS of effluent are within consented limits</p> <p>Committee also noted that ESP provided to coal fired FBC boiler, AFBC, CPP boiler, HTM Heater followed by stack. Provided 3 nos. of CAAQMS station and opacity meter for CPP stack which is connected to Boards server. f JVS of AAQMS are exceeded the consented limits.</p> <p>In view of above, it was decided to grant renewal of consent up to 30.04.2023 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit BG of 2.0 Lakhs towards exceeding JVS of air samples and obtain top of BG of Rs.12 Lakhs towards O & M of APCS. |
| 33 | MPCB- CONSENT- 0000095242 | Vilas Sahakari Sakhar Karkhana Ltd., (Sugar and Co- Gen Plant), 553,554,656 Vishalinagar Nivli Latur | NOT APPROVED Renewal | ----- | <p>Committee noted that industry has applied for renewal of consent for 3500 TCD sugar and 18 MW Co-generation unit. ETP of capacity 600 CMD and has provided 15 days storage tank with tarpaulin /HDPE sheet for storage of treated effluent.</p> <p>Committee also noted that Industry has three nos. of boiler of capacity 55 TPH, 40 TPH & 10 TPH with Wet scrubber, ESP & Wet scrubber respectively as air pollution control system followed by common stack of height is 65 meters.</p> <p>In view of above, it was decided issue SCN for refusal as industry has not submitted Bank Guarantee as per earlier consent, not installed CPU, not obtain re-start order from CPCB and not obtained NOC from CGWA.</p> |

| | | | | | |
|----|---------------------------------|--|--|----|---|
| 34 | MPCB- CONSENT- 0000095664 | Ascendas IT Park Pvt Ltd., Plot No. 18, Rajiv Gandhi Infotech Park, MIDC Phase-III, Hinjewadi, Tal. Mulshi, Dist. Pune- 411057. | APPROVED Plain Renewal of Consent to Operate. | -- | <p>Committee noted that PP has applied for grant of Renewal of Consent to Operate and with amalgamation of existing Consent to Operate for IT/ITES activity having Total plot area of 1,01,175 Sq.m and Total construction BUA of 1,85,426.41 Sq.m (70,215.67 + 66,024.38 + 49,186.36 = 1,85,426.41).</p> <p>Committee also noted that PP has obtained EC, provided STP and OWC followed by composting facility.</p> <p>Committee further noted that PP has submitted CA certificate showing CI of Rs. 162.21 Crs. However, calculation of CI of three different existing C2O shows Rs. 444.49 Crs.</p> <p>In view of above, it was decided to grant plain Renewal of Consent for IT/ITES activity having Total plot area of 1,01,175 Sq.m and Total construction BUA of 49,186.36 M² by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall operate and maintain STP to achieve Consented standards for parameter BOD– 10 mg/l. 2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. with water metering system and remaining shall be utilized on land for gardening and/or connected to Local Body Sewer Line. 3. PP shall operate Composting facility for the treatment of Bio-degradable waste and compost obtained shall be used as manure for gardening. 4. PP shall submit BG of Rs. 10 Lakh towards compliance of the EC and Consent conditions. 5. PP shall submit clarification regarding actual capital investment of the project, compilation of CI & additional consent fees accordingly. |
|----|---------------------------------|--|--|----|---|

| | | | | | |
|----|---------------------------------|---|--|---------------------|--|
| | | | | | <p>6. Consent may be issued after submission of additional consent fees if any.</p> <p>Amalgamation to be considered separately as there is discrepancy about CI.</p> |
| 35 | MPCB- CONSENT- 0000096079 | Navkar Corporation Limited, 137/1 Survey No. 137/1, Vill. Ajivali, Old Mumbai Pune Highway, Tal. Panvel, Dist. Raigad. Panvel | APPROVED Renewal of consent with increased CI | UP TO 31.07.2023 | <p>Committee noted that PP has applied for renewal of consent with increase in CI for storage of Non-Hazardous and Hazardous chemicals (Custom bonded) cargos in container Freight Station.</p> <p>It was also noted that PP has submitted the justification towards increased CI, details of custom bonded chemicals stored in container freight station & not submitted the disaster management plan (onsite & offsite emergency).</p> <p>In view of above, it was decided to consider the case for renewal of consent with increase in CI for Custom bonded cargos – 3200 Nos consists of Non-Hazardous and Hazardous chemicals (28 Nos) in Container Freight Station by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit disaster management plan (onsite & offsite emergency) & shall adhere to the same. 2. PP shall carry out the safety audit & shall adhere with the outcomes of the same. 3. PP shall comply with the conditions for storage of Hazardous chemicals as per as per MSIHC Rules, 1989. 4. PP shall not store Hazardous Chemicals more than the threshold limits specified in MSIHC Rules, 1989. 5. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/plantation. <p>Consent shall be issued after submission of</p> |

| | | | | | |
|----|---------------------------------|---|--|---------------------|---|
| | | | | | <ol style="list-style-type: none"> 1. Disaster management plan (onsite & offsite emergency plan). 2. Safety audit report. 3. Additional consent fees, if any. |
| 36 | MPCB- CONSENT- 0000096082 | Navkar Corporation Ltd., 89,93,95,97 S. No. 89,93,95,97, Kon- Savla Road, Vill. Somthane, Tal. Panvel, Dist. Raigad Panvel | APPROVED Renewal of consent with increased CI | UP TO 31.07.2023 | <p>Committee noted that PP has applied for renewal of consent with increase in CI for storage of 28 Nos of Hazardous chemicals (Custom bonded) in Container Freight Station.</p> <p>It was also noted that PP has submitted the justification towards increased CI, details of custom bonded chemicals stored in container freight station & not submitted the disaster management plan (onsite & offsite emergency).</p> <p>In view of above, it was decided to consider the case for renewal of consent with increase in CI for 28 Nos of Hazardous chemicals (Custom bonded) in Container Freight Station by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit disaster management plan (onsite & offsite emergency) & shall adhere to the same. 2. PP shall carry out the safety audit & shall adhere with the outcomes of the same. 3. PP shall comply with the conditions for storage of Hazardous chemicals as per as per MSIHC Rules, 1989. 4. PP shall not store Hazardous Chemicals more than the threshold limits specified in MSIHC Rules, 1989. 5. PP shall operate organic waste digester along with composting facility and compost obtained shall be used as manure in their own garden/plantation. <p>Consent shall be issued after submission of</p> <ol style="list-style-type: none"> 1. Disaster management plan (onsite & offsite emergency plan). |

| | | | | | |
|----|---------------------------------|--|---|------------|---|
| | | | | | <p>2. Safety audit report.</p> <p>3. Additional consent fees, if any.</p> |
| 37 | MPCB- CONSENT- 0000096396 | B. J. Medical College and Sassoon General Hospital J P ROAD NEAR RAILWAY STATION | APPROVED Combined Consent and BMW authorization | 31.03.2022 | <p>Committee noted that PP has applied for combined consent and BMW authorization for 1296 number of beds for the plot area- 500 sq.mtrs and BUA- 250 sq.mtrs.</p> <p>Committee also noted that Total water consumption shown 1200 CMD. ETP and STP not provided. Obtained membership of CBMWTSDF. Details of membership and annual report not submitted.</p> <p>In view of above, it was decided to grant combine consent and BMW authorization for 1296 beds up to 31.03.2022 by imposing condition of installation of STP and ETP within one year. We may obtain detailed information about plot area, BUA, water consumption, effluent generation, details of BMW generation quantity and copy of valid membership of CBMWTSDF.</p> |
| 38 | MPCB- CONSENT- 0000095305 | Sadashivrao Mandlik Kagal Taluka S.S.L.Ltd., 425 Hamidwada Kagal | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 4500 TCD and 15 Mw Co-Gen unit.</p> <p>Committee also noted that industry has provided ETP with primary, secondary & tertiary system and Provided Wet scrubber as APC. Provided online Monitoring system. The 1 JVS of ETP outlet out of 3 JVS & 1 JVS of Source emission out of 2 JVS are exceeding the consented limits. In view of above, it was decided to grant renewal of consent for 4500 TCD and 15 Mw Co-Gen unit, by imposing following conditions:</p> <p>1. Forfeit bank guarantee of Rs. 2.5 lakhs as JVS is exceeding consented standards and top-up with Rs. 5 lakhs hence, to make total BG of Rs. 7.5 lakhs towards O & M of pollution control systems and compliance of consent conditions.</p> |

| | | | | | |
|----|---------------------------------|---|-------------------------|------------|---|
| | | | | | 3. Industry shall submit plan for improvement of pollution control systems within three month. |
| 39 | MPCB- CONSENT- 0000096152 | Atharv Intertrade Private Limited Leased unit Daulat S.S.S.K.Litd., Halkarni 185,186,188,329- 331,396-398 Harkarni Chandgad | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of consent for 40 KLPD Molasses base distillery</p> <p>Committee also noted that industry has provided Reboiler followed by composting to treat spent wash to achieve ZLD. Industry has provided RCC compost yard of 6 acre with leachate collection sump. Industry has provided 30 days & 5 days spent wash storage tank. Industry has provided online monitoring system which is connected to MPCB server.</p> <p>In view of above, it was decided to grant renewal of consent for 40 KLPD Molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend Bank Guarantee of Rs. 5 Lakh towards compliance of consent conditions and operation and maintains of pollution control system to achieve consented standards |
| 40 | MPCB- CONSENT- 0000096410 | EXEDY INDIA LIMITED, L-4, CHIKALTHANA MIDC INDUSTRIAL AREA AURANGABAD | APPROVED Renewal | 30.09.2021 | <p>Committee noted that industry has applied for renewal of consent to operate mfg of Clutch Disc Assembly – 10,00,000 Nos/Y; Clutch Cover Assembly – 10,00,000 Nos/Y; Clutch Kit Component (Clutch kit splined hub) – 3,50,000 Nos/Y; Clutch Kit Component (other Clutch kit component) – 6,00,000 Nos/Y by phosphating, Ni plating. ETP of capacity 96 CMD & STP capacity of 36 CMD.</p> <p>Committee also noted that Industry has provided wet scrubber as an APC system to the phosphating and Ni plating area with stack attached having height of 7 meter each. Industry has provided 3 nos of LPG fired furnace with stack attached having height of 3.5, 4.25 and 9 meter each</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | | | | <p>respectively. Industry has provided shot peening with dust collector as an APC system which is not included in the existing consent. JVS results of effluent 3 results are exceeding consented standards out of 5 total results. 2 STP results are exceeding out of 5 total results.</p> <p>In view of above, it was decided to grant renewal of consent to operate mfg of Clutch Disc Assembly – 10,00,000 Nos/Y; Clutch Cover Assembly – 10,00,000 Nos/Y; Clutch Kit Component (Clutch kit splined hub) – 3,50,000 Nos/Y; Clutch Kit Component (other Clutch kit component) – 6,00,000 Nos/Y by phosphating, Ni plating, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit bank guarantee of Rs. 10 lakhs as JVS are exceeding consented standards and top-up with Rs. 20 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall submit up gradation plan for pollution control systems within one month. |
| 41 | MPCB- CONSENT- 0000095931 | Mahindra & Mahindra Limited, Survey No. 368,369 Part,372 to 376 Mouze Talegaon Igatpuri | APPROVED Renewal | 30.09.2025 | <p>Committee noted that industry has applied for renewal of consent for manufacturing of Internal Combustion Engine for the capacity 430000 Nos/Year.</p> <p>Committee also noted that industry has installed two ETP having capacity 15 CMD, 18 CMD and 15 CMD ETP capacity. Industry is having 2 nos of STP of capacity 60 CMD each. JVS result are within consented limit.</p> <p>In view of above, it was decided to grant renewal of consent for manufacturing of Internal Combustion Engine for the capacity 430000 Nos/Year., by imposing following conditions:</p> |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|---|
| | | | | | 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions. |
| 42 | MPCB- CONSENT- 0000095251 | Vilas Sahakari Sakhar Karkhana Ltd. (Distillery Unit) 653,656,657 Vaishalinagar Nivali Latur | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of 60 KLPD molasses-based distillery unit. During last season Distillery unit was not in operation due to shortage of Molasses as raw material.</p> <p>Committee also noted that for treatment of sent wash industry has provided Bio-methanisation, multiple effect evaporator followed by composting on 6.5-acre area with leachate collection well.</p> <p>In view of above, it was decided to grant renewal of consent for 60 KLPD molasses-based distillery unit, by imposing following conditions:</p> <p>1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions.</p> |
| 43 | MPCB- CONSENT- 0000096691 | Cosmo Films Ltd., AI-24/1 Five Star MIDC SEZ Shendra Auranagabad | APPROVED Renewal | 30.09.2024 | <p>Committee noted that industry has applied for renewal of consent for production of Biaxial Oriented Polypropylene (BOPP) Film, Extrusion Laminated / Coated Film, Metallized Film and Re-Processed Plastic Granules. Also applied for first operate for production of Extrusion Laminated / Coated Film -1200 MT/M with capital Investment of Rs.39.44 Crs. same application is in progress.</p> <p>Committee also noted that Industry has provided ETP of 150 CMD followed by RO.RO Permeate is recycled in the process and Ro reject is mix into final treated tank and same is used on land for gardening. STP capacity is 24 CMD. Industry has provided stack of 30 meter to Thermic Fluid Heater (FO fired) as APC.</p> |

| | | | | | |
|----|---------------------------------|--|---|------------|--|
| | | | | | <p>In view of above, it was decided to grant renewal of consent with amalgamation of first C to O for the increase in production quantity of Extrusion Laminated / Coated Film - 1200 MT/M (total quantity 2400 MT/M), by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions. <p>Consent shall be issued by imposing the conditions of the directions already issued to the industry.</p> |
| 44 | MPCB- CONSENT- 0000095689 | VITP Pvt Ltd., Plot No. 02, Bldg No. (SEZ 7,8,9), Blue Ridge Township, Phase-II, Near Rajiv Gandhi Infotech Park Phase-I, Hinjewadi, Tal. Mulshi, Dist. Pune-411057. | APPROVED Plain Renewal of Consent to Operate without change in name. | 31.07.2021 | <p>Committee noted that PP has applied for grant of Renewal of Consent to Operate with change in name from Flagship Developers Pvt Ltd to VITP Pvt Ltd for IT/ITES activity having Total plot area of 5,58,462 Sq.m and Total construction BUA of 1,13,168 Sq.m.</p> <p>Committee also noted that PP has obtained EC, provided STP and OWC followed by composting facility.</p> <p>Committee further noted that, compare to existing renewal of C2O, CI of the project decreased by Rs. 737.45 Crs. PP has not submitted Clarification/Justification regarding decrease in CI.</p> <p>In view of above, it was decided to grant Plain Renewal of Consent to Operate for IT/ITES activity without change in name having Total plot area of 5,58,462 Sq.m and Total construction BUA of 1,13,168 Sq.m, by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall operate and maintain STP to achieve Consented standards for parameter BOD– 10 mg/l. |

| | | | | | |
|----|---------------------------------|--|-------------------------|------------|--|
| | | | | | <ol style="list-style-type: none"> 2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. with water metering system and remaining shall be utilized on land for gardening and/or connected to Local Body Sewer Line. 3. PP shall operate Composting facility for the treatment of Bio-degradable waste and compost obtained shall be used as manure for gardening. 4. PP shall submit BG of Rs. 10 Lakh towards compliance of the EC and Consent conditions. 5. PP shall submit clarification regarding decrease in capital investment of the project, compilation of CI & additional consent fees accordingly. 6. Consent may be issued after submission of clarification regarding decrease in capital investment and submission of additional consent fees. |
| 45 | MPCB- CONSENT- 0000096110 | Karmaveer Shankarrao Kale Sahakari Sakhar Karkhana Limited., Gautamnagar., 109/2 At- Gautamnagar, Post-Kolpewadi Kopargaon | Approved Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 4000 TCD sugar unit. ETP of capacity 500 CMD and treated effluent used for irrigation on 38.58 Hector own land.</p> <p>Committee also noted that Industry having 4 nos of Boilers having capacity 30 TPH, 20 TPH, 10 TPH, 35 TPH. Provided separate wet scrubber with common stack of height 72 mtr. JVS results are within consented limit.</p> <p>In view of above, it was decided to grant renewal of consent for 4000 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 10 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions. |

| | | | | | |
|----|---------------------------------|---|--|-------------|---|
| 46 | MPCB- CONSENT- 0000096418 | Agasti Sahakari Sakhar Karkhana Ltd. (Distillery Unit) 53/1;48/2, Agastinagar Akole | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of 30 KLPD molasses-based distillery unit.</p> <p>Committee also noted that for the treatment of Spent wash provided one Biogas of capacity 90 Lac lit, MEE-360 m³/day, Composting on 5 Acre. CPU unit of capacity 400 CMD. Steam is taken from existing Sugar Unit.</p> <p>In view of above, it was decided to grant renewal of consent for 30 KLPD molasses-based distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions. |
| 47 | MPCB- CONSENT- 0000095668 | Quadron Business Park Private Limited, Plot No. 28, Rajiv Gandhi Infotech Park Phase-II, MIDC Hinjewadi, Tal. Mulshi, Dist. Pune- 411057. | APPROVED Renewal of Consent to Operate. | 30.09.2021. | <p>Committee noted that PP has applied for grant of Renewal of Consent to Operate (Part) for IT/ITES activity having Total plot area of 1,03,307 Sq.m and Total construction BUA of 1,78,962.10 Sq.m.</p> <p>Committee also noted that PP has provided STP and OWC followed by composting facility.</p> <p>In view of above, it was decided to grant Renewal of Consent to Operate (Part) for IT/ITES activity having Total plot area of 1,03,307 Sq.m and Total construction BUA of 1,78,962.10 Sq.m by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall operate and maintain STP to achieve Consented standards for parameter BOD– 10 mg/l. 2. The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. |

| | | | | | |
|----|---------------------------------|---|--|------------|---|
| | | | | | <p>with water metering system and remaining shall be utilized on land for gardening and/or connected to Local Body Sewer Line.</p> <ol style="list-style-type: none"> 3. PP shall operate Composting facility for the treatment of Bio-degradable waste and compost obtained shall be used as manure for gardening. 4. PP shall submit BG of Rs. 10 Lakh towards compliance of EC and Consent conditions. 5. Consent may be issued after submission of additional consent fees, if any. |
| 48 | MPCB- CONSENT- 0000096996 | Jakraya Sugar Ltd., 61/1/A Watwate Mohol | APPROVED 1st operate | 31.08.2021 | <p>Committee noted that PP has applied for consent to 1st operate for 150 KLPD Ethanol unit.</p> <p>Committee also noted that existing unit provided Bio-digester followed by multiple effect evaporation system and Bio-composting for the treatment of spent wash and to achieve zero liquid discharge.</p> <p>In view of above, it was decided to grant consent to 1st operate for 150 KLPD Ethanol unit:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control systems and compliance of consent conditions. |
| 49 | MPCB- CONSENT- 0000096796 | Kalwa Dedicated COVID Hospital, 90 Feet Road, Dattawadi | APPROVED APPROVED Combined Consent and BMW authorization | 31.03.2022 | <p>Committee noted that PP has applied for CCA of Thane Municipal Corporation for set up of temporary 403 beds COVID hospital. The facility intended for isolation and treatment of the COVID 19 positive patients. Total plot area 11,670.75 sq.mtrs and BUA - 11670.75 sq.mtrs.</p> <p>Committee also noted that Sewage generation -80 CMD. BMW generated from this hospital will be disposed at MWML, At Taloja. This hospital has been set up by MHADA.TMC is not making any capital investment in this proposed hospital. This is temporary structure of COVID dedicated hospital.</p> |

| | | | | | |
|----|---------------------------------|---|-------------------------|------------|---|
| | | | | | In view of above, it was decided to grant combine consent and BMW authorization for 403 nos of beds up to 31.03.2022 by imposing condition of installation of primary ETP and dispose BMW as per COVID waste guidelines. |
| 50 | MPCB- CONSENT- 0000096216 | Endurance Technologies Limited, E92/93/94 Waluj, MIDC, , Area Aurangabad | APPROVED Renewal | 30.09.2021 | <p>Committee noted that industry has applied for renewal of consent to Operate with increase in investment. Capital investment increased from 98.42 Crores to 103.79 Crores i.e. 5.37 Crores. ETP capacity is 45 CMD & STP capacity is 90 CMD.</p> <p>Committee also noted that Industry have provided wet scrubbers for electroplating section, for powder coating 02 nos. of scrubbers, for booth provided dust collector as APC system. JVS results are within consented limit.</p> <p>In view of above, it was decided grant renewal of consent to operate with increase in investment, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extent existing bank guarantee of Rs. 10 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Bank guarantee of Rs. 5 lakhs and Rs. 5 lakhs shall be released. <p>Consent shall be issued after obtaining details regarding treatment system provided for metal bearing effluent.</p> |
| 51 | MPCB- CONSENT- 0000096819 | Dr.Babasaheb Ambedkar Sahakari Sakhar karkhana Ltd (Distillery Division) 116,117,118,119 Dr.Babasaheb | APPRVOED Renewal | 31.08.2021 | Committee noted that industry has applied for renewal of consent for 60 KLPD molasses-based distillery. For treatment of spent wash industry has provided Bio-digester followed by multiple effective evaporator followed by Bio-composting on Composting yard. |

| | | | | | |
|----|-------------------------|--|-------------------------|------------|--|
| | | Ambedkar Sahakari Sakhar karkhana Ltd (Distillery Division) Arvindnagar keshegaon Tal & Dist Osmanabad | | | <p>Committee also noted that industry provided 30 days storage lagoons. Wet scrubber provided to common stack attached (height 65 meter) to boiler 32 TPH+32 TPH & 30 TPH boiler and ESP provided to stack attached to 50 TPH Boiler.</p> <p>In view of above, it was decided to grant renewal of consent for 60 KLPD molasses-based distillery, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry extend existing bank guarantee of Rs. 5 lakhs towards O & M of pollution control systems and compliance of consent conditions. |
| 52 | MPCB-CONSENT-0000097230 | GANGAKHED SUGAR AND ENERGY LTD., 103, 104, 105, 106, 142 VIJAYNAGAR, MAKHANI GANGAKHED | APPRVOED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of consent for 60 KLPD molasses base distillery unit. For treatment of spent wash of 600 CMD industry has provided Re-boiler followed by MEE followed by incineration Boiler.</p> <p>Committee also noted that industry has provided boiler of 24 TPH with Bag filter as APC system. Analysis report of stack emission dtd 29.11.2019 are exceeding the prescribed limit.</p> <p>In view of above, it was decided to grant renewal of consent for 60 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Forfeit bank guarantee of Rs. 5 lakhs as JVS of air are exceeding consented standards and top-up with Rs. 10 lakhs towards O & M of pollution control systems and compliance of consent conditions. |
| 53 | MPCB-CONSENT-0000096929 | NATURAL SUGAR AND ALLIED | APPROVED Renewal | 31.08.2021 | <p>Committee noted that industry has applied for renewal of consent for 30 KLPD molasses base distillery unit. For treatment of spent wash industry has provided Reboiler</p> |

| | | | | | |
|----|-------------------------|---|--|--|---|
| | | INDUSTRIES LTD. DISTILLERY UNIT, 290 SAINAGAR, RANJANI KALLAM | | | <p>followed by Bio-digester followed by multiple effective evaporators followed by Bio-composting on Composting yard of 12.5 acre.</p> <p>Committee also noted Steam is taken from existing sugar unit. Distillery unit is having one more gas-fired boiler of 10 TPH used at the time of sugar plant shut down.</p> <p>In view of above, it was decided to grant renewal of consent for 30 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs submitted towards O & M of pollution control system and compliance of consent conditions. |
| 54 | MPCB-CONSENT-0000094902 | CHHATRAPATI PRAMILARAJI (CPR) HOSPITAL (665 BEDED) Bhaushingji Road, Kolhapur (M Corp.), TAL-KARVEER, DIST-KOLHAPUR | APPROVED 1st Combined Consent & BMW Authorization | 31.03.2022 | <p>Committee noted that PP has applied for 1st Combined Consent & BMW Authorization for 665 nos of beds and for plot area 145686.38 sq.mtrs and BUA- 49059.25 sq.mtrs.</p> <p>Committee also noted that they have provided STP of 300 CMD capacity for treatment of sewage 125 CMD. Treated effluent disposed into sewer system of local body. Obtained membership of CBMWTSDF. Annual report submitted.</p> <p>In view of above, it was decided to grant combine consent and BMW authorization for 665 beds up to 31.03.2022 after submission of proposal for installation of ETP within one year. We may obtain detailed information of BMW generation quantity.</p> |
| 55 | MPCB-CONSENT-0000096890 | Aayan Multitrade LLP (Unit No.-1), S.No.102-113,234-243 Samshepur Nandurbar- | APPROVED Establish (Expansion) | Commissioning of unit or 5 years, whichever is earlier | <p>Committee noted that Industry has applied for Consent to Establish for 100 KLPD molasses-based distillery unit. Existing sugar unit is 4900 TCD sugar and 12 MW co-generation unit which has valid consent up to 31.07.2021.</p> |

| | | | | | |
|----|---------------------------------|--|--|--|--|
| | | Shahada Road Nandurbar | | | <p>Committee also noted that proposed to provide 278 TPH Boiler with ESP as APC system and or treatment of spent wash they have proposed to provide CPU followed by MEE and incineration boiler.</p> <p>In view of above, it was decided to grant consent to establish for 100 KLPD molasses base distillery, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall not take any effective steps prior to obtaining Environment Clearance and submit bank guarantee of Rs. 5 lakhs towards compliance of same and consent conditions. |
| 56 | MPCB- CONSENT- 0000096883 | AAYAN MULTITRADE LLP (UNIT NO.1), 102- 113,234-243 SAMSHERPUR NANDURBAR | APPROVED Establish (Expansion) | Commissioning of unit or 5 years, whichever is earlier | <p>Committee noted that industry has applied for consent to establish expansion of sugar from 4900 TCD to 10000 TCD (Expansion 0 5100 TCD) and co-generation from 14 MW to 32 MW. Existing consent is valid up to 31.07.2021.</p> <p>Committee also noted that water source is from TAPI (Irrigation Department NOC) and proposed to provide 160 TPH boiler with ESP as APC system.</p> <p>In view of above, it was decided to grant consent to establish expansion of sugar from 4900 TCD to 10000 TCD (Expansion 0 5100 TCD) and co-generation from 14 MW to 32 MW., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall not take effective steps prior to obtaining Environment Clearance and submit bank guarantee of Rs. 5 lakhs towards compliance of same and consent conditions. |

| | | | | | |
|----|---------------------------------|---|---|------------|--|
| 57 | MPCB- CONSENT- 0000097243 | Gangakhed Sugar & Energy Ltd., 103,104,105,106,142 Vijaynagar, Makhani Gangakhed | APPROVED Renewal | 31.07.2021 | <p>Committee noted that industry has applied for renewal of consent for 6000 TCD sugar unit. ETP capacity is 720 CMD and has provided 68-acre land for disposal of treated effluent.</p> <p>Committee also noted that Industry has provided boiler 150TPH capacity with ESP as APC system and Stack having 80 meters height. Industry has provided online monitoring system. Industry was not in operation for season 2019-2020.</p> <p>In view of above, it was decided to grant renewal of consent for 6000 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of 5 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall install online display Board within 1 month. |
| 58 | MPCB- CONSENT- 0000094822 | Government Medical College and Hospital, Ghati, Pvanckakki Road, Aurangabad. | APPROVED 1st Combined Consent & BMW Authorization | 31.03.2022 | <p>Committee noted that PP has applied for 1st Combined Consent & BMW Authorization for 1177 nos of beds and for plot area 1,20,000 sq.mtrs and BUA - 59,600 sq.mtrs. Obtained BMW Authorization for 1020 nos of beds which was valid up to 31.01.2012.</p> <p>Committee also noted that sewage generation shown 100 CMD and trade effluent shown 50 CMD. STP details not submitted. ETP not provided. Details of membership of CBMWTSDF and annual report not submitted.</p> <p>In view of above, it was decided to grant combine consent and BMW authorization for 1177 beds up to 31.03.2022 after submission of proposal for installation of STP and ETP within one year. We may obtain detailed information about</p> |

| | | | | | |
|----|---------------------------------|--|----------------------------------|------------|---|
| | | | | | plot area, BUA, water consumption, effluent generation, details of BMW generation quantity and copy of valid membership of CBMWTSDF. |
| 59 | MPCB- CONSENT- 0000095867 | MANAS AGRO INDUSTRIES AND INFRASTRUCTURE LIMITED (UNIT-5), KH. NO. 16, 17, 18, 19 & 20 VILLAGE - SAWARKHANDA KUIH | APPROVED Renewal | 31.08.2023 | <p>Committee noted that industry has applied for renewal of consent for biomass based 10 MW power plant. Industry has reduced CI from Rs.80.03 Cr. to Rs.74.86 Cr. As per the previous consent conditions industry has not submitted BG of Rs.5.0 Lakh for O & M of APC and Rs. 5 lakhs towards installation of STP, which is not yet submitted.</p> <p>Committee also noted industry has provided ETP of 30 CMD and provided Boiler of 30 TPH with ESP as APC system. As per earlier analysis result of stack on dtd.09.01.2019, 08.03.2019 & 03.04.2019 the particulate emissions is 269.03 mg/Nm³, 810.94 mg/Nm³ & 457.31 mg/Nm³ respectively.</p> <p>In view of above, it was decided to grant renewal of biomass based 10 MW power plant with decrease in CI after submission of Bank guarantee of Rs. 5 lakhs, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend existing bank guarantee of Rs. 5 lakhs towards O & M of pollution control systems and compliance of consent conditions. 2. Industry shall submit improvement plan for APC system within 3 months. |
| 60 | MPCB- CONSENT- 0000097754 | Shree Laxmi Narshinha Sugars LLP, 34,40,43,45,47 to 49,51-55,58, 59, 61 to 82 village | NOT APPROVED Establish | --- | Committee noted that industry has applied for consent to establish for 45 KLPD molasses-based distillery unit. Industry has applied for renewal of sugar unit with change of name from Tridhara Sugars Ltd. to Shree Laxmi Narshinha Sugars LLP. |

| | | | | | |
|----|---------------------------------|--|---|------------|--|
| | | Amdapur and Post. Singnapur. Tal. & Dist. Parbhani Parbhani | | | <p>Committee also noted that for treatment of spent wash unit has proposed to provide Bio-methanization, MEE for volume reduction followed by Bio composting. Area proposed for Bio Composting is about 7 acres. Proposed Boiler 15 TPH with Wet scrubber as APC's with stack height of 45 Mtrs.</p> <p>It was decided to defer the case as the existing unit is non-complaint and issue SCN.</p> |
| 61 | MPCB- CONSENT- 0000097960 | SHREE SUBHASH SUGAR PVT. LTD. HADSANI, GUT NO. HADSANI 64,63,87,89, LAHARI 8,7,6,9,10. VILLAGE HADSANI, TALUKA- HADGAON DIST.NANDED. HADGAON | NOT APPROVED Renewal | --- | <p>Committee noted that industry has applied for renewal of consent for 2500 TCD sugar unit with change of name from M/s. Bhaurao Chavan SSK Ltd, (Unit No-4) is now purchased by Shree Subhash Sugar Pvt. Ltd.</p> <p>Committee also noted that industry has ETP of capacity 300 CMD and has 2 boilers of 32 TPH with wet scrubber as a APC system. Industry has provided online monitoring system. JVS results are exceeding consented standards.</p> <p>In view of above, it was decided to defer the case and issue SCN for non-compliances.</p> |
| 62 | MPCB- CONSENT- 0000097380 | Dean, Shri Chhatrapati Shivaji Maharaj, General Hospital, (Civil Hospital), In front of district court, Civil Lines, Solapur | APPROVED 1st Combined Consent & BMW Authorization | 31.03.2022 | <p>Committee noted that PP has applied for 1st Combined Consent & BMW Authorization for 764 nos of beds and for plot area 1,51,600 sq.mtrs and BUA - 1,40,093 sq.mtrs.</p> <p>Committee also noted that BMW Authorization for 533 nos of beds which was valid up to 29.08.2006. Sewage generation shown 150 CMD, STP not provided. ETP not provided. Obtained membership of CBMWTSDf and annual report submitted.</p> |

| | | | | | |
|----|--|---|---|------------|--|
| | | | | | In view of above, it was decided to grant combine consent and BMW authorization for 764 beds up to 31.03.2022 after submission of proposal regarding installation of STP and ETP within one year. We may obtain information about water consumption, effluent generation, details of BMW generation quantity. |
| 63 | MPCB- CONSENT- 0000098407 | Dr. Aabaji Thatte Seva aur Anusandhan Sanstha "NATIONAL CANCER INSTITUTE" Jamtha | APPROVED Renewal of Combined Consent & BMW Authorization | 29.02.2022 | <p>Committee noted that PP has applied for renewal of Combined Consent & BMW Authorization for 225 nos of beds and for plot area 57,400 sq.mtrs and BUA -5720 Sq.mtrs. Earlier consent was valid up to 29.02.2020.</p> <p>Committee also noted that they have obtain Environmental Clearance from Environment Dept. GOM on 22.01.2015 for total plot area 57,400 sq.mtrs and Total BUA [FSI & Non FSI]- 71,479.41 sq.mtrs. Provided STP of 421 CMD capacity of MBBR system for treatment of 150 CMD sewage. The treated effluent is recycled and remaining disposed on land for gardening. Obtained BNH certificate of Public Health Department, Zilla Parishad Nagpur.</p> <p>In view of above, it was decided to grant renewal of consent for the period up to 29.02.2022 after submission of proposal regarding installation of ETP and BGs as per HCEs regime.</p> |
| 64 | MPCB- CONSENT_A MMENDMEN T- 0000003754 | SKODA AUTO INDIA PVT. LTD, A1/1, FIVE STAR industrial area MIDC SHENDRA | APPROVED AMEDMENT | 31.12.2020 | <p>Committee noted that industry has applied for amendment of Consent to Operate for change in name from Skoda Auto India Private Limited to SKODA AUTO Volkswagen India Private Limited.</p> <p>Committee also noted that Capital Investment of the industry is increased from Rs. 652.98 Cr. to 760.98 Cr. i.e Total Increased CI is Rs. 108 Cr. CI increased due to Technology development, Replacing of old computers by new Computers, Installation of office equipment, Motor</p> |

| | | | | | |
|----|--|---|----------------------------------|------------|---|
| | | | | | <p>Vehicles for official use, modernization of office infrastructure.</p> <p>In view of above, it was decided to grant amendment of Consent to Operate for change in name from Skoda Auto India Private Limited to SKODA AUTO Volkswagen India Private Limited with increased in capital investment from Rs. 652.98 Cr. to 760.98 Cr. i.e. Total Increased CI is Rs. 108 Cr.</p> |
| 65 | MPCB- CONSENT_A MMENDMEN T- 0000004510 | CENTURY RAYON, P.B.No. 22, Murbad Road, Shahad | Not APPROVED Amendment | ----- | <p>Committee noted that PP has applied for amendment in consent for Incorporation of sewage standards for the domestic waste generated from colony. i.e. BOD-100 mg/l and suspended solids 100 mg/l. Incorporation of non-hazard i.e. Trash sweeping waste including cellulose from Rayon, Tyre Cord Plant and CSY [Continuous Spun Yarn Plant], Civil debris, Burnt Charcoal. and Incorporation of the co-generation at boiler no. 7 and 8 plant.</p> <p>It was decided to issue SCN as the compatibility of material for burning is not clear.</p> |
| 66 | MPCB- CONSENT_A MMENDMEN T- 0000004807 | SHRI DATTA SHETKARI SAHAKARI SAKHAR KARKHANA LTD., A/P- DATTA NAGAR, SHIROL | APPROVED AMEDMENT | 31.08.2024 | <p>Committee noted that PP applied for amendment in Distillery consent for Incorporation/ addition of 10 TPH Boiler & for amendment in quantity of spent wash i.e trade Effluent from 720 CMD to 435 CMD.</p> <p>Committee noted that Earlier unit using steam from Co-gen power plant i.e M/s. Urjankar Shree Dutta Power Company. This 10 TPH boiler was shown in Distillery consent dtd. 06.02.2012 which is valid up to 31.12.2014. As per visit report of Field officer dtd. 31.08.2020 unit has provided 10 TPH Boiler with 50 Mtr stack height and provided Dust collector as APC.</p> |

| | | | | | |
|--------------------|--|---|---|-------|--|
| | | | | | <p>In view of above, it was decided to grant amendment of consent, by imposing following conditions;</p> <ol style="list-style-type: none"> 1. Unit shall upgrade APC of 10 TPH Boiler with installation of wet scrubber/ESP and shall not operate the same still up gradation of APC. 2. Unit shall provide online monitoring system to 10 TPH Boiler before start activity. |
| 67 | MPCB- CONSENT_A MMENDMEN T- 0000004913 | Embassy Property Developments Pvt. Ltd., RGIP, Hinjewadi, Ph.2 | Approved Amendment in renewal of consent | ----- | <p>Committee noted that PP has applied for amendment in existing renewal of consent in respect of correction in total construction BUA, STP sludge & E-waste generation as per earlier 1st C to O (Part-I) accorded by Board.</p> <p>It was also noted that PP has obtained EC, revalidation of consent to establish & provided adequate pollution control system.</p> <p>In view of above, it was decided to consider the amendment in existing renewal of consent in respect of correction in total construction BUA of 4,89,815.46 Sq.Mtr. Instead of 2,90,595 Sq.Mtr., STP sludge – 45 kg/d instead of 0 kg/d & E-waste generation - 5000 Nos/Y instead of 2000 Kg/Y as per earlier 1st C to O (Part-I) accorded by Board.</p> |
| Review Item | | | | | |
| 1 | | MOIL Limited, Gumgaon Mine, Tal Saoner Dist- Nagpur | APPROVED Request letter to waive off the forfeiture of BG | --- | <p>Committee noted that Board has granted renewal of consent with the conditions to forfeit the bank guarantee for not providing ETP for Ore washing effluent.</p> <p>Committee further noted that Industry vide letter dated 14.09.2020 submitted the request letter for not to forfeit the BG stating that the MOIL has constructed the ETP for industrial effluent generated due to washing of manganese ore screen. Industry further mentioned that due to outbreak</p> |

| | | | | | |
|---|--|--|---|-----|--|
| | | | | | <p>of COVID-19 pandemic and lockdown imposed thereafter some work of the ETP has been delayed.</p> <p>Committee noted that industry has requested to consider the waive off the forfeiture of BG as the industry has installed the ETP.</p> <p>In view of above it is decided to waive off the forfeiture of BG as per the consent granted on 02.09.2020.</p> |
| 2 | | <p>Wonder Cement Limited, Plot No.4, Nardana MIDC Phase-1, Tal-Shindkheda, Dist-Dhule.</p> | <p>APPROVED</p> <p>Application for utilization of chemical Gypsum waste in their Cement Grinding unit</p> | --- | <p>Committee noted that, Earlier the PP has submitted the letter for utilization of chemical Gypsum waste in their Cement Grinding unit. The said application was discussed in CAC meeting held on 17.07.2020 & 24.07.2020 and it was decided to defer the case and PP shall submit the details of identified industry for chemical gypsum, the quantity of chemical gypsum available from the industry and the characteristics of chemical gypsum.</p> <p>Committee further noted that Industry has submitted the reply vide letter dated 14.08.2020 stating the quantity of chemical gypsum for co-processing will be 80000 MT/Annum & submitted the list of identified industry for supply of chemical gypsum also submitted the characteristics of chemical gypsum.</p> <p>Committee further noted that, CPCB has published the guidelines for coprocessing of Hazardous waste utilized in Cement Grinding unit with the condition to achieve the emission norms.</p> <p>In view of above, it is decided to grant amendment in consent for utilization of -chemical gypsum 7000 MT/M, on experimental bases for 2 months, by imposing the condition:</p> |

| | | | | | |
|---|-------------------|---|---|-----|--|
| | | | | | <p>1. PP shall comply with the CPCB Guidelines for coprocessing of Hazardous waste utilized in Cement Grinding unit.</p> <p>2. with the condition to achieve the emission norms.</p> |
| 3 | | Sai Wardha Power Generation Ltd., MIDC Warora, Dist Chandrapur | <p>APPROVED</p> <p>Request letter to waive off the forfeiture of BG</p> | --- | <p>Committee noted that Board has granted renewal of consent with the conditions to forfeit the bank guarantee towards JVS exceedance of AAQM and stack monitoring.</p> <p>Committee further noted that Industry vide letter dated 09.09.2020 submitted the request letter for not to forfeit the BG stating that the JVS results are pertaining to 01.03.2017,28.02.2017 & 24.04.2017. Industry further mentioned that the Board has already forfeited the BG for these results while granting the earlier renewal dated 25.04.2018.</p> <p>Committee noted that industry has mentioned that the Power Plant was under shut down condition from 15th Dec 2018 to 7th Feb 2020 due to Corporate Insolvency Resolution Process as per National Company Law Tribunal.</p> <p>Committee further noted that industry requested to consider the letter to waive off the forfeiture of BG as the Board has already forfeited the BG for the same results.</p> <p>In view of above it is decided to waive off the forfeiture of BG as per the consent granted on 02.09.2020, subject to latest JVS verification from SRO.</p> |
| | Table Item | | | | |
| 1 | ----- | Policy Decision regarding Amendment in Consent to Operate of Leading Brand Owners and Plastic Producers | | | The Committee discussed that, from the perspective of natural resource conservation and for encouraging circular |

| | | | |
|--|--|--|---|
| | | <p>for Use of Recycled Plastic in Plastic Packaging and Plastic Items.</p> | <p>economy for plastic, it is necessary to amend the Consent to Operate (CtoO) granted to the plastic packaging units of the leading brand owners and manufacturers of the plastic items to use the recycled plastic vide above reference.</p> <p>The Committee noted that, various leading international brand owners have made stringent commitments regarding use of recycled plastic.</p> <p>In view of the above, it was decided to give approval to the proposed policy decision regarding Amendment in Consent to Operate of Leading Brand Owners and Plastic Producers for Use of Recycled Plastic in Plastic Packaging and Plastic Items.</p> <p>Further, it was decided that, all the concerned MPCB officials (Technical HODs/ ROs/ SROs) will be directed to amend the CtoO granted under their purview, as applicable, as follow:</p> <ol style="list-style-type: none"> 1. For manufacturers of plastic items (such as moulded items, mats, buckets, containers, furniture, agricultural pipes, fittings etc.) <p>“You are manufacturing plastic goods at your unit operating vide consent no. dt.----.</p> <p>The following condition is incorporated in your consent with immediate effect:</p> <p>You shall submit a plan for the use of recycled plastic in your product within three months. This plan shall include the percentage of recycled plastic proposed to be used along with timelines for the same.”</p> |
|--|--|--|---|

| | | | |
|---|------|---|---|
| | | | <p>2. For plastic packaging by producers and Leading brand owners (P&G, Unilever, Nestle, Pepsico, Coca Cola, Ikea, McDonalds, Starbucks, Walmart, Ralph Lauren, Reckit-Benckiser etc.)</p> <p>“You are manufacturing ----- in your unit operating vide consent no. ----- dt. ----- .</p> <p>You are using plastic packaging for your goods. The following condition is incorporated in your consent to operate-</p> <p>Condition no.-: As mandated by Maharashtra Plastic and Thermocol Products (Manufacture, Usage, Sale, Transport, Handling and Storage) Notification, 2018 published on 23.3.2018 and subsequent amendments dated 11.4.2018, 30.6.2018 and 14.6.2019, you shall use minimum 20% recycled plastic in the non-food/ non-pharma packaging.</p> <p>Where the packaging is procured by you from another vendor, you shall ensure that the supplies received by you meet the above requirements.”</p> |
| 2 | ---- | Imposing fresh condition in C to E / C to O under Water(P&CP) Act,1974 to Large and Medium scale Industries those who are outsourcing Metal Finishing activities to Micro/SSI units in Ambad and Satpur MIDC, Nashik. | The MIDC Ambad and Satpur area is declared as Severely Polluting area (SPA) under CEPI. The proposal to Establish CETP for Metal finishers effluent is under consideration. However, no physical work has been commenced on site till today. In view of continued non – compliances of Restart and Proposed Directions issued in 2017, MPCB decided to refuse the renewal of consent application and issued Closure Directions. Considering the critical situation due to Covid – 19 Pandemic and initiative taken by MIDC and |

| | | | |
|--|--|--|--|
| | | | <p>assurance by Metal finishers association these actions are withheld.</p> <p>The meeting was conveyed with Board officials, office bearers of MFA and the industry representative of Large and Medium scale industries.</p> <p>Each industry who is outsourcing Metal finishing activities as a part of the manufacturing process having Water and/or Air pollution potential need to ensure that the Vendor and Sub – Vendor is compliant to the environment regulations and require to extend the technical and financial support to the Vendor and Sub – Vendor to ensure total compliance as per Consent conditions granted by the Board.</p> <p>After due deliberation it is decided, to amend Consent to Operate granted to LSI /MSI units in Ambad and Satpur MIDC and around Nashik as bellow:</p> <ol style="list-style-type: none"> 1. LSI /MSI industry outsourcing the Metal finishing job to Micro Small industries in Ambad/ Satpur, MIDC, Nashik shall ensure no Non – compliance of its Vendor and Sub Vendor involved in Metal finishing supply chain management and put in place robust systems for this purpose. 2. Continuous Non compliance of Vendor/Sub-vendors of such LSI/MSI industry shall be treated as noncompliance of the respective industry and shall be liable for action and penalty as deemed fit. 3. Such LSI & MSI industries in Satpur and Ambad industrial areas of Nashik shall contribute capital and |
|--|--|--|--|

| | | | |
|---|--|--|---|
| | | | recurring cost of effluent treatment either directly or by building it into contract/agreement with Vendor and Sub-vendors i.e. members of proposed MFA CETP, Nashik. |
| The meeting is ended with vote of thanks. | | | |