

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of Part-III 4th Consent Appraisal Committee Meeting of 2022-2023 held on 24.06.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 21 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 21					
1	MPCB- CONSENT- 0000110738	Dighi Port Limited Dighi Port Limited Dighi Port Limited Shrivardhan	NOT APPROVED Consent to operate of Dighi Port [North Side] At -Agardanda Site	-----	<p>Committee noted that, PP has submitted application for consent to operate in the name of Dighi Port Ltd for operation of port in the Rajpuri Creek at Agardanda (North side) having 3 nos. of Jetties/Berths (Multi-purpose berths) and facilities for liquid storage and liquid cargos.</p> <p>Committee also noted that, this application was discussed in the earlier CAC meetings, and it was decided to issue show cause notice for refusal of consent for violation of consent to Establish conditions and Environmental Clearance conditions. It was decided to call PP for technical presentation on compliances made towards Environmental Clearances conditions, consent conditions and Legal aspects related to the port.</p> <p>Accordingly, the technical presentation has extended on 22.03.2022. As per submission of PP they obtain NOC from CGWA and obtain Corrigendum from MoEF&CC in respect of Berths size on 27.01.2022. (Corrigendum of Environmental Clearance on 27.01.2022 in respect of berth size 325 x 34 mtrs dimensions with approach of 100 X 12mtrs instead of berth size 300 x 20mtrs dimensions with approach of 100 X 12mtrs.)</p> <p>PP submitted that the both the part South & North are covered in one EC & requested that MPC Board shall consider their Consent applications as they complied the directions of Board. After due deliberation.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, from submitted documents it is not clear the inclusion of North side in EC.</p> <p>After due deliberation it was decided to defer the case and direct PP to obtain clarification in respect of Environmental Clearance from MOEFCC for inclusion of Both sides i.e South & North sides.</p>
2	MPCB- CONSENT- 0000120167	UltraTech Cement Limited, Unit- Manikgarh Cement Works and Manikgarh Cement Works II 146 to 163 Gadchandur, Tal- Korpana, Dist- Chandrapur	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for manufacturing of Cement-6.0 MTPA, Electricity generation (CPP) 60 MW & 15 MW and AFR feeding system-250 MT/day.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 20.05.2022 & it was decided to defer the case and issue show cause notice towards noncompliance consent conditions, heavy dust emission from the various units of the cement plant and poor performance of air pollution control systems. Board has issued show cause notice vide letter dated 14.06.2022.</p> <p>Committee further noted that PP has submitted the reply of SCN vide email dated 21.06.2022.</p> <p>After due deliberation, it was decided to defer the case and call PP for a technical presentation to apprise the action taken for pollution abatement and compliance of consent/EC conditions.</p>
3	MPCB- CONSENT- 0000130559	Penganga Opencast Mine Near Wirur - Gadegaon Village,	APPROVED	31.03.2023	<p>Committee noted that PP has applied for renewal of Consent for open cast coal mining- 6.3 MTPA.</p> <p>Committee also noted that an earlier case was discussed in CAC meeting held on 20.05.2022 & it was decided to issue</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Tal-Korpana, Dist-Chandrapur	Renewal of Consent with increase in CI		<p>show cause notice for refusal of consent regarding non-compliance of consent conditions. Board has issued show cause notice vide letter dated 14.06.2022.</p> <p>Committee further noted that PP has submitted the reply of SCN vide email dated 20.06.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing the following conditions:</p> <ol style="list-style-type: none"> 1. PP shall install & commission the ETP for treatment of workshop effluent within 6 months & submit the BG of Rs.10.0 Lakh towards compliance of same. 2. PP shall submit the copy of renewed NOC of CGWA within 3 months. 3. PP shall install and commission the CAAQMS within 6 months & submit the BG of Rs.10.0 Lakh towards compliance of same. 4. PP shall provide the mechanized sweeping machine for road dust cleaning within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 5. PP shall provide the tyre wash system at mine entry and exit points within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 6. PP shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions. 7. PP shall submit the BG as per BG regime of Mines
4	MPCB-CONSENT-0000130759	Expansion of New Majri UG to OC Mine	APPROVED	31.03.2023	Committee noted that PP has applied for renewal of Consent for open cast coal mining- 3.0 MTPA.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		At: Majri, PO: Shivjinagar, Ta: Bhadrawati, District: Chandrapur,	Renewal of Consent with decrease in CI		<p>Committee also noted that an earlier case was discussed in CAC meeting held on 20.05.2022 & it was decided to issue show cause notice for refusal of consent towards non-compliance of consent conditions. Board has issued show cause notice vide letter dated 14.06.2022.</p> <p>Committee further noted that PP has submitted the reply of SCN vide email dated 15.06.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions</p> <ol style="list-style-type: none"> 1. PP shall complete the stabilization of OB dump and work of construction of toe wall as per EC conditions within 3 months. 2. PP shall submit the copy of renewed NOC of CGWA within 3 months 3. PP shall provide the mechanized sweeping machine for road dust cleaning within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall provide the tyre wash system at mine entry and exit points within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 5. PP shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions. 6. PP shall submit the BG as per BG regime of Mines
5	MPCB-CONSENT-0000132873	Birla Carbon India Private Limited, Village-Lohop, Patalganga, Tal-	APPROVED Renewal of Consent with increase in CI	31.03.2023	Committee noted that PP has applied for renewal of consent (under Auto Renewal Scheme) for manufacturing

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Khalapur, Dist-Raigad			<p>of Carbon black-84000 MT/A and Electricity generation through waste heat recovery (Co-generation)-23 MW.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 20.05.2022 & it was decided to issue show cause notice for refusal of consent towards non-compliance of consent conditions and analysis result of AAQM and stack monitoring are exceeding the standards. Board has issued show cause notice vide letter dated 14.06.2022.</p> <p>Committee further noted that PP has submitted the reply of SCN vide email dated 18.06.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall install and commission the venturi scrubber up to Dec-2023 and submit the BG of Rs.10.0 Lakh towards compliance of same. 2. PP shall provide OCEMS for CO & NOx with recording and interlocking facilities as per EC conditions within a month. 3. PP shall extend the existing BG of Rs.35.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions for the period up to 31.12.2024.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
6	MPCB- CONSENT- 0000134596	ALL INDIA INSTITUTE OF MEDICAL SCIENCES MIHAN	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.03.2024	<p>Committee noted that PP has applied for Renewal of Combined Consent with authorization for 960 Bed without increase in BUA total plot area 607028 Square meters and BUA of about 261297 Square meters with CI is Rs. 782.9694 Cr.</p> <p>Committee also noted that STP of capacity 1200 KLD and 500 KLD provided, obtained membership from CBMWTSDf and BNHS certificate.</p> <p>After due deliberation, it was decided to grant Renewal of Combined Consent with authorization for 960 Bed without increase in BUA total plot area 607028 Square meters and BUA of about 261297 Square meters with CI is Rs. 782.9694 Cr, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. HCE shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after submission of Bank Guarantee as per earlier consent.</p>
7	MPCB- CONSENT- 0000135031	Seth Nandlal Dhoot Hospital Limited (Formerly - Seth Nandlal Dhoot Hospital),A1, A2, P- 1/1, P-1/3, MIDC	NOT APPROVED Combined Consent & BMW Authorization,	-----	<p>Committee noted that PP has applied for Renewal of Combined Consent & Authorization for 200 beds, total plot area 18057 Sq.mtr & total built up area 12518 Sq.mtr. The name of Hospital is changed from FORMERLY – M/s. SETH NANDLAL DHOOT HOSPITAL to M/s. SETH NANDLAL DHOOT HOSPITAL LIMITED.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Chikalthana Aurangabad	Consent to Renewal		<p>Committee also noted that ETP cum STP having capacity 110 CMD, obtained membership of CBMWTSDf and BHNS certificate. But JVS are not collected, and bank guarantee compliance not submitted.</p> <p>After due deliberation, it was decided to defer the case and put-up in next CAC meeting after obtaining latest JVS results and Bank Guarantee compliance from SRO.</p>
8	MPCB-CONSENT-0000135595	TPCT s Terna Speciality Hospital and Research Centre Sector-12, Opp. Nerul Railway Station, Phase-II, Nerul(W), Navi Mumbai	<p>APPROVED</p> <p>Combined Consent & BMW Authorization, Consent to Renewal</p>	31.08.2025	<p>Committee noted that PP has applied for combined consent to operate with authorization for increase in Bed Capacity from 250 Beds to 400 Beds without increase in BUA total plot area 40,005 Square meters and BUA of about 15,037.34 Square meters with CI is Rs. 54.80 Cr.</p> <p>Committee also noted that STP of 180 CMD capacity, obtained membership from CBMWTSDf and BNHS certificate for 700 beds.</p> <p>After due deliberation, it was decided to grant combined consent to operate with authorization for an increase in Bed Capacity from 250 Beds to 400 Beds without increase in BUA, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pre-treatment for yellow category waste.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
9	MPCB- CONSENT- 0000133556	FERRING THERAPEUTICS PRIVATE LIMITED K-28/1 PLOT NO K- 28/1, MIDC ADDITIONAL AMBERNATH AMBERNATH	APPROVED Consent to Renewal	30.04.2023	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg. of Mesalazine API.</p> <p>Committee also noted that, PP has segregated trade effluent into strong & weak stream and provided separate treatment system. Treated effluent is 100% recycled in the process to achieve ZLD. Also, provided necessary air pollution air pollution control system and disposing HW as per the provisions of HW Rule.</p> <p>After due deliberation, it was decided to grant renewal of consent, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control systems scientifically to achieve the consented norms. 2. PP shall recycle the entire treated effluent to achieve Zero Liquid Discharge. 3. PP shall dispose the Hazardous Waste as per the provisions of H&OW Rule by adopting online manifest system 4. PP shall submit/top-up Bank Guarantee towards O&M of Pollution Control system and compliance of consent conditions
10	MPCB- CONSENT- 0000135670	Ashwini Sahakari Rugnalaya Ani Sanshodhan Kendra Niyamit S. No. 71/07/1, Plot No. 180, North Sadar Bazar, Solapur	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	30.06.2025	<p>Committee noted that PP has applied for Renewal of Combined Consent with authorization for 305 Beds total plot area 8093 Square meters and BUA of about 9509 Square meters with CI is Rs. 90.5487 Cr.</p> <p>Committee also noted that STP of 40 CMD provided, obtained membership of CBHWTSDf and BHNS certificate for 305 beds.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant Renewal of Combined Consent with authorization for 305 Bed with increase in CI, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. HCE shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pre-treatment for yellow category waste.
11	MPCB- CONSENT- 0000135348	Pauni II Expansion OC Near Sakhari Village, Tal-Rajura, Dist-Chandrapur.	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for coal mine-3.25 MTPA.</p> <p>Committee also noted that PP has not submitted the action plan to implement off pit conveyor system i.e. from CHP to railway siding with silo loading facility in 3 years (i.e. 2023). Valid NOC of CGWA is not submitted. Mechanized sweeping machine is not provided Tyre wash system at mine entry/exit point is not installed.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of renewal of consent towards noncompliance of consent conditions and EC conditions.</p>
12	MPCB- CONSENT- 0000137718	The TATA Power Co Ltd, Trombay Thermal Power Station Revenue Survey Number: 589, 636, 474-A, PL 72p,	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that PP has applied for renewal of consent for i) Thermal Power Plant (Unit No. 5-500 MW, Unit No. 7- 180 MW & Unit No. 8 – 250 MW and Unit No. 6 – 500 MW is standby). Total capacity of Power Plant is 1430 MW ii) Operation of Captive Berthing Jetty for unloading and handling of thermal coal (required for own Power Generation Plant)- 24,00,000 Ton/Y.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Mahul Village, Chembur, Mumbai.			<p>Committee also noted that Analysis result of AAQM and Stack monitoring are exceeding the standards.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards exceeding stack monitoring results and AAQM results. 2. PP shall submit/extent the existing BG towards O & M of pollution control system and towards compliance of consent conditions & EC conditions
13	MPCB-CONSENT-0000138588	Ashok Sahakari Sakhar Karkhana Limited,Ashoknagar (Distillery) 162,172,157,P Ashoknagar Shrirampur	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that applied for Renewal of consent for 30 KLPD molasses base distillery unit.</p> <p>Committee also noted that for treatment of spent wash provided Re-boiler followed by Bio-composting (12 Acres) and Steam is taken from Sugar unit.</p> <p>After due deliberation, it was decided to grant renewal of consent for 30 KLPD molasses base distillery unit., subject to submission of Bank Guarantee as per earlier consent conditions, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards compliance of consent conditions.
14	MPCB-CONSENT-0000138934	Shree Chhatrapati Shahu S.S.K. Ltd., Kagal 144/1/B,144-2,148-151,153-157,159-	APPROVED Renewal of Consent	31.07.2024	<p>Committee noted that applied for f Renewal of Consent to Operate for the 10,000 TCD Sugar Factory and 28 MW Co-generation Power Plant.</p> <p>Committee also noted that PP provided ETP comprising of primary, secondary & tertiary system, and Wet Scrubber &</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		161,164-172,186,24/B,247/2 /3,61/32 Kagal Kagal			<p>ESP as Air pollution control system. The JVS reports are within consented limit.</p> <p>After due deliberation, it was decided to grant renewal of consent for the 10,000 TCD Sugar Factory and 28 MW Co-generation Power Plant.</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards compliance of consent conditions.
15	MPCB-CONSENT-0000139275	Loknete Marutrao Ghule patil Dnyaneshwar Sahakari Sakhar Karkhana Ltd (Distillery Divison) 182, 184 Bhende Bk Newasa	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that Industry has applied for renewal of consent to operate for 45 KLPD molasses base distillery unit.</p> <p>Committee also noted that for treatment of spent Wash provided Bio-Digester followed by MEE followed by Bio-Composting (13.5 Acres). Provided Boiler of 12 TPH with wet scrubber as APC system.</p> <p>After due deliberation, it was decided to grant renewal of consent for 45 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extended Bank Guarantee of Rs. 25 lakh towards compliance of consent conditions. 2. Industry shall scrape old solar pond & 02 Nos of Kachha Lagoon and submit Bank guarantee of Rs. 10 lakh towards compliance of same.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
16	MPCB- CONSENT- 0000139240	Loknete Marutrao Ghule Patil Dnyaneshwar Sahakari Sakhar Karkhana Ltd 320,334 Bhende Bk Newasa	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that Industry has applied for renewal of consent for production of Sugar crushing activity with capacity 7500 TCD and Co-gen-40 MW with decrease in CI from Rs.338.44 Crs to Rs.234.02 Crs(i.e.Rs.104.42 Crs).</p> <p>Committee also noted that ETP has a capacity of 1000 CMD and Boiler 180 TPH with ESP as APC system and JVS results: dated 11.03.2022 are exceeding consented standards.</p> <p>After due deliberation, it is decided to issue show cause notice for refusal of renewal for production of Sugar crushing activity with capacity 7500 TCD and Co-gen-40 MW, on following non-compliances:</p> <ol style="list-style-type: none"> 1. Industry has Decrease in CI from Rs.338.44 Crs to Rs.234.02 Crs (i.e.Rs.104.42 Crs) and failed to submit justification regarding decrease in CI. 2. Effluent treatment capacity is 1000 CMD which is oversize. 3. JVS result is exceeding consented standards.
17	MPCB- CONSENT- 0000138964	Mula Sahakari Sakhar Karkhana Ltd. Gut No- 852 & 864 Sonai Newasa	APPROVED Renewal of Consent	31.07.2025	<p>Committee noted that Industry has applied for renewal of consent for production of Sugar crushing activity with capacity 7500 TCD and Co-gen- 30 MW with CI of Rs. 377.1522 Crs.</p> <p>Committee also noted that ETP of capacity 700 CMD, STP of capacity 50 CMD provided, Boilers of capacity 80 & 85 TPH provided with ESP as APC system and JVS results: 31.01.2022 & 02.03.2022 are within consented limits.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent for production of Sugar crushing activity with capacity 7500 TCD and Co-gen-30 MW with CI of Rs. 377.1522 Crs., by imposing the following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend/submit Bank guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
18	MPCB- CONSENT- 0000133498	RELIANCE HOSPITAL KOPARKHAIRANE	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.03.2027	<p>Committee noted that PP has applied for Renewal of Combined Consent & Authorization for 225 beds, total plot area 4880.68 Sq.mtr & total built up area 9758.74 Sq.mtr. with CI of Rs. 185.74 Crs.</p> <p>Committee also noted that PP has ETP cum STP having capacity 150 CMD with MBBR technology, NOC from CBMWTSDF and BNHS for 225 beds.</p> <p>After due deliberation, it was decided to grant Renewal of Combined Consent & Authorization for 225 beds, total plot area 4880.68 Sq.mtr & total built up area 9758.74 Sq.mtr. with CI of Rs. 185.74 Crs. With increase in CI, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee as per BG regime for Health Care Establishment. 2. Health Care Establishment shall provide full-fledge ETP for treatment of trade effluent. 3. PP shall provide pretreatment for yellow category waste. Consent shall be issued after submission of additional consent fees.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
19	MPCB- CONSENT- 0000139878	Karmaveer Shankarrao Kale Sahakari Sakhar Karkhana Limited,Gautamnagar. 109/1 & 109/2 At- Gautamnagar, Post- Kolpewadi Kopargaon	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that Industry has applied renewal of consent for production of Sugar crushing activity with capacity 4000 TCD with first operate for New Boiler with capacity 100 TPH and Turbine Generator set with capacity-8 MW with CI of Rs.137.1097 Crs.</p> <p>Committee also noted that ETP has a capacity of 624 CMD, STP of 500 CMD capacity, installed Boiler of 100 TPH with ESP as APC system and JVS are within consented limit.</p> <p>After due deliberation, it was decided to grant renewal of consent for production of Sugar crushing activity 4000 TCD with amalgamation first operate for New Boiler with capacity 100 TPH and Turbine Generator set with capacity-8 MW with CI of Rs.137.1097 Crs:</p> <ol style="list-style-type: none"> 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
The meeting is ended with vote of thanks.					