

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 7th Consent Appraisal Committee Meeting of 2022-2023 held on 14.09.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 43 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 43					
1	MPCB- CONSENT- 0000016564	Friends Development Corporation (Imperia) Pvt. Ltd. Residential & MMRDA Rental Housing project "Dosti Imperia" Old Gut.No.52/1 Thane	NOT APPROVED Consent to 1st operate for building no 6 and Renewal of consent to operate	-----	<p>Committee noted that PP as applied for Consent to 1st operate for building no 6 and Renewal of consent to operate. The case was discussed in CAC meeting held on 18.08.2017 It was decided to grant the consent. Consent shall be granted after receipt of (1) Submission of Certificate from Architect regarding BUA completed for which they have applied for 1st Consent to Operate. (2) After installation of online monitoring system for the parameters Flow, BOD, and TSS at STP outlet and verification of the same from SRO/RO.</p> <p>The case was again discussed in 2nd CAC meeting held on 20.05.2022 and it was decided to call details & verification report from SRO within 15 days. SRO dated 31.07.2022 informed that PP did not respond to the requests to submit the necessary documents and information.</p> <p>After due deliberation, it was decided to issue final refusal for 1st Consent to Operate as PP has failed to respond to show cause notice.</p>
2	MPCB- CONSENT- 0000016600	Dosti Corporation (Vihar) - Construction of Residential & MMRDA Rental Housing project 'Dosti Vihar'.	NOT APPROVED Renewal of consent to operate	-----	<p>Committee noted that Applied for Renewal of consent for Infrastructure project. The case was discussed in CAC meeting held on 18.08.2017 It was decided to grant the consent. Consent shall be granted after receipt of latest receipt of latest audited balance sheet and requisite consent fee, if any.</p> <p>The case was again discussed in 2nd CAC meeting held on 20.05.2022 and it was decided to call details & verification report</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		144/1A, 145(pt), 146 Thane			<p>from SRO within 15 days. SRO dated 31.07.2022 informed that PP did not respond to the requests to submit the necessary documents and information.</p> <p>After due deliberation, it was decided to issue final refusal of consent for renewal of consent to operate PP has failed to respond to show cause notice.</p>
3	MPCB- CONSENT- 0000012851	DR. ULHAS PATIL MEDICAL COLLAGE & HOSPITAL JALGAON KH. NH 6 BHUSAWAL JALGAON ROAD JALGAON KH.	NOT APPROVED Renewal of Combined Consent & BMW Authorization	-----	<p>Committee noted that, PP applied for Combine Consent & Authorization for 750 Beds and for total plot area 1,41,600 m2 & BUA area 61,534.5 M2.</p> <p>Committee also noted that, the case was discussed in an CAC meeting dtd. 24.07.2020 and decided to keep this case in abeyance for six months and PP shall submit the copy of Environmental Clearance within this period and install ETP for the treatment of trade effluent.</p> <p>The application was rediscussed in CAC meeting dtd. 20.05.2022 and decided to issue SCN for Refusal for non-submission of EC & non-installation of ETP within period.</p> <p>The application was rediscussed in CAC meeting dtd. 24.06.2022 and decided call present status of the HCE regarding details of construction area.</p> <p>Committee further noted that, SRO submitted report with Architect certificate and mention that the Total BUA – 80846.35 sq.mtr.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>As per Architect certificate The area of Collage Building and related services is – 39,905.28 sq. mtr. The area of Hospital Buildings and related services – 40,947.07 sq. mtr. = Total - 80846.35 sq.mtr.</p> <p>After due deliberation, it was decided to issue final refusal of Consent as PP not submitted EC in time.</p>
4	MPCB- CONSENT- 0000099868	SHRI SHANKAR SSK LTD. (SUGAR & Co-Gen UNIT) 288 SADASHIVNAGAR MALSHIRAS	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that, PP applied for Renewal of consent form of 2500 TCD sugar unit & 20 MW Co-generation unit.</p> <p>Committee also noted that, Previously application was discussed on 17.03.2021 and issued SCN for refusal on 21.06.2021 for various non-compliances.</p> <p>The application was re-discussed in the CAC meeting dated 03.12.2021 and approved the case for period up to 31.07.2022 after submission of Required consent fee.</p> <p>Committee further noted that, As PP not submitted required consent fee SCN for refusal issued on 15.07.2022 for submission of additional consent fee, but PP not replied the SCN and not submitted additional consent fee as per CAC meeting dtd. 24.06.2022.</p> <p>SRO office submitted visit report dtd. 05.09.2022 and submitted that PP not paid additional consent fee and penal fee charges, PP not provided 15 days storage tank for treated water and not provided CPU.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to issue final refusal of Consent as PP not submitted Required Consent fee.
5	MPCB- CONSENT- 0000107252	Dinesh Opencast Project (MKD-III) Western Coalfields Limited Toposheet no. 55 P/5 of Survey of India, Makardhokra Sub Area , near Hevati village, Tal-Umred, Dist-Nagpur	APPROVED Renewal of consent with increase in CI	31.03.2024	<p>Committee noted that PP has applied for renewal of Consent for coal mining- 4.2 MTPA in mine lease area of 919.63 ha.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided ETP, Sedimentation tank, Automatic tyre washing system, Mist Spray Arrangement system is provided at CHP, Trolley Mounted Mist Generator-3 nos. are provided at coal stock yard and coal transportation road. CAAQMS is installed.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. PP shall install STP in mine area within 6 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 2. PP shall submit the Valid renewal NOC of CGWA within 3 months period. 3. PP shall submit the BG as per BG regime of mines.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					4. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.
6	MPCB- CONSENT- 0000107261	Umred Open Cast Mine, Western Coal Fields Ltd. Post-Sirpur, Tal-Umre, Dist-Nagpur.	APPROVED Renewal of consent to operate with increase in CI	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for coal mining 4.9 MTPA in mine lease area of 944.65 ha.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided STP, ETP, Sedimentation tank. Automatic Tyre washing system is installed. Mist Spray Arrangement system is provided at CHP. Fixed water sprinklers are installed along coal transportation road, railway siding, weigh bridge and CHP</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. PP shall install CAAQMS within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 2. PP shall submit the Valid renewal NOC of CGWA within 3 months period. 3. PP shall submit the BG as per BG regime of mines. 4. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
7	MPCB- CONSENT- 0000106999	Ukni Opencast Mine Western Coalfields Limited, Ukni-Junad Sub Area, Near Ukni village, Po. - Ukni, Tal.- Wani, Dist. - Yavatmal.	APPROVED Renewal of consent with increase in CI.	31.03.2023	<p>Committee noted that PP has applied for renewal of Consent for coal mining- 2.2 MTPA.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions.PP made the presentation on 06.09.2022</p> <p>Committee further noted that PP has provided ETP, sedimentation tank, Mechanized Sweeping machine. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads- CHP, Coal Transportation roads & Transfer point/CHP Premises.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. PP shall install CAAQMS within 6 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 2. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide STP in mine area within 6 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall submit the Valid renewal NOC of CGWA within 3 months period. 5. PP shall submit the BG as per BG regime of mines.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					6. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.
8	MPCB- CONSENT- 0000107102	Kolar Pimpri Extension OCP Western Coalfields Limited, Kolar Pimpri-Pimpalgaon Sub Area, Near Borgaon Village ,Po.- Ukni, Tal.- Wani, Dist. - Yavatmal.	APPROVED Renewal of consent with increase in CI	31.03.2023	<p>Committee noted that PP has applied for renewal of Consent for coal mining- 1.5 MTPA.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided ETP & Sedimentation tank. Catch drains are provided around the OB dump and embankments. Mechanical road sweeping machine is provided for road dust cleaning. Fixed water sprinklers are provided at CHP, loading, and unloading area, Weigh bridge & along Coal Transportation Roads and Around Coal Stock Yard and install CAAQMS at mine. AAQM results are exceeding.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards exceedance of AAQM result. 2. PP shall install STP in the mine area within the 6-month period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>4. PP shall submit the Valid renewal NOC of CGWA within 3 months period.</p> <p>5. PP shall submit the BG as per BG regime of mine.</p> <p>6. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.</p>
9	MPCB- CONSENT- 0000109729	Bhatadi Open Cast Mine, Western Coalfields Limited, P.O. Bhatadi, Tal & Dist-Chandrapur	APPROVED Renewal of consent with decrease in CI	31.03.2023	<p>Committee noted that PP has applied for renewal of Consent for coal mining- 1.465 MTPA in mine lease area of 847.37 ha.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022</p> <p>Committee also noted that PP has provided ETP, STP, Sedimentation tank, fixed water sprinklers at coal stock yard of the mine. Mist water sprayers provided at CHP. Water rain-guns are provided at CHP for dust suppression. Side cladding provided at CHP and conveyor belt. A pipe conveyor system has been established at Bhatadi OCM for transport of coal to CSTPS.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 2. PP shall provide Trolley mounted mist fogger machine (100 m throw) within 3 month and submit the BG of Rs.5.0 Lakh towards compliance of same.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 3. PP shall install CAAQMS within 6 month and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall submit the Valid renewal NOC of CGWA within 3 months period. 5. PP shall submit the BG as per BG regime of mines. 6. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.
10	MPCB- CONSENT- 0000109836	Durgapur Opencast Mine, Western Coalfields Limited, P.O. Durgapur, Tal & Dist-Chandrapur	APPROVED Renewal of consent with increase in CI	31.03.2023	<p>Committee noted that PP has applied for renewal of consent for coal mining 3.0 MTPA in mine lease area of 1622.50 ha.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided ETP, STP. Sedimentation tank. Provided Fixed water sprinklers along Coal transport road, approach road to weighbridge and Coal stock yard. Rain guns are provided in CHP Area, Coal Stock yard and ETP Premises. Side cladding provided at CHP and conveyor belt & RCC Bunkers. Provided Road sweeping machine. Aerial Ropeway provided for coal transportation from coal Crusher to CSPTS. JVS Effluent results are exceeding the standards.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards exceedance of JVS results of effluent collected on 02.05.2022.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 2. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide adequate Treatment & disposal facilities for acidic mine water within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall submit the valid renewal NOC of CGWA within 3 months period. 5. PP shall submit the BG as per BG regime of mine. 6. As there is huge demand of coal, consent is issued for one year and PP is directed to submit all the compliance within 6 months.
11	MPCB- CONSENT- 0000110938	Dreamworld Landmarks LLP S. No. 31(P), 32 (P), 33 P, 34(P), 37(P) & 40(P), S. No. 31(P), 32 (P), 33 P, 34(P), 37(P) & 40(P), Taluka Haveli, District Pune, State Maharashtra Haveli	APPROVED Renewal of Consent (Part-I)	31.05.2023	<p>Committee noted that PP has applied for renewal of consent (Part-I) for residential buildings No. A, B, C, D, E, F & G on total plot area of 1,22,547 & construction BUA of 80,474.44 Sq.Mtr out of total construction BUA of 2,49,367.09 Sq.Mtr.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting dated 13.10.2021 & 29.10.2021 & decided to defer and call the PP for presentation due to continuation of construction work without obtaining revalidation of C to E from 12.08.2020 to 17.03.2021 and non-submission of details about disposal path of treated sewage. Subsequently, the presentation was scheduled on 06.04.2022, however, it was not extended.</p> <p>Committee further noted that this case was again discussed in CAC meeting dated 20.05.2022 & was deferred & issue SCN for refusal of consent due to non-submission of compliance report as per EC & clarification towards delay for application for renewal of consent. Subsequently, Board office has issued SCN for refusal of consent vide dated 07.06.2022, however, PP has not submitted the compliance report/reply.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that this case was again discussed in earlier CAC meeting dated 24.06.2022 & decided to defer and decided to call the present status from PP towards non-compliance in SCN & verification report from SRO. Subsequently, PP & SRO has submitted the verification report as per EC vide dated 30.08.2022.</p> <p>Committee further noted that towards continuation of construction work from 12.08.2020 to 17.03.2021, PP has submitted that the validity of C to E granted by Board was valid up to 12.08.2020 which may be up to 16.08.2023 as PP is having valid EC which is granted vide dated 16.02.2018 & paid requisite C to E fees. Also, PP has obtained revalidation of Consent to establish vide dated 23.12.2021 for remaining construction BUA of 1,68,892.56 Sq.Mtr.</p> <p>After due deliberation it was decided to grant renewal of consent renewal of consent (Part) for residential buildings No. A, B, C, D, E, F & G on total plot area of 1,22,547 & construction BUA of 80,474.44 out of total construction BUA of 2,49,367.09 Sq.Mtr. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with conditions stipulated in the EC & Consent. 2. PP shall operate STP for treatment of domestic to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility. 3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>utilized on land for gardening and/ or connected to local body sewer line with water metering system.</p> <ol style="list-style-type: none"> 4. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 6. PP shall ensure that the handed over societies shall get renewed consent in the name of society, till that time PP is responsible for obtaining MPCB consent. 7. PP shall submit/extend BG of Rs. 25 Lakh towards O & M of PCs and compliance of EC and Consent conditions. <p>Consent shall be issued after submission of audited balance sheet, penal fees & additional consent fees towards renewal of consent for further period within one month, if not paid then we may issue SCN.</p>
12	MPCB- CONSENT- 0000111516	Maharashtra Airport Development Company Ltd. KHASARA NO 52 55 56 Special Economic Zone (SEZ) at MIHAN Area, Nagpur	APPROVED Renewal of consent	31.03.2026	<p>Committee noted that PP has applied for renewal of consent for common infrastructure facility at SEZ for various economic activities such as IT park, CPP, Health city, non-polluting industrial unit, value added production units, central facility building, international school, entry & exit complex.</p> <p>Committee also noted that this case was discussed & approved in earlier CAC meeting dated 03.08.2021, 17.08.2021 & 20.08.2021 subject to submission of additional consent fees & verification report of STP. Also, PP has applied for renewal of consent for incorporation of DG set vide UAN No. 88702 which</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>was discussed & approved in earlier CAC meeting & clubbed with this application.</p> <p>Committee further noted that this office has taken repeated follow up through email & issued SCN for submission of additional consent fees; however, PP has not paid the same.</p> <p>Committee also noted that this case was again discussed in earlier CAC meeting dated 20.05.2022 & decided to defer the case and call the PP for presentation due to non-submission of additional consent fees after taking repeated follow up.</p> <p>Committee further noted that, the technical presentation was extended on 13.07.2022 & as per deliberation during technical presentation, PP has submitted the requisite consent fees as per CI shown in earlier consent instead of CI shown in application i.e. CI of Rs. 452.51 Crs instead of CI of Rs. 61.39 Crs & as per CI shown in earlier CA certificate.</p> <p>After due deliberation, it was decided to grant plain renewal of consent for Common infrastructure facility at SEZ for various economic activities such as IT park, CPP, Health city, non-polluting industrial unit, value added production units, central facility building, international school, entry & exit complex on total plot area of 2066 Hecter i.e. 2,06,60,000 Sq.Mtr. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall operate the STP to achieve treated domestic effluent standard for parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening with water metering system.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 3. PP shall provide organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. Every individual industry proposed to be in SEZ area shall obtain consent to establish from the Board office before taking any effective steps for implementation of the project. 5. The industrial effluent shall be treated separately in the individual industrial units by their own ETPs. The treated effluent shall be recycled & reused so as to achieve ZLD by the SEZ. 6. The applicant shall be responsible for provision of domestic effluent carrying pipeline & operation & maintenance of effluent carrying pipeline & STP. 7. The applicant shall enter into MoU with all buyers of the property to ensure O & M of STP, CETP & other assets. 8. PP shall comply with conditions stipulated in EC & consent. 9. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of EC & consent conditions.
13	MPCB- CONSENT- 0000123412	PES HOSPITAL AND RESEARCH CENTER BANK COLONY, SAHAKAR NAGAR, NEAR BALAJI MANDIR, DISTBHANDARA	NOT APPROVED Combined Consent & BMW Authorization, Consent to Renewal	-----	Committee noted that HCE has applied for Combined Consent & BMW Authorization, Consent to Renewal. The case was discussed in 10th CAC meeting held on 09.03.2022 and it was decided to issue show cause notice for above non-compliances i.e. Hospital Authority has not submitted Justification towards decrease in C.I., not installed STP & ETP, not submitted Online BMW Annual Report/ Accidental Report, not submitted details of increase in construction BUA due to increase in Nos. of Beds from 150 to 300 and not submitted details of submission of BGs imposed.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that Show cause notice issued on 22.06.2022 and reminder e-mail 16.07.2022 send to PP to submit necessary information.</p> <p>After due deliberation, it was decided to issue final refusal of renewal of CCA as HCE has failed to reply to SCN and not submitted required information.</p>
14	MPCB- CONSENT- 0000118586	PURNA SAHAKARI SAKHAR KARKHANA LTD. BASMATHNAGAR Survey No. 238, 239, 240 AT BABHULGAON BASMATHNAGAR	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that PP has applied for renewal of consent 2500 TCD sugar and 18 MW co-generation. The case was discussed in 1st CAC meeting held on 13.04.2022 it was decided to issue SCN for refusal of consent for renewal of consent for production of Sugar crushing activity with capacity 2500 TCD and Cogen- 18 MW, on following non-compliances: 1. Industry effluent generation is 282.5 CMD and Effluent Treatment Plant (ETP) provided is of capacity 250 CMD which is inadequate. 2. JVS result are exceeding consented standards. 3. Industry has not submitted bank guarantee as per earlier consent condition.</p> <p>SCN was issued to PP on 11.05.2022 and reminder e-mail send on 07.06.2022 to submit the required information. Industry has failed to reply to show cause notice not submitted necessary information.</p> <p>After due deliberation, it was decided to grant renewal of consent 2500 TCD sugar and 18 MW co-generation, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions. <p>Consent shall be issue after submission of Bank Guarantee.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
15	MPCB- CONSENT- 0000128187	GALAXY SURFACTANTS LIMITED PLOT NO. V-23 AND PLOT NO. 1 PLOT NO. V-23, MIDC TALOJA AND PLOT NO. 1 VILLAGE CHAL, NEAR TALOJA MIDC, TAL. PANVEL, DIST. RAIGAD PANVEL	APPROVED Renewal of Consent	28.02.2023	<p>Committee noted that, PP has applied for renewal of consent for mfg of surfactants.</p> <p>Committee also noted that, earlier discussed in CAC meeting held on 20/5/2022 and called for presentation which was extended on 26/8/2022 in which presented details of pollution control system, disposal of Hazardous Waste & by-products.</p> <p>Committee further noted that, PP has provided ETP followed by RO & MEE to achieve ZLD, installed Air pollution control system and disposal of Hazardous Waste.</p> <p>After due deliberation, it was decided to consider the case for grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate Effluent Treatment Plant scientifically & recycle the entire treated effluent into the process to achieve ZLD. 2. By-products shall be shifted to Hazardous Waste and disposed as per the provisions of Rule. 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution Control system
16	MPCB- CONSENT- 0000130421	JSW Cement Limited (Cement Grinding Unit) 95,96 & 98, Vill - Khar Karavi, PO - Gadab, Tal - Pen, Dist - Raigad.	APPROVED Renewal of consent	31.03.2023	<p>Committee noted that PP has applied for renewal of consent for Ordinary Portland Cement (OPC)-360000 Ton/Y, Portland Pozzolana Cement (PPC)-40000 Ton/Y, Composite Cement (CC)-40000 Ton/Y, Ground Granulated Blast Furnace Slag (GGBFS)-500000 Ton/Y and Portland Slag Cement (PSC) - 260000 Ton/Y.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting dated 25.02.2022 & it was decided to call PP for</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>technical presentation regarding pollution control systems and Manufacturing process. PP made technical presentation on 26.08.2022.</p> <p>Committee also noted that PP has provided ETP & STP. Provided Bag filter to Grinding/Cement Mill. Provided bag filters as APC to raw material storage silos, product storage silo, feed hopper & Packing Section. Provided concrete roads & water sprinklers /dust suppression system in raw material storage and handling area. Installed online stack emission monitoring system & installed two numbers of CAAQMS and same is connected to MPCB server.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG of Rs.25.0 Lakh for the period up to 31.12.2025 towards O & M of Pollution control system and towards compliance of consent conditions & EC Conditions.
17	MPCB- CONSENT- 0000131080	Balaji Amines Ltd. Unit-IV Plot No. F-104 Chincholi MIDC Mohol	APPROVED Renewal of Consent	30.04.2027	<p>Committee noted that, PP has applied for renewal of Consent to Operate for mfg of Di-methy Carbonate (DMC), Propylene Carbonate & Propylene Glyco.</p> <p>Committee also noted that, the said unit has separately applied for 2nd Part Consent to Operate for expansion activity vide No. MPCB-CONSENT-0000134559 in which this renewal application amalgamated.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was to merge this application in 2 nd Part Consent to Operate expansion (MPCB-CONSENT-0000134559) and issue amalgamated consent.
18	MPCB-CONSENT-0000132424	S. BHARAT PETROLEUM CORPORATION LTD. TAL- Haveli TARDE Haveli	APPROVED Renewal of Consent to Operate	3.03.2023	<p>Committee noted that, PP has applied for renewal of consent to operate for Receive, Storage and handling of petroleum-based products. i.e. Ethanol, Motor Spirit (Petrol):, High Speed Diesel, Bio-diesel, Aviation Turbine Fuel:13437 KL.</p> <p>Committee also noted that, the said case was earlier discussed on 28/7/2022 and issued SCN for non-submission of compliance of consent conditions No. 11,12,13 & 15, non-submission of onsite/offsite emergency plan, non-submission of HW Annual returns & ESR.</p> <p>Committee further noted that, PP has submitted reply which is satisfactory as complied with consent conditions No. 11,12,13 & 15 and submitted statutory submissions.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control scientifically to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste as per the provisions of Rule. 3. Industry shall provide truck filling bays with vapour collection & treatment system on or before Dec. 2022 4. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of pollution control system and compliance of consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
19	MPCB- CONSENT- 0000130527	Lupin Ltd. (Biotech Division) 1156/1,1156/2,1157,1158,1159 &1160 Village-Ghotawade Mulshi	APPROVED Renewal of Consent	30.04.2027	<p>Committee noted that, PP has applied for renewal of consent to operate for Mammalian and Microbial based products, R& D activity and formulation products.</p> <p>Committee also noted that, PP has provided ETP followed by RO & MEE & treated effluent 100% recycled in the process to achieve ZLD.</p> <p>Committee further noted that, the said case was earlier discussed in CAC meeting held on 28/7/2022 and issued SCN for applied with decrease in CI by Rs. 03.7 Crs & its impact on production quantity and failed to submit the details of ETP including Zero Liquid Discharge (ZLD) system & Air Pollution control system.</p> <p>Committee further noted that, PP has submitted reply in which reported earlier 1st C to O was granted where some machineries were replaced & placed as scrapped machineries & cost of the same was included in CI as not removed from site which presently removed resulting CI decreased. Also, submitted details of ETP & APC.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate Effluent Treatment Plant scientifically & recycle the entire treated effluent into the process to achieve ZLD. 2. Industry shall dispose the Hazardous Waste as per the provisions of Rule 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of pollution control system and compliance of consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
20	MPCB- CONSENT- 0000132636	Verma Medicine Research Trust, Global Hospitals Super Speciality And Transplant Centre, A Unit of Cen 35 Dr E Borges Road, Opp Shirodkar High School, Parel Mumbai 400012	APPROVED Combined Consent & BMW Authorization, Consent to Renewal	31.03.2025	<p>Committee noted that HCE has applied for a combined consent to operate with authorization for 214 nos. of Bed. The case was discussed in 4th CAC meeting held on 24.06.2022 and it was decided to issue show cause notice for combined consent to operate with authorization for 214 nos. of Bed on following non-compliance: HCE has not submitted clarification regarding the increase in capital investment. 2. Health Care Establishment does not provide full-fledged ETP for treatment of trade effluent. 3. HCE shall submit the audited balance sheet. SRO shall collect the sample and submit JVS results within 15 days.</p> <p>HCE has replied they have not made any capital growth. (b) HCE has proposed full-fledge ETP of 8 KLD (c) HCE has submitted audited balance sheet.</p> <p>After due deliberation, it was decided to grant combined consent to operate with authorization for 214 nos. of Bed Total Plot area 11296.93 Sq mtr. & Total BUA 27444.14 Sq. mtrs. With increase in CI by Rs. 63.2358/-, by imposing standard conditions for Health Care Establishment.</p>
21	MPCB- CONSENT- 0000133171	Sanghvi Premises Pvt. Ltd. S.N.51/26 (NewS.N.102/26) of Village Mire & others Plot bearing S. N. 51/26 (New S. N. 102/26), 69/13 (New S. N. 88/13) of Village Mire and S. N. 76/1/2 (New S. N. 11/1) of	APPROVED Renewal of Consent	28.02.2023	<p>Committee noted that PP has applied for consent to establish (expansion) for proposed Building Construction of Residential and commercial projects. The case was discussed in 3rd CAC meeting held on 20.05.2022 it was decided to defer the case an obtain information regarding construction status and occupancy given if any, STP construction status and compliance of specific conditions mentioned in SIA meeting minutes.</p> <p>SRO submitted that Construction status: - on the said location Two no.s of building 20th floor is completed, and two no.s of Building plot found under excavation work. And old Building</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Village Mahajanwadi, Tal. & Dist. Thane, Maharashtra. Thane			<p>G+15 found occupied and for proposed Building PP has proposed to provide 910.00 CMD, STP with MBBR Technology.</p> <p>After due deliberation, it was decided to grant consent to establish (expansion) for proposed Building Construction of Residential and commercial projects in the name of M/s. Sanghvi Premises Pvt. Ltd having Total plot area 51,375. 43 Sq. Mtrs, and Total BUA - 1, 43,904.42 sq. with CI of Rs.305.96 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots. 5. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.
22	MPCB-CONSENT-0000135181	F.M. Hammerle Textiles Ltd.	NOT APPROVED	-----	Committee noted that, PP applied for Renewal of Consent for Dyed Yarn Shirting Fabric.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Plot No. T-5 + T-5/ Part 1 Kagal Hatkanangale Five Star MIDC Kagal	Renewal of Consent		<p>Committee also noted that, the case was discussed in earlier CAC and was decided to issue SCN for Refusal for not provided RO plant and operated unit since 2018 without consent.</p> <p>PP not submitted proper justification for operation without valid consent and not paid required consent fee.</p> <p>It was also noticed that, PP applied for Renewal of Consent previously on 16.01.2018 and same was refused on 22/12/2021.</p> <p>Committee further noted that, the application was rediscussed in CAC meeting dtd. 28.07.2022 and decided to defer the case call detail information from PP & SRO in respect of operation of unit without valid consent and compliance of existing consent and direction in respect of up-gradation of effluent treatment system with recycling of treated water.</p> <p>PP did not reply the same and did not comply with previous refusal order, consent conditions and directions.</p> <p>After due deliberation, it was decided defer the case and put up in next CAC meeting after obtaining legal opinion.</p>
23	MPCB- CONSENT- 0000133441	Padmapur Open Cast Mine Western Coalfields Limited, P.O Padmapur, Tal & Dist-Chandrapur	APPROVED Renewal of consent to operate	31.03.2023	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine-2.5 MTPA.</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 28.07.2022 and it was decided to defer the case and issue show cause notice for refusal of renewal of consent towards non-compliance of consent and EC conditions. Board has issued show cause notice vide letter dated 06.09.2022 towards non compliances of consent conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that PP has submitted the reply of SCN vide letter dated 11.09.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions</p> <ol style="list-style-type: none"> 1. PP shall provide mechanized road sweeping machine within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 2. PP shall install CAAQMS within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall submit the BG as per BG regime of mine
24	MPCB- CONSENT- 0000109109	Sasti OC Mine Western Coalfields Limited PO-Sasti, Tal- Rajura, Dist- Chandrapur.	APPROVED Renewal of consent with increase in CI	31.03.2023	<p>Committee noted that PP has applied for renewal of consent for coal mining 2.0 MTPA in mine lease area of 919.69 Ha</p> <p>Committee further noted that earlier the case was discussed in CAC meeting held on 20.12.2021 and it was decided to call PP for presentation regarding details of pollution control system adopted, mine closure plan, compliance of consent and EC conditions. PP made the presentation on 06.09.2022.</p> <p>Committee also noted that PP has provided ETP, Sedimentation tank. Provided water rain guns at CHP, Coal Stock yard, Railway siding weighbridge and at coal transportation road for dust suppression. CHP is covered with Side cladding to arrest dust. Analysis result of AAQM is exceeding the standards.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards exceedance of JVS results of AAQM. 2. PP shall provide Tyre wash system within 3 months period and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall install CAAQMS within 6 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall provide Mechanized Sweeping machine for cleaning of roads within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 5. PP shall provide Truck mounted Fog cannon system within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 6. PP shall submit the BG as per BG regime of mines.
25	MPCB- CONSENT- 0000135949	WALCHANDNAGAR INDUSTRIES LTD 48,49,50 ,313 Walchandnager, Tal .Indapur Dist.pune Indapur	APPROVED Renewal of Consent	30.04.2023	<p>Committee noted that, PP has applied for grant of renewal of consent to operate for mfg of Machinery for Sugar, Steam/Power Generators & Cement Plant, Gear Box Material Handling Equipment's & Special Products for Defense, Aerospace & Nuclear.</p> <p>Committee also noted that, the said case was earlier discussed in CAC meeting held on 28/7/2022 and issued SCN for JVS exceedance, non-submission of details of ETP & STP and Audited balance sheet.</p> <p>Committee further noted that, PP has submitted reply which is satisfactory as rectified the issue of O&M, submitted details of ETP, STP & Audited balance sheet.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control scientifically to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste as per the provisions of Rule 3. By-forfeiting 25% of existing Bank Guarantee and top-up with total amount of Rs. 25 Lakh
26	MPCB- CONSENT- 0000136178	JSW Steel Plant Ltd, Integrated Steel Plant Phase II (Capacity 5 to 10 MTPA) (including Billet Caster 42,43,50,44,45,54, 55,56,33,32,38,49, 75,77,139,142, 158,160, etc of Dolvi Village, Geetapuram, Tal. Pen, Dist. Raigad	NOT APPROVED Renewal and amalgamation of two consent to operate for Billet Caster& Bar Mill and Integrated Steel Plant Phase-II with increased CI	-----	<p>Committee noted that, PP has applied for renewal and amalgamation of two consent to operate for Billet Caster& Bar Mill and Integrated Steel Plant Phase-II with increased CI.</p> <p>Committee also noted that, this case for discussed in the earlier CAC and was deferred.</p> <p>Committee also noted that, PP has existing valid consent to operate and obtained EC. PP has provided six different ETPs for the treatment of the effluent generation from different sources. Also they have provided STPs for the treatment of the sewage. As per EC condition, they are in the process to provide ZLD by the end of 2025 till then they are partly reusing effluent and remaining discharging to the marine outfall.</p> <p>Committee further noted that, PP has provided bag filters to heat recovery system of lime calcination plant No. 5, 6 & 7, Bag filters to dedusting system kiln feed discharge junction house production storage house and de dusting system for limestone. ESP provided to pellet-2 plant (Process, dedusting system), and</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>bag filters to pellet-2 storage bin, and provided 2 nos of flare stack. Provided bag filters to fume exhaust system, dedusting system to the Blast Furnace section and stack to BF stove stack, bag filter to coal injection grinding system, stack to BF gas network flare stack-1,2,3,4 granulation stack, pig iron granulation plant. JVS results of AAQM monitoring in the premises of integrated steel Plant are found exceeding the RSPM parameter most of the time. JVS of source monitoring also found exceeding the consented norms.</p> <p>Committee further noted that, there is court case in Hon'ble NGT regarding overall pollution from M/s. JSW Steel Ltd.</p> <p>After due deliberation it was decided to defer the case and call the PP for technical presentation for Pollution control arrangements, compliance of consent & EC conditions and the status of the Hon'ble NGT case.</p>
27	MPCB- CONSENT- 0000134040	Apple Sponge & Power Ltd. C-4 Five Star M.I.D.C. Kagal Kagal	APPROVED Plain Renewal of consent	31.05.2023	<p>Committee noted that PP has applied for plain renewal of consent for manufacturing of sponge iron – 6000 MT/M, MS Billets – 7200 MT/M, rolling mill – 10,500 MT/M, Captive power generation – 10 MW (by WHRB – 4 MW & by AFBC – 6 MW) & by-product Dolochar – 1800 MT/M.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred and decided to issue SCN for refusal of consent due to exceedance of JVS result of stack collected on 27.11.2021 for the parameter TPM- 146 mg/l against 50 mg/Nm3 & result of AAQM collected on 10.10.2021, 10.10.2021 & 27.11.2021 for 8 Hrs at three different</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>locations for the parameter RSPM – 493 microgram/m³, 891 microgram/m³ & 978 microgram/m³ respectively.</p> <p>Committee further noted that Board office has issued SCN vide dated 05.09.2022 & accordingly, PP has submitted the reply vide dated 08.09.2022.</p> <p>After due deliberation, it was decided to grant plain renewal of consent manufacturing of sponge iron – 6000 MT/M, MS Billets – 7200 MT/M, rolling mill – 10,500 MT/M, Captive power generation – 10 MW (by WHRB – 4 MW & by AFBC – 6 MW) & by-product Dolochar – 1800 MT/M by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in EC & Consent. 2. PP shall achieve the emission standards as per Notification issued by MoEF&CC vide dated 04.12.2019. 3. By forfeiting the BG of Rs. 1.0 Lakh towards JVS exceedance & shall submit the double amount to form the sum of Rs. 25.0 Lakh towards O & M of PCs and compliance of EC & consent conditions.
28	MPCB- CONSENT- 0000133231	Automotive Stamping & Assemblies Ltd. (ASAL) Gat No. 427 Juna Chakan, Medankarwadi Khed	APPROVED Renewal of Consent	30.04.2024	<p>Committee noted that, PP has applied for renewal of consent to Operate for mfg. of Sheet metal components, welded & coated sub-assemblies & moulds with surface treatment activity i.e. Phosphating.</p> <p>Committee also noted that, the said case was earlier discussed in CAC meeting held on 28/7/2022 and issued SCN for submission of Balance sheet, source of water, details of ETP/STP, submission of improvement plan in O&M/upgradation</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>in ETP & STP as per consent condition no. 11 & submission of fuel for Hot water generator.</p> <p>Committee further noted that, PP has submitted reply to SCN which is satisfactory as submitted Audited Balance sheet, source of water supply, ETP & STP details, fuel details and carried out upgradation of STP.</p> <p>After due deliberation, it was decided to consider the case for renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control scientifically to achieve the consented norms 2. Industry shall dispose the Hazardous Waste as per the provisions of Rule 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of pollution control system and compliance of consent conditions.
29	MPCB- CONSENT- 0000134704	Mega Pipes Pvt. Ltd., (Formerly known as Topworth Pipes and Tubes Pvt. Ltd) Gat. No. 148, 150, 153, Vill. Hedavli, Khopoli-Pali Road, Tal. Sudhagad Pali, Dist. Raigad	APPROVED Renewal removing the product Galvanizing of Steel	30.06.2023	<p>Committee noted that, PP has applied renewal of consent for the manufacturing of ERW Steel Pipes -40,000 MT/A, steel pipes-2,70,000 T/Yr, & 3 layer polythene coating- 600 sq. mtrs./hrs. with increase in CI and requested to discontinue the Galvanizing of steel pipes product.</p> <p>Committee noted that, this case for discussed in the earlier CAC and was decided to issue SCN for non-compliances.</p> <p>Committee also noted that, PP has submitted reply for the SCN and complied with the same. They have not operated the Galvanizing section and dismantled the same also the operation</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>of the 3-layer polythene coating is in trail operations, hence not generating effluent and emission at present.</p> <p>Committee also noted that, PP has existing valid consent to operate. They have provided two nos of ETPs for the treatment of the effluent and treated effluent is partly recycled and remaining disposed on land for gardening.</p> <p>Committee further noted that, PP has dismantled plants and machinery related to the production of Galvanizing of Steel.</p> <p>After due deliberation it was decided to grant renewal of consent for manufacturing of 1. ERW Steel Pipes -40,000 MT/A, 2. steel pipes- 2,70,000 T/Yr, & 3. 3-layer polythene coating- 600 sq. mtrs./hrs by imposing following conditions;</p> <ol style="list-style-type: none"> 1. PP shall obtain permission from the Board before resuming the manufacturing of ERW Pipes. 2. PP shall submit BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions.
30	MPCB- CONSENT- 0000137209	Derive Trading & Resorts Pvt. Ltd S.No 27/2, 28, B/37,40, GON Gondhalpada Tal- Alibaug Dist_Raigad Alibuag	APPROVED Renewal of Consent	30.04.2025	<p>Committee noted that PP has applied for renewal of consent for Hotel and Restaurant activity with swimming pool and Kitchen for 160 nos. of rooms. The case was discussed in 5th CAC meeting held on 28.07.2022 it was decided to issue show cause notices for refusal of consent for the abovementioned non-compliances i.e JVS results are exceeding consented standards and PP has increased the capital investment by Rs. 16.1437 Crs without justification.</p> <p>Committee also noted that PP submitted the increase in CI is due refurbishment of Interior, public area, landscaping, water</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>proofing, submitted audited balance sheet and JVS is marginal exceeding and to issue renewal of consent.</p> <p>After due deliberation, it was decided to grant of renewal of consent for Hotel and Restaurant activity with swimming pool and Kitchen for 160 nos. of rooms and built-up area 16,109.83 sq. mtrs.CI by Rs. 154.5137 Crs., by imposing BG imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting appropriate Bank guarantee towards JVS exceedance and top up with Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
31	MPCB- CONSENT- 0000137969	Amba River Coke Limited., Geetapuram Dolvi, Tal. Pen, Dist. Raigad	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for the manufacturing of Dry Coke- 1 MTPA and By products.</p> <p>Committee also noted that, this case for discussed in the earlier CAC and was deferred.</p> <p>Committee also noted that, PP has existing valid consent and EC for the Coke oven plant. Provided primary & secondary type ETP and utilizing the treated water for cooling purpose. PP has provided Bag filters to coke crushing area, to coke cutter area, coke screen house, Coke Screen house, coke mixing section, secondary coke crush area and ground dedusting system (Charging and pushing section). JVS results of the AAQM monitoring are exceeding the standards and the stack emission monitoring TPM parameter is exceeds the consented limit.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, there is court case in Hon'ble NGT regarding overall pollution from M/s. JSW Steel Ltd</p> <p>After due deliberation it was decided to defer the case and call the PP for technical presentation for Pollution control arrangements, compliance of consent & EC conditions and the status of the Hon'ble NGT case.</p>
32	MPCB- CONSENT- 0000137891	Sanvijay Rolling & Engineering Limited (Unit- B-2), Plot No B-203 to B-206, MIDC Industrial Area Butibori, Tal. Hingana, Dist. Nagpur	<p>APPROVED</p> <p>Renewal of consent with increase in CI</p>	30.06.2024	<p>Committee noted that, PP has applied renewal of consent with increase in CI for the production of Steel Billets / Blooms & Structural Steel i.e. Angles, Beams, Girders, Rounds, Rods, Circles, Channels etc. – 3,00,000 Ton/Y.</p> <p>Committee also noted that, this case for discussed in the earlier CAC and was decided issue SCN for non-compliances.</p> <p>Committee also noted that, PP has submitted reply to the SCN and has partially complied with the same. PP has existing valid consent to operate. They have provided primary treatment for the treatment of industrial effluent. PP has provided Bag House to Induction furnace & AOD Convertor and Multicyclone dust collectors to Reverberatory furnaces. JVS results of the AAQM monitoring found exceeding the standards.</p> <p>After due deliberation it was decided to grant renewal of consent for a short period by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs. 5 Lakhs towards noncompliance of consent conditions and JVS exceedance. 2. PP shall submit the Board Resolution within one month in prescribed format from company Board towards increase

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>in CI by Rs. 57.8072 Crs without obtaining consent to establish from the Board thus violated the provision of Environmental Laws & in future they will not do such violation & shall submit BG of Rs. 2.0 Lakh towards submission of the same</p> <p>3. PP shall obtain the Environmental Clearance as per Notifications from the MoEF&CC.</p> <p>4. PP shall submit BG of Rs. 25 Lakh towards operation and maintenance of Pollution control system and compliance of consent conditions.</p>
33	MPCB- CONSENT- 0000138077	Sanvijay Alloys & Power Limited A-23 MIDC Area, Tadali Growth Centre, Tadali. Chandrapur	APPROVED Renewal of consent	31.05.2024	<p>Committee noted that PP has applied for renewal of consent for manufacturing of sponge iron – 12000 MT/M, power generation – 25 MW & power generation through WHRB – 8 MW.</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred and decided to issue SCN for refusal of consent due to following lapses.</p> <ul style="list-style-type: none"> i. PP has not submitted the details of implementation of EMP, remediation plan & natural & community resource plan as per condition stipulated in EC. ii. PP has not submitted the compliance report as per condition stipulated in earlier consent towards PP shall conduct APC design audit from reputed institutions such as NEERI/IIT/ICT/VNIT & shall comply the outcomes of the same. iii. PP has not submitted the time bound program for up-gradation of pollution control system within one month & shall be implemented within 6 months as per condition stipulated in earlier consent.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>iv. PP has decreased CI by Rs. 15.1737 Crs, for the same not submitted clarification.</p> <p>v. OCEMS data is not receiving to Boards server & its status shows inactive.</p> <p>Committee further noted that, Board office has issued SCN for refusal of consent vide dated 05.09.2022 due to above lapses & subsequently, PP has submitted the reply vide dated 08.09.2022. Also, CI is depreciated by Rs. 4.93 Crs instead of Rs. 15.1737 Crs as per submitted balance sheet.</p> <p>After due deliberation, it was decided to grant renewal of consent with decrease in CI for manufacturing of sponge iron – 12000 MT/M, power generation – 25 MW & power generation through WHRB – 8 MW by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in EC & Consent. 2. PP shall operate pollution control system scientifically to achieve the consented norms. 3. PP shall achieve the emission standards as per Notification issued by MoEF&CC vide dated 04.12.2019. 4. PP shall extend the BG of Rs. 1.95 Crs as per condition stipulated in EC towards effective implementation of EMP comprising plan & natural & community Resource augmentation plan. 5. PP shall submit/extend the BG of Rs. 25.0 Lakh towards compliance of EC & consent conditions.
34	MPCB- CONSENT- 0000139240	Loknete Marutrao Ghule Patil Dnyaneshwar Sahakari Sakhar Karkhana Ltd	APPROVED Renewal of Consent	31.07.2023	Committee noted that PP has applied for renewal of consent for 9000 TCD sugar & 31.5 MW co-generation unit. The case was discussed in 4th CAC meeting held on 24.06.2022 it is decided to issue show cause notice for refusal of renewal for production of Sugar crushing activity with capacity 7500 TCD and Co-gen-

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		320,334 Bhende Bk Newasa			<p>40 MW, on following non-compliances: 1. Industry has Decrease in CI from Rs.338.44 Crs to Rs.234.02 Crs (i.e.Rs.104.42 Crs) and failed to submit justification regarding decrease in CI. 2. Effluent treatment capacity is 1000 CMD which is oversize. 3. JVS result is exceeding consented standards.</p> <p>SCN was issued to PP on 12.07.2022 and PP submitted reply stating that CI has not been reduced and Rs. 338.44 Crs. Should be considered, ETP is oversize, but they have built considering future expansion and there crushing capacity is 9000 TCD and 31.5 MW.</p> <p>After due deliberation, it was decided to grant renewal of consent for 9000 TCD sugar & 31.5 MW co-generation unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting appropriate Bank guarantee towards JVS exceedance and top-up with Rs. 25 lakh towards O & M of pollution control systema and compliance of consent conditions.
35	MPCB-CONSENT-0000137207	JSW Cement Limited 95/1 95/1, Khar Karavi, PO-Gadab Pen	NOT APPROVED Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of renewal of consent for Slag Sand / Manufactured Sand (M-Sand)-1.0 MTPA. The unit is located within the premises of M/s. JSW Steel Ltd (Integrated Steel Plant) 95/1, Khar-Karvai, Tal. Pen, Dist. Raigad.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 28.07.2022 and it was decided to defer the case and issue show cause notice for refusal of renewal of consent towards non-compliances of consent conditions. Accordingly,</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Board has issued show cause notice vide letter dated 06.09.2022.</p> <p>Committee further noted that PP has submitted the reply vide letter dated 07.09.2022.</p> <p>After due deliberation it was decided to defer the case and call the PP for technical presentation for Pollution control arrangements provided, compliance of consent & EC conditions.</p>
36	MPCB- CONSENT- 0000138121	Macrotech Developers Ltd at Plot bearing S. No. 62, 63/1, 63/2, 63/3....etc village dhokali and kolshet Thane Kolshet Road, Thane Dhokali and Kolshet	APPROVED Renewal of Consent	30.04.2023	<p>Committee noted that PP has applied for renewal of consent to operate for 30 Nos. of Building. The case was discussed in 5th CAC meeting held on 28.07.2022 it was decided to issue show cause notice for refusal of consent, on following noncompliance: 1. PP has not submitted pointwise compliance of Environment Clearance. 2. Discrepancy in Capital Investment in C to E is Rs. 1835.3570 Crs and EC is Rs. 2131 Crs. 3. PP has not submitted an audited balance sheet.</p> <p>Committee also noted that PP stated that Project cost mentioned in EC is for the construction area of 1410519.89 sq.m. The consent to establish area is less than the EC area hence the project cost is less than the project cost mentioned in EC, submitting our audited balance sheet for the F.Y. 2021-22 and SRO, Thane-1 has submitted verified EC compliance.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate for 30 Nos. of Building total plot area 3,55,704.6 Sq. Mtr & BUA- 3,49,038.41 Sq. Mtr. With C.I. of Rs. 1835.3570 Crs., by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots. 5. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.
37	MPCB- CONSENT- 0000138229	Macrotech Developers Ltd As attached Bhiwandi	APPROVED Renewal of Consent	31.07.2027	<p>Committee noted that PP has applied for renewal of consent to 1st operate (part 1) for Integrated Residential Township project. The case was discussed in 5th CAC meeting held on 28.07.2022 it was decided to issue show cause notice for refusal of consent, on following noncompliance: 1. PP has not submitted architect Certificate, pointwise compliance of Environment Clearance 2. Discrepancy in Capital Investment as EC has CI of Rs. 2105 Crs.</p> <p>Committee also noted that PP submitted the architect certificate, SRO has submitted the pointwise Environment Clearance compliance and Discrepancy in Capital Investment as Proposed project is an integrated township project, being a big layout project, it is being developed in phase wise manner. We have obtained CTE for Phase I & II comprising of construction area</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>464949.65 out of 29,32,298.45 sq.m as per latest EC granted on 16/07/2022. Hence the discrepancy in project cost as only small part of the project is proposed for development. We will apply for the remaining phases in near future with requisite consent fees.</p> <p>After due deliberation, it was decided to grant renewal of consent to 1st operate (part 1) for Integrated Residential Township project for 24 nos. of residential Buildings, 1 no. of Multi level car park, 1 no. club house, 1 fire station and Quarters having total plot area 560167 sqm and total built up area 266789.27 sqm with C.I. of Rs. 323.95 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots. 5. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
38	MPCB- CONSENT- 0000140106	GMR Warora Energy Ltd., Plot No. B1 & B7, Mohbala MIDC Crowth Centre, Post Warora, Tal- Warora Dist- Chandrapur.	APPROVED Renewal of consent to operate with increase in CI (Auto Renewal Application)	31.12.2024	<p>Committee noted that PP has applied for renewal of consent to operate for Electricity Generation-2x 300 MW (coal based thermal power Plant)- 600 MW.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 30.08.2022 and it was decided to defer the case and issue show cause notice for refusal of consent towards noncompliance of consent conditions.</p> <p>Committee further noted that PP has submitted the reply on minutes of meeting published on website on 06.09.2022 vide letter dated 07.09.2022.</p> <p>After due deliberation, it was decided to grant for renewal of consent by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall install the FGD System and comply with the emission norms as per the MoEF Notification dated 31.03.2021. 2. PP shall extend the existing BG for the further period up to 31.12.2025.
39	MPCB- CONSENT_A MMENDMEN T- 0000007024	TIRUMALAA DAAIRY LIMITED LONAND- PHALTAN ROAD, Nimbhore, S atara	APPROVED amendment in Consent for change in name	-----	<p>Committee noted that, PP applied for amendment in Consent for change in name i.e M/s. Tirumala Dairy Ltd. to M/s. Kute sons Dairys Limited</p> <p>Committee also noted that, PP submitted Certificate of Incorporation pursuant to change of name from Government of India of Ministry of Corporate Affairs Registrar of Companies vide dated 01/04/2021.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>The application was discussed in CAC meeting and call for Technical presentation the same was extended on 12.09.2022. PP submitted details of Process & its pollution control system.</p> <p>Latest 3 JVS reports are within consented limit.</p> <p>After due deliberation, it was decided to issue amendment in Consent for change in name as unit obtain Certificate of Incorporation pursuant to change of name from Government of India of Ministry of Corporate Affairs Registrar of Companies, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with all conditions of consent dtd. 09.04.2021. 2. PP shall provide emergency power back up for pollution control systems.
40	MPCB- CONSENT_A MMENDMEN T- 0000007835	Perkins India Pvt Ltd G1, Additional Shendra MIDC, Aurangabad	APPROVED AMMENDMENT	30/9/2023	<p>Committee noted that, PP has applied amendment in existing Consent to Operate for increase the generation of non-hazardous Waste i.e. Plastic/Paper/Safety google/Ear Plugs/Muf from 29299 Kg/A to 260000 Kg/A.</p> <p>Committee also noted that, the said unit is having consent to operate which is valid upto 30/9/2023 for mfg. of Internal Combustion Diesel Engine and Generator Set.</p> <p>Committee further noted that, increase in non-HW generation is due to packing standard improvement in Engine.</p> <p>After due deliberation, it was decided to consider the amendment in existing consent to operate for increase the generation of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>non-hazardous Waste and all other consent conditions will remain unchanged.</p> <p>Consent shall be issued after receipt of Audited Balance sheet.</p>
Review Item					
1	MPCB- CONSENT- 0000132654	Ordnance Factory Ambarnath, 159/44, Kalayn -Badlapur Road, Tal. Ambarnath, Dist. Thane.	APPROVED Review for increase the validity of consent	30.04.2027	<p>Committee noted that, Earlier industry had applied for renewal of consent vide UAN No. MPCB-CONSENT-0000132654 and paid consent fees for five terms i.e. for the period up to 30.04.2027.</p> <p>Committee also noted that, The application was discussed in the CAC meeting held on 24.05.2022 and as JVS results were not available decided to grant the consent for the period up to 30.04.2023.</p> <p>Committee further noted that, PP has submitted representation, to issue consent for five years and impose BG of Rs. 10 Lakh instead of Rs. 25 Lakh as the unit is under Yantra India Ltd a Govt of India Enterprises, Ministry of Defense for providing arms to Indian Army</p> <p>After due deliberation, Considering the unit is under Yantra India Ltd a Govt of India Enterprises, Ministry of Defense for providing arms to Indian Army, it was decided to extend the validity period of the consent from 30.04.2023 to 30.04.2027, but request to reduce the amount of the BG imposed could not be considered. Consent will be issued with overriding effect over existing consent.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Table Item					
1	MPCB- CONSENT- 0000141161	M/s.Daund Sugar Private Ltd (Distillery Unit) 99 At: Gat No.99, At post – Alegaon, Tal, Daund, Dist. Pune	APPROVED Consent to Establish for Expansion.	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that, PP has applied for Consent to Establish for expansion of distillery unit from 120 KLPD to 370 KLPD, From B heavy molasses or C heavy molasses or Sugar cane syrup or Sugar cane juice.</p> <p>Committee noted that, PP obtain Environmental Clearance on 28.06.2022 for expansion. PP provided ZLD system for existing and also proposed same for Expansion.</p> <p>After due deliberation, it was decided to grant Establish for expansion of distillery unit from 120 KLPD to 370 KLPD, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with all conditions in Environmental Clearance dtd. 28.06.2022. 2. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of consent & EC conditions.
2	MPCB- CONSENT- 0000144054	Daund Sugar Private Ltd (Distillery Unit) 99 At: Gat No.99, At post – Alegaon, Tal, Daund, Dist. Pune	APPROVED Renewal of Consent	31.08.2025	<p>Committee noted that, PP has applied for Renewal of Consent for 120 KLPD Molasses base distillery.</p> <p>Committee noted that, PP provided MEE & Incineration boiler 16 TPH with ESP. The distillery has provided CPU and achieve ZLD by way of Incineration.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for 120 KLPD Molasses base distillery, by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. PP shall submit/Extend BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems. 2. PP shall comply with all conditions in EC.