

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 21st Consent Appraisal Committee Meeting of 2023-2024 held on 07.02.2024 at Hon'ble Principal Secretary's Chamber, Environment and Climate Change Dept, 217 (Annex Bldg.) 2nd floor, Mantralaya, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri. Pravin Darade,
Chairman, MPCB | Chairman |
| 2. Shri Avinash Dhakne,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P. K. Mirashe,
Technical Advisor, MIDC | Member |
| 4. Dr. Jitendra Sangewar,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai, & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri N.N. Gurav,
AS(T), M.P.C. Board, Mumbai. | Invitee Member |
| 3. Dr. V.R. Thakur,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri. Shankar L. Waghmare,
Regional Officer (Bio Medical Waste), M.P.C. Board, Mumbai | Invitee Member |
| 5. Shri. Manish S. Holkar,
Regional Officer (Head Quarter), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 21] placed before the committee and following decision were taken:

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 21					
1	MPCB- CONSENT- 0000103818	Mumbai Port Trust - Units Imclues Indira Dock(30 Berths) Pirpau(3 Berths,) JD(4 Berths),Dry Dock, Revenue Survey Number of ID & Ballard Pier CS 1187 Eastern Front of Mumbai Coast Mumbai City	APPROVED Renewal of Consent to Operate	31.12.2024	<p>Committee noted that PP has submitted the letter in respect of To consider the penal charges from the Board's circular date 12.07.2022.</p> <p>Committee also noted that PP has applied for renewal of consent to operate for Units Includes Indira Dock(30 Berths) Pirpau (3 Berths) JD(4 Berths), Dry Dock, VD14 & VD15, M Harbour Wall1, PD, Sasson Dock- Fish Jetties, Ferry Warf & Fish Jetty Bhaucha Dhakka and Residential Colonies (Colaba, Mazgaon, Wadi Bunder, Wadala, Cotton Green, Worli, Sewree & Govandi) which was discussed and approved in the earlier CAC meeting dtd. 24.11.2023 subject to submission of penal fees and requisite consent fees and BG forfeiture of Rs. 10.0 lakh.</p> <p>Committee further noted that this office has communicated vide e mail dtd7.12.2023, 2.01.2024, 15.01.2024 and 16.01.2024 regarding submission of penal and consent fees and BG. Accordingly PP has submitted the request letter vide dtd. 01.02.2024 regarding consideration of penal fees from the issuance of Board's circular vide dtd.12.07.2022 and penal fees will not be applicable for the period 1.1.2021 to 11.07.2022 accordingly,</p> <p>Committee also noted that the penal fees are calculated from 1.01.2021 to 13.12.2022 for 622 Days (excluding exempted period of 90 days as per Board's circular dtd. 29.03.2023 and lapse period consent fees up to 31.12.2024. However, PP has calculated penal fees from 12.07.2022 to 14.12.2022 i.e. 156 days only. PP has not paid the additional fees towards enhancement in CI and made penal fees payment for 156 days only and adjusted payment fees up to 31.12.2024 excluding fees for enhancement in C.I. PP has not submitted BG of Rs. 10.0 Lakh as per last consent.</p> <p>After due deliberation, it was decided to consider the case for renewal of consent subject to submission of penal fees for remaining delay days, fees towards enhanced CI and submission of BG as per earlier consent along with forfeiture.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
2	MPCB- CONSENT- 0000155184	Veeral Additives Pvt. LtdK-4/2 Additional MIDC Mahad Mahad	APPROED Consent to 1 st Operate (Expansion) with amalgamation of existing C to O	28.02.2028	<p>Committee noted that PP has applied for 1st Consent to Operate (Expansion) for operation of modernized & upgraded existing plant with amalgamation of existing Consent to Operate.</p> <p>Committee also noted that Case was discussed in 6th CAC Meeting of 2023-24 (Booklet No. 6) dtd. 05.07.2023 it was decided to issue show cause notice non-compliances: 1. HCl 32% generation not shown even product from which HCl generated in manufactured in last year 2. HW stored beyond 90 days, not disposed waste in last year 3. Potassium Formiate generated during process of Metilox neither shown in product/by-product nor in Hazardous Waste. 4. Production quantity manufactured mentioned in Environment Statement Report differs than the quantity mentioned in Haz Waste Annual returns. 5. OCEMS data not transmitted to Boards server.</p> <p>Committee further noted that PP submitted reply on 04.10.2023. 1. They have corrected the and refilled the HW annual returns including HCl 32% 2. Last year the as plant was not stabilized and running regularly hence HW generation was not less. Same HW they have send to CHWTSDf. 3. The generation of potassium formicate is less and it is not collected separately and is mixed again in process residue. 4. During first filling of HW return the mention quantity was wrong, which they have corrected during the re-filling of the Environment Statement. 5. OCEMS is operating, and data is transmitting to Board's server 6. Cost of Land of is reflected in Note 3 of balance sheet and Note 2 has combine cost of building, plant & Machinery.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate (Expansion) for operation of modernized & upgraded existing plant with amalgamation of existing Consent to Operate, by imposing bank guarantee of 25 lakh towards compliance of consent conditions.</p>
3	MPCB- CONSENT-	Huntsman International	APPROVED	30.04.2024	Committee noted that PP has applied for renewal of Consent to Operate for Research & Development and application center for chemical industries.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000161331	India Pvt. Ltd.Saki Vihar Road Lighthall B-Wing, Mumbai	Renewal of Consent		<p>Committee also noted that Case was discussed in 6th CAC meeting dated 05.07.2023 and it was decided to issue show cause notice towards non-Not achieved ZLD as per consent conditions 2. No treatment for RO Reject 3. Wet scrubbers not installed for control of process emissions. 4. HW details of Category No. 5.1, 23.1, 35.1, 35.2 not submitted. 5. CI Increased (@ 200%) 6. Compliance of EIA Notification not submitted as production quantity mentioned.</p> <p>Committee further noted that Industry has submitted pointwise reply on 05.07.2023. 1. They have achieved ZLD by using treated effluent for domestic flush and other activities. 2. Ro reject is again transferred to ETP for treatment. 3. The facility is of R&D, hence they have not installed wet scrubber. 4. HW is not generated regular hence not mention but they follow prescribed standards. 5. As per the earlier consent issued the CI mention is not correct because of typographical mistake, no increase in CI. 6. It is R&D testing unit hence EIA notification is not applicable.</p> <p>After due deliberation, it was decided to grant renewal of Consent to Operate for Research & Development and application center for chemical industries, by imposing standard conditions and bank guarantee.</p>
4	MPCB- CONSENT- 0000171073	Yedeshwari Agro Products Ltd. Unit No. 2Gat No. 394/1/B, 395/3/A A/P Khamgaon	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that, PP applied for grant of Consent to establish for expansion by 2400 TCD.</p> <p>Committee also noted that, PP provided Primary secondary & Tertiary treatment and Industry has installed Boiler - 60 TPH Capacity with ESP for arrest of fly ash & wet scrubber followed by common stack height 75 mtrs.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Barshi			After due deliberation, it was decided to grant consent to establish for expansion. For 2400 TCD, by imposing following conditions: 1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent conditions.
5	MPCB-CONSENT-0000174785	Revent Precision Engineering Limited (Formerly Amtek Auto Limited) Tal-Shirur, Dist-Pune Shirur	NOT APPROVED Renewal of Consent	----	Committee noted that, PP applied for Renewal of Consent. Committee also noted that, Not submitted BG as per existing Consent towards penal charges. Not disposes hazardous waste from last one year. One JVS result exceeded the consented limit. Water permission details not submitted. As per discussion with PP, the unit is purchased by another owner in 2021 (NCLT process started from year 2017), As per PP they submitted DD for Renewal of Consent in August 2019, so not required Penal Charges. But PP did not submit any documents for same. After due deliberation, it was decided to issue SCN for above non-compliances.
6	MPCB-CONSENT-0000175378	Vilasrao Deshmukh Govt Medical College and Hospital At Latur, Latur (M CI),Latur	NOT APPROVED Combined Consent to 1 st Operate & BMW Authorization	-----	Committee noted that HCE has applied for 1 st Combined Consent & BMW Authorization for 700 beds Hospital on total plot area of 10,921 Sq.Mtr & total BUA of 79,337 Sq.Mtr. Committee also noted that the case was discussed in earlier CAC meeting dated 24.11.2023 & decided to issue SCN for refusal of consent due to i) HCE has not submitted the details of Environment Clearance as total BUA is 79,337 Sq.Mtr which attracts EIA Notification, 2006 & amended thereto, ii) HCE has not submitted any details as per mail issued vide dated 06.10.2023 in respect of capital investment, status of STP, architect certificate towards completed construction BUA of hospital, CC & OC,

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>details of EC, details of previous consent & BMW authorization, iii) As per submitted CA certificate, the CI is of Rs. 1260.5 Crs & in application it shows only 1.56 Crs. However, HCE has paid fees of 75,000/- only, iv) HCE has not obtained combine consent & BMW authorization since 2012 which attracts penal fees.</p> <p>Committee further noted that Board office has issued SCN for refusal of consent due to above lapses, however, HCE has not submitted any say/reply. Also, as per submitted CA certificate, CI of the hospital is of Rs. 1260.5 Crs. The total fees required is of Rs. 3,52,94,000/- by considering the lapse period since 2012 to 2025. HCE paid only Rs. 75000/-. The additional fee required is Rs. 3,52,19,000/-.</p> <p>After due deliberation, it was decided to refuse the case & issue final refusal of consent due to non-submission of reply/say after giving sufficient time.</p>
7	MPCB- CONSENT- 0000179836	DISTRICT HOSPITAL, PUNEDISTRI CT HOSPTAL OPP.SANGH AVI JAKAT NAKA ,AUNDH, Pimpri Chinchawad (M Corp.),Pune	NOT APPROVED Combined Consent to 1 st Operate & BMW Authorization	-----	<p>Committee noted that HCE has applied for 1st Combined Consent to Operate & BMW Authorization for 280 beds Hospital on total plot area of 23,009 Sq.Mtr & total BUA of 14,413 Sq.Mtr.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 27.12.2023 & decided to issue SCN for refusal of consent due to i) HCE has shown the capital investment by Rs. 1.0 Lakh only & paid less fees, ii) HCE has not obtained BMW authorization since 2006 & combine consent since 2006 which attracts the penal & lapse period fees, iii) HCE has not submitted the details of category wise BMW generation, membership of CHWTSDF & proper water budget.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that Board office has issued SCN for refusal of consent due to above lapses vide dated 04.01.2024, however, HCE has not submitted any say/reply, till date.</p> <p>After due deliberation, it was decided to refuse the case & issue final refusal of consent due to non-submission of any say/reply towards SCN issued after giving sufficient time.</p>
8	MPCB- CONSENT- 0000169023	Reliance Corporate IT Park Ltd., R- 801/ 2 R- 801/ 2 TTC Industrial Area, MIDC, Thane “ Belapur Road Ghansoli, Navi Mumbai 400 701 Rabale	APPROVED Consent to Establish and Operate	30.04.2024	<p>Committee noted that Industry has applied for consent to establish and operate at once for SIM manufacturing along with training center and Research & Development activity (Lab Scale).</p> <p>Committee also noted that PP has applied previous application vide UAN No. 152213 on 4.11.2022 However, PP has applied with revise details vide UAN No. 169023 and requested to delete the application after merging of consent fees.</p> <p>Committee further noted that Penal fees is applicable as construction work of new industrial training center building is in progress.</p> <p>After due deliberation, it was decided to grant consent to establish and operate at once for SIM manufacturing along with training center and Research & Development activity (Lab Scale) by imposing BG and standard conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in the consent conditions. 2. PP shall not manufacture any product and or any manufacturing/construction activity which attract Environmental Clearance as per Environmental Impact Assessment Notification,

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2006.</p> <p>3. PP shall submit the Bank Guarantee of Rs. 25.0 Lakh towards, operation and maintenance of pollution control system and compliance consent conditions.</p> <p>Consent shall be issued obtaining information regarding stating of construction work and accordingly penal fee is applicable.</p>
9	MPCB- CONSENT- 0000180556	Sankalp Green Power Ltd.74 Gut No 74, Sai Nagar Tanda Jintur -----		-----	Application was discussed in 19th CAC meeting dtd. 27.12.2023 and approved.
10	MPCB- CONSENT- 0000180403	Shree Datta Shetkari Sahakari Sakhar Karkhana Limited251 Dattanagar, Shirol Shirol -----		----	Application was discussed in 20th CAC meeting dtd. 11.01.2024 and approved.
11	MPCB- CONSENT- 0000177967	Ctrlrs (India) Pvt Ltdttc Plot No. EI 201, 201 Part, 201 Part1, EI 202 Ttc Industrial Area Mahape, Navi Mumbai, Dist. Thane Navi Mumbai	NOT APPROVED Renewal of Consent to operate	-----	<p>Committee noted that PP has applied for Renewal of Consent for IT & ITES activity (Data Centre) on total plot area of 14533.76 Sq.Mtr for construction BUA of 24,467 Sq.Mtr out of total construction BUA of 53,500.8 Sq.Mtr.</p> <p>Committee also noted that PP has not submitted the details of BGs as per earlier consent, latest CA certificate along with audited balance sheet, increased 18 Nos of DG sets (2500 KVA) without obtaining consent & accordingly, CI is not reflected in submitted CA certificate, delay the application by 70 days which attracts the penal fees.</p> <p>After due deliberation, it was decided to issue show cause notice for above mention non-compliances.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
12	MPCB- CONSENT- 0000178017	Ctrls India Pvt Ltdel-229 Ttc Midc EI-229 Mahape	NOT APPROVED Renewal of Consent to operate	-----	<p>Committee noted that PP has applied for Renewal of Consent for IT & ITES activity (Data Centre) on total plot area of 5000 Sq.Mtr for construction BUA of 9500 Sq.Mtr.</p> <p>Committee also noted that PP has not submitted the details of BGs as per earlier consent, bio-degradable & non-biodegradable waste, e-waste, latest CA certificate along with audited balance sheet, details of EC, delay the application by 102 days which attracts the penal fees.</p> <p>After due deliberation, it was decided to issue show cause notice for above mention non-compliances.</p>
13	MPCB- CONSENT- 0000181099	Sankalp Green Power Ltd.74 Gut No 74, Sai Nagar Tanda Jintur		----	Application was discussed in 19th CAC meeting dtd. 27.12.2023 and approved.
14	MPCB- CONSENT- 0000178467	Lupin Limited, Survey No.- 30/10 to 30/13 & 64/7 T-142, MIDC Tarapur Palghar	APPROVED Amendment in Consent for Product Mix	30.04.2024	<p>Committee noted that PP has applied for - Amendment in Consent to Operate under change in product mix. Industry has propose to enhance the production quantity of existing two products, reduction in mfg. quantity of seven product and addition of one new product. PP has submitted that after change in product mix, the total production quantity will reduce from 1599.15 MT/A to 1522.925 MT/A by 76.225 MT/A.</p> <p>Committee also noted that case was discussed in 4th Technical committee meeting, and it was recommended in the meeting.</p> <p>After due deliberation, it was decided to grant amendment in Consent to Operate under change in product mix, by imposing bank guarantee and standard conditions.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
15	MPCB- CONSENT- 0000182153	BHARAT PETROLEUM CORPORATI ON LTD NA Manmad Installation, Manmad Nandgaon Road, Panewadi, Manmad Nandgaon	APPROVED Consent to Establish for Expansion	Commissio ning of unit or 5 years whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish for expansion storage of petroleum products in tank farm such as motor spirit – 200 KL, High Speed Diesel – 200 KL, ethanol – 200 KL, Ethanol blended motor spirit – 200 KL.</p> <p>Committee also noted that the PP has obtained consent to operate for expansion with amalgamation of existing consent vide dated 10.11.2021, valid up to 31.05.2025. The generation of IE is 2.8 CMD & DE is 3.0 CMD which will be treated in existing ETP & STP. PP has submitted BG of Rs. 5.0 Lakh which is valid up to 30.09.2025.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion storage of petroleum products in tank farm such as motor spirit – 200 KL, High Speed Diesel – 200 KL, ethanol – 200 KL, Ethanol blended motor spirit – 200 KL by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall store all “A” Class petroleum products on a floating roof with double seal. 2. PP shall provide facilities for oil spill during tank/tanker filling operations & in no case shall such spill enter into nearby storm drain. 3. PP shall provide a secondary vapor treatment system for tanker loading gantry. 4. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards compliance of consent conditions.
16	MPCB- CONSENT- 0000185433	Shri Dutt India Pvt.ltdGramp anchayat Sakharwadi Grampanchay at Sakharwadi	APPROVED Renewal of Consent	31.08.2024	<p>Committee noted that PP applied for Renewal of Consent for Ethanol plant. (By using RS/SDS only) of capacity 150 KLPD.</p> <p>Committee also noted that the effluent generation is Nil from this plant and steam is taken from distillery unit.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Phaltan			After due deliberation, it was decided to consider the case for Renewal of consent.
17	MPCB- CONSENT- 0000170251	SHRI JANARDHAN SWAMI AURVEDIC HOSPITAL OKAMTHAN, KOPARGAO N,Kokamthan, Ahmednagar	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that HCE has applied for Consent to Establish for expansion for 620 beds Hospital on total plot area of 10000 Sq.Mtr & total BUA of 3000 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained Consent to Establish vide dated 13.02.2020 for 325 beds hospital on total plot area of 44,200 Sq.Mtr & total BUA of 30,000 Sq.Mtr with CI Rs. 0.9976 Crs. The total BUA of hospital attracts the EC. The IE- 5.0 CMD, DE – 218.0 CMD from proposed expansion, for the same, HCE has proposed to provide ETP & STP.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for 620 beds Hospital on total plot area of 10000 Sq.Mtr & total BUA of 3000 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall provide adequate STP & ETP to treat sewage & trade effluent generated from hospital as compared to number of beds. 2. HCE authority shall obtain Environment Clearance as construction BUA is 30,000 + 3000 = 33000 Sq.Mtr of proposed hospital as per EIA Notification, 2006 & amended thereto. 3. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.
18	MPCB- CONSENT- 0000184532	Shri Vasantrao Nail Govt Medical	APPROVED Combine Consent to 1 st	28.02.2025	Committee noted that HCE has applied for 1st Consent to operate & BMW authorization for operation of captive incineration for treatment & disposal of BMW generated from hospital.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		College Yavatmal Gut No. 16/1 Gut No. 16/1, Waghapuri Lohara, Tal & Dist- Yavatmal Yavatmal	Operate & BMW authorization		<p>Committee also noted that obtained consent to Establish vide dated 30.12.2022 for installation of captive incineration. HCE has provided venturi scrubber with stack having height 20 Mtr as an air pollution control system. HCE has provided ETP to treat the trade effluent generated from incineration. HCE has not submitted BG of Rs. 10.0 Lakh as per earlier C to E, however, submitted the request letter to waive off the same as it is Government Hospital.</p> <p>Committee further noted that HCE has not submitted the details of previous consent, authorization of existing 600 beds hospital.</p> <p>After due deliberation, it was decided to consider the case for 1st Consent to operate & BMW authorization for operation of captive incineration for treatment & disposal of BMW generated from hospital by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall properly operate the incineration as per CPCB guidelines. 2. HCE authority shall properly operate pollution control system to achieve consented norms. 3. HCE shall comply with Bio-Medical Waste Management Rules, 2016 towards operation of incineration. 4. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of details of incineration, BMW generation & CCA of existing 600 beds hospital.</p>
19	MPCB- CONSENT-	Varron Autokast LimitedKH N.	NOT APPROVED	-----	Committee noted that PP has applied for Consent to Establish for expansion for the manufacturing of corrugated products – 1,35,000 MT/A,

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000185680	201/2, 201/3 & 201/5 Village- Chimnazari Nagpur	Consent to Establish for Expansion		<p>copper ingots – 5200 MT/A, steel forging – 100,000 MT/A, aluminium ingots/billets – 1,87,000 MT/A, aluminium extrusion – 38000 MT/A, aluminium cables, flats, strip cast – 1,95,000 MT/A, ferro alloys – 72000 MT/A, hot rolled steel – 95000 MT/A.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 05.12.2023 & decided to issue SCN for refusal of consent due to the proposed expansion activity attracts the EC as per EIA Notification, 2006 & amended thereto, however, PP has not submitted any details thereof, ii) PP has not submitted the details of STP, ETP for treatment of sewage & trade effluent generated from expansion as well as existing activity, iii) PP has not submitted the details of APCs proposed to expansion activity, details of BGs as per existing consent & recent audited balance sheet.</p> <p>Committee further noted that Board office has issued SCN for refusal of consent vide dated 26.12.2023, however, PP has not submitted any say/reply to this office till date.</p> <p>After due deliberation, it was decided to refuse the case & issue final refusal order due to non-submission of reply/any say towards SCN issued.</p>
20	MPCB- CONSENT- 0000186791	Late Kedari Redekar Charitable Hospital, GadhinglajP-2 MIDC Area, Shendri mal, Gadhinglaj	APPROVED Combined Consent to 1 st Operate & BMW Authorization	31.03.2025	<p>Committee noted that HCE has applied for 1st Combined Consent to operate & BMW Authorization for 100 + 200 = 300 beds hospital on total plot area of 24,281 Sq.Mtr & total BUA of 4180 Sq.mtr.</p> <p>Committee also noted that obtained BMW authorization for 100 beds hospital vide dated 19.09.2013, valid up to 31.12.2015. The IE- 8.0 CMD, DE – 100 CMD, for the same, HCE has provided STP of capacity 30 CMD, however, it is to be upgraded to cope up an effluent generated as per CPCB</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>guidelines towards number of beds. HCE has not provided ETP.</p> <p>Committee further noted that HCE has obtained authorization for 100 beds hospital vide dated 19.09.2013, valid up to 31.12.2015 & increased the number beds by 200 Nos without Boards consent which attracts the penal fees. The penal fees of Rs. 8,57,877/- is attracts since June 2012 to 04.11.2023 i.e. 4175 days. HCE has paid the same.</p> <p>After due deliberation, it was decided to consider the case for 1st Combined Consent to operate & BMW Authorization for 100 + 200 beds hospital on total plot area of 24,281 Sq.Mtr & total BUA of 4180 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE shall provide separate ETP & upgrade the existing STP to treat the sewage generated as compared to number of beds within next 6 Months. 2. HCE authority shall properly operate STP & ETP to achieve consented norms. <p>HCE shall submit BGs as per BG regime of HCE.</p>
21	MPCB- CONSENT- 0000186622	Jehangir Hospital32, Sassoon Road	APPROVED Consent to Establish for Expansion	Commissio ning of unit or 5 years whichever is earlier.	<p>Committee noted that HCE has applied for Consent to Establish for expansion for 139 beds Hospital on total plot area of 19,950.57 Sq.Mtr & total BUA of 21,779.86 Sq.mtr out of 35,999.31 Sq.Mtr as per EC.</p> <p>Committee also noted that, HCE has obtained EC vide dated 05.01.2024 for construction BUA of 35,999.31 Sq.Mtr which includes existing BUA of 19,295.88 Sq.Mtr & proposed BUA of 16,703.43 Sq.Mtr. Also, obtained renewal of combined consent to operate & BMW authorization vide dated 28.09.2022 which is valid up to 31.12.2024 with CI Rs. 227.0285 Crs.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that IE – 5.0 CMD & DE – 45 CMD from proposed expansion. HCE has proposed to provide ETP of capacity 35.0 CMD & STP of capacity 290 CMD for treatment of sewage generated from existing & proposed expansion. HCE has submitted BG of Rs. 9.0 Lakh which is valid up to 30.06.2025 as per existing consent.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for 139 beds Hospital on total plot area of 19,950.57 Sq.Mtr & total BUA of 16,703.43 Sq.mtr out of 35,999.31 Sq.Mtr as per EC by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE shall comply with the conditions stipulated in EC obtained vide dated 05.01.2024. 2. HCE authority shall provide adequate STP & ETP to treat sewage & trade effluent. 3. The treated effluent/sewage shall 60% recycle for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening/connected to Municipal sewerage system. 4. HCE shall submit BG of Rs. 10.0 Lakh towards compliance of EC & consent conditions.
22	MPCB- CONSENT- 0000187186	KORADI THERMAL POWER STATION, (MAHAGENC O), 3X 660 MW, UNIT	NOT APPROVED Renewal of Consent to Operate	---	<p>Committee noted that PP applied for renewal of consent to operate for Electricity Generation-1980 MW (i.e.3x660 MW) Unit No.8,9 & 10</p> <p>Committee also noted that, this case was discussed in the CAC meeting dtd. 27.12.2023 it was decided to issue Show Cause Notice for refusal of consent for audited balance sheet and Multi unit C.A. certificate, justification for decrease in C.I., Non provision of online Real Time coal ash analyzer & its BG, STP & water consumption details, fly ash and legacy ash utilization,</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		NO.-8,9&10 (COAL BASED THERMAL POWER PLANT)KHASARA NO.-188-189 KHASARA NO.-188-189, KORADI, TAH.- KAMPTEE, DISTRICT- NAGPUR KAMPTEE			<p>FGD compliance and undertaking, non-submission of EC of 1.5 Crs and coal ash management. Accordingly, SCN was issued on 1.01.2024.</p> <p>Committee further noted that, PP has submitted balance sheet which has less by Rs.8.8878 Crs than previous consent and justified that it is due to cumulative impact of asset. Inhouse coal analyzing is done in the NABL accredited laboratory and review the condition. PP has submitted that provided STP with 35 CMD Capacity and replied that sewage is generated intermittently from industry and colony. As per plant load water consumption is changed. Fly ash utilization is in accordance with MOEFCC Notification and compliance cycle is upto March 2025 and legacy ash timeline is for 10 years. PP has further submitted that letter of award is issued on 16.11.2023 for FGD installation for span of 3 years However, TPS falls under A category as per MOEFCC notification dtd. 5.09.2022 and FGD shall install upto 31.12.2024. PP has not paid the Environmental compensation and submitted steps taken for fly ash management. PP has submitted details of the APCS provided to CHP area and undertaking for the FGD is not submitted. BG of Rs. 124 Lakh has been submitted with validity upto 31.12.2024.</p> <p>Committee also noted that on 6th Feb.2024 in the morning, ash pond at Kasara behind the Jagdamba Mandir around 8 trucks parked near the ash bund drown during such incident and causing damage to the Environment.</p> <p>After due deliberation, it was decided to defer the case and call Industry for technical presentation in respect of incident occurred on 06.02.2024, compliance of consent and EC conditions.</p>
23	MPCB- CONSENT- 0000186441	BHARATI VIDYAPEETH DEEMED UNIVERSITY MEDICAL	APPROVED Renewal of Combined Consent to	31.12.2027	Committee noted that HCE has applied for Renewal of Combined Consent to operate & BMW Authorization for 950 beds Hospital on total plot area of 1,74,099 Sq.Mtr & total BUA of 99,031 Sq.mtr.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		COLLEGE AND HOSPITAL, SANGLIBhara ti Vidyapeeth Deemed University Medical Campus, Sangli Miraj Road, Wanlesswadi, Sangli	operate & BMW Authorization		<p>Committee also noted that HCE has obtained combined consent to operate & BMW authorization vide dated 22.05.2023 which is valid up to 31.12.2023 with CI Rs. 162.1784 Crs. The IE- 3.0 CMD, DE – 400 CMD. HCE has provided ETP of capacity 5.0 CMD & STP of capacity 400 CMD comprising collection tank, biofilter beds (root zone technology), alum dosing, carbon filter & sand filter. The JVS result of STP outlet dated 20.01.2023 is not meeting with consented parameter BOD – 86.0 mg/l against 30 mg/l & 13.09.2023 is well within limit. HCE has provided own incineration on site, however, it is not in operation since last year. HCE has obtained membership of CBMWTSDf.</p> <p>After due deliberation it was decided to consider the case for renewal of Combine consent to operate & BMW Authorization 950 beds hospital on total plot area of 1,74,099 Sq.Mtr & total BUA of 99,031 Sq.mtr.by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall properly operate STP & ETP to achieve the consented parameters. 2. The treated effluent/sewage shall 60% recycle for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening. 3. HCE shall submit BGs as per HCE BG regime.
24	MPCB- CONSENT- 0000187485	Sevasadan Life Line Pvt Ltd., sevasadan life line Pvt Ltd, chandanwadi,	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that HCE has applied for Consent to Establish for expansion for 200 beds Hospital on total plot area of 1410 Sq.Mtr & total BUA of 1213.55 Sq.Mtr (existing) + 7544 Sq.mtr (Proposed) = 8757.55 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained renewal of combined consent</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		sangli rod, miraj.			<p>to operate & BMW authorization vide dated 13.05.2022 which is valid up to 15.07.2029 with CI Rs. 14.17 Crs. IE generation from expansion is 3.0 CMD & DE is 72 CMD which will be treated in proposed combine treatment.</p> <p>Committee further noted that Mayur Bajrang Ghodke filed an application before Hon'ble NGT, WZ, Pune vide No. OA 08/2022 (WZ) regarding illegal dumping of BMW outside hospital & discharging untreated wastewater into Municipal Drain which was disposed vide order dated 08.09.2022 subject to submission of Environmental compensation. Accordingly, Board office has calculated EC of Rs. 18,63,750/- which is communicated to HCE vide letter dated 03.10.2022. HCE has filed an appeal before Hon'ble Supreme Court vide Civil Appeal No. 937-38 of 2023 & matter is under sub-judice.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for 200 beds Hospital on total plot area of 1410 Sq.Mtr & total BUA of 7544 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE shall upgrade the existing STP to treat the sewage generated from existing & proposed expansion of hospital. 2. HCE shall provide separate ETP to treat the effluent generated from existing & proposed expansion of hospital. 3. The treated effluent/sewage shall 60% recycle for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening/connected to Municipal sewerage system. 4. This consent is issued without prejudice to the orders passed or being passed orders by The Hon'ble Supreme Court in an appeal No. 937-38 of 2023. 5. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
25	MPCB- CONSENT- 0000184650	Mindspace Business Parks Pvt. Ltd. Village. Yerwada, Tal. Haveli, Dist. Pune 411006.	APPROVED Renewal of Consent to Operate (Part-I)	30.11.2028	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-I) for IT/ITES project having Plot area of 28,189.99 Sq.m out of Total plot area of 1,03,940 Sq.m and Construction BUA of 67,664.14 Sq.m out of Total Construction BUA of 3,03,895.91 Sq.m.</p> <p>Committee also noted that, PP has obtained Environment Clearance, provided STP & OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate (Part-I) by imposing BG and standard conditions for Infrastructure projects.</p> <p>Consent shall be issued after receipt of additional Consent fees.</p>
26	MPCB- CONSENT- 0000185134	Support Properties Pvt Ltd MIDC, Rabale, Village: Savli, Ghansoli, Tehsil: Thane, District: Thane, Maharashtra Thane	APPROVED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier	<p>Committee noted that PP has applied for grant of consent to Establish for IT & ITES activity for total plot area 2,51,934.30 Sq. mtrs. and total construction Builtup area 1,11,349.02 Sq. mtrs with CI of Rs. 2501.14 Crs.</p> <p>Committee also noted that obtained Environmental Clearance for EC for TPA 2,51,934.30 Sq.m and BUA-5,37,233.95 Sq. Mtrs. on 11.12.2023. with CI of Rs. 9023.88 Crs. Domestic water consumption will be 11 M3 and sewage generation will be 10 M3 and proposed STP capacity of 11 CMD.</p> <p>After due deliberation, it was decided to grant consent to Establish for IT & ITES activity for total plot area 2,51,934.30 Sq. mtrs. and total construction Built-up area 1,11,349.02 Sq. mtrs. With CI of Rs. 2501.14 Crs., by imposing standard conditions and bank guarantee.</p>
27	MPCB- CONSENT- 0000187268	D DECOR HOME FABRICS PVT	APPROVED Renewal of Consent.	31.01.2029	Committee noted that PP applied for Renewal of consent for Texturized Yarn & Twisting Yarn, Dyeing of Yarns, Dyeing of Fabrics, Embroidery Fabrics, Greige Cloth.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		LTD PLOT NO F6/1 MIDC TARAPUR PALGHAR			<p>Committee also noted that, they have provided Primary, secondary & tertiary system with RO. provided combined ETP comprising primary+ secondary+ tertiary treatment. 50 % treated effluent recycle in process and remaining discharge to CETP, Industry has installed two way SCADA, NRV, Autosampler.</p> <p>After due deliberation, Renewal of existing., by imposing following conditions:</p> <p>1. Industry shall submit/ Extend BG as per existing consent conditions.</p>
28	MPCB- CONSENT- 0000187615	I G Petrochemical s Ltd Plot No T-2/part Plot No T-2/part ,Taloja Industrial Area,MIDC,T aloja, Dist Raigad- 410208 Panvel	APPROVED Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier	<p>Committee noted that Industry has now applied for Consent to Establish for expansion to manufacturing of Plasticizers (Synthetic Organic Chemical) – 75000 TPA with byproduct Monoester salt- 2000 TPA which is downstream product of existing processes of IGPL.</p> <p>Committee also noted that Obtained renewal of consent to operate which is valid up to 31.03.2027 and unit has applied for Terms of Reference to MoEF &CC and accorded ToR vide No. File No. IA-J-11011/508/2022-IA-II(I) dated 01/05/2023.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion to manufacturing of Plasticizers (Synthetic Organic Chemical) – 75000 TPA with byproduct Monoester salt- 2000 TPA which is downstream product of existing processes of IGPL, subject to not to take effective steps prior to obtaining Environment Clearance, imposing bank guarantee and standard conditions.</p>
29	MPCB- CONSENT- 0000188823	BHAKTIVEDA NTA HOSPITAL & RESEARCH INSTITUTE (APPROVED Renewal of Combine Consent with	27.01.2027	Committee noted that HCE has applied for applied for Renewal of Combined Consent to operate & BMW Authorization with increase in beds for 100 + 200 = 300 beds hospital on total plot area of 7381 Sq.Mtr & total BUA of 12,458 Sq.mtr.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		A PROJECT OF SRI CHAITANYA SEVA TRUST)SRIS HTI COMPLEX, BHAKTIVEDANTA SWAMI MARG, MIRA ROAD EAST, DIST. THANE	increase in beds		<p>Committee also noted that HCE has obtained Renewal of combine consent & BMW authorization vide dated 19.07.2022, valid up to 27.01.2024 for 200 beds hospital on total plot area of 7381 Sq.Mtr & built up area of 12,458.6 Sq.Mtr with CI of Rs. 56.33 Crs. The IE is 6.0 CMD & DE is 184 CMD, HCE has provided ETP & STP. JVS result of STP outlet dated 12.12.2023 is well within limit.</p> <p>Committee further noted that HCE has submitted letter regarding additional beds that it is procured on site & not installed, however, provision for installation of these beds are made in the existing building without increase in BUA & want to operate along with renewal of consent.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combined Consent to operate & BMW Authorization with increase in beds for 100 + 200 = 300 beds hospital on total plot area of 7381 Sq.Mtr & total BUA of 12,458 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall properly operate STP & ETP to achieve consented norms. 2. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of additional consent fee.</p>
30	MPCB-CONSENT-0000188417	BHARAT PETROLEUM CORPORATION LIMITEDS. Nos. 9/1 10 11/1 11/2	APPROVED Consent to 1 st Operate	28.02.2025	<p>Committee noted that HCE has applied for applied for 1st Consent to operate for LPG bottling 60,000 Nos/d with 3 x 600 MT mounded storage vessels.</p> <p>Committee also noted that PP has obtained consent to establish vide dated 07.10.2021. The generation of IE is 4 CMD & DE is 12 CMD, for the same, PP has provided ETP & STP. PP has submitted BG of Rs. 25.0 Lakh, valid</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		11/3 11/4 12 13 14/1 14/2 Village- Parade & Dapiwali, Tal- Khalapur/Pan vel, District- Raigad, Maharashtra â€“ 410207 Tal- Khalapur/Pan vel			up to 31.12.2026 towards compliance of consent conditions. After due deliberation, it was decided to consider the application for 1 st Consent to operate for LPG bottling – 60,000 Nos/d with 3 x 600 MT capacity mounded storage vessels for LPG storage by imposing following conditions. <ol style="list-style-type: none"> 1. PP shall operate ETP & STP to achieve consented norms. 2. PP shall ensure that pressure relief, blow down or emergency depressurization is done in an environmentally sound manner. 3. PP shall implement a comprehensive leak detection program for LPG leak concentration for storage tanks, piping, fittings & associated auxiliaries. 4. For truck loading operations, balancing line with gas recovery or treatment system shall be used so as not to cause VOC emissions into the atmosphere. 5. PP shall strictly adhere to the onsite & offsite disaster management plan. 6. PP shall submit/extend the BG of Rs. 25.0 Lakh towards compliance of consent conditions.
31	MPCB- CONSENT- 0000189690	BHUSAWAL THERMAL POWER STATION Unit No.6 (660 MW) Bhusawal Pimpri Sekam, Tal Bhusawal & Dist-Jalgaon.	APPROVED Consent to 1 st Operate	31.12.2024	Committee noted that PP applied for 1 st consent to operate for Electricity Generation- 660 MW. Committee also noted that, this case was discussed in the CAC meeting dtd. 27.12.2023 it was decided to issue Show Cause Notice for refusal of consent for non-compliance of 80% completion work of ETP, STP, Air pollution control systems, enhancement in C.I. by Rs. 1978.211 Crs and non-payment of additional fees, FGD plan, ETP/STP adequacy, water budget & effluent issue, non-submission BG and details of the online monitoring system and CAAQMS and automatic real time monitoring system for coal ash analysis. Accordingly, SCN was issued on 1.01.2024.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, PP has submitted reply on 09.01.2024 and Board Official has visited on 5.02.2024 and reported that civil work of ETP & STP is completed and about 90% work of machinery work has completed, and PP has submitted that the said work will complete upto 31.03.2024. Civil work of Boiler has completed and provided ESP to the coal fired boiler with stack of 275 meters height. FGD work is in the initial stage and will complete upto Nov. 2024. (MOEFCC timelimit-31.12.2026). The work of DM Plant, cooling tower and CPU is completed. Conveyor belts are covered except Conveyor No. 7 and reportedly will be completed before the coal firing activity. The work of Wagan Tippler and railway route is in progress. PP has proposed to treat the effluent of trail run period into the ETP located at 500 MW and submitted details of ETP and effluent from Unit 3, 4, 5 and 6 for trail only. Dedicated ETP of capacity 7200 CMD will be used for 3200 CMD effluent after commissioning of the unit No.6. PP has submitted that enhancement in C.I. is due to modification in the APCS devices to achieve the emission norms and due to delay in process led to increase in expenditure. Payment has been made for enhancement in C.I.PP has also justified Effluent reduction as due to provision of side stream filters for cooling water, hence effluent will be generated from DM plant, CPU and boiler only. Installation of CAAQMS (3 Nos) will be finalized in consultation with MPCB as material received at site and 1 OCEMS will be installed before firing. BG submission in process.</p> <p>After due deliberation, it was decided to grant for 1st consent to operate for Electricity Generation- 660 MW by imposing standard conditions of Thermal Power Plant and following conditions:</p> <ol style="list-style-type: none"> 1. PP shall complete the work of effluent and sewage treatment plant, air pollution control system of all units before commissioning of the unit by ensuring adequacy and shall report to the respective Sub Regional and Regional Office. 2. The sulphur and ash content in the coal to be used in the Thermal

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Power Plant shall not exceed 0.5% and 34 % respectively.</p> <ol style="list-style-type: none"> 3. PP shall install and operate ETP and STP and shall submit the adequacy feasibility report within 3 months period. 4. PP shall install Flue Gas De Sulphurization (FGD) System and comply with the emission norms as per timeline prescribed in MOEF & CC Notification dtd.31.03.2021 & 5.09.2022. PP shall submit the time bound action plan for the same within 1 month. 5. PP shall comply with the Fly Ash utilization, as per MOEFCC notification dtd. 31.12.2021 & 30.12.2022 to achieve 100% utilization of Fly Ash. PP shall dispose legacy pond ash regularly. 6. PP shall cover conveyor belt No. 7 and complete the work of Wagan Tippler and railway route before commissioning of the unit. 7. PP shall install & operate an online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server within 3 months. 8. PP shall submit the undertaking within 15 days for compliance of consent conditions stipulated in the consent to the Board. 9. PP shall submit/extend BGs as per BG regime of the Thermal Power Station. <p>Consent shall be issued after receipt of BG of consent to establish.</p>
32	MPCB- CONSENT- 0000182578	Cavalcade Properties Pvt. Village. Mohammadw adi, Tal. Haveli, Dist. Pune.	APPROVED Consent to Establish for Expansion	Commissio ning of the project or up to 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for Expansion in existing Residential & Commercial Construction project 'Raheja Vista Phase VI' having Total plot area of 28,195.45 Sq.m and Total Construction BUA of 1,23,361.53 Sq.m [as per specific condition No. B(5) of EC dtd. 21/07/2023].</p> <p>Committee also noted that PP has obtained Environment Clearance for Expansion, proposed to provide STP & OWC.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation it was decided to grant Consent to Establish for Expansion by imposing BG and standard conditions for Infrastructure projects.
33	MPCB- CONSENT- 0000189241	Twenty Five South Realty Ltd Mahim in G/North Ward, Prabhadevi, Mumbai-400025.	APPROVED Consent to 1 st Operate (Part-I)	31.01.2025	<p>Committee noted that, PP has applied for grant of 1st Consent to Operate (Part-I) for Construction of Residential project having Total plot area of 21,489.30 Sq.m and Construction BUA of 84,379.78 Sq.m out of Total Construction BUA of 1,19,601.49 Sq.m (As per Specific condition No. IX of EC dtd. 08/01/2020).</p> <p>Committee also noted that, PP has obtained Environment Clearance, provided STP & OWC.</p> <p>After due deliberation it was decided to grant 1st Consent to Operate (Part-I) by imposing BG and standard conditions for Infrastructure projects.</p>
34	MPCB- CONSENT- 0000188618	Owens Corning India Private Limited, Plot No T-28 MIDC Industrial area , Taloja Panvel	APPROVED Renewal of Consent to Operate	31.01.2027	<p>Committee noted that PP has applied for Renewal of Consent to Operate for the manufacturing of Fiber glass – 1,52,000 MT/A, fabricated & drain glass – 15,300 MT/A, un-shredded glass – 20,000 MT/A.</p> <p>Committee also noted that the previous renewal of consent granted by Board vide dated 11.10.2023, valid up to 31.01.2024. The IE generation is 1242 CMD & DE is 70 CMD, for the same PP has provided combine treatment system comprising primary, secondary & tertiary treatment system followed by UF & RO. Partly treated effluent passed through RO & permeate recycled back in process. RO reject & partly treated effluent mixed with each other & connected to CETP for further treatment & disposal. Also, PP has increased CI by Rs. 45.31 Crs, for the same paid requisite C to E fees.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for Renewal of Consent to Operate for the manufacturing of Fiber glass – 1,52,000 MT/A, fabricated & drain glass – 15,300 MT/A, un-shredded glass – 20,000 MT/A by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall provide separate Sewage Treatment Plant within next 6 Months to treat the sewage generated & treated sewage will be used on land for gardening purposes. 2. PP shall operate ETP scientifically to achieve consented norms. 3. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions.
35	MPCB-CONSENT-0000188839	EON Kharadi Infrastructure Pvt. Ltd. Knowledge Park, Kharadi, Tal. Haveli, Dist. Pune-411014.	APPROVED Renewal of Consent to Operate	31.01.2029	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate for IT/ITES Bldg “EON Free Zone (Phase-I)” having Total plot area of 1,80,000 Sq.m and Total Construction BUA 5,44,796.08 Sq.m.</p> <p>Committee also noted that, PP has obtained Environment Clearance, provided STP & OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by extending the existing BG and by imposing standard conditions for Infrastructure projects.</p>
36	MPCB-CONSENT-0000189081	Paras Thermal Power Station, Paras S.No.120A, 120B,120C,1 20D,1032&11 84 Paras	APPROVED Renewal of Consent to Operate	31.12.2024	<p>Committee noted that PP applied for renewal of consent to operate for Electricity Generation (coal based thermal power plant) (Unit-3 & 4) (2x250 MW)- 500 MW.</p> <p>Committee also noted that, this case was discussed in the CAC meeting dtd. 27.12.2023 it was decided to issue Show Cause Notice for refusal of consent for exceedance of JVS results of stack, Audited Balance sheet, use of ash and sulphur content non provision of online coal ash analyzer, fly ash</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Balapur			<p>utilization status, FGD Plan, enhancement in fly ash and Bottom ash, Non submission of BG and adequacy of ETP. Accordingly, SCN was issued on 1.01.2024.</p> <p>Committee further noted that, PP replied on 05.01.2024 and submitted that TPS is trying to maintain the maximum ESP fields however, sometimes same were not in service. Rectification work is done regularly. PM10 is exceeding due to vehicular movements around TPS. Submitted C.A. certificate of Rs. 3494.6537 Crs. PP has replied against ash and sulphur content and online real time coal ash analyzer that as per MOEFCC Notification dtd.23.05.2020 it is permitted to use coal by TPS without stipulation as regards ash content and requested to relax the conditions. However, the same is permitted subject to compliance of Setting up Technology Solution for emission norms i.e. compliance of specified emission norms for particulate matter, Management of Ash Ponds w.r. to fly ash notifications, Transportation. Still demand raised for online Real time coal ash analyzer without submission of compliance of the same. FGD installation is under process and MOEFCC timeline is 31.12.2026. PP has submitted utilization of Fly ash and Pond ash details. The specific reason of enhancement in fly ash is not justified. ETP provided 1000 m3/hr. BG is yet not submitted.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for one year period by imposing following conditions and standard conditions of Thermal Power Station:</p> <ol style="list-style-type: none"> 1. PP shall install Flue Gas De-sulphurisation (FGD) System and shall comply with the emission norms as per the timeline prescribed in MoEF & CC Notification dated 05.09.2022. 2. PP shall provide Online Real time coal ash analyzer within 3 months. 3. By forfeiting the BG of Rs.25.0 Lakh towards exceedance of

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>JVS stack and AAQM monitoring results.</p> <p>4. PP shall submit the bank guarantee as per BG regime for the Power plant.</p> <p>5. PP shall submit the undertaking within 15 days for the compliance of consent conditions within 6 months.</p> <p>Consent shall be issued after obtaining Valid BGs and BG forfeiture compliance as per last consent.</p>
37	MPCB- CONSENT- 0000187529	Maharashtra State Power Generation Company Ltd, Parli Thermal Power Station (Unit VI & VII)378,379,397,400,401,402,417 & 418 Dadahari Wadgaon Parli Vaijnath	APPROVED Renewal of Consent to operate	31.12.2024	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Coal based TPS- Unit-6 -250 MW & Unit No.7-250MW) -500 MW.</p> <p>Committee also noted that EC is granted vide dtd.11.10.1990 and 1.09.2006 and C to O was valid upto 31.12.2023. PP has provided STP and primary ETP for the treatment of sewage and trade effluent respectively. PP has provided ESP to the Boiler and CAAQMS with server connectivity to MPCB server. Board has issued SCN vide dtd.31.01.2023 for non-provisions of fencing to the ash bund, internal road, non-submission of BG.</p> <p>The committee further noted that, Analysis result of Stack monitoring carried out on 29-01-2023 of TPM-161 Mg/Nm³, on 22.06.2023 of TPM parameter-159 Mg/Nm³, dtd 27.07.2023 of TPM parameter- 185 Mg/Nm³, dtd 29.11.2023 of TPM parameter- 162 Mg/Nm³ & TPM 171 Mg/Nm³ are exceeding the consent limit of TPM-50 Mg/Nm³ and PP has replied to the discrepancies and submitted that in house MOEFCC approved laboratory Results are within the consented limit. OFA for NO_x reduction is not provided and values of NO_x are within limit. Online real time coal ash analyzer is not provided. Specific water consumption is 3.44 M³/MW. Fly ash utilization is 53.18% (April-23 to Dec.2023. FGD installation will be</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>completed upto 31.12.2024. Legacy ponds ash is not disposed and submitted that E-auction process is completed. BG of Rs. 20.0 Lakh out of 99 Lakh is not submitted stating applicable BG's submitted. PP justified that additional capitalization is received for this TPS. Tree plantation on the abandoned Ash bund No.1 is demolished, and ash stacking is illegally without any record, fencing, timekeeper and green belts with multiple approach roads. Reportedly offline JVS bill has paid.</p> <p>After due deliberation, it was decided to grant renewal of Consent to operate for one year for Electricity Generation (Coal based TPS- Unit-6 - 250 MW & Unit No.7-250 MW) -500 MW, by imposing standard conditions of TPP and following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs. 30 Lakh for exceedance of JVS results of stack and AAQM and towards non-compliance of consent conditions. 2. PP shall improve the conditions of Ash Bund No.1 with fencing, providing timekeeper and record including vehicle movements, Tree plantation and shall comply with the MoEF & CC notification vide S.O. 5481(E) dtd.31.12.2021 & its amendment dtd.30.12.2022. 3. PP shall submit the detailed action plan along with bar chart for installation of FGD, as per MoEF notification dtd. 31.03.2021 & its amendment dtd.30.12.2022. 4. PP shall take Immediate measures for installation of low NOx burners providing Over Fire Air (OFA) and achieve progressive reduction to comply NOx emission limit. 5. PP shall operate online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board (CPCB & MPCB) server.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. PP shall provide Online Real time coal ash analyzer within 3 months.</p> <p>7. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% & 0.5% respectively).</p> <p>8. PP shall submit/extend the bank guarantee as per BG regime for the Power plant.</p> <p>9. PP shall submit the undertaking in 15 days for the compliance of consent conditions within 6 months period.</p> <p>Consent shall be issued after submission of remaining BGs of Rs. 20.0 Lakh, JVS Bills and confirmation of the BG forfeiture of Rs. 25.0 Lakh as per last consent.</p>
38	MPCB- CONSENT- 0000190379	Maharashtra State Power Generation Company Ltd. Parli Thermal Power Station (Unit- VIII)399,400,4 09 upto 428 & 435 Wadgaon (Dadahari) Parli Vaijnath	APPROVED Renewal of Consent to Operate	31.12.2024	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Coal based TPP-1x250 MW) Unit-VIII-250 MW.</p> <p>Committee also noted that renewal of consent to operate was valid upto 31.12.2023. PP has provided STP and primary ETP for the treatment of sewage and trade effluent respectively. PP has provided ESP to the Boiler and CAAQMS with server connectivity to MPCB server. Board has issued SCN vide dtd.31.01.2023 for non-provisions of fencing to the ash bund, internal road, non-submission of BG. Analysis result of Stack monitoring carried out on 29-01-2023 of TPM-158 Mg/Nm³, JVS results stack of sample dtd 27-07-2023 of TPM parameter-423 Mg/Nm³, dtd 31-08-2023 of TPM parameter- 166 Mg/Nm³, dtd 27-10-2023 of TPM parameter- 158 Mg/Nm³ are exceeding the consent limit of TPM-50 Mg/Nm³ and JVS of AAQM sample collected on 29-01-2023 w.r. to PM10- 124 ug/m³ and 129 ug/m³ are exceeded the consented standards.</p> <p>The committee further noted that PP has replied to the discrepancies and</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>submitted that Inhouse JVS Results of stack and AAQM are analyzed by MOEFCC approved laboratory and are within the consented limit. ETP installation work is completed and commissioned. PP has not provided OFA for NOx reduction and not provided Online real time coal ash analyzer. Specific water consumption is 3.44 M3/MW. Fly ash utilization is 53.18% (April-23 to Dec.2023), FGD installation will be completed upto 31.12.2024. (MOEFCC timeline is upto 31.12.2026) Legacy ponds ash is not disposed and submitted that E-auction process is completed. BG of Rs. 15.0 Lakh out of 94 Lakh is not submitted stating applicable BG's submitted. PP justified that additional capitalization is received for this TPS. Tree plantation on the abandoned Ash bund No.1 is demolished, and ash stacking is illegally without any record, fencing, timekeeper and green belts with multiple approach roads. Reportedly offline JVS bill has paid.</p> <p>After due deliberation, it was decided to grant renewal of Consent to operate for one year for Electricity Generation (Coal based TPP-1x250 MW) Unit-VIII-250 MW, by imposing standard conditions of TPP and following conditions.</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs. 30 Lakh for JVS exceedance of stack and AAQM, non-compliance of consent conditions. 2. PP shall improve the conditions of Ash Bund No.1 with fencing, providing timekeeper and record including vehicle movements and shall comply with the MoEF & CC notification vide S.O. 5481(E) dtd.31.12.2021 & its amendment dtd.30.12.2022. 3. PP shall submit the detailed action plan along with bar chart for installation of FGD, as per MoEF notification dtd. 31.03.2021 & its amendment dtd.30.12.2022. 4. PP shall take Immediate measures like installation of low NOx burners

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>providing Over Fire Air (OFA) and achieve progressive reduction to comply NOx emission limit.</p> <ol style="list-style-type: none"> 5. PP shall operate online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board (CPCB & MPCB) server. 6. PP shall provide Online Real time coal ash analyzer within 3 months. 7. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% & 0.5% respectively). 8. PP shall submit the bank guarantee as per BG regime for the Power plant. <p>Consent shall be issued after receipt of the BG's of Rs. 15.0 Lakh, JVS bills and after confirmation of the BG forfeiture of Rs. 25.0 Lakh as per last consent.</p>
39	MPCB- CONSENT- 0000190547	M. S. P.G. C. L., KHAPERKHE DA THERMAL POWER STATIONSite wara: 71 to 117 & Bhanegaon : 1 to 35 Khaperkheda Saoner	APPROVED Renewal of Consent to operate	31.12.2024	<p>Committee noted that PP applied for renewal of consent to Operate for 1340 MW (Unit 1 to 4-210 MW each and Unit -5-500 MW).</p> <p>Committee also noted that PP has obtained EC vide dtd. 2.06.2006 and C to O was valid up to 31.12.2023. ETP and STP are provided for trade effluent and sewage treatment. ESP is provided to all 5 units with stack. Work of FGD installation for unit 3 & 4 is completed and operation will be started in March, 2024. For Unit 5 LoA is issued on 16.11.2023 and Expected work will be completed in Feb.2026 and work of FGD for Unit 1 & 2 are in tendering process. However, MOEFCC Timeline is upto 31.12.2024 being A category TPP. Online monitoring system is provided.</p> <p>Committee further noted that, Analysis results of effluent sample collected from ash bund toe overflow on 15.03.2023 are exceeding the parameters for pH-8.6, 8.7 and 8.8, SS parameter-114, 126 and 136 mg/lit (Std-100 mg/l) and other samples collected on 20.07.2023 are also exceeding the</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>parameter of SS 144, 168 and 338 mg/L (Std-100 mg/l). Online stack monitoring results are exceeding the parameters of TPM and SO2. Also, the Board has issued directions for various non compliances and expired BGs are not validated. PP has not provided an online coal ash Analyzer.</p> <p>Committee further noted that, PP has submitted balance sheet and submitted that the seepage water and waste weir overflow of fly bund is collected and reused for ash disposal. Sand based Filters provided toe drains as well as natural Nalla terminating towards Kolar River. The present capacity of Waregaon Ash bund is almost exhausted and stability of the same is not ascertained. As the waregaon ash bund is exhausted and the MAHAGENCO is raising the height of ash bund, PP should submit the fresh proposal for new ash bund within two months' time. PP has submitted details of the compliance of directions and submitted approval letter of BGs from the competent authority of the MSPGCL with assurance to submit BGs at the earliest.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for one year period by imposing following conditions and standard conditions of Thermal Power Plant :</p> <ol style="list-style-type: none"> 1. PP shall install Flue Gas De-sulphurisation (FGD) System and shall comply with the emission norms as per the timeline prescribed in MoEF & CC Notification dated 05.09.2022. 2. PP shall provide Online Real time coal ash analyzer within 3 months. 3. PP shall submit the fresh proposal for new ash bund within 2 months period as rising the height of ash bund. 4. By forfeiting the BG of Rs.50.0 Lakh towards noncompliance of consent conditions and towards exceedance of effluent results. 5. PP shall submit/extend the Bank Guarantees as per BG regime for

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>the Power plant.</p> <p>Consent shall be issued after obtaining BG and BG forfeiture compliance.</p>
40	MPCB- CONSENT- 0000190391	CLEAN FINO- CHEM LIMITED Plot No.-D-2, MIDC Kurkumbh Plot No.-D-2, MIDC Kurkumbh Daund	APPROVED Consent to 1 st Operate. (Part-I)	31.01.2025	<p>Committee noted that PP has applied for 1st consent to operate (Part I) for manufacturing of 17 Nos synthetic Organic Chemicals (81420 MT/A) out of 40 products (214500 MT/A).</p> <p>Committee also noted that PP has obtained Consent to establish expansion dtd. 30/12/2022. EC granted by GoM vide No. SIA/MH/IND3/409206/2022 dtd.06.06.2023.</p> <p>Committee further noted that PP has submitted BG of Rs. 25 lakh towards compliance of consent conditions which is valid upto 11.12.2025. Installation work is completed.</p> <p>After due deliberation, it was decided to grant 1st consent to operate (Part I) manufacturing of 17 Nos synthetic Organic Chemicals out of 40 products by imposing standard and following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with the Environmental Clearance granted by GoM vide No. SIA/MH/IND3/409206/2022 dtd.06.06.2023. 2. PP shall ensure to segregate trade effluent into strong & weak stream and provide separate treatment system & recycle the treated effluent to achieve the consented norms. 3. PP shall dispose of the Hazardous Waste as per the provision of H&OW Rule. Industry shall not install Incinerator for disposal of Hazardous Waste and same shall be disposed through common facility. 4. PP shall install online continuous monitoring system as per CPCB

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>guidelines & data to be transmitted directly from Data Logger to Board server.</p> <p>5. PP shall comply with the PESO License conditions as issued by the Controller of Explosive, PESO, Mumbai.</p> <p>6. PP shall submit/Existing BG for O & M of PCS and compliance of consent and Environmental conditions.</p>
41	MPCB- CONSENT- 0000191542	Terna Speciality Hospital and Research Centre NerulPlot No.12, Sector -22, Opp. Nerul Railway station. Phase II, Nerul (W), Navi Mumbai	APPROVED Consent to Establish for Expansion	Commissio ning of unit or 5 years, whichever is earlier.	<p>Committee noted that HCE has applied for Consent to Establish for expansion for 300 beds Hospital on total plot area of 40,005 Sq.Mtr & total BUA of 15,037 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained combined consent to operate & BMW authorization vide dated 30.07.2022 which is valid up to 31.05.2025 with CI Rs. 54.8 Crs. The IE generation is 5.0 CMD & DE is 108 CMD, for the same, HCE has proposed to upgrade the capacity of existing ETP & STP.</p> <p>After due deliberation, it was decided to consider the application for Consent to Establish for expansion for 300 beds Hospital on total plot area of 40,005 Sq.Mtr & total BUA of 15,037 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall provide adequate STP & ETP to treat sewage & trade effluent. 2. The treated effluent/sewage shall 60% recycle for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening/connected to Municipal sewerage system. 3. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
42	MPCB- CONSENT- 0000190157	DDECOR EXPORTS PVT. LTD.G- 7/1 G-7/1, MIDC, Tarapur Palghar	APPROVED Renewal of Consent	31.01.2029	<p>Committee noted that PP applied for Renewal of consent for Texturized Yarn & Twisting Yarn, Dyeing of Yarns, Dyeing of Fabrics, Embroidery Fabrics, Greige Cloth.</p> <p>Committee also noted that, they have provided primary, secondary and tertiary effluent treatment plant followed by RO, MBR and MEE. Treated effluent 50% recycle and remaining send to CETP. Domestic effluent also treated in existing ETP.</p> <p>After due deliberation, Renewal of existing., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/ Extend BG as per existing consent conditions.
43	MPCB- CONSENT- 0000191456	Wadhwa Construction & Infrastructure Private at Mauje Vardoli, situated at Taluka Panvel, District Raigad, Maharashtra Panvel	APPROED Consent to 1 st Operate (Part-II)	31.12.2024	<p>Committee noted that applied for grant of consent to operate (Part-II) for residential building construction project for total plot area 8,46,129.39 sq.mtr. & total construction BUA is 27,975 sq.mtr. with CI of Rs. 196.67 Crs.</p> <p>Committee also noted that Obtained consent to establish (Expansion) dated 18/07/2023. Environmental Clearance EC dated 24/06/2020 for total plot area 8,46,129.39 & total BUA is 4,58,145.51 sq.mtr.</p> <p>Committee further noted that PP has completed construction work of bungalows. Submitted Architect Certificate for 2,45,443 Sq.Mtrs..</p> <p>After due deliberation, it was decided to grant consent to operate (Part-II) for residential building construction project for total plot area 8,46,129.39 sq.mtr. & total construction BUA is 27,975 sq.mtr. with CI of Rs. 196.67 Crs., by imposing standard conditions and bank guarantee.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
44	MPCB- CONSENT- 0000189526	The Automotive Research Association of India, Homologation and Technology Centre (HTC)Plot No.E1/1 Chakan MIDC Khed	APPROVED Consent to 1 st Operate for Expansion with Renewal of Existing.	31.01.2025	<p>Committee noted that PP applied for first consent to Operate for Perform Thermal Propagation Test / Battery abuse tests and Vehicle Quarantine shed with Renewal of Existing.</p> <p>Committee also noted that, PP obtain Consent to Establish on 02.2.2023.</p> <p>provided Effluent Treatment Plant (ETP) of designed capacity of 5.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Tertiary (Pressure sand filter, Dual media filter, Activated carbon filter) for the treatment of 4 CMD of trade effluent. Treated water is recycled in process.</p> <p>Committee further noted that, Industry has provided APC system to all emission sources i.e. DG sets, fire pumps , test beds, work shop VVT shed, ETC 1 and 2. (detail attached in application form). They have provided scrubber system to thermal Propagation test/ Battery abuse tests setup with 23 mtrs height of stack.</p> <p>After due deliberation, it was decided to Consider 1st consent to operate with renewal of existing., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and O & M of pollution control system. 2. The BG obtain against C to E dtd. 02.02.2023 is released.
45	MPCB- CONSENT- 0000190997	Lupin Limited (Research Park)46A/47A Village- Nande, Dist- Pune-412115	APPROVED Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has now applied for consent to establish for expansion i.e for Installation of Plant & Machinery, Lab Equipment & Glassware, Fire Fighting system, Computer Appliances & system, Furniture & Fixtures, Electric al & Electronics Instrument etc.</p> <p>Committee also noted that PP is shifting sister concern Lupin Ltd</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Mulshi			<p>(Biotechnology Testing & Analytical Facility) –Ganga Silicon Square, Wakad, Pune.- Wakad & LBC Equip. obtained renewal of consent to operate dated 21.06.2023 which is valid up to 30.04.2028.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion for shifting sister concern Lupin Ltd (Biotechnology Testing & Analytical Facility), imposing bank guarantee and standard conditions.</p>
46	MPCB- CONSENT- 0000191992	Panchshil Techpark Private Limited (Panchshil Business Park) Lohegaon, Viman Nagar, Tal. Haveli, Dist. Pune.	APPROVED Renewal of Consent to Operate	28.02.2029	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate for IT/ Commercial development project having Total Plot Area of 23,900 Sq.m and Total Construction Built Up Area of 1,38,373.55 Sq.m.</p> <p>Committee also noted that, PP has obtained Environment Clearance, provided STP & b OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate by extending the existing BG and by imposing standard conditions for Infrastructure projects.</p>
47	MPCB- CONSENT- 0000192504	Hindustan Coca-Cola Private Ltd Additional Lote- Parshuram Industrial Area Khed	APPROVED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for Consent to Establish for production Carbonated Soft Drinks, Juices and Drinking water.</p> <p>Committee also noted that, proposed to provide ETP comprising primary, secondary and Tertiary system. You are also proposed advance tertiary system like ultra filtration, RO, and MEE & Dryer. Effluent is partly recycled & partly for gardening.</p> <p>PP proposed to provide Bag filter as APC to Boiler.</p> <p>After due deliberation, it was decided to grant Consent to Establish (Expansion) for production Resin to PET Preform and Carbonated Soft</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Drinks, by imposing following conditions: 1. Industry shall submit BG of Rs. 25 lakh for compliance of consent conditions.
48	MPCB- CONSENT- 0000193832	Hindustan Unilever LtdC-9 MIDC Industrial Area Khamagon	APPROED Consent to 1 st Operate (Expansion)	28.02.2027	Committee noted that Industry has applied for Industry has now applied for consent to operate for expansion for storage of construction of new shed i.e storage & utilization of Maize corn Starch (Food Grade). Committee also noted that obtained renewal of consent to operate dated 03.07.2022 which is valid up to 28.02.2023. Obtained consent to establish expansion dated 14.12.2023. After due deliberation, it was decided to grant consent to operate for expansion for storage of construction of new shed i.e storage & utilization of Maize corn Starch (Food Grade) amalgamation with existing consent, imposing bank guarantee and standard conditions.
49	MPCB- CONSENT- 0000191804	YES REALTYS. at Village Mumbra, Dist: Thane, Maharashtra Thane	APPROED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier	Committee noted that Applied for grant of Consent to Establish for Building Construction Project of the total plot area 101523.74 Sq.Mtrs and total proposed BUA of – 2,90,433.04 Sq.Mtrs with CI of Rs. 890 Crs. Committee also noted that TOR from SEIAA Maharashtra on 30/6/2023 they have submitted EIA report vide proposal No. SIA/MH/INFRA2/456774/2023 dated 1/1/2024 for the proposed Residential & Commercial development. open plot, without any construction activity. Plot was barricaded by Tin sheet. After due deliberation, it was decided to grant Consent to Establish for Building Construction Project of the total plot area 101523.74 Sq.Mtrs and total proposed BUA of – 2,90,433.04 Sq.Mtrs with CI of Rs. 890 Crs., by imposing standard conditions and bank guarantee.

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
50	MPCB-CONSENT-0000191887	Gigaplex Estate Pvt. Ltd. MIDC, Village Dighe, Tal:- Navi Mumbai, Dis:- Thane, Maharashtra Thane	APPROED Renewal of Consent	31.01.2029	<p>Committee noted that PP has applied for Applied for grant of renewal of consent to operate for IT & ITES activity (Data Center Activity) for 194610.08 out of total BUA 984027.73 sq.m (Bldg No. 9 - 169183.41 Sq. Mtr. & Bldg No 1025426.67) with CI of Rs. 975.10 Crs.</p> <p>Committee also noted that Obtained consent to consent to operate for Total Plot Area of 2,02,300 SqMtrs for Construction BUA of 1,69,183.41 SqMtrs out of Total Construction BUA of 9,84,027.73 SqMtrs as per EC granted dated 25/02/2020. Obtained prior EC vide No. SIA/MH /MIS/62029/2021 dt. 13.09.2021 EC vide no. SIA/MH/MIS/78289/2022 dt. 26.05.2023.</p> <p>After due deliberation, it was decided to grant consent to operate for IT & ITES activity (Data Center Activity) for 194610.08 out of total BUA 984027.73 sq.m (Bldg No. 9 - 169183.41 Sq. Mtr. & Bldg No 1025426.67) with CI of Rs. 975.10 Crs., by imposing standard conditions and bank guarantee.</p>
51	MPCB-CONSENT-0000195215	Shri Dhaneshwari Manav Vikas Mandal Pedgaon, Tq and Dist Parbhani, Pedgaon, Parbhani	APPROVED Combined 1 st Consent to Operate & BMW Authorization	28.02.2029	<p>Committee noted that HCE has applied for 1st Combine Consent to Operate & BMW Authorization with increase in number of beds for 300 + 560 (increased) = 860 beds Hospital on total plot area of 1,00,100 Sq.Mtr & total BUA of 51,572.46 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained Consent to Establish vide dated 19.03.2021 for 300 beds & EC vide dated 12.05.2022. The IE generation is 5.0 CMD & DE generation is 304 CMD, for the same, HCE has provided under capacity ETP/STP of capacity 150 CMD which is to be upgraded.</p> <p>After due deliberation, it was decided to consider the application for 1st Combine Consent to Operate & BMW Authorization with increase in number of beds for 300 + 560 (increased) = 860 beds Hospital on total plot area of</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>1,00,100 Sq.Mtr & total BUA of 51,572.46 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall provide adequate STP & ETP to treat sewage & trade effluent. 2. The treated effluent/sewage shall recycle to maximum extent for secondary purposes such as HVAC cooling tower make up, toilet flushing & remaining on land for gardening. 3. HCE shall comply with the conditions stipulated in EC obtained vide dated 12.05.2022. 4. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of additional & penal fees.</p>
52	MPCB- CONSENT_ AMMENDMENT- 0000009922	HINDUSTAN PETROLEUM CORPORATION LIMITEDSOLAPUR LPG BOTTLING PLANT, F-5, MIDC CHINCHOLI, TAL MOHOL, DISTRICT SOLAPUR	APPROVED AMENDMENT	-----	<p>Committee noted that Industry has applied for amendment in consent. Board has granted consent to Operate in RED/LSI category for FILLING OF LPG IN CYLINDERS - 35000 No/D & REPAINTING OF OLD CYLINDERS – 600 Nos/Day under Red Category vide Dtd. 05/05/2022, which is valid up to 30/06/2026.</p> <p>Committee noted that H.W. of Cat 4.4 Organic residue from processes is 2.0 Kg/Day, whereas industry wants to amend it as Cat 4.4 Organic residue from processes - 700.0 Kg/M. The Cat 5.1 Used or spent oil is not mentioned in consent but industry wants to add H.W. as Cat 5.1 Used or spent oil – 600.0 Kg/M. 3. Industry also wants to amendment new Non H.W. generated as PLASTIC WASTE - 200 Kg/M disposed by SALE TO AUTHORIZED PARTY THROUGH MSTC & E-WASTE - 150 Kg/M disposed by SALE TO AUTHORIZED PARTY THROUGH MSTC in existing consent.</p> <p>After due deliberation, it was decided to grant amendment in consent.</p>

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
53	MPCB- CONSENT_ AMMENDM ENT- 0000011657	Pudumjee Paper Products Ltd.Thergaon, Chinchwad, Pune - 33.	APPROVED AMENDMENT	----	<p>Committee noted that PP applied for Amendment in Consent in Consent to Establish for change in Boiler capacity from 35 TPH to 40 TPH.</p> <p>The committee also noted that PP obtain Consent to Establish on 22/08/2023 for 35 TPH boiler.</p> <p>The Committee further noted that, if Capital Investment falls in same slab, additional fees may not be required.</p> <p>After due deliberation, it was decided to grant amendment in consent for Change in capacity of Boiler., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with all the conditions in previous consent dtd. 17.05.2019. 2. PP shall discharge only 2500 CMD treated water in River instead of 3750 CMD.
54	MPCB- CONSENT_ AMMENDM ENT- 0000012381	NESCO Limited NESCO Center, Western Express Highway, Goregaon (East), Mumbai - 400063	APPROVED AMENDMENT	-----	<p>Committee noted that, PP has applied for grant of amendment in Consent to Establish for Expansion i.e. inclusion of IT Building No. 3 & 4.</p> <p>After due deliberation it was decided to grant amendment in Consent to Establish for Expansion i.e. inclusion of IT Building No. 3 & 4 as per EC dtd 21/07/2023 with overriding effect on earlier Consent all other conditions will remain the same.</p>
55	MPCB- CONSENT- 0000196003	MAN VASTUCON LLP., Unit AARADHYA	APPROVED Consent to Establish	Commissio ning of unit or 5 years, whichever	Committee noted that PP has applied for Consent to establish (expansion + Revalidation) for total plot area 69399.50 Sq. Mt. Total BUA 110676.53 Sq.mt. with CI of Rs. 843.58 Crs.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		HIGHPARK - Old Village - Mahajanwadi. Taluka - Bhayandar, Dahisar	(Expansion)	is earlier.	<p>Committee also noted that obtained revalidate EC on 18/05/2023. obtained consent to Establish on 07/01/2020. obtained consent to part operate on 07/01/2020 which was valid up to 31.01.2024.</p> <p>After due deliberation, it was decided to grant Consent to establish (expansion + Revalidation) for total plot area 69399.50 Sq. Mt. Total BUA 110676.53 Sq.mt. with CI of Rs. 843.58 Crs., by imposing standard conditions and bank guarantee.</p> <p>Consent shall be issued after obtaining bank guarantee as per earlier consent conditions.</p>
56	MPCB- CONSENT- 0000196003	MAN VASTUCON LLP., Unit AARADHYA HIGHPARK -, Village - Mahajanwadi. Taluka - Bhayandar, Dahisar	APPROVED Consent to 1 st Operate (Part)	31.01.2025	<p>Committee noted that PP has applied for Consent to 1st operate (Part) with increase in built up area previous built up area 120387.79 Sq.mt + Additional area 33087.47Sq.mt = total BUA 153,475 Sq.mt. Crs. 797.72 Crs.</p> <p>Committee also noted that obtained revalidate EC on 18/05/2023. obtained consent to Establish on 07/01/2020. obtained consent to part operate on 07/01/2020 which was valid up to 31.01.2024.</p> <p>After due deliberation, it was decided to Consent to 1st operate (Part) for total plot area 69399 sq. mt. and total BUA 153,475 Sq.mt. Crs. 797.72 Crs., by imposing standard conditions and bank guarantee.</p> <p>Consent shall be issued after obtaining bank guarantee as per earlier consent conditions.</p>
57.	MPCB- CONSENT- 0000190302	Vikasratna Vilasrao Deshmukh Manjara S.S.S.K.L.L.,	APPROVED Consent to Establish	Commissioning of unit or 5 years whichever	<p>Committee noted that PP has applied for expansion for Compressed Biogas (CBG) -8 MT/D unit, H2S -800 Kg/day.</p> <p>Committee also noted that PP have existing ETP.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Chincholirao Wadi, Vilasnagar, Tal. & Dist. Latur-413531, Maharashtra.		is earlier	After due deliberation, it was decided to grant Consent to establish for the period up to commissioning of unit or 5 years whichever is earlier, by imposing following conditions: 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards provision of pollution control system and compliance of consent conditions.
58	MPCB-CONSENT-0000188716	Shri Vridheshwar Sahakari Sakhar Karkhana Ltd, Gat No. 105/1, 106, 441, Adinathnagar, Kasar Pimpalgaon, Tal. Pathardi, Dist. Ahmednagar.	APPROVED Renewal of Consent to Operate	31.12.2024	Committee noted that PP has applied for renewal of Consent to operate for 30 KLPD molasses base / sugarcane juice base distillery. Committee also noted that PP have ETP comprises MEE, RO, Incineration Boiler, CPU. Committee also noted that PP have provided Incineration boiler with ESP as APC. After due deliberation, it was decided to grant Consent to operate for the period up to 31.12.2024 by imposing following conditions: 1. Industry shall submit/extend Bank Guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions. 2. Industry shall submit justification for increase in CI.
59	MPCB-CONSENT-0000175538	Onkar Sakhar Karkhana Pvt Ltd (formely known as M/s. Shivajirao Patil	APPROVED Renewal of Consent to Operate	31.07.2024	Committee noted that PP has applied for renewal of consent for Sugar Crushing Capacity of 2500 TCD. Committee also noted that PP has provided ETP comprises primary, secondary & tertiary treatment. Committee further noted that PP has provided wet / water scrubber as APC.

Sr. No .	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Nilangekar SSK Ltd), Ambulga (bk), Tal; Nilanga, Dist Latur			<p>Committee also further noted that Board has issued SCN and PP has submitted reply based on SCN and requested to consider application for consent to operate.</p> <p>After due deliberation, it was decided to grant of consent to operate for sugar cane crushing capacity 2500 TCD by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG of Rs. 25 Lakh towards operation and maintenance of pollution control systems and compliance of consent conditions. 2. Consent shall be issued after obtaining additional / lapse period consent fees / Penal Fee charges, if any.