

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 2nd Consent Appraisal Committee Meeting of 2022-2023 held on 20.05.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 6 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 6					
1	MPCB- CONSENT- 0000010834	Manganga Sahakari Sakhar Karkhana Ltd.Sonarsidhanagar (Sugar Division) 106 and 107 Grampanchayat Pujarwadi Atpadi	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for Renewal of consent for 1250 TCD Sugar unit vide UAN No. 0000067269, 0000033449 & 0000010834. Time to time.</p> <p>Committee also noted that all cases are discussed and approved in different CAC meeting, but Committee noted that this office took the follow up with industry for submission of additional consent fee for grant of consent, but unit fail to submit the same in time.</p> <p>Board issued SCN for refusal on 18.01.2021, but till date PP not submitted reply of SCN & additional consent fee.</p> <p>Committee further noted that Board officials take follow up with industry time to time for submission of additional consent fee, but PP fail to submit the same. SRO Sangli inform by mail on 04.04.2022 that unit has not in operation since last 3 years & as communicated to him they are not able to pay the required consent fees.</p> <p><u>After due deliberation, it was decided to issue final refusal</u> of consent for all renewal cases.</p>
2	MPCB- CONSENT- 0000016564	Friends Development Corporation (Imperia) Pvt. Ltd. Residential & MMRDA Rental Housing project	NOT APPROVED Consent to 1st operate for building no 6 and Renewal of consent to operae	-----	<p>Committee noted that case was discussed in CAC meeting held on 18.08.2017 It was decided to grant the consent. Consent shall be granted after receipt of (1) Submission of Certificate from Architect regarding BUA completed for which they have applied for 1st Consent to Operate. (2) After installation of online monitoring system</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		â€œDosti Imperiaâ€œ Old Gut.No.52/1 Thane			<p>for the parameters Flow, BOD, and TSS at STP outlet and verification of the same from SRO/RO.</p> <p>Committee further noted that PP has requested the information repeatedly including and also been asked to re-apply but PP failed to respond. Hence, SCN was issued on 16/03/2021, but PP has failed to respond.</p> <p><u>After due deliberation, it was decided to call details & verification report from SRO within 15 days.</u></p>
3	MPCB- CONSENT- 0000016600	Dosti Corporation (Vihar) - Construction of Residential & MMRDA Rental Housing project â€œDosti Viharâ€œ S. No. 144/1A, 145(pt), 146 Thane	NOT APPROVED Renewal of consent to operate	-----	<p>Committee noted that case was discussed in CAC meeting held on 18.08.2017 and it was decided to grant the consent with condition to submit latest audited balance sheet and requisite consent fee, if any.</p> <p>Committee further noted that after repetitive reminder to submit the same and additional consent fee and to reapply, but PP failed to respond. Hence, SCN was issued on 16/03/2021, but PP failed to respond.</p> <p><u>After due deliberation, it was decided to call details & verification report from SRO within 15 days.</u></p>
4	MPCB- CONSENT- 0000019800	GOVERNMENT MEDICAL COLLEGE AND HOSPITAL AKOLA 41/11,12,13,14/1,1 4/2 AND 42/3/2,7/2 NEAR ASHOK VATIKA	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that application was discussed and not approved and call information in respect of Capital investment (PP submitted Rs. 0/- CI as govt. medical college & hospital), Water Budget, Technical</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		COLLECTOR OFFICE ROAD AKOLA AKOLA			<p>details of STP & ETP, category wise details of BMW GENERATION, Annual Returns etc.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area, category wise details of BMW GENERATION, Annual Returns and Required consent fee.</p>
5	MPCB-CONSENT-0000027095	Government Medical College & Hospital, Nagpur Medical Square	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP not submitted required documents as per MoM of CAC.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>
6	MPCB- CONSENT- 0000019537	ESIC Model Hospital opposite MIDC police station, Andheri (E) Mumbai	NOT APPROVED Combine Consent & BMW Authorization	-----	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that application was discussed in CAC meeting dtd. 12.12.2017 and it was decided to issue SCN for Combined Consent & BMW Authorization.” Accordingly, SCN was issued on 09.04.2018. PP submitted their reply on 12.08.2020 after vigorous follow up and not submitted proper reply. SRO office submitted verification report on 06.05.2022 on the basis of visit dtd. 23.04.2022 as per report, during visit HCE not found in operation, Demolition work of existing HCE building found in progress, Authorized representative was not present at site.</p> <p>SRO to submit details report regarding waste generation and disposal during operation of the HCE.</p> <p><u>After due deliberation, it was decided to issue Final Refusal for Combine Consent & BMW Authorization.</u></p>
7	MPCB-	KGS Sugar and	NOT APPROVED	-----	Committee noted that case was discussed in 5th CAC

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000028084	Infra Corporation Limited Gut no.147/4,148/1/2A, 148/1/2B A/P.Pimpalgaon Nipani, Niphad	Renewal of Consent		<p>meeting held on 31.10.2017 & 09.08.2017 and it was decided to issue Show Cause Notice for non-submission of detail water budget, and provision of online monitoring system.</p> <p>Committee further noted that SRO has reported that Industry is not in operation since last 4 years and not provided online monitoring system.</p> <p><u>After due deliberation, it was decided to issue final refusal</u> of consent to renewal, as PP has failed to submit reply to SCN and not provided online monitoring system.</p>
8	MPCB-CONSENT-0000029935	General Hospital , Wardha Sewagram road,Netaji Subhashchandra square, Wardha	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization. Committee also noted that application was discussed and Not approved in CAC and decided to issue SCN for Refusal for various non-compliances and Accordingly, SCN was issued on 24.10.2018.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization</u> by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide separate category wise arrangement for storage of BMW. 4. PP shall maintain record of generation of BMW & its disposal 5. PP shall provide pretreatment for yellow category waste.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, details of Built-up area and Required consent fee.
9	MPCB- CONSENT- 0000033449	Manganga Sahakari Sakhar Karkhana Ltd.Sonarsidhanagar (Sugar Division) 106 and 107 Grampanchayat Pujarwadi Atpadi	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for Renewal of consent for 1250 TCD Sugar unit vide UAN No. 0000067269, 0000033449 & 0000010834. Time to time.</p> <p>Committee also noted that all cases are discussed and approved in different CAC meeting, but Committee noted that this office took the follow up with industry for submission of additional consent fee for grant of consent, but unit fail to submit the same in time.</p> <p>Board issued SCN for refusal on 18.01.2021, but till date PP not submitted reply of SCN & additional consent fee.</p> <p>Committee further noted that Board officials take follow up with industry time to time for submission of additional consent fee, but PP fail to submit the same. SRO Sangli inform by mail on 04.04.2022 that unit has not in operation since last 3 years & as communicated to him they are not able to pay the required consent fees.</p> <p><u>After due deliberation, it was decided to issue final refusal</u> of consent for all renewal cases.</p>
10	MPCB- CONSENT- 0000036264	Godrej One Premises Management Private Limited CTS No. 51(PT), 52, 52/1 to 17	NOT APPROVED Renewal of consent	-----	<p>Committee noted that PP has applied for renewal of Consent to Operate for residential cum commercial project for Total Plot Area of 1,38,402 Sq. Mtrs and Construction BUA of 87,250 Sq. Mtrs.</p> <p>Committee also noted that this case was discussed &</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		IT/Commercial Building at CTS No. 51(PT), 52, 52/1 to 17, Village Vikhroli, Vikhroli, Mumbai Mumbai			<p>approved in CAC meeting dated 27.03.2018 subject to submission of additional consent fees. Also, this office has communicated the additional consent fees towards renewal of consent & increased CI, however PP has not submitted required clarification towards increased CI and additional consent fees after taking repeated follow up & giving sufficient time.</p> <p>Committee further noted that PP has not submitted compliance report as Environment Clearance.</p> <p><u>After due deliberation, it was decided to defer the case & issue SCN for refusal</u> of renewal of consent due to above lapses.</p>
11	MPCB-CONSENT-0000037647	Chhatrapati Shivaji Maharaj Hospital and Rajiv Gandhi Medical College Kalwa	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2020., But PP did not submit required Consent Fee & required documents as per MoM of CAC.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.
12	MPCB- CONSENT- 0000067269	Manganga Sahakari Sakhar Karkhana Ltd.Sonarsidhanagar, Tal-Atpadi ,Dist- Sangali-415301 (Suagar Div) 106 &107 Grampanchayat Pujar wadi Atpadi	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for Renewal of consent for 1250 TCD Sugar unit vide UAN No. 0000067269, 0000033449 & 0000010834. Time to time.</p> <p>Committee also noted that all cases are discussed and approved in different CAC meeting, but Committee noted that this office took the follow up with industry for submission of additional consent fee for grant of consent, but unit fail to submit the same in time.</p> <p>Board issued SCN for refusal on 18.01.2021, but till date PP not submitted reply of SCN & additional consent fee. Committee further noted that Board officials take follow up with industry time to time for submission of additional consent fee, but PP fail to submit the same. SRO Sangli inform by mail on 04.04.2022 that unit has not in operation since last 3 years & as communicated to him they are not able to pay the required consent fees. <u>After due deliberation, it was decided to issue final refusal</u> of consent for all renewal cases.</p>
13	MPCB- CONSENT- 0000079095	Samrudhi Sugar Limited Gut No 122, 123 and 173 Gut No 122, 123 and 173, Devi Dahegoan	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that case was discussed in CAC meeting held on 04.05.2020 and it was decided to issue SCN for refusal for JVS are exceeding the consented norms and CPCB has already issued closure direction to the unit. And also unit has not submitted BG as per earlier consent condition.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Ghansavangi			<p>Committee further noted that SCN was issued on 05/05/2020. Industry has failed to reply to SCN and not obtained revocation from CPCB against closure issued and not submitted BG.</p> <p><u>After due deliberation, it was decided to issue final refusal of consent to Renewal.</u></p>
14	MPCB- CONSENT- 0000081771	Indian Institute of Medical Science & Research Medical Collage (Noor Hospital) Warudi, Post: Givari Bazar, Tal-Badnapur, Dist-Jalna	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.01.2022., But PP did not submit required Consent Fee on time & required documents as per MoM of CAC.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
15	MPCB- CONSENT- 0000021177	District Hospital Chandrapur Chandrapur	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 30.11.2021., But PP did not submit the required Consent Fee.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 4. PP shall submit BG as per BG regime for HCE. 5. PP shall install ETP & STP within next 6 Months. 6. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee._</p>
16	MPCB- CONSENT- 0000088702	Maharashtra Airport Development Company Ltd. KHASARA NO.52,55,56, Central facility Building, Khapri Special Economic Zone (SEZ) at MIHAN Area,	NOT APPROVED Renewal of consent for DG Set 3.75 MW (1250 X 3) with amalgamation of existing consent	----	<p>This application is clubbed with UAN No. MPCB-CONSENT-0000111516 as PP has submitted the application for incorporation of DG sets.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Nagpur			
17	MPCB- CONSENT- 0000096396	B. J. Medical College and Sassoon General Hospital J P ROAD NEAR RAILWAY STATION	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP did not submit the required Consent Fee.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>
18	MPCB- CONSENT- 0000096959	SHRI BHAUSAHEB HIRE GOVERNMENT MEDICAL COLLEGE DHULE CHAKKARBARDI	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP did not submit the required Consent Fee and Required information as per CAC MoM.</p> <p><u>After due deliberation, it was decided to Grant</u></p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Combine Consent & Authorization by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>
19	MPCB- CONSENT- 0000094822	Government Medical College and Hospital Ghati, Pvanchakki Road, Aurangabad.	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization. Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP did not submit the required Consent Fee and Required information as per CAC MoM. After due deliberation, it was decided to Grant Combine Consent & Authorization by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Built-up area and Required consent fee.
20	MPCB- CONSENT- 0000097273	GOVERNMENT MEDICAL COLLEGE AND HOSPITAL, GONDIA NEHARU CHAWK, GONDIA,Gondiya (M CI),Gondiya	APPROVED Combine Consent & Authorization	31.05.2023	<p>Committee noted that, PP has applied for Combine Consent & Authorization.</p> <p>Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP did not submit Required information as per CAC MoM.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>
21	MPCB- CONSENT- 0000102323	D DECOR HOME FABRICS PVT LTD PLOT NO F6/1 MIDC TARAPUR PALGHAR	APPROVED Renewal of consent with increase in CI	31.12.2023	<p>Committee noted that, PP has applied for Renewal of consent for Piece Dyed, Top Dyed & Digital Printing Fabrics- 25 Lkhs Mtrs/M with increase in CI.</p> <p>Committee also noted that, this application was discussed in the earlier CAC and was decided to defer the case and place before the next CAC after obtaining</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>detailed Audit report about total water budget, treatment system, and recycling methods adopted etc. PP has submitted an audit report of BTRA and submitted information about water budget and recycling system. PP has submitted a request to waive the condition of RO and MEE.</p> <p>After due deliberation, it was decided to call PP for the technical Presentation on the process adopted for reduction in the pollution load, water budget and qty of effluent recycled.</p> <p>Committee further noted that the presentation was scheduled on 01.02.2022. PP submitted that they adopted process for Reduction in pollution load. PP submitted that they recycle 50% treated water in process and remain to CETP. As per submission TDS of RO reject is less than 2100 mg/lit i.e as per MPCB norms, hence not required MEE.</p> <p><u>After due deliberation, it was decided to grant renewal of consent</u> by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate and maintain Pollution control systems to achieve consented standards. 2. Industry shall extend existing BG towards operation and maintenance of pollution control systems and towards compliance of Consent conditions. 3. PP shall strictly follow TDS standard below 2100 mg/lit if for ETP outlet. 4. PP shall recycle 50% treated effluent.
22	MPCB-	D DECOR	APPROVED	31.01.2024	Committee noted that, PP has applied for Renewal of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000102500	EXPORTS PVT. LTD. G-7/1 G-7/1, MIDC, Tarapur Palghar	Renewal of consent		<p>consent for textile manufacturing activities including dyeing and other activities.</p> <p>Committee also noted that, this application was discussed in the earlier CAC and was decided to defer the case and place before the next CAC after obtaining detailed Audit report about total water budget, treatment system, and recycling methods adopted etc.</p> <p>PP has submitted an audit report of BTRA and submitted information about water budget and recycling system. PP has submitted a request to waive the condition of RO and MEE.</p> <p>After due deliberation, it was decided to call PP for the technical Presentation on the process adopted for reduction in the pollution load, water budget and qty of effluent recycled.</p> <p>Committee further noted that the presentation was scheduled on 01.02.2022. PP submitted that they adopted process for Reduction in pollution load. PP submitted that they recycle 50% treated water in process and remain to CETP. As per submission TDS of RO reject is less than 2100 mg/lit i.e as per MPCB norms, hence not required MEE.</p> <p><u>After due deliberation, it was decided to grant renewal of consent</u> by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate and maintain Pollution control systems to achieve consented standards. 2. Industry shall extend existing BG towards

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>operation and maintenance of pollution control systems and towards compliance of Consent conditions.</p> <p>3. PP shall strictly follow TDS standard below 2100 mg/lit if for ETP outlet.</p> <p>4. PP shall recycle 50% treated effluent.</p>
23	MPCB- CONSENT- 0000107781	Cargill India Pvt Ltd. Plot No. E-45, MIDC Kurkumbh, Tal-Daund, Dist- Pune Daund	APPROVED Renewal of consent with increase in CI	31.05.2023	<p>Committee noted that, PP has applied for Renewal of consent for renewal of consent with increase in CI, for manufacturing of Refined Edible oil - 4,36,000 MT/A, Finished good storage shed -6149 Sq.mtrs, Soap Stocks -10840 MT/A, Deo Distillate -1200 MT/A, Wax -1000 MT/A and Spent Earth - 2590 MT/A.</p> <p>Committee noted that the application was discussed in earlier CAC and decided to call the PP for the technical presentation on the water budget, effluent generation and its mode of disposal, HW waste generation, its mode of disposal and compliance made with the Plastic Rules.</p> <p>PP has provided common ETP at plot no. E- 45 for the treatment of effluent generated from plot no.E-45 & E-4. Treated effluent is partly used on land for gardening and remains disposed to CETP.</p> <p>Committee further noted that presentation was scheduled on 01.02.2022. PP submitted an Improvement action plan to reduce water consumption and effluent generation. PP submitted that they obtain registration certificate for brand owners (EPR) which is invalid on 05.11.2021, PP applied for Renewal of same. PP submitted that they are tied up with IPCA for collection and reprocessing of plastic waste.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant renewal of consent by imposing following condition:</p> <ol style="list-style-type: none"> 1. BG of Rs. 2.5 Lakh is forfeited as the JVS results are exceeding the consented standards and top up with total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems to achieve consented standards. 2. PP shall comply with Plastic Rules. 3. PP shall submit proposal towards improvement plan of ETP within a month and same shall be implemented within next 3 months so as to achieve consented norms. 4. Both the units i.e Unit on Plot No. E-4 & E-45 are using common ETP, hence they are jointly responsible for the treatment of their effluent. In case of the non-compliance of proper O & M, discharging pollutant, both units will be jointly & severally liable for the same and any legal obligations, action, etc.
24	MPCB- CONSENT- 0000107983	Cargill India Pvt. Ltd. Plot No. E - 4, M.I.D.C. Kurkumbh Daund	APPROVED Renewal of consent with increase in CI	31.05.2023	Committee noted that, PP has applied for Renewal of consent for renewal of consent with increase in CI for manufacturing of Hydrogenation palm fatty Acid- 3000 MT/M, Hydrogenated caster oil- 2000 MT/M, Hydrogenated Sunflower Oil 2000 MT/M, Hydrogenated palm stearin- 3000 MT/M, Ester product- 1500 MT/M, Distilled Fatty Acids- 2160 MT/M, Glycerin (industrial grade)- 225 MT/M and by product as spent Earth / Magnesol 160 MT/M, Acid oil/wax/soap- 960 MT/M. and Pitch Residues- 200 MT/M.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee noted that the application was discussed in earlier CAC and decided to call the PP for the technical presentation on the water budget, effluent generation and its mode of disposal, HW waste generation, its mode of disposal and compliance made with the Plastic Rules. PP has provided common ETP at plot no. E- 45 for the treatment of effluent generated from plot no.E-45 & E-4. Treated effluent is partly used on land for gardening and remains disposed to CETP.</p> <p>Committee further noted that presentation was scheduled on 01.02.2022. PP submitted an Improvement action plan to reduce water consumption and effluent generation. PP submitted that they obtain registration certificate for brand owners (EPR) which is invalid on 05.11.2021, PP applied for Renewal of same. PP submitted that they are tied up with IPCA for collection and reprocessing of plastic waste.</p> <p><u>After due deliberation, it was decided to grant renewal of consent</u> by imposing following condition:</p> <ol style="list-style-type: none"> 1. BG of Rs. 2.5 Lakh is forfeited as the JVS results are exceeding the consented standards and top up with total BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems to achieve consented standards. 2. PP shall comply with Plastic Rules. 3. Both the units i.e Unit on Plot No. E-4 & E-45 are using common ETP, hence they are jointly responsible for the treatment of their effluent. In

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					case of the non-compliance of proper O & M, discharging pollutant, both units will be jointly & severally liable for the same and any legal obligations, action, etc.
25	MPCB- CONSENT- 0000107742	PROPELLANT COMPLEX RASAYANI PLOT NOS 1/1, 1/2, 101/2, VILLAGE POSARI 51/1/2, 58/26/2, 5 AT POST RASAYANI, VILLAGE POSARI PANVEL	NOT APPROVED Renewal of consent with decrease in CI	-----	<p>Committee noted that, PP has applied for renewal of consent for mfg of Dinitrogen Tetroxide, Conc. Nitric Acid (95%) & Weak Nitric Acid (54%).</p> <p>Committee also noted that, PP has not upgraded ETP as per consent condition, disposal of treated effluent is not as per consented disposal path, not obtained membership of CHWTSDf, not changed fuel (FO) & not submitted Bank Guarantees.</p> <p><u>After due deliberation, it was decided to issue show cause notice</u> for following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has failed to upgrade the existing ETP within 03-month period and violated consent condition no. 11. 2. PP discharging primary treated effluent into storm water line instead of disposal into saline zone of Patalganga River at Kharpada. 3. PP has failed to obtain membership of CHWTSDf for disposal of ETP sludge. 4. PP has not switched over to cleaner fuel as per Boards Circular dated 05/2/2020 5. PP has failed to submit Bank Guarantee's as per existing Consent to Operate & Consent to Establish (Expansion).
26	MPCB-	Vasantrao Dada	NOT APPROVED	-----	Committee noted that PP has applied for 25 KLPD

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000103928	Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No Gut No. 799/2 Lohoner Deola	Renewal of Consent		<p>molasses base distillery. SCN was issued to the industry on 06/07/2021 for which they submitted reply 18.12.2021 stating that they have been Applying regularly, regarding increase in CI they have replaced damaged parted, submitted details of distillery, have not submitted bank guarantee yet.</p> <p>Committee further noted that PP also has closure direction from CPCB and they have not obtained revocation for the same.</p> <p><u>After due deliberation, it was decided to issue final refusal</u> of consent to renewal as industry has not obtained revocation from CPCB and not submitted Bank guarantee.</p>
27	MPCB-CONSENT-0000110481	Reliance Corporate IT Park Ltd. 5 5, TTC Industrial Area, Thane “ Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	NOT APPROVED Renewal of consent (part)	-----	<p>Committee noted that PP has applied for plain renewal of consent (Part) for IT park project on a total plot area of 20,50,990 Sq.mtr & construction BUA of 2,97,000 Sq.mtr.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting & was deferred and decided to issue SCN for refusal of consent due to non-submission of revalidation of EC, C to E for remaining construction BUA, OWC details, E-waste & Battery waste information/inventory.</p> <p>Committee further noted that, Board office has issued SCN for refusal of consent due to above lapses, subsequently, PP has submitted the compliance report which reveals that PP has completed the construction work of 3,97,696.83 Sq.mtr without obtaining revalidation</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>of consent to establish. Also, PP has not submitted the compliance report as per Environment Clearance.</p> <p><u>After due deliberation, it was decided to issue SCN for refusal</u> of consent due to above non compliances.</p>
28	MPCB- CONSENT- 0000112959	Chandrapur Super Thermal Power Station Chandrapur Mauza Dewai, 1 to 16 Mauza Dewai, 1 to 16, Govindpur, Rayyatawari, Urjanagar, Tal & Dist-Chandrapur.	APPROVED Renewal of consent	31.05.2023	<p>Committee noted that PP has applied for renewal of consent for coal based thermal power Plant of total capacity-2920 MW (Total-7 units) (Unit 3 & 4 -210 MW each and Unit 5,6,7,8 & 9-500 MW each).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 25.01.2022 & it was decided to defer the case and issue show cause notice for refusal of consent & directed for forfeiture of BG of Rs.25 lakh towards non-compliance of consent conditions and exceeding JVS result of AAQM and Stack monitoring. Board has issued show cause notice vide letter dated 21.02.2022. PP has submitted the reply of show cause notice.</p> <p><u>After due deliberation, it was decided to grant renewal of consent</u> for one year period by imposing the following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of AAQM and Stack monitoring. 2. PP shall comply with the Hon'ble NGT order dated 19.01.2022 in original application No.74/2020(WZ). 3. PP shall provide Online Real time coal ash analyzer within 3 months. 4. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2023 and comply with the

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>emission norms as per the timeline prescribed in MoEF & CC Notification dated 31.03.2021.</p> <ol style="list-style-type: none"> 5. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% & 0.5% respectively). 6. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of FlyAsh. 7. PP shall dispose legacy pond ash regularly. 8. PP shall submit the bank guarantee as per BG regime for the Power plant.
29	MPCB- CONSENT- 0000110938	Dreamworld Landmarks LLP S. No. 31(P), 32 (P), 33 P, 34(P), 37(P) & 40(P), S. No. 31(P), 32 (P), 33 P, 34(P), 37(P) & 40(P), Taluka Haveli, District Pune, State Maharashtra Haveli	NOT APPROVED Renewal of Consent (Part)	-----	<p>Committee noted that PP has applied for renewal of consent (Part) for residential buildings No. A, B, C, D, E, F & G.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting & was deferred & decided to call the PP for presentation due to non-submission of revalidation of Consent to establish from 12.08.2020 to 17.03.2021 & continued construction work without obtaining revalidation of C to E, non-submission of details about disposal path of treated sewage.</p> <p>Committee further noted that PP has submitted the reply along with the above details.</p> <p><u>After due deliberation, it was decided to issue SCN for refusal of renewal of consent (Part)</u> as PP has not submitted compliance towards Environment Clearance conditions.</p>
30	MPCB- CONSENT- 0000091124	Krantisinh Nana Patil Genral Hospital	APPROVED Combine Consent	31.05.2023	Committee noted that, PP has applied for Combine Consent & Authorization.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Sadar bajar Satara	& Authorization		<p>Committee also noted that the application was discussed and approved in CAC and decided to grant Combine Consent & BMW Authorization for period up to 31.03.2022., But PP did not submit Required Consent fee & information as per CAC MoM.</p> <p><u>After due deliberation, it was decided to Grant Combine Consent & Authorization by</u> imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit BG as per BG regime for HCE. 2. PP shall install ETP & STP within next 6 Months. 3. PP shall provide pretreatment for yellow category waste. <p>Consent shall be issued after receipt of valid copy of BNH, membership of CBMWTSDF, fresh Capital Investment certificate, date of construction along with Built-up area and Required consent fee.</p>
31	MPCB- CONSENT- 0000115144	AMTEK AUTO LIMITED B-6 RANJANGAON MIDC SHIRUR	NOT APPROVED Renewal with increase in CI	Refused	<p>Committee noted that, PP has applied for renewal of consent with increase in Capital Investment.</p> <p>Committee also noted that, the said case was earlier discussed in CAC and issued show cause notice.</p> <p>Committee further noted that, PP has submitted request letter & requested to withdraw the application as the management at the facility has changed and have taken decision to process the fresh application & accordingly, submitted an application for C to R with UAN No. MPCB-CONSENT-0000134010.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, <u>it was decided to refuse/dispose of the application as per the request of the unit.</u>
32	MPCB- CONSENT- 0000113792	Reliance Corporate IT Park Ltd. 5 5, TTC Industrial Area, MIDC, Thane â€“ Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	NOT APPROVED Renewal of consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for integrated data center & utilities such as DG sets, cooling tower, chilling plant, transformer, etc., for Phase-IV & building on total plot area of 20,50,990 Sq.Mtr & construction BUA of 1,87,180.02 Sq.Mtr out of total construction BUA of 18,35,000 Sq.Mtr.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting & was deferred and call the PP for presentation due non-submission of revalidation of EC, C to E for remaining construction BUA, OWC details & E-waste inventory.</p> <p>Committee further noted that this case was again discussed in CAC meeting & decided to defer the case due to violation towards completion of construction work of 3,97,696.83 Sq.mtr without obtaining revalidation of consent to establish. Also, PP has not submitted the compliance report as per Environment Clearance.</p> <p><u>After due deliberation, it was decided to issue SCN for refusal of consent (Part) due to above non compliances.</u></p>
33	MPCB- CONSENT- 0000115848	SAI WARDHA POWER GENERATION PRIVATE LIMITED B-2, Warora	APPROVED Renewal of consent with increase in CI	31.05.2023	Committee noted that PP has applied for renewal of consent for Electricity Generation (coal based thermal power plant)-540 MW (4x135 MW) with change in name from M/s Sai Wardha Power Generation Limited to M/s Sai Wardha Power Generation Private Limited.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Growth Centre, MIDC, Warora, Tal-Warora, Dist.- Chandrapur			<p>Committee also noted that earlier the case was discussed in CAC meeting held on 13.10.2021 & 29.10.2021 and it was decided to call the PP for presentation regarding action plan for installation of FGD & pollution control measure taken along with its adequacy. PP has submitted the presentation and Industry management is committed to complete the installation of FGD within time frame.</p> <p><u>After due deliberation, it was decided to grant renewal of consent with change in name</u> from M/s Sai Wardha Power Generation Limited to M/s Sai Wardha Power Generation Private Limited for the period up to 31.08.2023 by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.10.0 Lakh towards exceeding JVS results of Stack, AAQM and Effluent. 2. PP shall extend all the existing BG for the period up to 31.12.2023. 3. PP shall submit the action plan along with bar chart to achieve the emission standards including installation of FGD system as per the MoEF & CC notification dated 31.03.2021 within a month period. 4. PP shall submit the action plan for disposal of Legacy Pond ash within a month period
34	MPCB-	Maharashtra Airport	NOT APPROVED	-----	Committee noted that PP has applied for renewal of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000111516	Development Company Ltd. KHASARA NO 52 55 56 Special Economic Zone (SEZ) at MIHAN Area, Nagpur	Renewal of consent with increase in CI		<p>consent with increase in CI for Common infrastructure facility at SEZ for various economic activities such as IT park, CPP, Health city, non-polluting industrial unit, value added production units, central facility building, international school, entry & exit complex.</p> <p>Committee also noted that this case was discussed & approved in CAC meeting dated 03.08.2021, 17.08.2021 & 20.08.2021 subject submission of additional consent fees & verification report of STP. Also, PP has applied for renewal of consent for incorporation of DG set vide UAN No. 88702 which was discussed & approved in earlier CAC meeting.</p> <p>Committee further noted that this office has taken repeated follow up through email & issued SCN for submission of additional consent fees; however, PP has not paid the same till date.</p> <p><u>After due deliberation, it was decided to call the PP for presentation</u> due to non-submission of additional consent fees after taking repeated follow up.</p>
35	MPCB-CONSENT-0000115836	I G PETROCHEMICALS LTD T - 1 & 2 TALOJA MIDC PANVEL	APPROVED Renewal of Consent to Operate	31.08.2026	<p>Committee noted that, PP has applied for renewal of consent to operate.</p> <p>Committee also noted that, PP has segregated trade effluent into strong & weak stream and provided separate treatment system & treated effluent partly recycled & partly connected to CETP.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, the said case was earlier discussed in CAC and decided to call PP for technical presentation. Accordingly, technical presentation extended in which PP briefed the measures adopted for control of smell nuisance and disposal of by-products as per provisions of HW Rule.</p> <p>After due deliberation, <u>it was decided to consider the case for grant of renewal</u> of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate and maintain pollution control scientifically to achieve the consented standards. 2. PP shall partly recycle (607 CMD) effluent and partly (220 CMD) discharged to CETP after confirming the consented standards. 3. PP shall submit Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution control system and compliance of consent conditions.
36	MPCB- CONSENT- 0000116038	SHILPA STEEL AND POWER LIMITED PLOT NO B- 209 & 209/1 MIDC BUTIBORI HINGNA	APPROVED Renewal of consent with increase in CI & amalgamation of consent	31.08.2024	<p>Committee noted that PP has applied for renewal of consent with increase in CI & amalgamation of consent for manufacturing of transmission line tower, substation structure, telecom tower & structure nut & bolts Hot rolled steel products, Gasifier Unit-I (Producer gas for captive use), Gasifier Unit-II (Producer gas for captive use), Galvanized/non-galvanized fasteners (Bolt, nuts, washers of various types, screw, nails & small material), HCL, Ferrous sulfate monohydrate (byproduct), electroplated items (nuts, bolts, washer & other items), Nitrogen gas, Oxygen gas.</p> <p>Committee also noted that this case was discussed in</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>earlier CAC meeting & was deferred and called the PP for due to PP has increased CI by Rs. 30.51 Crs towards construction of raw material yard, finished goods yard, internal road, purchase of new machinery such as Fastners machinery, rolling mill machinery, general machinery, etc., without obtaining consent from Board office.</p> <p>Committee further noted that PP has extended the technical presentation on above points.</p> <p><u>After due deliberation, it was decided to grant renewal of consent with increase in CI & amalgamation of consent</u> for manufacturing of transmission line tower, substation structure, telecom tower & structure nut & bolts - 7000 MT/M, Hot rolled steel products - 10,000 MT/M, Gasifier Unit-I (Producer gas for captive use) - 3200 MT/M, Gasifier Unit-II (Producer gas for captive use) - 4000 MT/M, Galvanized/non-galvanized fasteners (Bolt, nuts, washers of various types, screw, nails & small material) - 4500 MT/M, HCL - 299.09 MT/M, Ferrous sulfate monohydrate (byproduct) - 179.89 MT/M, electroplated items (nuts, bolts, washer & other items) - 300 MT/M, Nitrogen gas - 14 MT, Oxygen gas - 14 MT by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system so as to achieve consented norms. 2. PP shall submit/extend the existing BG to form the sum of Rs. 25.0 Lakh towards O & M of pollution control system and compliance of consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP shall comply with EIA Notification, 2006 & amended thereto.</p> <p>Consent shall be issued after submission of additional consent fees.</p>
37	MPCB- CONSENT- 0000116471	JAYASWAL NECO INDUSTRIES LTD ACD Kh. No. 70, 71-A, 71-B & 76 29/8, Mile Stone Mouza Ruikhairi, Wardha Road Butibori Nagpur Nagpur	REFUSED Renewal of consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of Cast Articles of Iron or Steel - 41,000 MT/A.</p> <p>Committee also noted this case was discussed in earlier CAC meeting & decided to defer the case & issue SCN for refusal of consent due to PP has increased CI by Rs. 24.35 Crs without obtaining Board's consent, not obtained NOC of CGWA for ground water extraction & not submitted mandatory submissions such as HW annual returns, Environment statement, etc., Also, Board office has issued SCN for refusal of consent due to above lapses. Accordingly, this case was discussed in CAC meeting & decided to defer the case & issue SCN for refusal of consent due to non-submission of CGWA NOC & JVS exceedance.</p> <p>Committee further noted that, Board office has issued SCN, however, PP has not submitted the reply along with compliance report.</p> <p><u>After due deliberation, it was decided to final refusal of renewal of consent</u> due to non-submission of compliance report towards SCN issued.</p>
38	MPCB- CONSENT-	MAHAGENCO, KTPS, 3x660 MW,	APPROVED	31.12.2022	Committee noted that, PP has applied for renewal of consent for Electricity Generation-1980 MW (i.e.3x660

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000116947	KORADI, NAGPUR Khasara no.. 188-189, Koradi, Tal-Kamptee, Dist-Nagpur.	Renewal of consent with increase in CI		<p>MW) Unit No.8,9 & 10.</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 25.01.2022 & it was decided to defer the case and issue show cause notice for refusal of consent & directed for forfeiture of BG of Rs.25 lakh towards non-compliance of consent conditions and exceeding JVS result Stack monitoring. Board has issued show cause notice vide letter dated 21.02.2022. PP has submitted the reply of show cause notice.</p> <p><u>After due deliberation, it was decided to grant renewal of consent for one year period</u> by imposing the following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of Stack monitoring. 2. PP shall provide Online Real time coal ash analyzer within 3 months. 3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2022 and comply with the emission norms as per the timeline prescribed in MoEF & CC Notification dated 31.03.2021. 4. PP shall provide adequate capacity STP for treatment of domestic effluent generation-283 CMD within six-month period and submit the BG of Rs.10.0 Lakh towards compliance of same. 5. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% & 0.5% respectively). 6. PP shall dispose the Hazardous waste under the

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 & as amended within one month.</p> <p>7. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</p> <p>8. PP shall dispose legacy pond ash regularly.</p> <p>9. PP shall submit the bank guarantee as per BG regime for the Power plant.</p>
39	MPCB-CONSENT-0000117420	Ceat Ltd, Plot No. 82 Satpur MIDC, Tal. & Dist. Nashik	<p>APPROVED</p> <p>Renewal of consent with increase in CI</p>	30.09.2026	<p>Committee noted that, PP has applied for Renewal of consent with increase in CI.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and call the PP for technical presentation to know the details of air/water pollution control system with its adequacy, land available for disposal of treated effluent, details of production quantity and Bank Guarantees details.</p> <p>Committee also noted that, PP has made presentation and Briefed overall production process and submitted Details of the Air pollution control measures, area availability and BG.</p> <p>After due deliberation <u>it was decided to grant plain Renewal of consent to operate</u> by imposing following conditions:</p> <p>1. By forfeiting proportionate BG of Rs. 2.5 Lakhs</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>towards JVS exceedance and top up with total BG of Rs. 25 Lakhs towards operation and maintenance of pollution control system and compliance of consent conditions.</p> <p>2. PP shall submit the Board Resolution within one month in prescribed format from company Board towards increased capital investment without obtaining consent from Board thus violated the provision of Environments Laws and in future, they will not do such violations & submit the BG of Rs. 2.0 Lakh towards submission of the same.</p> <p>3. PP shall submit the plan for improvement of O & M of APCs or upgradation of the APCs to achieve the consented norms considering the CEPI area.</p>
<p>The meeting is ended with vote of thanks.</p>					