

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 3<sup>rd</sup> Consent Appraisal Committee Meeting of 2022-2023 held on 20.05.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- |  |                 |
|--|-----------------|
| 1. Shri. A. L Jarhad,<br>Chairman, MPCB  | Chairman        |
| 2. Shri Ashok Shingare,<br>Member Secretary, M.P.C. Board.   | Member          |
| 3. Shri P.K. Mirashe,<br>Technical Advisor, MIDC.  | Member          |
| 4. Dr. Y. B. Sontakke,<br>Joint Director (WPC), M.P.C. Board, Mumbai.  | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI<br>- leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.      | Invitee Member |
| 2. Dr. A.R. Supate,<br>Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,<br>Regional Officer (BMW), M.P.C. Board, Mumbai.      | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 9 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
<b>Booklet No. 9</b>					
1	MPCB- CONSENT- 0000115678	Viraj Profiles Ltd., Plot no. G-2, 1/2 & 1/3 MIDC Tarapur- Boisar Dist. Palghar	<b>NOT APPROVED</b>  Renewal of consent with change in company name and increase in CI	-----	<p>Committee noted that, PP has applied for Renewal of consent with change in company name and increase in CI.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and call the PP for technical presentation along with details of pollution control systems and the compliances made by the unit with respect to conditional restart directions issued by the Board.</p> <p>Committee also noted that, PP has made presentation and Briefed production process of the unit. They have presented point wise compliance of the conditional restart directions such as provided Primary Fume Extraction System with DOG house to the Induction Furnace, Also provided Secondary Fume extraction system to the AOD furnace. Provided adequate stack height of 30 meter with sampling arrangement for mechanical dust collector of shot blasting. Upgraded Scrubbers of the Pickling section by providing mechanical doors to avoid open fumes and added additional two scrubbers. Upgraded the ETP by revamping Media replacement of Sand &amp; Carbon Filter, Replacement of Pipelines, etc and addition of filter press. PP has provided common STP at sister concern unit at G-1/1 &amp; G-22, 23, 32, 33 &amp; 34 due to space constraint at the said unit and same is connected with the closed</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>pipeline network.</p> <p>Committee further noted that, PP has uploaded letter with amendment application vide UAN No. 8430 for the change in Name of the unit from “Viraj Profiles Limited.” To “Viraj Profiles Private Limited.” And has uploaded the ROC for the change in Name.</p> <p>Committee also noted that, this unit has production of Round Bars &amp; SS wire Rod and has installed Reheating furnaces i.e. they have Rolling mill operations, hence as per Board’s circular dtd. 20.07.2021 they require to obtain Environmental Clearance.</p> <p>After due deliberation <b><u>it was decided to issue SCN for refusal of consent on following non-compliances:</u></b></p> <ol style="list-style-type: none"> <li>1. PP has not obtained Environmental Clearance as per Board’s Circular dtd. 20.07.2021.</li> </ol>
2	MPCB- CONSENT- 0000118167	KORADI THERMAL POWER STATION (2 X 210 MW) Unit 6 & 7 (2x210 MW), At-Koradi, Tal-Kamptee,Dist- Nagpur.	<b>APPROVED</b>  Renewal of consent with increase in CI	31.12.2022	<p>Committee noted that PP has applied for renewal of consent Electricity Generation -420 MW (Unit no.6 &amp; unit no.7 of capacity of 210 MW each).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 25.01.2022 and it was decided to defer the case and issue show cause notice for refusal of consent &amp; directed to forfeit the BG of Rs.25 Lakh towards JVS exceedance of AAQM &amp; non compliances of consent conditions. Board has issued show cause notice vide letter dated 21.02.2022. PP has</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>submitted the reply of show cause notice</p> <p>After due deliberation <b><u>it was decided to grant Renewal of consent for one year period</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of AAQM.</li> <li>2. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2022 and comply with the emission norms as per the timeline prescribed in MoEF &amp; CC Notification dated 31.03.2021.</li> <li>4. PP shall provide dry fly ash collection system for Unit No.6 within six-month period and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>5. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> <li>6. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>7. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>8. PP shall dispose legacy pond ash regularly</p> <p>9. PP shall submit the bank guarantee as per BG regime for the Power Plant.</p>
3	MPCB- CONSENT- 0000118281	Paras Thermal Power Station, Paras S.No.120A, 120B,120C,120D,1 032 &1184 Paras ,Tal-Balapur, Dist-Akola.	<b>APPROVED</b>  Renewal of consent with increase in CI	31.12.2022	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation-500 MW (2 x 250 MW Unit 3 &amp; 4).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 25.01.2022 and it was decided to defer the case and issue show cause notice for refusal of consent &amp; directed to forfeit the BG of Rs.25 Lakh towards non-compliances of consent conditions &amp; JVS exceedance of AAQM &amp; Stack monitoring. Board has issued show cause notice vide letter dated 21.02.2022. PP has submitted the reply of show cause notice.</p> <p>After due deliberation <b>it was decided to grant Renewal of consent for one year period</b> by imposing following conditions-</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of AAQM &amp; stack monitoring.</li> <li>2. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2024 and comply with the emission norms as per the timeline prescribed in</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>MoEF &amp; CC Notification dated 31.03.2021.</p> <ol style="list-style-type: none"> <li>4. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> <li>5. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>6. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>7. PP shall dispose legacy pond ash regularly.</li> <li>8. PP shall submit the bank guarantee as per BG regime for the Power plant.</li> </ol>
4	MPCB- CONSENT- 0000118847	Navkar Corporation Ltd 89, 93, 95, 97, Vill. Somatane Kon-Savla Road, Tal. Panvel, Dist. Raigad.	<b>APPROVED</b>  Renewal of consent with amalgamation of existing consent	31.12.2023	<p>Committee noted that PP has applied for renewal of consent for container freight station (CFS) warehouse for storage of non-hazardous materials - 4000 Nos and with amalgamation of existing renewal of consent for storage of hazardous chemicals - 28 Nos.</p> <p>Committee also noted that, this case was discussed in earlier CAC meeting &amp; it was decided to defer the case &amp; call the PP for presentation for clarity about present storage of imported material, disposal of discarded containers and other pollution control measures adopted at the facility.</p> <p>Committee further noted that PP has extended the presentation along with above details.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, <b><u>it was decided to grant renewal of consent for container freight station (CFS) warehouse for storage of non-hazardous materials - 4000 Nos and with amalgamation of existing renewal of consent for storage of hazardous chemicals - 28 Nos</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall adhere to disaster management plan (onsite &amp; offsite emergency) submitted to Board office.</li> <li>2. PP shall adhere to the outcomes of the safety audit report submitted to the Board office.</li> <li>3. PP shall comply with the conditions for storage of Hazardous Chemicals as per MSIHC Rules, 1989.</li> <li>4. PP shall not store Hazardous Chemicals more than the threshold limits specified in MSIHC Rules, 1989.</li> <li>5. PP shall operate organic waste digester along with composting facility &amp; compost obtained shall be used as manure within own garden/plantation.</li> </ol>
5	MPCB- CONSENT- 0000120098	Macrotech Developers Ltd As per attached list Village Nilje katai Kalyan	<b>APPROVED</b>  Extension of approved validity period	31.05.2022 to 31.05.2023	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-V) for only Commercial Tower &amp; Experia Mall excluding Residential Buildings Siena A, Siena B, Savaana A, Savaana B.</p> <p>Committee also noted that this case was discussed &amp; approved in earlier CAC meeting subject to submission of additional consent fees, accordingly, PP has paid the additional consent fees. However, the approved consent period was up to 31.05.2022 &amp; PP has requested to extend the approved validity period up to 31.05.2023 with requisite additional fees.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, <b><u>it was decided to grant the request of PP towards extension of approved period from 31.05.2022 to 31.05.2023 with requisite consent fees &amp; by imposing conditions as per CAC meeting dated 25.01.2022 for this application.</u></b>
6	MPCB- CONSENT- 0000119399	M. S. P.G. C. L., KHAPERKHEDA THERMAL POWER STATION Silewara: 71 to 117 & Bhanegaon : 1 to 35 Khaperkheda Tal-Saoner, Dist- Nagpur	<b>APPROVED</b>  Renewal of Consent with increase in CI	31.12.2022	<p>Committee noted that PP has applied for renewal of consent to Operate for 1340 MW (Unit 1 to 4-210 MW each and Unit -5 -500 MW).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 09.03.2022 &amp; it was decided to defer the case and issue show cause notice for refusal of consent &amp; directed to forfeit BG of Rs.25 lakh towards non-compliance of consent conditions and exceedance of JVS result of effluent, AAQM and Stack monitoring. Board has issued show cause notice vide letter dated 23.03.2022. PP has submitted the reply of show cause notice.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent for one year period</u></b> by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of effluent, AAQM and Stack monitoring.</li> <li>2. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2022 and comply with the</li> </ol>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>emission norms as per the timeline prescribed in MoEF &amp; CC Notification dated 31.03.2021.</p> <ol style="list-style-type: none"> <li>4. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> <li>5. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>6. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>7. PP shall dispose legacy pond ash regularly.</li> <li>8. PP shall submit the bank guarantee as per BG regime for the Power plant.</li> </ol>
7	MPCB- CONSENT- 0000120343	Amtek Auto Limited Gat No 1074 1085 Sanaswadi, Sanaswadi Off. Shikrapur Chakan Road Shirur	<b>APPROVED</b>  Renewal of Consent	30.06.2023	<p>Committee noted that, PP has applied for renewal of consent to operate.</p> <p>Committee also noted that, PP has provided ETP &amp; STP for treatment of trade effluent &amp; sewage respectively.</p> <p>Committee also noted that, the said case was earlier discussed in CAC and issued show cause notice for introduction of additional activity, increased CI &amp; slightly exceedance of JVS. Committee further noted that, PP has submitted reply to the show cause notice.</p> <p>After due deliberation, <b><u>it was decided to consider the case for renewal of consent to operate</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control system</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>scientifically to achieve the consented standards</p> <ol style="list-style-type: none"> <li>2. By forfeiting Bank Guarantee towards introduced additional heat treatment activity prior to C to E including enhancement in CI and submission of Board Resolution towards violation of Environmental enactments.</li> <li>3. PP shall submit Bank Guarantee of Rs. 25 Lakh towards O&amp;M of pollution control system and compliance of consent conditions.</li> </ol>
8	MPCB- CONSENT- 0000120567	Oil and Natural Gas Corporation Ltd., Uran Plant Villages: Nagaon, Chanje, Mhatavli, Survey No 15 Uran Plant, ONGC Uran, Uran taluka, Dist - Raigad " 400702 Uran	<b>APPROVED</b>  Renewal of Consent	31.08.2023	<p>Committee noted that, PP has applied for renewal of consent to operate with enhancement in capital investment.</p> <p>Committee also noted that, the said case was earlier discussed in CAC and decided to issue show cause notice for non-submission of justification for increased CI, Non-operation of some of the units of ETP, non-submission of HW details including deviation in quantities. Committee further noted that, PP has submitted reply to the show cause notice.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent to operate</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control scientifically to achieve the consented standards.</li> <li>2. PP shall dispose the Hazardous Waste as per the provisions of Rule by adopting online manifest system</li> <li>3. By forfeiting 25% of the Bank Guarantee towards JVS exceedance and top-up with total amount of Rs. 25 Lakh towards O&amp;M of pollution control</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
9	MPCB- CONSENT- 0000120884	UltraTech Cement Limited, Unit - Awarpur Cement Works Awarpur, Tal-Korpana, Dist-Chandrapur.	<b>APPROVED</b>  Renewal of consent with increase in CI	31.12.2022	<p>system and compliance of consent conditions.</p> <p>Committee noted that, PP has applied for renewal of consent for 1) Portland cement-6.0 MTPA, 2) Electricity Generation by WHRB-13.3 MW, 3) Electricity Generation by CPP-71 MW, 4) Clinker-4.5 MTPA 5) Coal Washery-1.2 MTPA &amp; 6) Co-processing of Non-hazardous solid waste-3.0 MTPA.</p> <p>Committee also noted that earlier the case was discussed in CAC meeting held on 09.03.2022 &amp; it was decided to defer the case and issue show cause notice as the PP has failed to carry out APCS performance audit and failed to submit the BG of Rs.50.0 Lakh towards compliance of same. Board has issued SCN vide letter dated 23.03.2022.</p> <p>Committee further noted that Industry has submitted the reply vide letter dated 26.03.2022 stating that i) Unit has already initiated the APCS audit work and accorded work order to IIT Mumbai. ii) Audit work such as primary and secondary data collection, site visit for APCS monitoring has been completed by IIT Mumbai Team and audit work is in process. Same may be delayed due to travel restrictions due to COVID Pandemic etc. iii) Industry has submitted the BG of Rs.50.0 Lakh towards the APCS performance.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent for one year period</u></b> by imposing following conditions-</p> <ol style="list-style-type: none"> <li>1. PP shall carry out APCS performance audit report from the reputed institute NEERI/IIT within six</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>month and submit the report.</p> <p>2. PP shall extend the existing BG for the period up to 31.10.2023.</p>
10	MPCB- CONSENT- 0000118256	Maharashtra State Power Generation Company Ltd Parli Thermal Power Station ( <b>Unit VI &amp; VII</b> 378,379, 397, 400,401,402,417& 418, Dadahari Wadgaon, Tal-Parli Vaijnath, Dist-Beed.	<p><b>APPROVED</b></p> <p>Renewal of consent with increase in CI</p>	31.12.2023	<p>Committee noted that, PP has applied for renewal of consent for electricity Generation (Coal based thermal power plant) -500 MW (Unit-6 &amp; 7-250 MW each).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 09.03.2022 &amp; it was decided to defer the case and issue show cause notice for refusal of consent &amp; directed for forfeiture of BG of Rs.25 lakh towards non-compliance of consent conditions and exceeding JVS result of effluent and AAQM. Board has issued show cause notice vide letter dated 23.03.2022. Subsequently, PP has submitted the reply of show cause notice.</p> <p><b><u>After due deliberation, it was decided to grant renewal of consent for one year period</u></b> by imposing the following conditions-</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of effluent and AAQM.</li> <li>2. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2024 and comply with the emission norms as per the timeline prescribed in MoEF &amp; CC Notification dated 31.03.2021.</li> <li>4. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>5. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>6. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>7. PP shall dispose legacy pond ash regularly.</li> <li>8. PP shall submit the bank guarantee as per BG regime for the Power plant.</li> </ol>
11	MPCB- CONSENT- 0000118333	Maharashtra State Power Generation Co. Ltd, New Parli Thermal power Station ( <b>Unit VIII</b> ) 399, 400, 409, 410, 411, 412, 413, 414, 415 upto 428 & 435 Wadgaon (Dadahari), Tal-Parli Vaijnath, Dist-Beed.	<b>APPROVED</b>  Renewal of consent with increase in CI	31.12.2023	<p>Committee noted that, PP has applied for renewal of consent for Electricity Generation -250 MW (Coal based Thermal Power Plant-Unit-VIII).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 09.03.2022 &amp; it was decided to defer the case and issue show cause notice for refusal of consent &amp; directed for forfeiture of BG of Rs.25 lakh towards non-compliance of consent conditions and exceeding JVS result of effluent and AAQM. Board has issued show cause notice vide letter dated 23.03.2022. Subsequently, PP has submitted the reply of show cause notice.</p> <p><b><u>After due deliberation, it was decided to grant renewal of consent for one year period</u></b> by imposing the following conditions-</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of effluent and AAQM.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>2. PP shall complete the work of installation of ETP for Unit-8, within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>3. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>4. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2024 and comply with the emission norms as per the timeline prescribed in MoEF &amp; CC Notification dated 31.03.2021.</li> <li>5. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> <li>6. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>7. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>8. PP shall dispose legacy pond ash regularly.</li> <li>9. PP shall submit the bank guarantee as per BG regime for the Power plant.</li> </ol>
12	MPCB- CONSENT- 0000114589	Giriraj Enterprises S. Nos. 43, 46, 47, 48 & 49, Mundhavare, Tal. Maval, Dist. Pune.	<b>APPROVED</b>  Renewal of Consent to Operate with increase in CI	31.03.2023	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Resort, Water Park, Amusement Park, Food Court with Laundry activity having Total Plot Area of 1,95,839 Sq.m and Total Construction Built Up Area of 9,073.75 Sq.m with increase in CI.</p> <p>Committee also noted that PP has provided primary ETP followed by STP and OWC.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation <b><u>it was decided to grant Renewal of Consent to Operate</u></b> by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage.</li> <li>2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> <li>3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.</li> <li>5. PP shall submit BG of Rs. 25 Lakh towards O &amp; M of Pollution Control Systems and compliance of Consent conditions.</li> </ol>
13	MPCB- CONSENT- 0000122660	Chowgule and company Private Limited	<b>REFUSED</b>  Renewal of consent with increase in CI	----	Committee noted that PP has applied for renewal of consent with increase in CI for provision of Repair, Refit and Conversion Services for ships, Rigs and floating Structures and Fabrication of offshore structures and Decommissioning of rig and offshore structures and load within premises (Without Ship breaking activities) (At 6 berths along with ship transfer system only for ship repairing activity).

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that, this case was discussed in earlier CAC meeting &amp; was deferred and decided to issue SCN for refusal of consent due to non-operation of STP &amp; ETP by PP, discharged sewage/trade effluent into the storm water drain which further meets in to Jaigad creek, increased the CI by Rs. 37.74 Crs., non-submission of details of BG &amp; STP.</p> <p>Committee further noted that Board office has issued SCN for refusal of consent, however, PP has not submitted reply/say, till date.</p> <p>After due deliberation, <b><u>it was decided to issue final refusal of renewal of consent</u></b> due to non-submission of compliance report towards SCN issued.</p>
14	MPCB- CONSENT- 0000120078	Hindustan Unilever Ltd., C-9 MIDC Industrial Area, Khamgaon	<b>APPROVED</b>  Renewal of Consent Operate	28.02.2023	<p>Committee noted that, PP has applied for renewal of consent to operate by amalgamation of two consents.</p> <p>Committee noted that, the said case was earlier discussed in CAC and issued show cause notice for non-submission of justification for increased CI, STP outlet report exceeding the consented standards, water budget differs than the consented budget, Inadequate land available for disposal of treated effluent/sewage and non-submission of additional consent fee. Committee further noted that, PP has submitted reply to the show cause notice.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent to operate</u></b> by imposing following conditions: 1. PP shall operate pollution control system scientifically to achieve the consented norms.</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>2. PP shall submit upgradation/improvement plan for O&amp;M of ETP/STP within 15 days and implement the same within 30 days</li> <li>3. PP shall submit Extended Producer Responsibility (EPR) as per Plastic Rule within 03 month period.</li> <li>4. By forfeiting 25% of the Bank Guarantee and top-up with total amount of Rs. 25 lakh towards O&amp;M of Pollution control system &amp; compliance of consent conditions.</li> </ol>
15	MPCB- CONSENT- 0000121253	Bombay Dyeing Manufacturing & Co.Ltd. (Rehab A&B AND SALE ONE ICC & TWO ICC) C.S. No. 223, 1/983, 1/128 (pt) & 120 (pt) 128, Dadar Naigaon division at G.D. Ambedkar Marg, 3 Wadala, Mumbai - 400 025.	<b>APPROVED</b>  Revalidation of Consent to Establish	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, applied for grant of Revalidation of Consent to Establish for proposed Residential Construction project having Total plot area of 1,83,663.18 Sq.m and Total Construction BUA of 3,53,818.99 Sq.m.</p> <p>Committee also noted that, PP has obtained EC, proposed to provide STP and OWC.</p> <p>After due deliberation <b><u>it was decided to grant Revalidation of Consent to Establish</u></b> by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall provide STP of adequate capacity to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility.</li> <li>2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>3. PP shall provide organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.</li> <li>4. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.</li> <li>5. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.</li> </ol>
16	MPCB- CONSENT- 0000123319	Dana India Pvt. Ltd. Gat No. 51/1 & Others, Plot No. 1(P) Gat No.51/1+51/2+51/3 +52(P)+53(P) +54(P) +56+57+58+59(P), Bhamboli Khed	<b>APPROVED</b>  Renewal of Consent	31.12.2023	<p>Committee noted that, PP has applied for renewal of consent.</p> <p>Committee also noted that, PP has provided ETP &amp; STP for treatment of trade effluent &amp; sewage respectively. Also, provided necessary air pollution control systems.</p> <p>Committee further noted that, the said case was earlier discussed in CAC and issued show cause notice and PP has submitted reply to the SCN.</p> <p>After due deliberation, <b>it was decided to grant renewal of consent</b> to operate without change in production quantity by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate ETP scientifically and recycle the entire treated effluent to achieve ZLD.</li> <li>2. PP shall submit Bank Guarantee of Rs.25 Lakh towards O&amp;M of PCS and compliance of consent conditions.</li> </ol>
17	MPCB- CONSENT- 0000124000	Radisson Blu Hotel, Nagpur (Unit of Bestech	<b>APPROVED</b>  Renewal of	31.05.2023	Committee noted that PP has applied for renewal of consent for Hotel Activity with Restaurant, Swimming Pool, Health Club & Laundry Activity on total plot area of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Hospitalities Pvt. Ltd.) Plot No. 7 Somalwada, Chhatapati Square , Wardha Road Nagpur	consent		<p>8343.716 Sq.Mtrs. &amp; total construction BUA 27667.16 Sq. Mtrs. having 214 Rooms.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting &amp; was decided to defer the case &amp; issue SCN for refusal of consent. Also, Board office has issued SCN for refusal of consent due to non-submission of details of BGs, drainage NOC &amp; non-biodegradable waste, increased the plot area by 1540.06 Sq.Mtr &amp; provided 2 Nos of additional 1 TPH boilers without consent. Subsequently, PP submitted the reply.</p> <p>After due deliberation, <b>it was decided to grant renewal of consent for Hotel Activity</b> with Restaurant, Swimming Pool, Health Club &amp; Laundry Activity on total plot area of 8343.716 Sq.Mtrs. &amp; Total construction BUA 27667.16 Sq. Mtrs. having 214 Rooms by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in EC &amp; consent.</li> <li>2. PP shall not carry out any expansion till obtaining EC &amp; consent to establish for expansion.</li> <li>3. PP shall operate Effluent Treatment Plant &amp; Sewage Treatment Plant so as to achieve BOD-10 mg/l.</li> <li>4. PP shall 90% recycle/reuse treated sewage/effluent for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting, etc., &amp; remaining shall be utilized on land for gardening, there shall be no discharge into municipal sewer line at any cost as per your commitment letter given to Board vide</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>dated 25.04.2022.</p> <p>5. PP shall operate organic waste converter scientifically &amp; converted organic waste shall be used as manure in your own garden/plantation.</p> <p>6. PP shall submit/extend the existing BG of Rs. 25.0 Lakh towards O &amp; M of pollution control system and compliance of EC &amp; consent conditions.</p>
18	MPCB- CONSENT- 0000122902	Vasantrao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No. Gut No. 799/2 Lohoner Deola	<b>NOT APPROVED</b>  Renewal of Consent	-----	<p>Committee noted that PP has applied for 2500 TCD sugar unit and 17 MW cogeneration unit. And case was discussed in CAC meeting held on 25.01.2022 and it was decided to issue SCN for refusal for increase in capital investment by 59.3356 Crs. Without justification and not obtained revocation from CPCB against closure issued.</p> <p>Committee further noted that SCN was issued on 02/03/2022. PP has failed to reply to SCN and also not obtained revocation from CPCB against closure issued.</p> <p>After due deliberation, <b><u>it was decided to issue final refusal of consent to Renewal</u></b> as Industry has not reply to SCN and not obtained revocation for closure direction issued by CPCB.</p>
19	MPCB- CONSENT- 0000115442	Bhusawal Thermal Power Station Unit No. 3 (210MW) & Unit No. 4 & 5 (2x500MW), Deepnagar, Tal-Bhusawal, Dist-	<b>APPROVED</b>  Renewal of consent with decrease in CI	31.12.2023	<p>Committee noted that PP has applied for renewal of consent Electricity Generation -420 MW (Unit no.6 &amp; unit no.7 of capacity of 210 MW each).</p> <p>Committee also noted that, earlier the case was discussed in CAC meeting held on 09.03.2022 &amp; it was decided to defer the case and issue show cause notice</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Jalgaon.			<p>for refusal of consent &amp; directed for forfeiture of BG of Rs.25 lakh towards non-compliance of consent conditions and exceeding JVS result of AAQM. Board has issued show cause notice vide letter dated 23.03.2022. Subsequently, PP has submitted the reply of show cause notice.</p> <p><b><u>After due deliberation, it was decided to grant renewal of consent</u></b> for one year period by imposing the following conditions-</p> <ol style="list-style-type: none"> <li>1. By forfeiting the BG of Rs.25.0 Lakh towards non-compliance of consent conditions and exceedance of JVS result of AAQM and Stack monitoring.</li> <li>2. PP shall provide Online Real time coal ash analyzer within 3 months.</li> <li>3. PP shall install Flue Gas De-sulphurisation (FGD) System up to 31.12.2024 and comply with the emission norms as per the timeline prescribed in MoEF &amp; CC Notification dated 31.03.2021.</li> <li>4. PP shall not use the high ash and Sulphur content coal (i.e. more than 34% &amp; 0.5% respectively).</li> <li>5. PP shall dispose the Hazardous waste under the category 35.3 (Chemical sludge arises from wastewater treatment) to the CHWTSDF and submit the manifest as per the HWM Rules 2016 &amp; as amended within one month.</li> <li>6. PP shall comply with the Fly Ash Notification, 2016 and as amendment thereof to achieve 100% utilization of Fly Ash.</li> <li>7. PP shall dispose legacy pond ash regularly.</li> <li>8. PP shall submit the bank guarantee as per BG regime for the Power plant.</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
20	MPCB- CONSENT- 0000127720	Hirschvogel Components India Private Limited Sanaswadi, Tal- Shirur, Pune	<b>NOT APPROVED</b>  Renewal of Consent	-----	Committee noted that, PP has applied for renewal of consent to operate.  Committee also noted that, treated effluent & sewage used on land for gardening & land available is inadequate and performance of ETP/STP not satisfactory as JVS exceeded the consented standards  After due deliberation, it was decided to issue SCN for above non-compliances.
21	MPCB- CONSENT- 0000126573	Loreal India Pvt. Limited Gut no. 426,600/1, 600/2, 601/1 Mahalunge Ingle, Chakan Talegaon Road, Chakan Khed	<b>NOT APPROVED</b>  Renewal of Consent	-----	Committee noted that, PP has applied for renewal of consent to operate and separately applied for 1 <sup>st</sup> Consent to Operate for operation of Briquetter fired Boiler  Committee also noted that, PP has failed to achieve ZLD as per C to E conditions, performance of ETP not satisfactory as JVS exceeded and submitted BG of Rs. 20 Lakh instead of 25 Lakh and HW (28.5) generated higher than the consented limit.  After due deliberation, it was decided to issue SCN for above non-compliances.
22	MPCB- CONSENT- 0000128187	GALAXY SURFACTANTS LIMITED PLOT NO. V-23 AND PLOT NO. 1 PLOT NO. V-23, MIDC TALOJA	<b>NOT APPROVED</b>  Renewal of Consent	-----	Committee noted that, PP has applied for renewal of Consent to Operate for mfg of surfactants.  Committee also noted that, PP has provided ETP followed by RO & MEE and treated effluent 100% recycled in the process to achieve ZLD. Also, provided necessary air pollution control systems.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		AND PLOT NO. 1 VILLAGE CHAL, NEAR TALOJA MIDC, TAL. PANVEL, DIST. RAIGAD PANVEL			After due deliberation, it was decided to defer the case and call PP for Technical Presentation w.r.t. compliance of Consent Conditions, Status of Water & Air Pollution Control System and disposal details of by-products.
23	MPCB- CONSENT- 0000128699	Tetra Pak India Pvt. Ltd. Plot B 53 MIDC Chakan, Phase - 2, Vasuli Khed	<b>APPROVED</b>  Renewal of Consent	28.02.2023	<p>Committee noted that, PP has applied for 1st Consent to Operate (03 Consent to Establish) with renewal of consent to operate for mfg of straw, Paper straw, Aspetic Packing material, machinery for dairy/Beverages/Cosmetic industry and fabrication of SS Tanks, Silos, Evaporators, Drying chamber, platforms &amp; valves.</p> <p>Committee also noted that, PP has provided ETP &amp; STP for treatment of trade effluent &amp; sewage respectively and treated effluent/sewage partly recycled 145 CMD and remaining 109 CMD used on land for gardening. Also, provided necessary air pollution control system and disposing HW as per the provisions of Rule.</p> <p>Committee further noted that, PP submitted commitment letter stating stoppage of plastic straws by June 2022 towards compliance of MoEF &amp;CC Notification regarding ban of Plastic straws from 1<sup>st</sup> July 2022.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> Consent to Operate expansion with amalgamation of existing Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control systems scientifically and achieve the consented norms</li> </ol>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2. PP shall partly recycle 145 CMD treated effluent/sewage and remaining 109 CMD used on land for gardening.</p> <p>3. PP shall comply with provisions of Plastic Rule</p> <p>4. PP shall submit/extend BG of Rs. 25 Lakh towards O&amp;M of PCS and compliance of consent conditions.</p>
24	MPCB- CONSENT- 0000128967	Kirloskar Oil Engines Ltd Plot A Khadki L.K. Road Khadki Haveli	<b>NOT APPROVED</b>  Renewal of Consent to Operate	-----	<p>Committee noted that, PP has applied for renewal of Consent to Operate with enhancement in Capital Investment.</p> <p>Committee also noted that, earlier consent was granted with no commercial manufacturing activity and now applied with commercial activity (sell of tested engines, Generating sets etc).</p> <p>Committee further noted that, PP has increased CI by 32.6 Cr prior to obtain permission of the Board and not complying with consent condition to recycle 65% of the treated effluent.</p> <p>After due deliberation, <b><u>it was decided to issue show cause notice for above non-compliances.</u></b></p>
25	MPCB- CONSENT- 0000124473	Steel Authority of India Limited , Chandrapur ferro alloy plant Chandrapur 498/2,499,500,503/ 2 Chandrapur Chandrapur	<b>APPROVED</b>  Renewal of consent with increase in CI	31.12.2023	<p>Committee noted that PP has applied for renewal of consent with increase in CI for manufacturing of High Carbon ferro manganese, silico manganese, medium carbon ferro manganese, Manganese ore sinter at SP-I, Manganese ore sinter at SP-II, lime through lime kiln, power generation, Nitrogen gas, furnace gas, high MnO slag (Fe, Mn slag), Low MnO slag (Fe, Mn slag).</p>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that this case was discussed in earlier CAC meeting &amp; was deferred due to non-submission of latest JVS results of stack &amp; air and justification towards increased CI. Subsequently, SRO Chandrapur has submitted the latest JVS results of stack &amp; air which are well within the limit except one JVS result of air. Also, PP has submitted the justification towards increased CI.</p> <p>After due deliberation, <b>it was decided to consider the case for renewal of consent with increase in CI</b> for manufacturing of High Carbon ferro manganese - 96,660 MT/A, silico manganese - 80,540 MT/A, Medium carbon ferro manganese - 200 MT/M, Manganese ore sinter at SP-I - 1170 MT/M, Manganese ore sinter at SPII - 1335 MT/M, lime through lime kiln - 165 MT/M, power generation - 4.2 MW, Nitrogen gas - 73 Nm<sup>3</sup>/hr, furnace gas - 19000 m<sup>3</sup>/hr, high MnO slag (Fe, Mn slag) - 8240 MT/M, Low MnO slag (Fe, Mn slag) - 6040 MT/M by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall up-grade the air pollution control system to achieve TPM - 50 mg/Nm<sup>3</sup> as per time schedule submitted vide letter dated 01.06.2021.</li> <li>2. PP shall achieve TPM - 50 mg/Nm<sup>3</sup> as per notification of MoEF &amp; CC vide dated 04.12.2019.</li> <li>3. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; consent conditions.</li> </ol>
26	MPCB- CONSENT- 0000128624	Unichem Laboratories Ltd. T-47 5 STAR	<b>APPROVED</b>  Renewal of	31.01.2024	Committee noted that, PP has applied for renewal of consent to operate for mfg of API products without any change in products & production quantity.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		MIDC, Kagal Kagal	Consent		<p>Committee also noted that, PP has obtained Environmental Clearance vide No. SEAC-2016/CR-28/TC-2 dated 03/12/2016.</p> <p>Committee further noted that, PP has segregated trade effluent into strong &amp; weak stream and provided separate treatment system &amp; treated effluent/sewage partly recycled (163 CMD) &amp; partly (117 CMD) connected to CETP. Also, provided necessary air pollution control system and disposing HW as per the provisions of Rule.</p> <p>After due deliberation, <b>it was decided to grant renewal of consent</b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate Pollution Control scientifically to achieve the Consented norms.</li> <li>2. PP shall dispose the Hazardous Waste as per the provisions of H&amp;OW Rule by adopting online manifest system</li> <li>3. By forfeiting Bank Guarantee of Rs. 2.0 Lakh submitted against Board Resolution.</li> </ol>
27	MPCB- CONSENT- 0000127964	ENDURANCE TECHNOLOGIES LIMITED K226/1&K227 MIDC INDUSTRIAL AREA AURANGABAD	<b>APPROVED</b>  Renewal of Consent	28.02.2023	<p>Committee noted that, PP has applied for renewal of consent to operate for for mfg of Clutch Assembly, Aluminum Pressure Die Casting, Friction Plate, CVT, Axle Clamp RH, Axle Clamp LH, Under Bracket and Upper Bracket etc.</p> <p>Committee also noted that, PP has provided ETP &amp; STP for treatment of trade effluent &amp; sewage respectively. Also, provided necessary air pollution control system and</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>disposing HW as per the provisions of Rule.</p> <p>After due deliberation, <b><u>it was decided to grant renewal of consent</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control system scientifically to achieve consented standards.</li> <li>2. PP shall partly recycle (77 CMD) treated effluent/sewage into the process &amp; remaining 92 CMD shall be connected to CETP.</li> <li>3. PP shall submit improvement/upgradation plan for air pollution control system within 15 days and implement the same within one month period.</li> <li>4. PP shall dispose the Hazardous Waste as per the provisions of H&amp;OW Rule by adopting online manifest system</li> <li>5. By forfeiting 50% of the Bank Guarantee towards JVS exceedance &amp; top-up with total amount Rs. 25 Lakh towards O&amp;M of pollution control system and compliance of consent conditions</li> </ol>
28	MPCB- CONSENT- 0000130338	PRAXAIR INDIA PRIVATE LIMITED A3 MURBAD MURBAD	<b>NOT APPROVED</b>  Renewal of Consent	-----	<p>Committee noted that, PP has applied for renewal of consent for mfg of Industrial Gases and storage of toxic/non-toxic flammable/non-flammable gases/liquids. Industry has applied with reduction of production quantity of some of the products.</p> <p>Committee noted that, water budget differs than the existing consented water budget, substantial reduction is trade effluent quantity, ETP adequacy not submitted, HW not disposed and stored within premises last 01 year, not submitted compliance of consent condition no. 8, 10, 11 &amp; 13 and not submitted onsite emergency plan &amp; not</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					submitted of compliance of SCN issued.  After due deliberation, it was decided to <b><u>issue show cause notice</u></b> for above non-compliances.
29	MPCB- CONSENT- 0000125340	Croda India Company Private Limited 1/1 Koparkhairne Navi Mumbai	<b>APPROVED</b>  Renewal of Consent	28.02.2027	Committee noted that, PP has applied for renewal of Consent to Operate with enhancement in Capital Investment for mfg of various organic chemicals.  Committee also noted that, PP has provided combine ETP for treatment of trade effluent & sewage. Also, provided necessary air pollution control system and disposing HW as per the provisions of Rule.  After due deliberation, <b><u>it was decided to consider the case for renewal of consent</u></b> by imposing following conditions:  <ol style="list-style-type: none"> <li>1. PP shall operate pollution control scientifically and achieve the consented norms.</li> <li>2. PP shall dispose the Hazardous Waste as per the provision of H&amp;OW Rule by adopting online manifest system.</li> <li>3. PP shall submit Bank Guarantee of Rs. 25.0 Lakh towards O&amp;M of Pollution Control System.</li> </ol>
30	MPCB- CONSENT- 0000130229	IKEA India Private Limited Plot no. 15, 15a, 15b, 15 TTC MIDC Area, Thane â€œBelapur Road, village Turbhe and	<b>APPROVED</b>  Consent to Renewal	28.02.2023	Committee noted that PP has applied for Renewal of Consent to Operate for Retail Store activity having Total Plot Area of 96250 sq. mtrs and total BUA is 108049 sq. mtrs. With decrease in Capital Investment from 1423 Crs to 1407 Crs. (16 Crs decrease)  Committee further noted that PP has provided STP and

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Pawane, Navi Mumbai 400703 Thane			<p>OWC. Non bio-degradable (Dry garbage) is sold to authorized vendor.</p> <p>After due deliberation, <b>it was decided to grant Renewal of Consent to Operate</b> for Retail Store activity having Total Plot Area of 96250 sq. mtrs and total BUA is 108049 sq. mtrs. With decrease in Capital Investment from 1423 Crs to 1407 Crs., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall extending existing BG of Rs. 25 Lakhs towards O &amp; M of pollution control system and compliance of Consent conditions.</li> </ol>
31	MPCB- CONSENT- 0000130738	JSW Steel Limited, Salav Works, Village Salav, Post. Revdanda, Tal. Murud, Dist. Raigad.	<b>APPROVED</b>  Renewal of consent with increase in CI	31.05.2023	<p>Committee noted that, PP has s applied for renewal of consent with increase in CI and increase in one product capacity.</p> <p>Committee also noted that PP has Provided Neutralization Pit for the treatment of the DM Plant regeneration effluent. For Quench tower, cooling tower &amp; Boiler blowdown and scrubbing effluent PP has provided Primary ETP consisting of Clarifier and high rate thickener. JVS results: Out of four available JVS of water one is exceeds for BOD &amp; COD parameters.</p> <p>Committee also noted that, PP is using gas as fuel to Sponge Iron Plant. Provided cyclone followed by wet scrubber as APC to each reactors. provided wet scrubber as APC to reactor for de-pressurizing scrubber discharge. Conveyor belt for raw material handling from Jetty to material handling section was broken at many</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>places. Claddings was also removed at many places. Industry has installed rain guns at raw material handling section as well as on road to control the fugitive emission. AAQM results for RSPM parameter are exceeding than the standards.</p> <p>After due deliberation, <b><u>it was decided to grant plain renewal of consent with increase in CI for short period</u></b>, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. By forfeiting BG of Rs. 5 Lakhs towards JVS exceedance and non-compliances observed.</li> <li>2. PP shall obtain amendment in Environmental Clearance with inclusive of the Iron ore fine product, increase of the product and the change in Name.</li> </ol> <p>PP shall extend the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions.</p>
32	MPCB- CONSENT- 0000130866	M/s. Dana Anand India Private Limited Village: Kuruli 29, Milestone, Pune Nasik Road Khed	<b>APPROVED</b>  1st Consent to Operate for expansion for modernization with renewal of existing Consent to Operate	31.03.2025	<p>Committee noted that, PP has applied for 1st Consent to Operate for expansion for modernization of plant &amp; machineries for quality improvement, additional construction (BUA-800 Sq. mtr) and upgradation of existing ETP &amp; STP with renewal of existing Consent to Operate &amp; also with change in name from "M/s. Spicer India Pvt. Ltd.," to "M/s. DANA Anand India Pvt. Ltd.</p> <p>Committee also noted that, PP has provided ETP &amp; STP for treatment of trade effluent &amp; sewage respectively.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Also, provided necessary air pollution control system and disposing HW as per the provisions of Rule.</p> <p>After due deliberation, <b>it was decided to consider the case for 1st Consent to Operate for expansion with renewal</b> of existing consent to operate (amalgamation) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall operate pollution control system scientifically to achieve the consented norms.</li> <li>2. PP shall dispose the Hazardous Waste as per the provisions of H&amp;OW Rule by adopting online manifest system</li> <li>3. PP shall extend/submit Bank Guarantee of Rs. 25 Lakh towards O&amp;M of pollution control system and compliance of consent conditions.</li> </ol>
33	MPCB- CONSENT- 0000130421	JSW Cement Limited 95,96 & 98, Vill - Khar Karavi, PO - Gadab, Tal - Pen, Dist - Raigad.	<b>NOT APPROVED</b>  Renewal of Consent	-----	<p>Committee noted that PP has applied for renewal of consent for Ordinary Portland Cement (OPC)-360000 Ton/Y, Portland Pozzolana Cement (PPC)-40000 Ton/Y, Composite Cement (CC)-40000 Ton/Y, Ground Granulated Blast Furnace Slag (GGBFS)-500000 Ton/Y and Portland Slag Cement (PSC) -260000 Ton/Y.</p> <p>Committee also noted that, Hon'ble NGT has issued an order dated 27/5/2021 and constituted Joint Committee chaired by Joint Secretary, MoEF &amp;CC, Govt. of India includes members from IIT, CPCB, District Collector, Raigad. and MPCB. The Hon'ble NGT has issued order on 04.03.2022. In the said order NGT directed Committee to verify the status of compliance of EC conditions as well as CRZ conditions 2011 &amp; steps required for restoration of the creek and canal.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due <b><u>deliberation it was decided to call PP for technical presentation regarding pollution control systems and Manufacturing process of all the JSW units.</u></b></p>
34	MPCB- CONSENT- 0000131141	Ordnance Factory Ambajhari, Nagpur- Amrawati Road, Ambazari. Dist. Nagpur	<p><b>APPROVED</b></p> <p>Renewal of consent with increase in CI</p>	30.04.2027	<p>Committee noted that, PP has applied for Renewal of consent with increase in CI.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and issue SCN for non-compliances such as inadequate ETP for the treatment of pickling and plating effluent as the JVS results shows exceedance to parameter of pH, BOD, COD, O&amp;G, Chloride, Cyanide &amp; Chromium. Also not provided scrubber to the Pickling &amp; Plating section. not submitted BG as per earlier consent conditions, Also carried out expansion without prior permission.</p> <p>Committee also noted that, PP has given reply to the SCN mentioning that they have separate neutralization and chemical treatment for Zinc plating and chromium effluent also they are in the process to upgrade the plant and machineries along with ETP.</p> <p>After due deliberation <b><u>it was decided to grant Renewal of consent with increase in CI</u></b> by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall upgrade the Air &amp; Water pollution control</li> </ol>



Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>systems so as to achieve the consented norms.</p> <p>2. PP shall submit BG of Rs. 25 Lakhs towards operation and maintenance of pollution control systems and compliance of consent conditions.</p>
35	MPCB- CONSENT- 0000130430	Graphite India Limited, Plot No. 88, MIDC Satpur, Tal. & Dist. Nashik	<p><b>APPROVED</b></p> <p>Renewal of consent with increase in CI</p>	31.05.2023	<p>Committee noted that, PP has applied for renewal of consent to operate with increase in CI.</p> <p>Committee also noted that, PP has provided ETP Primary &amp; tertiary and treated effluent is recycling in the scrubber. Also provided STP for the treatment of sewage and treated sewage using on land for gardening. Provided ESP as APC to Re-baking Furnace, Wet scrubbers as APC to cooler fume extractor, binder pitch of baking section and Dust collector with stack as APC to Extrusion plant silo area, Raymond Mill, Baking milling, tube milling, specialty machine shop, etc</p> <p>After due <b>deliberation it was decided to grant renewal of consent with increase in CI</b> by imposing following conditions;</p> <p>PP shall submit the BG of Rs. 25 Lakhs towards operation and maintenance of pollution control system and compliance of consent conditions.</p>
36	MPCB- CONSENT- 0000131364	M/s. Cipla Ltd. Plot No. A-33,A-37/2/2 Patalganga Khalapur	<p><b>NOT APPROVED</b></p> <p>Renewal of consent</p>	-----	<p>Committee noted that, PP has applied for renewal of Consent to Operate for mfg of Pharmaceutical formulation (2000 Million/M), Ointment/Cream (200 MT/A), Nasal Sprays (5 Million vials/A) &amp; Bulk Drugs (144 MT/A).</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee noted that, PP has not submitted detailed manufacturing process of each product, Capital Investment increased prior to permission of the Board and not submitted additional consent fee for increased CI.</p> <p>After due deliberation, <b><u>it was decided to issue show cause notice</u></b> for above non-compliances.</p>
37	MPCB- CONSENT- 0000129752	NRB Bearings ltd E 72 1/2 Waluj MIDC Gangapur	<b>NOT APPROVED</b>  Renewal of Consent	-----	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg of Bearing and Bearing Components and Needle Roller.</p> <p>Committee also noted that, PP has failed to submit detailed manufacturing process with pollution sources, applied trade effluent generation is differs than the existing consented generation, failed to submit adequacy of existing ETP to take additional load, performance of ETP &amp; STP is not satisfactory as continuously JVS exceedance and not submitted in proposal for improvement/upgradation of O&amp;M of ETP &amp; STP.</p> <p>After due deliberation, <b><u>it was decided to issue show cause notice</u></b> for above non-compliances.</p>
38	MPCB- CONSENT- 0000120117	Kisanveer Satara Sahakari Sakhar Karkhana Ltd.,Bhuinj Kisanveernagar Tal-Wai, Dist- Satara Survey Number	<b>APPROVED</b>  Renewal of Consent	31.08.2024	<p>Committee noted that, PP has applied for Renewal of consent for manufacturing of Ethanol 80 KL/D from Denatured Rectified Spirit.</p> <p>Committee also noted that the Condensate generated is recycled in process.</p> <p><b><u>After due deliberation, it was decided to grant</u></b></p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		630, Gat No.1526/1 & 2 Bhuinj Kisanveernagar Tal-Wai, Dist-Satara Wai			<b><u>renewal of consent by imposing following conditions:</u></b> 1. PP shall comply with all the conditions of Consent issued to Distillery unit. 2. PP shall submit/ Extend bank guarantee of Rs. 5 lakh towards compliance of consent conditions.
39	MPCB-CONSENT-0000130559	Penganga Opencast Mine Near Wirur - Gadegaon Village, Tal-Korpana, Dist-Chandrapur	<b>NOT APPROVED</b>  Renewal of consent with increase in CI	-----	Committee noted that, PP has applied for renewal of consent for open cast coal mine-6.3 MTPA.  Committee further noted that ETP for workshop effluent is proposed. Work awarded on 08.01.2022. Construction yet not started. Valid Renewal NOC of CGWA is not submitted. CAAQMS is not installed. Mechanised sweeping machine is not provided. Tyre wash system not installed.  <b><u>After due deliberation, It was decided to defer the case and issue Show cause notice for refusal of consent.</u></b>
40	MPCB-CONSENT-0000132095	Chandrapur Super Thermal Power Station, Chandrapur Mauza Dewai, 1 to 16 Mauza Dewai, 1 to 16, Govindpur, Rayyatawari, Urjanagar, Chandrapur,	<b>APPROVED</b>  Renewal of consent	31.12.2023	Committee noted that, PP has applied for renewal of consent for Transportation of Coal by Closed Pipe Conveyor System for a length of 6.431 Km from Bhatadi Open Cast mine and Padmapur Open Cast mine of Western Coalfields Ltd to the existing 2x500 MW Chandrapur Super Thermal Power Station-2.0 MTPA (6000 TPD).  <b><u>After due deliberation, it was decided to grant of renewal consent for the period up to 31.03.2023 by</u></b>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Maharashtra Rayyatwari			<p>imposing following conditions-</p> <ol style="list-style-type: none"> <li>1. PP shall provide GI sheet cladding to transfer points and silos and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>2. PP shall provide dust suppression system such as mist/dry fog system to all the transfer points to arrest fugitive dust emission within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same.</li> <li>3. PP shall submit the BG of Rs.10.0 Lakh towards O &amp; M of pollution control system and compliance of Consent/EC conditions.</li> </ol>
41	MPCB- CONSENT- 0000130759	Expansion of New Majri UG to OC Mine At: Majri, PO: Shivjinagar, Ta: Bhadrawati, District: Chandrapur,	<b>NOT APPROVED</b>  Renewal of consent with decrease in CI	-----	<p>Committee noted that, PP has applied for renewal of consent for open cast coal mine-3.0 MTPA.</p> <p>Committee also noted that recently the incidence of sliding of OB happened on 23.02.2022 towards North East corner of the mine resulting the bed of sirna nalla rises 4 to 5 meters and 40 to 50 mtrs in length. Also the nalla bed, bank &amp; surrounding area disturbed the geographical conditions. Mine authority not provided toe wall of 15.0 mtrs height for the OB dump as per EC condition.</p> <p><b><u>After due deliberation, It was decided to defer the case and issue Show cause notice for refusal of consent.</u></b></p>

The meeting is ended with vote of thanks.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
-					