

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 11th Consent Appraisal Committee Meeting of 2022-2023 held on 02.12.2022 at Dalamal House, Nariman Point, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Pravin Darade,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri Ravindra Pawar,
Dy. CEO (Env.), MIDC. | Member |
| 4. Dr. Y. B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Dr. Jitendra Sangewar,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The meeting thereafter deliberated on the fresh agenda items [Booklet No. 55 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 55					
1	MPCB- CONSENT- 0000110481	Reliance Corporate IT Park Ltd. 5 5, TTC Industrial Area, Thane- Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	APPROVED Renewal of Consent (Part-I) & amalgamation with Part-II	31.07.2025	<p>Committee noted that PP has applied for renewal of consent (Part-I) for IT park project along with incorporation of Non FSI area for construction BUA of 3,00,741.46 Sq.Mtr (2,97,000 + 3741.46 Sq.mtr.).</p> <p>Committee also noted that this case this case was discussed in CAC meeting dated 24.06.2022 & was deferred & decided to call the PP for presentation due to completion of construction work of 3,02,654.85 Sq.mtr without obtaining revalidation of consent to establish, non-submission of compliance report as per EC, delayed renewal of consent for 188 days & 0.1% Environment compensation towards violation.</p> <p>Committee further noted that the presentation was extended vide dated 21.09.2022 during presentation PP has submitted the justification towards construction BUA of 3,02,654.85 Sq.Mtr which was completed without obtaining revalidation of C to E, that PP has applied for 1st C to O (Part-IV) vide UAN No. 135563 for construction BUA of 15,772.85 Sq.mtr. which was missed out during these applications were submitted. The remaining BUA of 2,86,882 Sq.Mtr is completed within the valid C to E & EC period i.e. in December 2016, interior works & fit outs are not fully completed even today, therefore they have not applied for OC & C to O.</p> <p>Committe also noted that PP has delayed the application for renewal of consent (Part-I) by 222 days which attracts penal fees as per Boards circular. Also, PP has applied for renewal of consent (Part-II) vide UAN No. 113792 & renewal of consent</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>(Part-III) vide UAN No. 131084 which attracts penal fees towards delay in renewal of the same by 188 days & 610 days respectively.</p> <p>After due deliberation, it was decided to grant renewal of consent (Part-I) with amalgamation of consent (Part-II) along with incorporation of non FSI area for IT park project on total plot area of 20,50,990 Sq.mtr & construction BUA of 3,00,741.46 (2,97,000 + 3,741.46) + 1,87,222.25 (1,87,180.02 + 42.23) = 4,87,963.71 Sq.mtr out of total construction BUA of 18,35,000 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall obtain revalidation of EC for remaining construction BUA, till that time PP shall not start the remaining construction work. 2. PP shall operate STP for treatment of domestic effluent to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility. 3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 4. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. PP shall provide bus transport for employees to the extent possible directly or indirectly through the operator so as to reduce the traffic congestion & resultant in reduction of air pollution.</p> <p>7. PP shall submit/extend BG of Rs. 25 Lakh towards O & M of PCs and compliance of EC and Consent conditions.</p> <p>Consent shall be issued after submission of penal & additional consent fees.</p>
2	MPCB- CONSENT- 0000113792	Reliance Corporate IT Park Ltd. 5 5, TTC Industrial Area, MIDC, Thane â€“ Belapur Road Ghansoli, Navi Mumbai 400 701 Navi Mumbai	APPROVED Renewal of consent with increase in CI	31.07.2025	<p>Committee noted that PP has applied for renewal of consent (Part-II) with increase in CI & along with incorporation of Non FSI area for construction BUA of 1,87,222.25 Sq.Mtr (1,87,180.02 Sq.Mtr + 42.23 Sq.Mr).</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 24.06.2022 & was deferred & decided to call the PP for presentation due to completion of construction work of 3,02,654.85 Sq.mtr without obtaining revalidation of consent to establish, non-submission of compliance report as per EC, delayed renewal of consent for 188 days & 0.1% Environment compensation towards violation.</p> <p>Committee further noted that the presentation was extended vide dated 21.09.2022 during presentation PP has submitted the justification towards construction BUA of 3,02,654.85 Sq.Mtr which was completed without obtaining revalidation of C to E, that PP has applied for 1st C to O (Part-IV) vide UAN No. 135563 for construction BUA of 15,772.85 Sq.mtr. which was missed out during these applications were submitted. The remaining BUA</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>of 2,86,882 Sq.Mtr is completed within the valid C to E & EC period i.e. in December 2016, interior works & fit outs are not fully completed even today, therefore they have not applied for OC & C to O.</p> <p>Committee also noted that PP has delayed the application for renewal of consent (Part-II) by 188 days which attracts penal fees as per Board's circular. Also, PP has applied for renewal of consent (Part-I) vide UAN No. 110481 & renewal of consent (Part-III) vide UAN No. 131084 which attracts penal fees towards delay in renewal of the same by 222 days & 610 days respectively.</p> <p>After due deliberation, it was decided to grant renewal of consent (Part-II) with increase in CI & amalgamation of consent (Part-I) along with incorporation of non FSI area for IT park project on total plot area of 20,50,990 Sq.mtr & construction BUA of 1,87,222.25 (1,87,180.02 + 42.23) + 3,00,741.46 (2,97,000 + 3,741.46) = 4,87,963.71 Sq.mtr out of total construction BUA of 18,35,000 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall obtain revalidation of EC for remaining construction BUA, till that time PP shall not start the remaining construction work. 2. PP shall operate STP for treatment of domestic effluent to achieve the standard for the parameter BOD-10 mg/lit including disinfection facility. 3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>utilized on land for gardening and/ or connected to local body sewer line with water metering system.</p> <ol style="list-style-type: none"> 4. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 6. PP shall provide bus transport for employees to the extent possible directly or indirectly through the operator so as to reduce the traffic congestion & resultant in reduction of air pollution. 7. PP shall submit/extend BG of Rs. 25 Lakh towards O & M of PCs and compliance of EC and Consent conditions. <p>Consent shall be issued after submission of penal & additional consent fees.</p>
3	MPCB- CONSENT- 0000120167	UltraTech Cement Limited, Unit-Manikgarh Cement Works and Manikgarh Cement Works II 146 to 163 Gadchandur, Tal-Korpana, Dist-Chandrapur	APPROVED Renewal of consent with increase in CI	31.10.2023	<p>Committee noted that PP has applied for renewal of consent for mfg. of Cement-6.0 MTPA, Electricity generation (CPP) 60 MW & 15 MW and AFR feeding system-250 MT/day.</p> <p>Committee also noted that PP has provided ETP and STP. Provided Hybrid bag house to Unit 1 kiln, Cement Mill with Bag House, Unit – 2 Kiln with RABH, Power plant with Hybrid Bag house. ESP are provided at coolers of UNIT 1 & UNIT 2.</p> <p>Committee further noted that the case was discussed in an earlier CAC meeting & decided to issue show cause notice towards noncompliance of consent conditions. Accordingly, the Board has issued show cause notice. PP has submitted the reply of SCN. The technical presentation has extended to</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>industry. Industry has submitted the proposals/ action plan for further improvements</p> <p>After due deliberation it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall complete the installation of Additives mechanized handling system (Stacker/Reclaimer) including shed by Sept-2023. 2. PP shall complete the Installation of Separate deep pan conveyor for clinker ESP dust- by July-2023. 3. PP shall complete the Installation of Unit-II deep pan conveyor to Unit-I stockpile shed mechanical clinker transfer system to avoid fugitive dust emissions by July-2023. 4. PP shall complete the Construction of additional CC road Inside plant area by March-2023. 5. PP shall complete the Concreting of truck yard by June-2023. 6. PP shall extend the existing BG as per earlier consent for the period up to 31.12.2024.
4	MPCB- CONSENT- 0000122461	Shrinivas Engineering Auto Components Pvt. Ltd. Plot No. A-24 Talegaon MIDC (Phase- IV) Tal. Maval, Dist. Pune	APPROVED Renewal of Consent	30.09.2023	<p>Committee noted that, PP has applied for renewal of consent.</p> <p>Committee also noted that, this application was discussed in earlier CAC and decided to call PP for Technical Presentation w.r.t. Compliance of Hon'ble NGT Case, JVS exceedance and no installation of CAAQMS station.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, PP has extended Technical Presentation in which briefed the status of the NGT case, JVS exceeded may be due to mechanical & part electrical temporary disorders which has been rectified. They have Installed CAAQMS within premises which was verified by Board Officials.</p> <p>Committee noted that, SRO office reported present status mentioning, Industry has provided physicochemical treatment comprises of collection tank, oil skimmer, reaction tank with flash mixer having capacity of 05 m3/batch for treatment of trade effluent generated from machine shop & paint booth. Each batch is of 2 to 3 hours. Treated effluent is further treated in STP which is MBBR based and having capacity 170 CMD. Treated effluent is reused for toilet flushing & remaining on land for gardening. Latest JVS are within the consented limit. Industry has installed CAAQMS within premises at Main Gate, HT Room & Near Sand Plant.</p> <p>After due deliberation it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. This consent is issued subject to order passed by the Hon'ble NGT with respect to O.A. No. 39/2019 (WZ). 2. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions. <p>Consent shall be issued after obtaining additional consent fees, if any.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
5	MPCB- CONSENT- 0000131046	UltraTech Cement Limited 80-82, 85,87-90,92-93,95-96,98,100,102-106,127-178, Village: Peth (Naygaon), Tal: Haveli, Dist: Pune	APPROVED Renewal of Consent	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for Railway siding facility and packing of cement (bag + loose)-6000 MT/day.</p> <p>Committee also noted that PP has provided STP, bag filters to 3 nos. of silos. Also provided bag filters to wagon unloading points (3 nos.), for main packer sequences (3 nos), cement extraction, silo bin venting and bulk loading systems.</p> <p>Committee further noted that the case was discussed in an earlier CAC meeting & decided to call PP for technical presentation regarding compliances as per NGT order and obtain latest JVS reports. The technical presentation has extended to industry. Industry has submitted the compliance of NGT order. The analysis result of AAQM & STP outlet carried out on 21.01.2022 are within limit.</p> <p>After due deliberation it was decided to grant renewal of consent under RED category by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG for the period up to 31.12.2024 towards O & M of Pollution control system and towards compliance of consent conditions. 2. SRO Pune II shall assess compensation for the past violations by industry and submit the copy of environment compensation levied to the industry based on past violation. 3. PP shall comply with the NGT order dated 21.03.2022.
6	MPCB- CONSENT- 0000133237	Huf India Pvt. Ltd Gat no. 304 & 305 Village Nanekarwadi,	APPROVED Consent to 1 st Operate and	28.02.2027	<p>Committee noted that, PP has applied for 1st consent to operate</p> <p>Committee also noted that this application was discussed in earlier CAC and decided to issue show cause notice for applied</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Chakan Tal: Khed Dist: Pune	renewal of existing consent		<p>for consent after expiry of the validity period, not submitted Audited balance sheet, failed to install ZLD system & non submission of Bank Guarantee.</p> <p>Committee further noted that, PP has submitted reply which is in line. PP is agreeing to pay Penal charges for late submission of application as per Board circular. Submitted Audited balance sheet. Installed additional ultra-filtration system to recycle the treated effluent, and submitted Bank Guarantee of Rs, 25 Lakh as per C to E which is valid up to 28/2/2024.</p> <p>After due deliberation it was decided to grant 1st consent to operate and renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions <p>Consent shall be issued after obtaining Penal charges of Rs. 82,110/- towards applying after 17 days from the expiry of the existing consent period.</p>
7	MPCB- CONSENT- 0000129714	Bharat Forge Ltd. Gat No.635 Kuruli Chakan Tal. Khed, Dist. Pune	APPROVED Renewal of consent to operate	28.02.2023	<p>Committee noted that, PP has applied for renewal of consent to operate</p> <p>Committee also noted that this application was discussed in earlier CAC and decided to issue show cause notice for applied after expiry of the validity period, not submitted justification for</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>increased CI and ETP sludge disposal shown Nil in HW Annual returns.</p> <p>Committee further noted that, PP has submitted reply which is in line. They have made application in time, but payment of the consent fees got delay also submitted that they are agreeing to pay Penal charges for late submission of application as per Board circular. CI increased due to maintenance related assets for replacement/rebuilding, shifting and up-gradation of machines only and paid consent fee for increased CI. provided STP based on MBBR technology and ETP sludge was generated in very less quantity and disposed in May, hence was not reflected in the previous years.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions. <p>Consent shall be issued after obtaining Penal charges of Rs. 1,71,225/- towards applying after 25 days from the expiry of the existing consent period</p>
8	MPCB- CONSENT- 0000133702	ZOETIS PHARMACEUTICAL PRIVATE LIMITED 16,MIDC,K.U.Bazar post, Thane	APPROVED Renewal of Consent	30.04.2027	<p>Committee noted that, PP has applied for renewal of C to O for R&D Centre for Pharmaceutical & API production of Research based new molecules.</p> <p>Committee also noted that, the said unit is having Consent to Operate which is valid up to 30/4/2022.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Belapur road, Turbhe TTC Industrial Area Navi Mumbai			<p>Committee further noted that, PP has provided ETP (Primary + Secondary) for treatment of trade effluent & treated effluent is connected to CETP.</p> <p>Committee further noted that, PP has provided necessary air pollution control system and disposal of Hazardous Waste as per the provisions of H&OW Rule.</p> <p>Committee further noted that, the said case was discussed in CAC meeting held on 28/7/2022 and issued SCN for submission of details of EC, justification for increased CI & submission of Audited Balance sheet. In response to the same, PP has submitted reply which is in line with the SCN.</p> <p>Committee further taken into account the Office Memorandum issued by MoEF&CC vide No. F. No. 22-17/2019-IA.III (121076) dated 01/9/2022 regarding R&D activity where no commercial production is involved are exempted from the requirement of prior Environmental Clearance.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control system scientifically to achieve the consented norms 2. Industry shall dispose the Hazardous Waste as per the provisions of H&OW Rule 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution control system and compliance of consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
9	MPCB- CONSENT- 0000134938	Gabriel India Limited 29th Milestone 29th Milestone, Pune Nashik Road, Village Kuruli, Tal:- Khed, Dist:- Pune 410501	APPROVED Renewal of Consent	30.04.2025	<p>Committee noted that, PP has applied for renewal of consent to operate</p> <p>Committee also noted that this application was discussed in earlier CAC and decided to issue show cause notice for non-submission of Audited Balance sheet & details of modernization of old machineries, treatment system adopted for chrome bearing effluent and submission of details of ETP/STP & Air Pollution control system.</p> <p>Committee further noted that, PP has submitted reply which is in line. They have made application in time, Submitted Audited balance sheet, modernization of old machineries which includes installation of ZLD system, changed old electrical panels of assembly machine to VFD panels for power factor improvement, upgradation in pneumatic machines, replacement of old machines & tools etc. installed Dyna Chrome In exchanged system for treatment of chrome bearing effluent, provided STP based on MBBR Technology Also, installed ETP comprising primary, secondary & tertiary treatment system followed by UF & RO and provided wet scrubbing arrangement to chrome plating section and fabric bag filter to shot blasting.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
10	MPCB- CONSENT- 0000137955	Shree Sidhballi Ispat Ltd C-2 & 3 MIDC Tadali Growth Center, Tadali Chandrapur	APPROVED Renewal of Consent	30.04.2025	<p>Committee noted that PP applied for renewal of consent for manufacturing of sponge iron, steel ingots, channels, rounds, square, angles, bars, electricity generation.</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred and issued SCN for refusal of consent due to starting of construction work of large shed for storage of coal & iron ore without obtaining C to E, non-provision of OCEMS to stack & provided CAAQMS is not in operation, exceedance JVS results of AAQM collected on 01.03.2022 to 02.03.2022 for the parameter RSPM – 253 microgram/M3, 757.67 microgram/M3 & JVS result of stack is marginally exceeding for parameter TPM – 53 mg/Nm3 against 50 mg/Nm3 & non-submission of time bound program for up-gradation of APCs.</p> <p>Committee further noted that Board office has SCN issued vide dated 05.09.2022 due to above lapses & accordingly, PP has submitted the reply vide dated 14.09.2022 & subsequently; SRO Chandrapur has submitted the verification report.</p> <p>Committee also noted that trade effluent generation is 139.5 CMD which is treated by ETP comprising primary treatment & domestic effluent is 9.6 CMD, for the same provided septic tank with soak pit. Also, provided the ESP to kiln & bag filters to stock house, coal injector, feed mix, cooler discharge, intermediate bins, product separation, product separation, coal crusher, coal screening, iron ore house & iron ore screen house. Cyclone type dust collector followed by scrubber to induction furnace as an air pollution control system.</p> <p>Committee further noted that JVS result of stack collected on 02.03.2022 is marginally exceeding & JVS result of AAQM</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>collected on 01.03.2022 to 02.03.2022 at three locations are exceeding the parameter RSPM.</p> <p>After due deliberation it was decided to grant renewal of consent renewal of consent for manufacturing of sponge iron from kiln I, II & III (finished & intermediate) – 90,000 MT/A, steel ingots, channels, rounds, square, angles, bars – 1,00,000 MT/A, steel ingots – 43,200 MT/A, Char (by product) – 13,500 MT/A, electricity generation – 20 MW (12.8 MW coal based TPP & 7.2 MW WHRB) by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in EC & Consent. 2. PP shall operate pollution control system scientifically to achieve the consented norms. 3. PP shall achieve the emission standards as per Notification issued by MoEF&CC vide dated 04.12.2019. 4. By forfeiting the appropriate BG towards JVS of stack & AAQM and shall submit the double amount to form the sum of Rs. 25.0 Lakh towards O & M of PCs and compliance of EC & consent conditions.
11	MPCB- CONSENT- 0000139413	BALKRISHNA PAPER MILLS LTD Private Land in Ambivali village AMBIVALI POST MOHONE KALYAN	APPROVED Renewal of Consent	30.06.2026	<p>Committee noted that, PP applied for Renewal of Consent for manufacturing of paper & paper Board coated box & captive power.</p> <p>Committee also noted that, the case was discussed in earlier CAC and issued SCN for refusal.</p> <p>Committee further noted that, Previously Stop work direction was issued on 29.07.2022. Accordingly Personal Hearing was extended to the industry on 15/09/2022 & it was decided that the industry shall submit time bound proposal for disposal of plastic</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>waste lying in and around premises along with details of imported raw material.</p> <p>Industry submitted plan regarding disposal of plastic waste which is lying in and around factory premises.</p> <p>By considering above Restoration direction is issued on 27.09.2022 with conditions and on 60 % production capacity.</p> <p>After due deliberation, it was decided to grant Renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall comply with Restoration direction is issued on 27.09.2022 with interim directions and conditional restart directions issued by the Board. 2. PP shall take adequate precautions to treat industrial effluent and leachate and in no case, effluent can find its way outside the premises. 3. PP shall submit/Extend BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems.
12	MPCB- CONSENT- 0000141686	INDRAJIT POWER PRIVATE LIMITED S.No.105/1, 106,107/1, 107/2, 125/1, 126 Village- Barbadi, Bhugaon Link Road, Lloydsnagar, Tal & Dist-Wardha.	APPROVED Renewal of consent with increase in CI	31.08.2023	<p>Committee noted that PP has applied for renewal of consent for electricity Generation-80 MW (2x40 MW).</p> <p>Committee also noted that PP has Provided ETP and STP. Provided ESP to the boilers of Power Plant. Provided online emission monitoring system & CAAQMS.</p> <p>Committee further noted that the Case was discussed in an earlier CAC meeting and decided to issue show cause notice towards noncompliance of consent conditions. Accordingly, the</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Board has issued show cause notice. PP has submitted the compliance of consent conditions.</p> <p>Committee also noted that Analysis result of stack monitoring, AAQM & effluent are exceeding the standards</p> <p>After due deliberation, it was decided to grant renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.5.0 Lakh towards JVS exceedance of stack monitoring, AAQM and effluent. 2. Industry shall submit the copy of environment clearance for change in name from M/s Indrajit infrastructure Private Limited to M/s Indrajit Power Private Limited within one year period from date of issue of consent. 3. PP shall install the FGD System and comply with the emission norms as per the MoEF & CC Notification dated 05.09.2022. 4. PP shall extend the existing BG for the further period up to 31.12.2024.
13	MPCB- CONSENT- 0000143283	JSW Energy Ltd 41,42 At-Village Nandiwade, Post- Jaigad, Tal & Dist- Ratnagiri	APPROVED Renewal of consent with increase in CI	31.08.2023	<p>Committee noted that PP has applied for renewal of consent to operate for Electricity Generation (4x300 MW) (coal based thermal power Plant)- 1200 MW.</p> <p>Committee also noted that PP has provided ETP & STP. Provided ESP to Boiler. Provided sea water-based flue gas desulphurization (FGD) plants at each unit. Installed Low NOx burners with overfire dampers Provided online monitoring system (OCEMS) to the stack.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that the case was discussed in an earlier CAC meeting & it was decided to issue show cause notice towards noncompliance consent conditions. Accordingly, the Board has issued show cause notice. PP has submitted compliance of consent conditions. Analysis result of stack monitoring, AAQM and effluent are within limit.</p> <p>After due deliberation, it was decided to grant renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall extend the existing BG for the period up to 31.12.2023. 2. Industry shall submit the details of generation of Quantity of Hazardous waste such as ETP sludge and used batteries, E-waste, and its disposal mode. 3. Industry shall submit the copy of membership of CHWTSDf within 3 months period.
14	MPCB- CONSENT- 0000144072	JSW STEEL 55 MW CAPATIVE POWER PLANT Survey No.129,130 A,130B,131,132 Village- Khar Kharav, Village- Dolvi, Tal-Pen , Dist-Raigad.	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent to operate for 55 MW Captive Power Plant, Gas based thermal power Plant).</p> <p>The committee also noted that PP has Provided stack having height 40 meter to the Blast Furnace gas-based Boiler and online monitoring system (OCEMS) to the stack.</p> <p>The committee further noted the following Non compliances of consent conditions:</p> <ol style="list-style-type: none"> 1. Audited balance sheet for the year 2021-2022 is not submitted. 2. There is a discrepancy in the survey numbers. 3. Compliance of Environment clearance and consent conditions is not submitted.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>4. The details of ETP and its unit with capacity are not furnished for treatment of effluent generated from boiler blow down, cooling tower blow down, DM plant, Washing effluent etc.</p> <p>5. As per the application and Water budget submitted by industry the trade effluent generation is 1603 CMD which is more than the consented quantity of 991.20 CMD.</p> <p>6. STP is not provided for treatment of domestic effluent of 40 CMD. Only septic tank provided.</p> <p>7. Industry has not furnished the details of generation, treatment and disposal of chemical sludge arises from wastewater treatment. Industry has disposed Glass Wool Scrap-2.320 MT to CHWTSDF on 23.06.2022. However, Glass Wool Scrap is not reflected in the consent.</p> <p>8. From the average online stack report, it reveals that 49% the online stack emission monitoring system (OCEMS) is not in operation.</p> <p>9. Analysis result of stack monitoring carried out on 06.05.2022 is exceeding the standards for TPM parameter.</p> <p>After due deliberation, it was decided to defer the case and issue show cause notice for above non compliances.</p>
15	MPCB- CONSENT- 0000142938	Kalyani Maxion Wheels Pvt. Ltd (Truck Wheel Plant) Gat. No. 635, Kuruli Village, Tal. Khed, Dist. Pune	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that, PP has applied for renewal of consent to operate for production of Automobile wheels Rims.</p> <p>Committee also noted that, JVS results are found exceeding the consented norms, disposal of treated effluent and sewage is not as per consent condition, Land available for disposal is not adequate, Capital Investment is increase more than by 12.56% and PP has not submitted Bank Guarantee as per consent condition.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation it was decided to issue show cause notice for refusal of consent for the above noncompliance.
16	MPCB- CONSENT- 0000142980	Kalyani Maxion Wheels Pvt. Ltd (Car Wheel Plant) Gat. No. 635, Kuruli Village, Tal. Khed, Dist. Pune	NOT APPROVED Renewal of Consent	-----	Committee noted that, PP has applied for renewal of consent to operate for production of Automobile wheels Rims. Committee also noted that, JVS results are found exceeding the consented norms, disposal of treated effluent and sewage is not as per consent condition, Land available for disposal is not adequate, Scrubber provided as APCs is not operating regularly, not submitted Bank Guarantee as per consent condition and Board resolution is not submitted as per earlier consent condition. After due deliberation, it was decided to issue SCN for refusal of consent for the above non-compliances.
17	MPCB- CONSENT- 0000144251	Orient Cement Limited Clinker Grinding Unit 162,166,173 to 175, 736 to 744, 2495,898/1, At,NH- 6, PO- Nashirabad. Tal & Dist-Jalgaon.	APPROVED Renewal of Consent with increase in CI	31.10.2024	Committee noted that PP has applied for renewal of consent for Cement Grinding Unit (OPC & PPC)- 190010 Ton/M. Committee further noted that PP has provided STP, Bag filters to Cement Mill Line-1 & Cement Mill Line-II, Cement Silos, Fly Ash Feeding Line, Clinker Silos, Wagon Tippler area and Packing Plant. Cement factory has provided 40 nos. of in-built bag filter type dust collectors to the Line I & II of ball mill section. Provided 3 Nos. of Continuous Ambient Air Quality Monitoring Stations, 2 Nos. of Continuous Stack Emission Monitoring System.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that the Case was discussed in an earlier CAC meeting & decided to issue show cause notice towards non compliances consent conditions. Accordingly, the Board has issued SCN. Industry has submitted the compliance of consent conditions. Analysis result of stack monitoring & AAQM are within limit.</p> <p>After due deliberation, it was decided to grant renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall obtain the authorization under H&OW (M & TBM) Rules, 2016 and as amended. Industry shall not utilize the HW unless it obtains authorization under H&OW (M & TBM) Rules. 2. Industry shall provide the adequate storage, shed and facilities for handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016 & as amended. 3. Industry shall extend the BG of Rs.25.0 Lakh towards O & M of Pollution control system and compliance of consent & EC conditions.
18	MPCB- CONSENT- 0000144968	Maharashtra Cement Plant (A unit of Shree Cement Ltd.) 672,677,681,683 ,733 Near Patas	APPROVED Renewal of Consent	31.10.2024	Committee noted that PP has applied for renewal of consent for Cement Grinding unit- Ordinary Portland Cement, Pozzolana Portland Cement (PPC), Portland Slag Cement (PSC) & Composite Cement -3.0 MTPA, Hot Air Generator (10 million Kcal/Hr)-1 No. & Captive Railway Siding-1 No.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		railway station, Village Patas & Kangaon, Taluka-Daund, District-Pune.			<p>The committee also noted that PP has provided STP, Bag house system to Cement Mill and Hot air generator, Online monitoring system (OCEMS) to the stack & CAAQMS.</p> <p>Committee further noted that the case was discussed in an earlier CAC meeting, and it was decided to issue show cause notice regarding non compliances of consent conditions. Accordingly, the Board has issued show cause notice. PP has submitted the reply of SCN & compliance of consent conditions. Analysis result of stack monitoring, AAQM and effluent are within limit.</p> <p>After due deliberation, it was decided to grant renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall obtain the authorization under H&OW (M & TBM) Rules, 2016 and as amended. Industry shall not utilize the HW unless obtain authorization under H&OW (M & TBM) Rules. 2. Industry shall provide the adequate storage, shed and facilities for handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016 & as amended. 3. Industry shall extend the BG of Rs.25.0 Lak towards O & M of pollution control system and compliance of consent and EC conditions for the period up to 31.12.2024.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
19	MPCB- CONSENT- 0000144160	The Bombay Dyeing and Manufacturing Company Limited, Polyester Division Plot No. A-1 MIDC Industrial Area Patalganga Khalapur	APPROVED Renewal of Consent	30.09.2025	<p>Committee noted that, PP has applied for renewal of consent to operate for mfg of Polyester Staple Fiber/Chips.</p> <p>Committee noted that, PP has segregated trade effluent into strong & weak stream and provided separate treatment system & treated effluent partly recycled in the process & partly connected to CETP.</p> <p>Committee further noted that, PP has provided ESP followed by stack to Coal fired Boiler and Hazardous Waste disposal is as per the provisions of Rule.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control system scientifically to achieve the consented norms 2. Industry shall dispose the Hazardous Waste as per the provisions of H&OW Rule 3. Industry shall submit/extend Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution control system and compliance of consent conditions.
20	MPCB- CONSENT- 0000144764	Dalmia Cement Bharat Limited (Murli Industries Limited) Chandrapur Cement Works 63,83,84,85,87,89, 90,91-94, 96-105,148, Village-Naranda,Tal-	NOT APPROVED Consent to 1 st Operate for WHRB based Power Plant and Renewal of consent with increase in CI	-----	<p>Committee noted that PP has applied for First consent to operate for WHRB based Power Plant-16 MW. Solid AFR System-1200 MT/day & Liquid AFR system-120 KL/day and renewal of consent for Integrated Cement Plant & CPP. PPC/OPC-2.86 MTPA, Clinker-2.0 MTPA, CPP (2 x 16.5 MW)-33 MW, AFR (Co-processing of Non-HW)-300 MT/Day along with change in name of the industry from M/s Murli Industries Limited to M/s Dalmia Cement Bharat Limited.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Korpana, Dist- Chandrapur.			<p>Committee noted that PP has Provided ETP & STP, Provided Bag filter to Cement Mill-1 & 2, Bag house to Coal mill, Pulse Jet Bag House to Raw Mill & Kiln Outlet, ESP to Clinker Cooler, Bag Filter to Cement Packer-1, 2 & 3 and ESP-1 & 2 to 2 x 16.5 MW CPP & installed OCEMS and CAAQMS</p> <p>Committee further noted the following non-Compliances of consent conditions:</p> <ol style="list-style-type: none"> 1. Industry has not submitted the details of storage and handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016. 2. The detail Plan and proposal regarding transport and handling of the hazardous waste from the above state and agreement with respective industries are not submitted. 3. Industry has not obtained authorization for co-processing of HW in cement mill under H&OW (M & TBM) Rules, 2016. 4. Audited balance sheet about Gross capital investment is not submitted. Justification for the increase in CI is not submitted. 5. Certificate of incorporation consequent upon change of name for Register of Companies are not submitted. 6. The details of sludge generated from ETP are not furnished. Copy of membership of CHWTSDf is not submitted. 7. Electric work for WHRB is not yet completed.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>8. Construction work for storage of solid HW is not yet completed.</p> <p>9. Fugitive emission observed during vehicular movement on concrete roads near raw material handling area.</p> <p>10. Fugitive emission observed from clinker storage area.</p> <p>11. Analysis result of AAQM carried out on 22.03.2022 are exceeding the standards for parameter PM10.</p> <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent for the above non compliances.</p>
21	MPCB- CONSENT- 0000146931	Ambuja Cements Ltd. (Unit: Maratha Cement Works) Village-Upparwahi, Tal- Korpana, Dist- Chandrapur.	NOT APPROVED Renewal of Consent with increased in CI	-----	<p>Committee noted that PP has applied for renewal of consent for Integrated Cement Plant & CPP. Cement (Various Types/ Grades i.e OPC/PPC/PSC/Composite Cement/Masonry Cement) -4.75 MTPA, Clinker-2.85 MTPA, Electricity (60 MW Coal based Captive Thermal Power Plant and 10 MW CPP on DG Set)-70 MW, AFR Feeding System (Co-Processing of Non-Hazardous Wastes-650 Ton/day.</p> <p>The committee also noted that PP has provided ETP & STP. ESP is installed at Clinker cooler, CPP Boilers. RABH are installed at Raw mill & Kiln. Bag filters are provided to Coal mill, Cement mill and Packers. Provided OCEMS and CAAQMS.</p> <p>Committee further noted the following non-Compliances of consent conditions:</p> <p>1. Industry has not submitted the details of storage and handling of Hazardous waste, feeding arrangements, transportation, and other infrastructure for handling of</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>hazardous waste in premises as per the guidelines of CPCB for Pre-Processing and Co-Processing of Hazardous and Other Wastes in Cement Plant as per H&OW (M & TBM) Rules, 2016.</p> <ol style="list-style-type: none"> 2. The detail Plan and proposal regarding transport and handling of the hazardous waste from the above state and agreement with respective industries are not submitted. 3. Industry has not obtained authorization for co-processing of HW in cement mill under H&OW (M & TBM) Rules, 2016. 4. Audited balance sheet about Gross capital investment is not submitted. Justification about increase in CI is not submitted. 5. The details of sludge generated from ETP is not furnished. Copy of membership of CHWTSDf is not submitted. 6. Form V -Environment statement for the year 2021-2022 is not submitted. 7. As per EC conditions, coal will be sourced from Western Coalfields. However, industry has not submitted the details of sourced of coal. 8. Industry has installed and operating the Railway siding without consent. 9. Analysis results of Stack monitoring and AAQM are exceeding the standards. <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent for the above non compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
22	MPCB- CONSENT- 0000145273	Angre Port Private Limited Village -Sande Lavgan, Post- Jaigad, Tal & Dist- Ratnagiri	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for handing of dry material cargo-30,00,000 Ton/A & wet material cargos-8,00,000 Ton/A at Angre port.</p> <p>Committee also noted that Industry has submitted the additional consent fees of Rs.2,66,638/- for the period up to 30.09.2023. Industry has provided STP, water sprinkling arrangement to hopper at jetty & also provided fog cannon to suppress fugitive emission generated during loading-unloading of the material.</p> <p>Committee further noted the following non-Compliances:</p> <ol style="list-style-type: none"> 1. Analysis results of AAQM and STP outlet exceed the standards. 2. Industry has not submitted the justification about increase in CI and audited balance sheet about Gross Capital Investment for the year-2021-2022. 3. Industry has not submitted the HW annual return form-4 and Environment Statement for the year 2021-2022. 4. Industry has not submitted the compliance of consent and EC conditions. <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent for the above non compliances.</p>
23	MPCB- CONSENT- 0000147160	Ultratech Cement Limited, Unit- Hotgi Cement Works.	APPROVED	31.10.2023	Committee noted that PP has applied for renewal of for Cement Grinding Unit-4.0 MTPA.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Survey No. 35 to 43, At post-Hotgi Station, Tal-South Solapur, Dist-Solapur	Renewal of Consent with increase in CI		<p>The committee also noted that PP has Provided STP, ESP to Cement Grinding Mill-1 & Bag House cement grinding mill 2.</p> <p>Committee further noted that Analysis result of stack are exceeding the standards. AAQM results are within the limit.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs.5.0 Lakh towards exceeding the results of stack monitoring carried out on 11.02.2022. 2. PP shall extend the existing BG of Rs.25.0 Lakh for the period up to 31.12.2027 towards O & M of Pollution control system and towards compliance of consent & EC conditions.
24	MPCB-CONSENT-0000146980	SHRI SHANKAR SSK LTD DISTILLERY UNIT 288 SADASHIVNAGAR MALSHIRAS	APPROVED Renewal of Consent	31.08.2023	<p>Committee noted that, PP applied for Renewal of Consent for 30 KLPD Molasses base Distillery.</p> <p>Committee noted that, PP provided Bio-digester followed by composting by surface Aerobic composting process. As per CREP norms distillery has provided 5 Acres of Impervious Compost Yard</p> <p>Committee noted that, PP yet not upgrade the APC for Boiler and not provided OCEMS.</p> <p>After due deliberation, it was decided to grant Renewal of Consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/Extend BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					2. PP shall not operate 6 TPH boiler till upgradation of APC and connectivity of OCEMS to stack.
25	MPCB- CONSENT- 0000146622	Penna Cement Industries Limited Gat No. 594 Village- Kangaon, Tal-Daund, Dist- Pune	NOT APPROVED Renewal of Consent with increase in CI	-----	<p>Committee noted that PP has applied for renewal of consent for Cement Grinding Unit, OPC- 350000 MT/A, PPC- 300000 MT/A & Portland Slag Cement (PSC) - 50000 MT/A.</p> <p>Committee also noted that PP has provided STP, Bag filters to Cement mill section (04 Nos), Clinker Section (03 Nos), Raw Material Handling Section (05 Nos.), Cement Silo Section (10 Nos), Packing section (03 Nos)</p> <p>Committee further noted the following Non compliances:</p> <ol style="list-style-type: none"> 1. Analysis result of Stack monitoring are exceeding the standards 2. PP has not submitted the compliance of consent conditions. 3. Audited balance sheet for Gross Capital Investment for the year 2021-2022 is not submitted. 4. Justification for the increase in CI is not submitted. 5. As per form4 of HW, the generation & disposal of Used/Spent oil mentioned as Nil. Justification is not submitted. <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent for the above non compliances.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
26	MPCB- CONSENT- 0000147985	Amba River Coke Limited, (Pellet Plant 4.0 MTPA) Geetapuram, Dolvi, Tal. Pen, Dist. Raigad.	APPROVED Renewal of Consent	30.09.2027	<p>Committee noted that, PP has applied for renewal of consent to operate for manufacturing of Pellet Production – 4.0 MTPA products with increased CI.</p> <p>Committee also noted that, PP has provided bag filters to all the ground de-dusting systems. JVS results of the source monitoring is within the consented limit.</p> <p>Committee further noted that, there is court case in Hon'ble NGT regarding overall pollution from M/s. JSW Steel Ltd.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. This Consent is issued subject to an order passed or may be passed by Hon'ble NGT in application no. OA. 165 of 2020. 2. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions
27	MPCB- CONSENT- 0000148710	Bennett Coleman & Co Ltd. Plot no 4 TTC Industrial Area, Airoli, Navi Mumbai	APPROVED Renewal of Consent	30.11.2024	<p>Committee noted that, PP applied for Renewal of Consent for printing of newspapers, times of India, economics Times, Navbharat Times & Maharashtra Times – 7100 Lakh Nos/M.</p> <p>Committee also noted that, PP Provided ETP of capacity 20 KLD comprising primary, secondary & tertiary treatment, the treated effluent is discharged to CETP. JVS are within limit.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for printing of newspapers, times of India, economics</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Times, Navbharat Times & Maharashtra Times – 7100 Lakh Nos/M., by imposing following conditions:</p> <p>1. PP shall submit/Extend BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems.</p>
28	MPCB- CONSENT- 0000148313	Privilege Industries Ltd. (Brewery Division) Plot No.C 2 Maharashtra Industrial Development Corporation (MIDC) - Lonand Khandala	APPROVED Renewal of Consent	30.11.2025	<p>Committee noted that, PP applied for Renewal of Consent for manufacturing Mild & Strong Beer- 60,000 KL/Annum.</p> <p>Committee also noted that, Industry has provided effluent treatment plant of Capacity 750 CMD, Which is comprising of Equalization tank, UASB reactor (3 no's), Screen bar, Aeration Tank, Clarifier, Treated Water Tank, Decanter, Sand filter, ACF, Ultra Filtration, R.O. Plant 600 CMD & SDB's.</p> <p>Industry recycled 600 CMD treated effluent and dispose 90 CMD on land for irrigation.</p> <p>Committee further noted that, industry was not in operation from last 2.5 years due to discontinuation of production agreement.</p> <p>After due deliberation, it was decided to grant Renewal of Consent for manufacturing Mild & Strong Beer- 60,000 KL/Annum., by imposing following conditions:</p> <p>1. PP shall submit/Extend BG of Rs. 25 Lakh towards compliance of consent conditions and operation and maintenance of pollution control systems.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					2. PP shall start production activity after verification from RO/SRO regarding operational preparedness of pollution control systems.
29	MPCB- CONSENT- 0000144835	UTTAM GALVA STEELS LTD Village-Narangji, At Post-Donvat, Tal- Khalapur, Dist- Raigad.	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for renewal of consent for Electricity Generation (Coal based power generation plant) 2 x 30 MW=60 MW.</p> <p>Committee also noted that PP has Provided ETP, STP, ESP to Boilers, online monitoring system to stack and CAAQMS.</p> <p>Committee further noted the following Non compliances:</p> <ol style="list-style-type: none"> 1. Industry has not submitted Latest CA certificate & Audited balance sheet for the year 2021-2022. 2. Action plan for provision for FGD is not submitted. 3. Source of water supply is not furnished. 4. Details of Fly Ash utilization for the year 2021-2022 is not submitted. 5. Form-4 of HW is not submitted. The details of disposal of Sludge arises from ETP are not furnished. <p>After due deliberation, it was decided to defer the case and issue show cause notice for refusal of consent for the above non compliances.</p>
30	MPCB- CONSENT_A MMENDMEN T- 0000008451	Viraj Profiles Private Limited Plot No. Survey No. 110, 111, 114, 116, 118, 119 & 120, Village Mahagaon,	APPROVED Amendment of consent for change in Name	-----	<p>Committee noted that, PP has applied for amendment in the consent for change in name from M/s. Viraj Profiles Ltd to Viraj Profiles Pvt. Ltd.</p> <p>Committee also noted that, Earlier PP has obtained consent in the name of Viraj Profiles Ltd. Now they have submitted ROC</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Boisar East, Tal. & Dist. Plaghar			for change in name from M/s. Viraj Profiles Ltd to Viraj Profiles Private Limited. After due deliberation it was decided to issue amendment of consent for change in name of the unit from M/s. Viraj Profiles Ltd to Viraj Profiles Private Limited and all the other conditions will remain unchanged.
31	MPCB- CONSENT_A MMENDMEN T- 0000008917	GRASIM PREMIUM FABRIC PVT.LTD Plot No T-8, Five Star MIDC, Kagal	APPROVED Amendment for Change in Name	-----	Committee noted that, PP Applied for Amendment in the consent for change in name from M/s. Grasim Premium Fabric Pvt. Ltd. to M/s. Grasim Industries Ltd., Committee also noted that, PP submitted Merger documents from Government of India of Ministry of Corporate Affairs Registrar of Companies. PP submitted ROC copy on the name of Grasim Industries Ltd. and submitted transfer letter for change of name from MIDC. After due deliberation, it was decided to grant Amendment in the consent for change in name from M/s. Grasim Premium Fabric Pvt. Ltd. to M/s. Grasim Industries Ltd., and all the other conditions will remain unchanged
32	MPCB- CONSENT- 0000111539	Dighi Port Limited (south side) Dighi Port Limited Tal. Shrivardhan, Dist. Raigad, Shrivardhan	APPROVED Renewal of consent to operate of Dighi Port (South Side)	30.11.2023	Committee noted that, PP has submitted application for renewal of consent in the name of Dighi Port Ltd for operation of port in the Rajpuri Creek at Dighi (South side) having 2 nos. of Jetties/Berths (Multipurpose berths) and facilities for liquid storage and liquid cargos. Committee also noted that, the application was discussed in earlier CAC meeting dtd. 13.04.2022 and same was approved.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>But the consent was not issued, as PP fail to submit the required consent fee in time.</p> <p>Committee Further noted that, PP submitted required Consent fee for further period and requested for consent.</p> <p>After due deliberation, it was decided to grant Renewal of consent for South side, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms. 2. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
The meeting is ended with vote of thanks.					