

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 1st Consent Appraisal Committee Meeting of 2023-2024 held on 24.04.2023 at Dalamal House, Nariman Point, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|--|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Pravin Darade,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P. K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Jitendra Sangewar,
I/C Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 5. Additional Chief Secretary, Home (Transport) Dept., Mumbai & Representative from NEERI
- leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 3. Shri N.N. Gurav,
Regional Officer (BMW), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start. The meeting thereafter deliberated on the fresh agenda items [Booklet No. 3] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	Booklet No. 1				
1	MPCB- CONSENT- 0000131084	Reliance Corporate IT Park Ltd. 5, TTC Industrial Area, MIDC 5, TTC Industrial Area, MIDC, Thane- Belapur Road, Ghansoli, Navi Mumbai- 400701 Rabale	APPROVED Renewal of Consent (Part-III) with incorporation of Non FSI area	31.05.2025	<p>Committee noted that PP has applied for renewal of consent (Part-III) along with incorporation of Non FSI area for construction BUA of 1,98,047.38 Sq.Mtr (1,81,131.65 Sq.Mtr + 16,915.73 Sq.Mr).</p> <p>Committee also noted that this case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred & called the information in respect of non-submission of any say/compliance report as per condition No. 19 stipulated in earlier consent, EC compliance report & details of BG forfeited.</p> <p>Committee further noted that PP has submitted the information vide dated 23.08.2022. Also, technical presentation was extended vide dated 21.09.2022.</p> <p>After due deliberation, it was decided to grant renewal of consent (Part-III) along with amalgamation of other applications vide UAN No. 110481 (Part-I) & 113792 (Part-II) by imposing standard conditions for IT park.</p> <p>Consent shall be issued after submission of penal fees as per the calculation.</p>
2	MPCB- CONSENT- 0000135563	Reliance Corporate IT Park Ltd. 5, TTC Industrial Area, MIDC 5, TTC Industrial Area, MIDC, Thane-	APPROVED Consent to 1 st Operate (Part-IV)	31.05.2025	Committee noted that PP has applied for 1 st Consent to operate (Part-IV) for utility service buildings of IT park on total plot area of 17,01,320.20 Sq.Mtr. & construction BUA of

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Belapur Road, Ghansoli, Navi Mumbai- 400701 Rabale			<p>15,772.85 Sq.mtr out of total construction BUA of 18,35,000 Sq.Mtr.</p> <p>Committee also noted that this case was discussed in earlier CAC meeting dated 28.07.2022 & was deferred & decided to issue SCN for refusal of consent due to non-obtaining of revalidation of C to E from 11.06.2019 & 01.03.2017 respectively and EC compliance report. Applied for revalidation of C to E vide UAN No. 139519, which was discussed & approved in CAC meeting dated 28.07.2022 and SRO Navi Mumbai -II has submitted EC compliance report vide email dated 14.09.2022.</p> <p>Committee further noted that PP has submitted the reply vide dated 07.09.2022. SRO Navi Mumbai -II has submitted EC compliance report vide email dated 14.09.2022. Also, technical presentation was extended vide dated 21.09.2022.</p> <p>After due deliberation, it was decided to grant Consent to 1st Operate (Part-IV), by imposing standard conditions for IT park.</p> <p>Consent shall be issued after application for revalidation of consent to Establish from 2017 and accordingly submission of penal fees as per the calculation.</p>
3	MPCB-CONSENT-0000145078	INDIABULLS INFRAESTATE LIMITED C.S.NO. 131, 132, 1/132 & 133(PT) TOWER A,B,C, LOWER PAREL	APPROVED Renewal of Consent to Operate Part-I & Part-II and	31.12.2024	Committee noted that, PP has applied for grant of Renewal of Consent to Operate Par- I & Part-II and amalgamation of both for total plot area 43,603 Sq.m & Construction Built up area is about 1,58,301.65 sq. Mtrs. out of total construction BUA of 2,02,712 Sqm.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		DIVISION, GANPATRAO KADAM MARG, MUMBAI MUMBAI	amalgamation of both		<p>Committee also noted that, PP has valid Environment Clearance, provided STP and OWC.</p> <p>After due deliberation it was decided to grant Renewal of Consent to Operate Par- I & Part-II and amalgamation of both by imposing Bank Guarantee and standard conditions for Infrastructure projects.Consent may be issued after receipt of additional Consent fees and penal fees, if any.</p>
4	MPCB- CONSENT- 0000144944	SHREE LAXMI NARSHINHA SUGARS LLP GUT NO. 62 AMDAPUR PARBHANI	APPROVED Renewal of Consent	31.07.2023	<p>Committee noted that Industry has applied for renewal of consent to operate for 2500 TCD sugar unit.</p> <p>Committee also noted the case was discussed in 10th CAC meeting held on 23.11.2022. It was decided to issue show cause notice for refusal of renewal of consent, on following non-compliances: 1. All the JVS results exceed consented standards. 2. Industry has failed to submit Bank Guarantee of Rs. 25 lakh as per earlier consent conditions. 3. Industry has not submitted fees towards the increase in capital investment.</p> <p>Committee further noted that PP submitted reply on 20.12.2022, stating that they have submitted Bank guarantee of Rs. 10 lakh and submitted additional fee of Rs. 1,25,000/- for increase in CI.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate for 2500 TCD sugar unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting appropriate bank guarantee towards JVS exceedance and top-up with double BG towards O & M

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>of pollution control system and compliance of consent conditions.</p> <p>Consent shall be issued after submission of Bank Guarantee as per earlier consent conditions.</p>
5	MPCB- CONSENT- 0000147894	Exide Industries Ltd T-17 MIDC Talaja Panvel	APPROVED Consent to Establish for expansion	Commissioning of unit or five years whichever is earlier.	<p>Committee noted that PP has applied for consent to establish for expansion for manufacturing Lead acid storage batteries (Big) – 92,000 Nos/M & Lead acid storage batteries (small) – 2,50,000 Nos/M.</p> <p>Committee also noted that the case was discussed in earlier CAC meeting dated 18.01.2023 & decided to issue SCN for refusal of consent due to, i) PP has not submitted the compliance report as per Boards direction vide dated 02.12.2021 u/s 5 of the Environment (Protection) Act, 1986 r.w. Batteries (M & H) Rules, 2016, ii) PP has not submitted the details of half yearly returns of batteries as per Batteries (M & H) Rules, 2016, iii) PP has not submitted the compliance report as per conditions stipulated in existing consent condition No. 11 & 12, iv) JVS result of ETP outlet sample collected on 08.06.2022 is exceeding the consented parameter TDS – 4168 mg/l against 2100 mg/l & Lead – 0.37 mg/l against 0.1 mg/l.</p> <p>Committee further noted that SCN is issued on 30.01.2023 due to above lapses & accordingly, PP has submitted reply vide dated 03.02.2023 along with compliance on above points.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that PP has submitted audited balance sheet. The consolidated gross block of the unit is of Rs. 4808.4 Crs. However, PP has not submitted multi-unit CA certificate.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion for manufacturing Lead acid storage batteries (Big) – 92,000 Nos/M & Lead acid storage batteries (small) – 2,50,000 Nos/M by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall comply with direction issued vide dated 02.12.2021 u/s 5 of the Environment (Protection) Act, 1986 r.w. Batteries (M & H) Rules, 2016. 2. PP shall provide adequate effluent treatment facility to treat the effluent generated from expansion activity & treated effluent shall 100% recycle in process to achieve ZLD for expansion activity. 3. PP shall submit BG of Rs. 25.0 Lakh towards compliance of consent conditions. <ol style="list-style-type: none"> 1. Consent shall be issued after submission of multi-unit CA certificate.
6	MPCB- CONSENT- 0000149875	Reliance Industries Limited , PTA/PX/EC Division MIDC Industrial Area B5 , MIDC Industrial Area Khalapur	APPROVED Consent to Establish for laying of Pipeline to change the disposal path of treated effluent	Commissioning of unit or five years whichever is earlier.	<p>Committee noted that, PP has applied for laying of Pipeline to change in disposal path of treated effluent i.e. Saline Zone of River Patalaganaga through CETP to Saline zone of River Patalganga through outlet sump of CETP facility at Patalganga.</p> <p>Committee also noted that, the said unit has Consent to Operate which is valid up to 31/8/2025.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that the said case was discussed in CAC meeting held on 27/12/2022 and issued show cause notice as said unit contribute major hydraulic load in CETP & CETP designed by considering the hydraulic load & dilution factor of the said unit and no mechanism for monitoring outlet quality after mixing of CETP.</p> <p>Committee further noted that, PP has submitted reply to the show cause notice in which reported that, PP has applied for Consent to Establish as MIDC has issued an policy that, "whichever unit produces more than 01 MLD of treated effluent can apply for bypass to CETP by installing pipeline by own cost", presently CETP operated on hydraulic load of 5 to 6 MLD against the designed load 15 MLD & reduction in hydraulic load will result in better as residence time in all stages of the ETP increases and installed online analyzers at the outlet of PTA division ETP and real time data/results are available at MPCB server.</p> <p>Committee further taken into account the Circular issued by Maharashtra Development Corporation (MIDC) vide letter dated 18/6/2021 in which allowed to bypass CETP by installing pipeline to those units generating effluent more than 01 MLD. Also, considered the letter issued by MIDC to the PP vide No. PTL/IFMS/632849/2021 dated 08/11/2021 to submit amended C to O with NOC for letting out factory effluent at MIDC's treated sump for further effluent disposal point suggested by MPCB as well as suggested by NIO.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee opined that, MIDC has made Circular for units generating effluent more than 01 MLD to by-pass CETP & issued letter to PP for obtaining amended C to O, in such situation MPC Board has no any objection to give permission to laying of pipeline to by-pass the treated effluent & its responsibility of MIDC being owner/operator of CETP, to operate CETP scientifically to achieve the consented norms by considering the member industries effluent load.</p> <p>After due deliberation, it was decided to consider the case for grant of Consent to Establish for laying of Pipeline to change in disposal path of treated effluent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall obtain permission/NOC from MIDC prior to start the activity being CETP operator & responsibility of MIDC to operate the CETP scientifically by considering the effluent load of member industries. 2. Industry shall install OCEMS at outlet of ETP & outlet sump of CETP and make its connectivity to Boards server. 3. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of consent conditions.
7	MPCB- CONSENT- 0000149878	Reliance Industries Limited , Polyester Division	APPROVED Consent to Establish laying of Pipeline to change in	Commissioning of unit or five years whichever is earlier.	Committee noted that Industry has applied for laying of Pipeline to change in disposal path of treated effluent i.e. treated effluent 2500 CMD used for cooling tower & 360 CMD effluent disposed into CETP to treated effluent 2500 CMD used for cooling tower & 360 CMD effluent disposed at outlet sump of CETP facility at Patalganga.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Plot no B4 B4 , MIDC Patalganga Khalapur	disposal path of treated effluent		<p>Committee also noted that the said unit has Consent to Operate which is valid up to 31/8/2025.</p> <p>Committee further noted that, they said case was discussed in CAC meeting held on 27/12/2022 and issued show cause notice as said unit contribute major hydraulic load in CETP & CETP designed by considering the hydraulic load & dilution factor of the said unit and no mechanism for monitoring outlet quality after mixing of CETP.</p> <p>Committee further noted that, PP has submitted reply to the show cause notice in which reported that, PP has applied for Consent to Establish as MIDC has issued an policy that, “whichever unit produces more than 01 MLD of treated effluent can apply for bypass to CETP by installing pipeline by own cost”, presently CETP operated on hydraulic load of 5 to 6 MLD against the designed load 15 MLD & reduction in hydraulic load will result in better as residence time in all stages of the ETP increases and majority of the treated effluent is recycled to cooling tower make-up & excess if any is disposed to CETP. JVS reports are within the limit since 2018.</p> <p>Committee further taken into account the Circular issued by Maharashtra Development Corporation (MIDC) vide letter dated 18/6/2021 in which allowed to bypass CETP by installing pipeline to those units generating effluent more than 01 MLD. Also, considered the letter issued by MIDC to the PP vide No.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>PTL/IFMS/632849/2021 dated 08/11/2021 to submit amended C to O with NOC for letting out factory effluent at MIDC's treated sump for further effluent disposal point suggested by MPCB as well as suggested by NIO.</p> <p>Committee opined that, MIDC has made Circular for units generating effluent more than 01 MLD to by-pass CETP & issued letter to PP for obtaining amended C to O, in such situation MPC Board has no any objection to give permission to laying of pipeline to by-pass the treated effluent & its responsibility of MIDC being owner/operator of CETP, to operate CETP scientifically to achieve the consented norms by considering the member industries effluent load.</p> <p>After due deliberation, it was decided to consider the case for grant of Consent to Establish for laying of Pipeline to change in disposal path of treated effluent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall obtain permission/NOC from MIDC prior to start the activity being CETP operator & responsibility of MIDC to operate the CETP scientifically by considering the effluent load of member industries. 2. Industry shall install OCEMS at outlet of ETP & outlet sump of CETP and make its connectivity to Boards server. 3. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
8	MPCB- CONSENT- 0000147849	Reliance Industries Limited , Plot No C -64 , G Block, Bandra Kurla Complex , Bandra (East) , Mumbai Plot. No. C-64, G-Block, Bandra Kurla Complex, Bandra (East), Mumbai-400051.	APPROVED Revalidation of Consent to Establish	Commissioning of the project or 5 years whichever is earlier	<p>Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for Construction of Convention, Exhibition Centre and Commercial Complex project having Total Plot Area of 75,000 Sq.m and remaining Construction BUA of 2,43,623.43 Sq.m out of Total Construction BUA of 7,59,787.43 Sq.m.</p> <p>Committee also noted that, PP has valid Environment Clearance, Consent to Operate (Part-I), provided STP & OWC.</p> <p>Committee further noted that, PP has not submitted audited balance as per Boards circular.</p> <p>After due deliberation it was decided to grant of Revalidation of Consent to Establish by imposing Bank Guarantee and standard conditions for Infrastructure projects.</p> <p>Consent may be issued after receipt of audited balance sheet & BG details and after receipt of additional Consent fees, if any.</p>
9	MPCB- CONSENT- 0000151603	UltraTech Cement Limited, Unit - Awarpur Cement Works Awarpur ,Tal-Korpana,Dist-Chandrapur.	APPROVED Renewal of Consent with increase in CI	31.12.2026	Committee noted that PP has applied for renewal of consent for i) Portland cement-6.0 MTPA,ii) Electricity Generation by WHRB-13.3 MW,iii) Electricity Generation by CPP-71 MW,iv) Clinker-4.5 MTPA, v) Coal Washery-1.2 MTPA, vi) Co-processing of Non-hazardous solid waste-3.0 MTPA & vii) Railway Siding-25000 MT/day

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that PP has Provided ETP & STP for treatment of trade & domestic effluent. Treated effluent is being recycled/reused in CPP - Cooling Process, Dust Suppression and Gardening purpose. Provided Reverse Air Bag House to Kiln & Raw Mill-I and Kiln & Raw Mill-II. Provided ESP to Cooler-I, Cooler-II, cement Mill-I & Cement Mill-II. Provided Bag Filter to Cement Mill-III & Cement Mill-IV, Coal Mill-I & Coal Mill-II. Provided ESP to CPP Boiler-I, II & CPP Boiler-III. OCEMS and CAAQMS are provided and connected to MPCB/CPCB server.</p> <p>Committee also noted that Analysis result of stack monitoring & AAQM are within limit, JVS result of ETP & STP outlet are within limit.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG of Rs.75.0 Lakh for the period up to 31.12.2027 towards O & M of Pollution control system and towards compliance of consent & EC conditions.
10	MPCB- CONSENT- 0000153117	SHELL INDIA MARKETS PVT LTD T5 TALOJA MIDC PANVEL	APPROVED 1st Consent to Operate (Expansion) with amalgamation of	31.08.2024	<p>Committee noted that Industry has applied for 1st consent to operate for operation of newly installed Base Oil Storage Tanks (2 X 400MT & 2 X 900 MT).</p> <p>Committee also noted that existing consent is valid up to 31/8/2024. Consent to establish obtained on 23/8/2021. No</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			existing Consent to Operate		<p>trade effluent generation from existing as well as expansion activity.</p> <p>Committee also noted that Industry has provided Boiler is with stack of 32 mtr height. Initiated process to change the fuel from FO to Natural Gas.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate (Expansion) with amalgamation of existing Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate Pollution Control scientifically to achieve the Consented norms. 2. Industry shall dispose of the Hazardous Waste as per the provisions of H&OW Rule by adopting online manifest system. 3. By forfeiting appropriate Bank Guarantee towards non-submission of BW within time & top-up with total amount of Rs. 25 Lakh towards O&M of pollution control system and compliance of consent conditions
11	MPCB- CONSENT- 0000152825	Maharashtra State Power Generation Company Ltd.,Nashik Thermal Power Plant, At-Eklahare, Tal & Dist-Nashik.	NOT APPROVED Renewal of consent with decrease in CI	--	<p>Committee noted that PP has applied for renewal of consent to Operate for Electricity Generation-630 MW (Unit No.3,4 & 5 of 210 MW each).</p> <p>Committee also noted that Analysis result of Effluent, Stack monitoring and AAQM are exceeding the standards.</p> <p>Committee further noted the following non compliances of consent conditions-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. Audited balance sheet for Gross Capital Investment for the year 2021-2022 & Multi unit CA certificate is not submitted. Justification for the decrease in CI is not submitted. 2. Online Real time coal ash analyzer not provided. Industry has not submitted the BG of Rs.10.0 Lakh towards installation of online real time coal ash analyzer. 3. Chemical sludge arises from wastewater treatment is not sent to CHWTSDf for disposal. Details of HW such as E-waste, battery waste, sludge from ETP are not furnished. 4. Specific water consumption for the year 2021-2022 is not furnished. 5. Industry failed to achieve 100% Fly ash utilization as per the Fly ash notification. 6. Industry has not submitted detailed plans for utilization of legacy ash dumped in ash pond. 7. Industry has not provided Flue Gas Desulphurization System. Detailed action plan along with bar chart regarding installation of Flue Gas De-sulphurisation (FGD) System & to comply with emission norms are not submitted as per MoEF CC GoI notification dated 5th september,2022. (Timeline for compliance of SO2 emission standards is 31.12.2024 & for parameter other than SO2 emissions is 31.12.2022) for 'A' category TPP.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>8. Industry is utilizing high ash and Sulphur content coal thereby violating the consent conditions.</p> <p>9. Industry has not provided Dry fly ash collection system. Details of Ash Pond are not furnished.</p> <p>10. Industry does not provide proper collection, treatment & recycle system for the runoff water arises from coal reject storage area.</p> <p>11. Ash was found lying outside the road and heavy dust observed at the site and roadside during transportation. Dust observed on the grapes farm at east side of the industry.</p> <p>12. Seepages from ash ponds have not yet stopped. Old ash ponds are not covered scientifically.</p> <p>13. Analysis results of Stack monitoring, AAQM and effluent are exceeding the standards.</p> <p>14. Industry is not complied with the consent conditions.</p> <p>15. OCEMS provided to stack attached to unit 3,4 & 5 are not in operation since Nov-2022.</p> <p>16. All 04 Nos CAAQMS have not been in operation since April – 2022 and not in operation on regular basis.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent towards above non compliances of consent conditions and decided to forfeit the BG of Rs.50.0 Lakh towards exceeding the JVS results of Stack Monitoring, AAQM & effluent, and non-compliance of consent conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
12	MPCB- CONSENT- 0000154086	TAKLI JENA (NORTH) & TAKLI JENA (SOUTH) COAL MINE 1,2,3,4,5 Village Bellora, Takli, Jena, Asthi, Tal-Bhadravati, Dist-Chandrapur.	NOT APPROVED First consent to Operate with decrease in CI	--	<p>Committee noted that PP has applied for first consent to operate for opencast cum U/G coal mine -1.5 MTPA,</p> <p>Committee also noted that earlier the application was discussed & not approved in the CAC meeting held on 18.01.2023 and it was decided to issue show cause notice towards non-compliances of consent and EC conditions. Accordingly, the Board has issued a show cause notice vide letter dated 13.02.2023. Industry vide letter dated 20.02.2023 has submitted the reply of SCN which is not satisfactory.</p> <p>Committee further noted that Industry has not completed the major work of pollution control system and noted the following major non compliances:</p> <ol style="list-style-type: none"> 1. PP has not yet completed the work of ETP and STP for treatment of trade and domestic effluent. 2. PP has not provided the sedimentation tank for treatment of mine water. 3. PP has not provided the air pollution control system to CHP, conveyor belts, crusher, coal stock yards, coal transportation roads and haul roads. 4. CAAQMS is not yet installed. 5. A proper garland drain is not constructed all along the stream to catch mine water. 6. PP has not constructed a pucca road to maintain the safety of people residing nearby along the transportation route with plantation on either side of the road. 7. PP has not installed fixed fog cannon (mist sprayer) and fixed sprinkler all along the haul road till CHP, Railway siding and OB Dump area and accordingly enough

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>numbers Fog Canons (not less than 10 Nos.) with 40 Mts jet length.</p> <p>8. PP has not constructed a cemented 4 lane approach road of 1.36 Km for the purpose of transportation of Coal from the mine lease area to nearby National Highway.</p> <p>9. Detailed plan is not submitted to deploy only 30-35 tons covered trucks/dumper to reduce fleet size till Rapid Loading System and to implement surface miner and conveyor belt system from Pit Head to CHP as feasible.</p> <p>10. Detail plan is not submitted to provide bio-toilets to the villages located within the study area within one year from the grant of this EC. We may refuse the consent to operate towards non compliance consent and EC conditions</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent towards above non compliances of conditions stipulated in consent and Environment clearance.</p>
13	MPCB- CONSENT- 0000149562	BHARATI VIDYAPEETH DEEMED UNIVERSITY MEDICAL COLLEGE AND HOSPITAL, SANGLI Bharati Vidyapeeth Deemed University Medical Campus, Sangli Miraj Road,	APPROVED 1 st Combined Consent & BMW Authorization for expansion with amalgamation of existing consent.	31.12.2023	<p>Committee noted that HCE has applied for 1st Combined Consent to operate & BMW Authorization for expansion for Hospital - 200 Beds on total plot area of 1,74,099 Sq.Mtr & total BUA of 99,031 Sq.mtr.</p> <p>Committee also noted that HCE has obtained combined consent to operate & BMW authorization vide dated 16.05.2019 which is valid up to 31.12.2023 for 750 beds & C to E for expansion for 200 beds vide dated 24.07.2022.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Wanlesswadi, Sangli			<p>Committee further noted that HCE has not submitted entire pages of balance sheet after taking repeated follow up. Also, HCE has not submitted the details incineration installed at site for treatment & disposal of BMW generated from hospital.</p> <p>Committee also noted that HCE has provided STP & ETP to treat the domestic & trade effluent generated from hospital.</p> <p>After due deliberation, it was decided to grant 1st combine consent to operate & BMW Authorization for expansion with amalgamation of existing consent for hospital -200 + 750 = 950 beds on total plot area of 1,74,099 Sq.Mtr & total BUA of 99,031 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. HCE authority shall properly operate STP & ETP to achieve consented norms. 2. The treated effluent/sewage shall 60% recycle for secondary purposes & remaining on land for gardening purposes. 3. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of audited balance (entire pages) along with Multi-unit CA Certificate, design details of onsite incineration facility & additional consent fees, if any.</p>
14	MPCB- CONSENT- 0000156168	Royal Mudhol Hospital and Research Centre, LLP	NOT APPROVED Combined Consent & BMW Authorization,	-----	Committee noted that HCE has applied for 1 st Combined Consent to operate & BMW Authorization (Part) for Hospital -

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Mudhol Land Holdings Co Pvt Ltd, 506 City Point, 17- Boat Club Road, Pune	Consent to Operate		<p>16 Beds out of 310 beds on total plot area of 12,262.5 Sq.Mtr & total BUA of 33,557.32 Sq.mtr.</p> <p>Committee also noted that HCE has obtained Consent to Establish vide dated 07.11.2017 for Hospital – 310 Nos of beds on total plot area of 12,262.5 Sq.Mtr & total BUA of 33,557.32 Sq.mtr. and EC vide dated 24.04.2017.</p> <p>Committee further noted that HCE has submitted an irrelevant information in respect of beds, construction BUA, BMW, effluent generation, not submitted the details of BG, OWC, architect certificate, STP, ETP, proper water budget & compliance report as per EC. Also, HCE has increased the CI by Rs. 23.44 Crs without Boards consent & HCE has applied for 1st CCA for 16 beds instead of 310 beds as per C to E.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>
15	MPCB-CONSENT-0000155183	JSW Steel Limited (Metal Recovery Plant) (Harsco India Pvt. Ltd), Survey No. 12,13,14, & Part of 6,11,16,17,18,19 of Khakarav, Village Geetapuram, Dolvi, Tal. Pen, Dist. Raigad	APPROVED Renewal of consent with increase in CI	31.12.2027	<p>Committee noted that, PP has applied for Renewal of consent to operate with increase in CI and change in Name for the manufacturing of Metallic Arising – 68000 Ton/M, Slag Arising – 852000 Ton/M and Large Steel Scrap – 14400 Ton/M.</p> <p>Committee also noted that, Trade effluent generation is through Vehicle washing activity, PP has provided Batch type ETP with primary followed by tertiary treatment system.</p> <p>Committee further noted that, Industry has covered vibrating screen by tin sheets to control fugitive emission, however even</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>though fugitive emissions were observed from vibrating screen. Industry has provided suction hood to transfer points. Provided water sprinkling arrangement and rain guns to control fugitive emissions</p> <p>Committee also noted that, for the Change in name of the unit PP has submitted agreement between both the parties and not having any ROC for change in name.</p> <p>Committee further noted that there is court case in Hon'ble NGT regarding overall pollution from M/s. JSW Steel Ltd.</p> <p>After due deliberation it was decided to grant plain renewal of existing consent in the name of Harsco India Pvt. Ltd by imposing following conditions:</p> <ol style="list-style-type: none"> 1. This Consent is issued subject to an order passed or may be passed by Hon'able NGT in application no. OA. 165 of 2020. 2. PP shall submit/extend BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions
16	MPCB- CONSENT- 0000157016	Gharda Chemicals Limited Plot No. B-22 to B-24, B-26 to B-29, A-81 to A-84 Phase-	APPROVED Consent to Establish (Expansion)	Commissioning of the unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for Consent to Establish (Expansion) for mfg of Amid Chloride by purification process only.</p> <p>Committee also noted that Industry intends to utilize existing ideal plant-I for the aforesaid activity. No additional water</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		1, MIDC Dombivli Kalyan			<p>consumption & effluent generation from expansion activity. Existing trade effluent generation is @ 525 CMD. Segregated trade effluent into strong & weak stream and provided separate treatment system and JVS results are within consented limit.</p> <p>Committee further noted that, there are no process emissions from expansion activity and existing utilities will be utilized for expansion activity. Only additional fuel is required for Boiler. After due deliberation, it was decided to grant Consent to Establish expansion by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry should provide a comprehensive pollution control system to achieve the consented norms. 2. Industry shall dispose the Hazardous Waste/by-products as per the consent conditions. 3. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of consent conditions.
17	MPCB-CONSENT-0000157587	Reliance Industries Limited - Nagothane Manufacturing Division A-1,A-1/1 Nagothane Manufacturing Division	APPROVED Consent to 1 st Operate for RMC plant	31.12.2023	<p>Committee noted that PP has applied for 1st consent to operate for RMC plant of capacity -130 m3/Day (Captive) proposed project of modernization of existing township and to construct new township project with CI 0.7675 Cr.</p> <p>Committee also noted that PP has obtained consent to establish for RMC plant with CI 0.7675 Cr. Dated 11.11.2022. PP has installed RMC plant with all the necessary pollution control systems.</p> <p>After due deliberation, it was decided to grant 1st consent to operate for RMC plant of capacity -130 m3/Day (Captive), by</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>imposing bank guarantee and standard conditions for RMC/infrastructure project.</p> <p>1. Consent shall be issued after submission of Bank Guarantee as per earlier consent conditions.</p>
18	MPCB- CONSENT- 0000157332	Cummins Technologies India Private Limited (Phaltan Components Plant 1), A1,A-1/2, MIDC Survadi, Village Survadi, Phaltan-Lonand Road, Taluka – Phaltan, Dist: Satara	<p>APPROVED</p> <p>Renewal of consent with increase in CI</p>	28.02.2028	<p>Committee noted that, PP has applied for Renewal of consent to operate with increase in CI.</p> <p>Committee also noted that, PP has provided ETP comprises of Main effluent tank, Settling tank, Aeration Tank Collection Tank, Equalization tank, anaerobic reactor, Aeration Tank, Settling Tank, Oil Collection tank, Treated Water Tank. JVS results marginally exceeding the consented norms.</p> <p>Committee further noted that, PP has provided DG set with acoustic enclosures and Diesel Engine Test Cell with stack.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions:</p> <p>1. PP shall submit/extend BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions</p>
19	MPCB- CONSENT- 0000156691	Kirloskar Oil Engines Limited D-1 Five Star MIDC Kagal-Hatkanangale, A/p.-	<p>APPROVED</p> <p>Renewal of consent</p>	28.02.2026	<p>Committee noted that PP has applied for Renewal of Consent for the manufacturing of solar power generation – 6.8 MW, fuel oil from plastic waste – 75 Kg/cycle, storage of spare parts for engine shifting, metallic skids, etc., IC engines – 10,000</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Talandage Hatkanangale			<p>Nos/M, generating sets – 1625 Nos/M, pumpsets – 8000 Nos/M, machined spare parts of engine, genset, pump sets – 70,000 Nos/M.</p> <p>1. Committee also noted that PP has obtained 1st consent to operate for expansion with amalgamation of existing consent granted by Board vide dtd. 12.04.2022 which is valid up to 28.02.2023.</p> <p>Committee further noted that PP has provided ETP & STP to treat the trade effluent to the tune of 115 CMD & domestic effluent 187.5 CMD. Also, PP has provided air pollution control system in terms of wet scrubber, water curtain, dust collector and PP is switching over the solvent base paint to water base paint.</p> <p>After due deliberation, it was decided to grant renewal of consent for the manufacturing of solar power generation – 6.8 MW, fuel oil from plastic waste – 75 Kg/cycle, storage of spare parts for engine shifting, metallic skids, etc., IC engines – 10,000 Nos/M, generating sets – 1625 Nos/M, pumpsets – 8000 Nos/M, machined spare parts of engine, genset, pump sets – 70,000 Nos/M by imposing following conditions.</p> <p>1. PP shall properly operate STP, ETP & APCs to achieve consented norms.</p> <p>2. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					3. Consent shall be issued after submission of additional consent fees, if any.
20	MPCB- CONSENT- 0000155260	The Saswadmali Sugar Factory Ltd 13/1,13/2,13/3A Malinagar malshiras	APPROVED 1 st Consent to Operate for 15 TPH Boiler with amalgamation of existing	31.07.2025	<p>Committee noted that, PP applied for 1st C to O for installation of 15 TPH new boiler with amalgamation of existing.</p> <p>Committee further noted that, PP Provided wet scrubber for new 15 TPH boiler.</p> <p>Committee also noted that, PP obtain Consent to Establish for Expansion on 28.09.2022. Consent to Renewal on 04.10.2021 Valid up to 31.07.2025.</p> <p>After due deliberation, it was decided to grant 1st C to O for installation of 15 TPH new boiler with amalgamation of existing., by imposing following conditions:</p> <p>PP shall Extend BG of Rs. 25 Lakh submitted as per previous consent towards compliance of consent conditions and operation and maintenance of pollution control systems.</p>
21	MPCB- CONSENT- 0000157586	Cummins India Limited , HHP Rebuild Center., Plot No. A1, MIDC, Survadi, Phaltan- Lonand Road, Tal- Phaltan, Dist- Satara	APPROVED consent to establish for expansion	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for consent to establish for expansion for additional two new products i.e Engines-1500,-Nos./Y Engine Spares.-1500 Nos/Y & increase in production quantity of Reman DG-30 Nos/Y to 200 Nos/Y.</p> <p>Committee also noted that, Proposed trade effluent is Nill and has existing ETP for the treatment of the trade effluent. Also the proposed sewage generation will be 2.5 CMD and PP has</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>adequate capacity existing STP for the treatment of sewage. JVS results are marginally exceeding the consented norms.</p> <p>Committee further noted that no additional stack is required and the proposed production volume can be accommodated in the existing test cell and stack. Only fuel consumption will increase for engine testing activity.</p> <p>After due deliberation it was decided to grant consent to establish for expansion by imposing following conditions: PP shall submit BG of Rs. 25 lakh towards compliance of consent conditions</p>
22	MPCB- CONSENT- 0000157252	Baramati Agro Limited (1st Consent to Operate 300 KLPD Distillery unit. 96,95 Shetphalgadhe Indapur	APPROVED 1 st Consent to Operate for expansion with amalgamation of existing	31.08.2024	<p>Committee noted that, PP applied for 1st Consent to operate for 300 KLPD Ethanol unit from Juice, syrup & Molasses with amalgamation of existing 300 KLPD i.e total 600 KLPD.</p> <p>Committee also noted that, PP obtain Consent to Establish for Expansion on 11.06.2021 & 15.11.2022. Consent to Renewal for 300 KLPD on 21.12.2021 Valid up to 31.08.2024. Obtain Environmental Clearance on 28.11.2022.</p> <p>Committee further noted that, PP Provided – MEE & incineration boiler to achieve ZLD. Provided 5 days storage tank. PP provided two incineration boilers 31.05 TPH & 45 TPH with ESP.</p> <p>After due deliberation, it was decided to grant 1st Consent to operate for 300 KLPD Ethanol unit from Juice , syrup &</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Molasses with amalgamation of existing 300 KLPD i.e total 600 KLPD , by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall Extend BG of Rs. 25 Lakh submitted as per previous consent towards compliance of consent conditions and operation and maintenance of pollution control systems. 2. PP shall comply with all conditions in EC dtd. 28.11.2022. 3. Production is restricted as per EC till obtain amendment/correction in EC. <p>Bank Guarantee of Rs. 25 lakh is released obtain against compliance of Consent to Establish Conditions.</p>
23	MPCB- CONSENT- 0000151496	K B Bhabha Hospital Bandra west R K Patkar Marg, Nr. Bandra west post office, Mumbai - 400 050.,Bandra,Mumb ai Suburban	APPROVED Combined Consent & BMW Authorization , Consent to Operate	31.10.2025	<p>Committee noted that HCE has applied for 1st Combined Consent & BMW Authorization for Hospital - 436 Beds on total plot area of 5886 Sq.Mtr & total BUA of 10,779 Sq.mtr.</p> <p>Committee also noted that HCE has not obtained CCA from Board office since 2012 & not obtained the renewal of authorization since 31.03.2013 which attracts penal & lapse fees. Also, HCE has not provided own treatment facility for treatment of domestic & trade effluent generated from hospital.</p> <p>After due deliberation, it was decided to grant 1st Combined Consent & BMW Authorization for Hospital - 436 Beds on total plot area of 5886 Sq.Mtr & total BUA of 10,779 Sq.mtr by imposing following conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>1. HCE shall provide full-fledge ETP/STP within next 6 months.</p> <p>2. This consent is issued subject to decision of Government w.r.t. penal fees towards non-obtaining of consent since 2012.</p> <p>3. HCE shall submit/extend the BG as per BG regime of HCE.</p> <p>Consent shall be issued after submission of additional consent fees.</p>
24	MPCB- CONSENT- 0000156839	Konkan LNG Limited 1036, 1037, 1039, 1040 Anjanvel Guhagar	APPROVED Consent to Establish (Expansion)	Commissioning of the unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for Consent to Establish for Expansion for construction of new truck loading facility adjacent to the existing LNG plant. Existing Consent to Operate valid upto 30/6/2025.</p> <p>Committee also noted that Industry has separately obtained C to E for construction of balance work of Breakwater for LNG Terminal on 04/11/2022 & also obtained EC & CRZ for the same on 07/4/2020. Additional sewage will be generated for which septic tank & soak pit proposed.</p> <p>Committee further noted that Gas detectors, spill detectors & fire detectors will be provided. A new fire & gas detection system at the truck loading facility will be installed.</p> <p>After due deliberation, it was decided to grant Consent to Establish for construction of new truck loading facility adjacent to the existing LNG plant by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. Industry shall provide comprehensive pollution control system of designed capacity to achieve the consented norms. 2. Industry shall comply all the conditions stipulated in Environmental & CRZ Clearance granted vide No. F.No. 10-28/2019-IA-III dated 07/4/2020. 3. Industry shall dispose the Hazardous Waste regularly by adopting online manifest system. 4. Industry shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of Consent to Establish conditions.
25	MPCB- CONSENT- 0000159371	SARASWATI EDUCATION SOCIETY DR N Y TASGAONKAR INSTITUTE OF MEDICAL SCIENCE & RAIGAD HOSPITAL GUT NO 14 & 15 KOSHANE TQ KARJAT DIST RAIGAD.	NOT APPROVED Combined Consent & BMW Authorization, Consent to Establish	-----	<p>Committee noted that HCE has applied for 1st Combined Consent to operate & BMW Authorization for Hospital 300 Beds on total plot area of 67,581 Sq.Mtr & total BUA of 14,929.92 Sq.mtr.</p> <p>Committee also noted that HCE is established & in operation since 2020 without obtaining Boards consent which attracts penal fees. Also, HCE has not submitted audited balance sheet, details of BMW generation, source of water supply, clarification in respect of hospital is established & in operation since 2020 without Boards consent.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>
26	MPCB- CONSENT- 0000159438	SUGAR GRID LIMITED	APPROVED	Commissioning of the unit or 5 years,	Committee noted that PP applied for Consent to Establish for expansion of existing sugar unit from 2500 TCD Capacity to 3500 TCD capacity and 5.6 MW co-generation.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		GAT NO. 1737,1739,1740 PINGLI BK. Man	Consent to Establish (Expansion)	whichever is earlier.	<p>Committee also noted that, the industry has obtained Consent to Establish for 2500 TCD sugar unit & 9 MW co-generation on 29.01.2020.</p> <p>Committee further noted that, PP proposed to provide ETP with primary, secondary, & tertiary system for trade effluent. PP proposed to provide 80 TPH Boiler with ESP.</p> <p>After due deliberation, it was decided to grant Consent to Establish for expansion of existing sugar unit from 2500 TCD Capacity to 3500 TCD capacity and 9 MW to 14.6 MW co-generation., by imposing following conditions:</p> <p>Industry shall submit BG of Rs. 25 lakh towards compliance of consent & EC conditions.</p>
27	MPCB- CONSENT- 0000159820	Sugar Grid Limited Gat No. 1727 Village : Pingli BK Man	APPROVED Establish	Commissioning of the unit or 5 years, whichever is earlier.	<p>Committee noted that PP applied for Consent to Establish 90 KLPD Distillery Unit.</p> <p>Committee also noted that, the industry has obtained Environmental Clearance for 120 KLPD Distillery Unit on 26.07.2022.</p> <p>Committee further noted that, PP proposed MEE & Incineration boiler to achieve ZLD as per EC given both way i.e Incineration & Dryer.</p> <p>After due deliberation, it was decided to grant Consent to Establish for 90 KLPD Distillery Unit., by imposing following conditions:</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. Industry shall submit BG of Rs. 25 lakh towards compliance of consent & EC conditions. 2. PP shall comply with all conditions of Environmental Clearance
28	MPCB- CONSENT- 0000157904	Maharashtra Metro Rail Corporation Limited. 4/2 (part), 4/4 (part), 5/1 (part), 5/3 (part), 6/1 (part), 6/2 (part), 79 (part), 82 (part) etc. Mihan Nagpur	APPROVED 1 st Consent to Operate with change in name	30.04.2025	<p>Committee noted that PP has applied for 1st Consent to Operate for the workshop activity which includes washing, repairing, Operation & maintenance and office building – 11 Nos of trains consists of 3 car each.</p> <p>Committee also noted that PP has obtained consent to establish in the name of Nagpur Metro Rail Corporation Ltd., vide dated 16.03.2018 with condition of revalidation of EC obtained by MADC MIHAN & after obtaining of the same, PP shall apply for 1st C to O, PP shall provide adequate treatment system followed by RO & MEE to achieve ZLD, PP shall install online monitoring system at outlet of ETP. However, PP has not submitted the revalidation of EC obtained by MADC MIHAN, not provided RO & MEE to achieve ZLD & online monitoring system at the outlet of ETP.</p> <p>Committee further noted that PP has submitted the request letter vide dated 03.04.2018 for amendment in consent for exemption of conditions stipulated in C to E such as condition No. 11, 12 & schedule I (1A), 13, 15 in which PP has submitted that Nagpur metro rail project is the facility for maintenance & washing of metro rail coaches, no production or processing of any kind of goods/material is envisaged at depo. The treated effluent will be recycled for coach washing & treated sewage</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>will be used on land for gardening within premises, effluent shall not be discharged outside the premises at any cost. Hence, revalidation of EC condition shall be exempt. The treated effluent is recycled for rail coach washing, treated sewage will be utilized for gardening within project premises, hence condition of online monitoring system shall be exempted & provision of RO & MEE shall be exempted.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate with change in name for workshop activity which includes washing, repairing, Operation & maintenance of metro rail coach by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall properly operate ETP & STP to achieve consented standards. 2. PP shall 100% recycle the treated effluent into rail coach washing activity to achieve ZLD. 3. The treated sewage shall be recycled to maximum extent for secondary purposes & remaining on land for gardening within project premises. 4. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
29	MPCB- CONSENT- 0000156411	Patil Hospital Parbhani	NOT APPROVED Combined Consent & BMW Authorization,	-----	Committee noted that HCE has applied for Renewal of Combined Consent & BMW Authorization with increase

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Old Bus Stand road, Dr. Hedgewar marg Parbhani	Consent to Operate		<p>number of beds from 100 Nos to 350 Nos for Hospital on total plot area of 77,968 Sq.Mtr & total BUA of 12,050 Sq.mtr.</p> <p>Committee also noted that the previous combine consent & BMW authorization is obtained vide dated 23.01.2019, valid up to 31.12.2022 for 100 beds.</p> <p>Committee further noted that HCE has not shown any capital investment towards increased 250 beds, not submitted the CGWA NOC towards use of borewell water, the increased beds are in use since 14.07.2021 as per BNH certificate without Boards consent which attracts penal fees and not submitted the details of STP, BG & audited balance sheet.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>
30	MPCB-CONSENT-0000159921	Integrated Baranj Open Cast mines, Karnataka Power Corporation Limited, Survey No.84, Baranj I-IV, Manoradeep & Kiloni, Tal-Bhadrawati, Dist-Chandrapur.	APPROVED Renewal of consent with decrease in CI	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -2.5 MTPA.</p> <p>The committee also noted that Capital investment of the industry decreases from Rs. 608.35 Cr. to Rs.176.86 Cr. (CI decreased by Rs.431.49 Cr). Audited Balance sheets are not submitted.</p> <p>The Committee further noted that analysis results of AAQM & effluent are exceeding the standards.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>The Committee further noted that the Board has issued a proposed direction vide letter dated 17.02.2023 regarding non compliances of consent and EC conditions.</p> <p>After due deliberation, it was decided to grant renewal of consent for one year period by imposing following conditions-</p> <ol style="list-style-type: none"> 1. By forfeiting the BG of Rs. 25.0 lakh towards noncompliance of consent conditions and exceedance of JVS results of AAQM and effluent. 2. PP shall install the Tyre wash system within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide a mechanized sweeping machine for cleaning roads within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall convert the existing water sprinkling arrangement into chemical fogging arrangement (MgCl₂) within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same. 5. PP shall install and commission the adequate capacity of STP for treatment of domestic effluent within a six-month period & submit the BG of Rs.5.0 Lakh towards compliance of same. 6. PP shall provide & commission adequate capacity of ETP for treatment of mine water and workshop vehicle washing effluent within six-month period & submit the BG of Rs.5.0 Lakh towards compliance of same.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>7. PP shall install & commission the CAAQMS at designated location specified by MPCB and connect to MPCB server within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same.</p> <p>8. PP shall provide adequate enclosures for CHP & conveyor belts and mist type water sprinkling system along the roadside, at CHP and coal storage area within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same.</p> <p>9. PP shall repair the coal transportation road from coal stock yard up to highway and remove the coal dust accumulated in the area. Maintenance of roads shall be done regularly. Regular cleaning and wetting of the roads shall be done.</p> <p>Consent shall be issued after submission of Audited Balance sheet for the year 2022-2023</p>
31	MPCB-CONSENT-0000159018	The Automotive Research Association of India (ARAI), Homologation and Technology Center (HTC) Plot No. E1/1, Chakan MIDC, Tal- Khed, Pune	APPROVED Renewal of consent with increase in CI	31.01.2024	<p>Committee noted that, PP has applied for renewal of consent to operate with increase in CI</p> <p>Committee also noted that, At present trade effluent generation is nil. Industry is having existing ETP comprising of primary treatment system. Industry has proposed to provide new ETP followed by RO & MEE to achieve ZLD as per condition of Consent to Establish for expansion.</p> <p>Committee further noted that, PP has Industry is having 8 nos of Test beds & all are equipped with stacks. Also has HCV</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Vehicle outlet & same is equipped with stack. Industry is also having vehicle crash test shed.</p> <p>After due deliberation it was decided to grant renewal of existing consent by imposing following conditions: PP shall submit/extend BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions</p>
32	MPCB- CONSENT- 0000159831	Western Coalfields Limited, Ukni Opencast Mine Ukni-Junad Sub Area, Po. - Ukni, Tal.- Wani, Dist. - Yavatmal.	APPROVED Renewal of consent	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -2.2 MTPA.</p> <p>Committee also noted that PP has provided the ETP and sedimentation tank for treatment of effluent. Provided Mechanized Sweeping machine, one Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises.</p> <p>Committee further noted that analysis results of effluent and AAQM are within limit. Tender work is in process for CAAQMS and Tyre wash system.</p> <p>After due deliberation, it was decided to grant renewal of consent for one year period by imposing following conditions -</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 2. PP shall install the CAAQMS within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall install the Tyre wash system within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall submit the BG as per BG regime of the mine PP shall submit the BG as per BG regime of the mine.
33	MPCB- CONSENT- 0000160282	Western Coalfields Limited, Kolar Pimpri Extension OCP Kolar Pimpri- Pimpalgaon Sub Area, Po.- Ukni, Tal.- Wani, Dist. - Yavatmal,	APPROVED Renewal of consent	31.03.2024	<p>Committed further noted that PP has applied for renewal of consent for open cast coal mine -1.5 MTPA.</p> <p>Committee also noted that PP has provided the ETP and sedimentation tank for treatment of effluent. Provided Mechanized Sweeping machine, one Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises.</p> <p>Committed further noted that analysis results of effluent are within limit. One CAAQMS installed and connected to MPCB server. Tender work is in process for Tyre wash system.</p> <p>After due deliberation, it was decided to grant renewal of consent for one year period by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>2. PP shall install the Tyre wash system within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same.</p> <p>3. PP shall submit the BG as per BG regime of the mine.</p>
34	MPCB- CONSENT- 0000152005	Rashtriya Chemicals and Fertilizers Limited 127 Chembur 1 (Marawali),1,5,5,1 to 6 (Anik) Trombay Unit Chembur	APPROVED Consent to Establish (Expansion)	Commissioning of the unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for Consent to Establish for New Ammonium Nitrate Melt Plant. Existing Consent to Operate valid upto 31/7/2026. Applied for Environmental Clearance for expansion activity.</p> <p>Committee also noted that trade effluent & Sewage generated from expansion activity will be treated in existing ETP & STP. Treated effluent & sewage will be recycle to the maximum extent & remaining will be discharged to sea. Existing unit JVS results are within limit.</p> <p>Committee further noted that, water scrubber proposed for unreacted gases from reactor and existing units have necessary air pollution control systems.</p> <p>After due deliberation, it was decided to grant Consent to Establish for New Ammonium Nitrate Melt Plant, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall not take any effective steps prior to obtaining Environment Clearance. 2. Industry submit bank guarantee of Rs. 25 lakh towards compliance of same and consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
35	MPCB- CONSENT- 0000160271	WESTERN COALFIELDS LIMITED,GOKUL OPENCAS T MINE WCL Umrer Area, Post Khadsangi, 40 A Near Piraya Village, Tal- Bhiwapur, Dist- Nagpur.	APPROVED Renewal of consent with increase in CI	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -1.875 MTPA.</p> <p>Committee also noted that PP has provided the ETP and sedimentation tank for treatment of effluent. Provided Mechanized Sweeping machine, Tyre wash system, Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises.</p> <p>Committed further noted that analysis results of effluent and AAQM are within limit. Procurement of 01 no of CAAQMS is under process.</p> <p>After due deliberation, it was decided to grant renewal of consent for one year period by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall submit the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions. 2. PP shall install the CAAQMS within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall submit the BG as per BG regime of the mine.
36	MPCB- CONSENT- 0000160392	Western Coalfields Limited Makardhokda-I, Open Cast Mine Expansion Project, Post: Shirpur,	NOT APPROVED Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -4.2 MTPA.</p> <p>The committee also noted that PP has provided the ETP and sedimentation tank for treatment of effluent. Provided</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Tal:Umred,Dist-Nagpur.			<p>Mechanized Sweeping machine, Tyre wash system, Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises.</p> <p>Committee further noted that analysis results of Results of AAQM are exceeding the standards and noted following non compliances of consent/EC conditions-</p> <ol style="list-style-type: none"> 1. Industry has not submitted the details proposal/action plan regarding the implementation of the work of in pit belt conveyer system with CHP and Silo loading system till October 2023. 2. Industry is not using the 40-50 tons dumpers/trucks for transportation of coal from mine pit to railway siding till conveyer system is implemented i.e till dec-2023. 3. PP has not submitted the action plan to plant an additional 1,50,000 trees in mine and by acquiring new land near villages. 4. PP has not submitted the proposal/action plan for construction of two additional water harvesting pond with the concurrence of gram panchayat within 2 years. 5. PP has not submitted the action plan to install wind shield around the railway siding. 6. Valid NOC of CGWA is not submitted. 7. Industry has not provided the STP of 25 KLD capacity.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>8. PP has not submitted the action plan to install solar light within a study area of 10 km radius buffer zone within one year.</p> <p>9. PP has not installed the one more CAAQMS at suitable location preferably village side.</p> <p>10. PP has not submitted the detailed action plan for utilization of OB material for different purposes (in construction of roads/ manufacture sand, aggregates).</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent towards above non compliances of consent/EC conditions.</p>
37	MPCB- CONSENT- 0000158638	CEO S.L.Raheja Hospital S.L.Raheja Hospital,Raheja Rugnalaya Marg ,Mahim Mumbai	NOT APPROVED Renewal of Combined Consent & BMW Authorization with increase in CI & Total BUA	--	<p>Committee noted that HCE has applied for Renewal of Combined Consent & BMW Authorization with increase in total BUA for Hospital -300 Beds on total plot area of 8092.62 Sq.Mtr & total BUA of 8092.62 + 10,181.74 (increased) = 18,274.36 Sq.mtr.</p> <p>Committee also noted that HCE has obtained Combine consent & BMW Authorization vide dated 02.09.2020 which is valid up to 31.03.2023 with CI Rs. 10.33 Crs for 300 beds hospital on total plot area of 8092.62 Sq.Mtr & total BUA of 8092.62 Sq.Mtr.</p> <p>Committee further noted that previously, HCE has shown less CI as compared to balance sheet submitted i.e. 64.37 Crs since the year 2018 & obtained the consent for CI of Rs. 10.33 Crs only, Also, HCE has increased the CI by Rs. 60.53 Crs & increased the total BUA by 10,181.74 Sq.Mtr without Boards consent which attracts the penal & additional consent fees.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.
38	MPCB- CONSENT- 0000160568	Medicover KLE Hospital (Unit of Sahrudaya Health Care Pvt Ltd) Sector-1, Indrayani Nagar, Bhosari, Pimpri-Chinchwad, Tal- Haveli, Pune	APPROVED 1st Combined Consent to Operate & BMW Authorization	30.04.2026	<p>Committee noted that HCE has applied for 1st Combined Consent to operate & BMW Authorization for Hospital - 225 Beds on total plot area of 2963 Sq.Mtr & total BUA of 4444 Sq.mtr.</p> <p>Committee also noted that, HCE has obtained C to E vide dated 23.01.2023. HCE has provided STP with a capacity of 100 CMD for treatment of sewage to the tune of 90 CMD. Also, HCE has obtained membership of CBWTSDF & BNH certificate.</p> <p>After due deliberation, it was decided to grant 1st Combined Consent to operate & BMW Authorization for Hospital - 225 Beds on total plot area of 2963 Sq.Mtr & total BUA of 4444 Sq.mtr by imposing following conditions:</p> <ol style="list-style-type: none"> 1. HCE shall properly operate STP to achieve consented standards. 2. HCE shall submit BGs as per HCE BG regime. 3. Consent shall be issued after submission of additional consent fees, if any.
39	MPCB- CONSENT- 0000161390	Daund Sugar Private Ltd (Distillery Unit) 99 At: Gat No.99, Alegaon Daund	Operate	---	Already discussed in CAC meeting 09.03.2023 and consent issued on 31.03.2023

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
40	MPCB- CONSENT- 0000159096	Maharashtra Institute of Medical Sciences and Research Vishwanathpuram Campus, Ambajogai Road, Latur	NOT APPROVED Combined Consent & BMW Authorization, Consent to Operate	--	<p>Committee noted that HCE has applied for Renewal of Combined Consent & BMW Authorization for Hospital - 700 Beds on total plot area of 2,88,600 Sq.Mtr & total BUA of 59,359 Sq.mtr.</p> <p>Committee also noted that HCS has obtained renewal of combine consent & BMW Authorization vide dated 19.06.2022, which is valid up to 31.12.2022. As per earlier consent CI was Rs. 70.10 Crs, however as per application & submitted CA certificate previous CI was of Rs. 19.91 Crs, now it is Rs. 21.03 Cr as per CA certificate. HCE authority has not submitted audited balance sheet along with multi-unit CA certificate & details of ETP & STP. HCE authority has paid less fees as per CI shown in CA certificate.</p> <p>After due deliberation, it was decided to issue SCN for refusal of consent due to above lapses.</p>
41	MPCB- CONSENT- 0000154890	Indian Railways Attached as Annexure near Badnera Railway Station Amravati	APPROVED 1st Consent to Operate	30.04.2025	<p>Committee noted that PP has applied for 1st Consent to Operate for Wagon repairing – 180 Nos/M.</p> <p>1. Committee also noted that PP has obtained consent to establish vide dated 15.02.2017 which is expired on 15.02.2022, after that PP has not obtained the revalidation which attracts lapse & penal fees.</p> <p>Committee further noted that PP has provided STP with a capacity of 165 CMD & ETP of capacity 20 CMD.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant 1st Consent to Operate for Wagon repairing – 180 Nos/M by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate ETP & STP to achieve consented norms. 2. PP shall submit the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions. 2. Consent shall be issued after submission of additional & penal fees.
42	MPCB- CONSENT- 0000160739	AMALGAMATED YEKONA I & II OC MINE 114-115, PO- Panjurni, Village: Yekona, Tal- Warora, District: Chandrapur.	NOT APPROVED Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -2.75 MTPA.</p> <p>Committee also noted that PP has provided the ETP, STP and sedimentation tank. Provided Mechanized Sweeping machine, one Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises. Installed CAAQMS.</p> <p>Committed further noted that analysis results of AAQM are within limit. Installed 01 no. mist cannon at coal stockyard. Industry has issued a supply order for another 04 nos. mist cannon. Industry has not installed tyre wash system. Valid NOC of CGWA is not submitted. Industry has not submitted the BG as per previous consent conditions. BG of Rs.25.0 Lakh is not submitted towards O & M of Pollution control</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>system and towards compliance of consent and EC conditions.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent towards following non compliances of consent/EC conditions.</p> <ol style="list-style-type: none"> 1. PP has failed to install the Tyre wash system. 2. PP has not submitted the BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions. 3. PP has not installed the 5 Nos. mist cannon at coal stock yard, CHP and weigh bridge area. 4. PP has not submitted the valid NOC of CGWA. <ol style="list-style-type: none"> 1. PP has not submitted the BG as per previous consent conditions.
43	MPCB- CONSENT- 0000160648	Expansion of New Majri UG to OC Mine At: Majri, PO: Shivjinagar, Ta: Bhadrawati, District: Chandrapur.	APPROVED Renewal of consent with increase in CI	31.03.2024	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -3.0 MTPA.</p> <p>Committee also noted that PP has provided the ETP, STP and sedimentation tank. Provided Mechanized Sweeping machine, one Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises. Installed CAAQMS.</p> <p>Committed further noted that analysis results of AAQM are within limit. One CAAQMS installed and connected to MPCB</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>server. Tender work is in process for Tyre wash system & Mechanized Sweeping machine.</p> <p>After due deliberation, it was decided to grant renewal of consent for one year period by imposing following conditions-</p> <ol style="list-style-type: none"> 1. PP shall extend the existing BG of Rs.25.0 Lakh towards O & M of Pollution control system and towards compliance of consent and EC conditions for the period up to 31.12.2025. 2. PP shall install the Tyre wash system within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide a Mechanized sweeping machine for road dust cleaning within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall install the 5 number fog cannon as per the EC conditions as industry has installed only 3 number fog cannon. 5. PP shall submit the BG as per BG regime of the mine.
44	MPCB- CONSENT- 0000162310	S. BHARAT PETROLEUM CORPORATION LTD. TAL- Haveli TARDE Haveli	APPROVED Renewal of Consent to Operate	31.03.2026	<p>Committee noted that, PP has applied for renewal of consent to operate for Receive, Storage and handling of petroleum-based products. i.e. Ethanol, Motor Spirit (Petrol), High Speed Diesel, Bio-diesel, Aviation Turbine Fuel:13437 KL. Existing C to O valid upto 31/3/2023.</p> <p>Committee also noted that, Nil trade effluent generation, however installed ETP in case of emergency during rainy season. STP provided. JVS marginally exceeding. CGWA NOC obtained.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, Truck filling bays with vapor collection & treatment system installation is under progress.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall operate pollution control systems scientifically to achieve the consented norms. 2. Industry shall submit/extend bank guarantee of Rs. 25 lakh towards O & M of pollution control system and compliance of consent conditions.
45	MPCB- CONSENT- 0000161990	Expansion of Gondegaon Extension Opencast Coal Mine Project of M/s Western Coalfields Ltd, Nagpur Ar Plot no /Survey no 174/1 & 174/2 Village Gondegaon Pin Code - 441404 Parseoni	NOT APPROVED Renewal of consent with increase in CI	--	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine-3.5 MTPA & Sand Segregation Plant (from external OB dumps)-2000 m3/day.</p> <p>Committee also noted that PP has provided the ETP and sedimentation tank. Provided Mechanized Sweeping machine, Mobile Tanker with mist sprinkling arrangement. Provided Fixed water sprinklers at Coal Stock Yard, Haul roads, CHP, Coal Transportation roads and Transfer point/CHP Premises. Installed CAAQMS. Provided Mechanized Sweeping machine & Truck mounted mist cannon type fogger. Committed further noted that analysis results of AAQM are exceeding the standards. server. WCL authority has failed to submit required Bank Guarantee as per earlier consent condition till date.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted the following Non compliances of consent /EC conditions-</p> <ol style="list-style-type: none"> 1. STP is not provided for treatment of domestic effluent-432 CMD. 2. Air pollution control systems are not provided at sand separation plant's jaw crusher, primary and secondary crusher. 3. Tyre washing system at mine entry and exit is not provided. 4. Mechanized sweeping machines are not provided. 5. Toppers/binders are not used on top surface of coal piles in trucks carrying coal on road to minimize spillage during transportation. 6. Internal roads of 3 km (approx.) are not concrete / black topped (Work is being tendered). 7. Valid Renewal NOC of CGWA is not submitted. 8. As per previous consent conditions, BG of Rs.107 Lacs is not submitted. 9. PP has not installed permanent 10 nos. of fog cannon for reducing dust emission in sand segregation plan, haul road, OB dump area during unloading. 10. PP has not constructed at least 10 mts height metal sheet barricading along the periphery of sand segregation plant. 11. Coal transportation is not shifted from road — rail to Pipe Conveyor system. (Target date for provided Pipe conveyor system is at the end of 2023 and after that no coal will be transported by road transportation)

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					After due deliberation, it was decided to issue show cause notice for refusal of consent towards above non-compliance of consent and EC conditions
46	MPCB-CONSENT-0000163545	NATIONAL MULTISPECIALTY HOSPITAL AND MEDICAL COLLEGE SILLOD BY NATIONAL EDUCATION SOCIETY SILLOD GUT NO 90-2, MAHARANA PRATAP CHOWK, BHOKARDAN NAKA, SILLOD, DIST: AURANGABAD	APPROVED Combined Consent & BMW Authorization, Consent to Establish	CoU or Five years whichever is earlier	<p>Committee noted that HCE has applied for Consent to Establish for Hospital – 300 Beds on total plot area of 8900 Sq.Mtr & total BUA of 4605 Sq.mtr.</p> <p>Committee also noted that HCE has proposed to provide ETP & STP to treat the trade & domestic effluent to the tune of 1.2 CMD & 108 CMD respectively. Also, HCE has obtained membership of CBWTSDf & BNH certificate.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Hospital – 300 Beds on total plot area of 8900 Sq.Mtr & total BUA of 4605 Sq.mtr by imposing following conditions.</p> <ol style="list-style-type: none"> HCE shall provide STP & ETP to achieve consented norms before obtaining consent to operate. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.
47	MPCB-CONSENT-0000165391	Panchaganga Sugar and Power Pvt. Ltd. Gut No.154,155, 156, 157 At. Post-Mahalgoan, Tal. Vaijapur, Dist. Aurangabad Vaijapur	APPROVED Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for Consent to Establish for 400 KLPD molasses base distillery unit. Consent to Establish for 4900 TCD sugar and 24 MW co-generation unit obtained on 28.12.2022.</p> <p>Committee also noted that proposed spent wash 2832.4 CMD treatment proposed to provide is Reboiler followed by MEE followed by Incineration Boiler.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided grant Consent to Establish for 400 KLPD molasses base distillery unit, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall not take any effective steps prior to obtaining Environment Clearance and submit Bank Guarantee of Rs. 25 lakh towards compliance same & consent conditions.
48	MPCB- CONSENT- 0000166047	Dr. Aabaji Thatte Seva Aur Anusandhan Sanstha NATIONAL CANCER INSTITUTE Khasra no 25, Ph.No. 42, Mauza - Jamtha	APPROVED Renewal of Combined Consent & BMW Authorization along with 1 st Consent to Operate for increased beds	28.02.2024	<p>Committee noted that HCE has applied for Renewal of Combined Consent & BMW Authorization with increase in number of bed for Hospital – 225 + 125 = 350 Beds on total plot area of 57,400 Sq.Mtr & total BUA of 65,759.41 Sq.mtr.</p> <p>Committee also noted that HCE has obtained renewal of combined consent & BMW authorization vide dated 30.07.2022 which was valid up to 28.02.2023 for 225 beds hospital, C to E for expansion vide dated 31.05.2021 for 125 beds & EC vide dated 22.01.2015 for 350 beds hospital on total plot area of 57,400 Sq.Mtr & total construction BUA of 71,479.41 Sq,Mtr.</p> <p>Committee also noted that HCE has provided common STP for treatment of effluent & sewage of capacity 421 CMD based on MBBR technology. Also, the source of Water supply is open well, however, not submitted the details of CGWA NOC.</p> <p>Committee further noted that HCE has increased the CI by Rs. 109.59 Crs which attracts additional C o E fees, Board office has issued SCN vide dated 13.09.2022 due illegal disposal of BMW along with MSW generated from hospital, however hospital has not submitted any say/compliance report .</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that HCE has delayed the application for renewal of combine consent & BMW Authorization by 30 days which attracts the penal fees.</p> <p>After due deliberation, it was decided to grant Renewal of Combined Consent & BMW Authorization with increase in number of bed for Hospital – 225 + 125 = 350 Beds on total plot area of 57,400 Sq.Mtr & total BUA of 65,759.41 Sq.mtr by imposing following conditions:</p> <ol style="list-style-type: none"> 1. HCE authority shall comply with conditions stipulated in EC & Consent. 2. HCE authority shall obtain the CGWA NOC for ground water abstraction within next 6 months. 3. HCE authority shall provide separate primary treatment for trade effluent treatment within next 6 Months. 4. HCE authority shall properly operate STP to achieve consented norms. 5. HCE shall submit BGs as per HCE BG regime. <p>Consent shall be issued after submission of additional consent fees.</p> <ol style="list-style-type: none"> 1. Regional Officer, Nagpur shall take appropriate further action towards non-compliance SCN issued vide dated 13.09.2022.
49	MPCB- CONSENT- 0000161740	Hindustan Coca-Cola Beverages Pvt.Ltd., Survey No 284- P, Wada Bhivandi Road, Tal. Wada, Dist. Thane	APPROVED 1 st Consent to Operate for CSD pet line	30.04.2025	<p>Committee noted that, PP applied for 1st Consent to Operate of CSD pet line (Replacement of with old RGB line) with amalgamation of existing consent.</p> <p>Committee also noted that, PP obtain Consent to Establish on 02.02.2023. Consent to Renewal on 02.02.2023 Valid up to 30.04.2025.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that, PP obtain letter from Forest department sated that the distance of the plant is 8 KM from Tansa Wildlife Sanctuary. The draft notification of 10/08/2017 has lapsed and the process for the new final notification is under process and same is not notified till date. They also stated that this is only replacement of line and no change in production and parameters which were issued in 2016. And not likely to have any adverse impact on the local flora and fauna than it is already having.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate of CSD pet line (Replacement of with old RGB line) with amalgamation of existing consent., by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall Extend BG of Rs. 25 Lakh submitted as per previous consent towards compliance of consent conditions and operation and maintenance of pollution control systems.
50	MPCB- CONSENT- 0000156048	Chetak Technology Limited, Survey No. 51A, 67, C/o Bajaj Auto Limited, Mumbai-Pune Road, Akurdi, Tal. Haveli, Dist. Pune	APPROVED Consent to establish for expansion	Commissioning of the project or 5 years whichever is earlier.	<p>Committee noted that, PP has applied for consent to establish for Painted Parts (Chassis, Skin Metal Parts & Polymer Parts) – 1600 No/Day.</p> <p>Committee also noted that, PP Existing consent is valid up to 31.08.2024. Existing trade effluent is Nil, proposed trade effluent is 208 CMD PP proposed to provide 225 CMD capacity ETP with primary, Tertiary treatment with Mechanical Vapor reactor- MVR system, treated water will used for gardening.</p> <p>Committee further noted that, Existing there is no any Air polluting source. Now PP has proposed to install Pre-</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Treatment with CD-coating down draft robotics Painting and proposed to provide Water scrubber as PACs.</p> <p>Committee also noted that, PP The unit is in the same premises M/s. CHETAK TECHNOLOGY LIMITED, has taken building B-12 & B-17 is subsidiary of Bajaj Auto Limited, Survey No. 51A, 67 Mumbai Pune Road, Akurdi, Pune. Submitted MOU between M/s.Bajaj Auto & M/s. Chetak.</p> <p>After due deliberation it was decided to grant consent to establish for expansion by imposing following conditions:</p> <p style="text-align: center;">1. PP shall submit BG of Rs. 25 lakh towards compliance of consent conditions</p>
51	MPCB- CONSENT- 0000161716	Bajaj Auto Ltd, Plot No. E-2, Phase- I, Chakan Industrial Area, Nighoje, Tal- Khed, Dist- Pune	APPROVED Consent to 1 st Operate (Part)	31.03.2024	<p>Committee noted that, PP has applied for 1st consent to operate (part) with capital investment of Rs. 853 crore. For Motorized Two Wheelers – 6,00,000 Nos/Y and Engines for Two Wheelers – 6,00,000 Nos/Y.</p> <p>Committee also noted that, PP has applied PP has obtained consent to establish. PP has installed two Primary + tertiary treatment ETP's having two stage RO & MVR and proposed to reuse /recycle treated trade effluent 100% in the process to achieve ZLD. PP has provided two advanced oxidations based STP's and treated sewage will be utilize for flushing and gardening purpose.</p> <p>Committee further noted that, PP has installed Machining Line & Assembling Line. Industry has installed pre-treatment line for Plastic parts & same is equipped with exhaust system followed by stack. Industry has installed two Spray painting booths for Base Coat, Topcoat & Lacquer Coat & same are equipped with downdraft water scrubber followed by stacks.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Industry has installed baking ovens & same are equipped with exhaust followed by stack.</p> <p>After due deliberation it was decided to grant 1st consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend BG of Rs. 25 lakh towards operation and maintenance of pollution control systems and compliance of consent conditions.
Review Item					
1	MPCB- CONSENT- 113792	Reliance Corporate IT Park Ltd., Plot No. 5, TTC Industrial Area, Thane-Belapur Road, Ghansoli, Navi Mumbai. (UAN No. 110481, 113792 & 139519)	APPROVED	-----	<p>Board has received the consent to revalidation establish (0000139519) application and was discussed in the 5th CAC meeting dtd. 28.07.2022 and was decided to grant consent to revalidation establish with conditions that Consent shall be issued after submission of penal fees, PP requested to consider it new fresh C to E, if the case is considered as new then current valuation of project cost shall be obtained from PP</p> <p>Board has received the Renewal of consent (Part-I) for Phase-I, (0000110481) & Renewal of consent (Part-II) for data centre (0000113792) and same was discussed in the 5th CAC meeting dtd. 28.07.2022 and was decided to grant Consent and shall be issued after submission of penal & additional consent fees.</p> <p>PP submitted regarding C to E revalidation – since they have no active construction at site, nor any plan for further development, fresh C to E was not taken. However, applied for</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Consent to Establish for balance gross construction BUA of 6,74,690 Sq.Mtr vide UAN no. 139519.</p> <p>PP has applied for environment clearance & consent to establish construction of hospital, IT buildings, utilities, multi-level car parks & associated miscellaneous buildings for construction BUA of 6,74,690.4 Sq.Mtr. and request the Board to consider this application as new consent to establish.</p> <p>After due deliberation, it was decided to consider the revalidation of consent to establish as New consent to establish, with standard conditions and bank guarantee. And grant combined consent to operate all the above buildings applied vide UAN No. 110481, 113792, 131084, 135563 for construction BUA of 7,01,783.94 Sq.Mtr, so that it will be easier to ensure compliance & timely renewal of consents.</p>