

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 9th Consent Appraisal Committee Meeting of 2021-2022 held on 25.01.2022 at MPCB, Mumbai.

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri. A. L Jarhad,
Chairman, MPCB | Chairman |
| 2. Shri Ashok Shingare,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P.P. Nandusekar,
Technical Advisor, MIDC. | Member |
| 4. Shri P.K. Mirashe,
Assistant Secretary (Technical), M.P.C. Board, Mumbai. | Member Convener |

Additional Chief Secretary, Home (Transport) Dept., Mumbai & representative from NEERI - leave of absence was granted.

Following Officer of MPCB were present for the meeting:

- | | |
|--|----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Shri Y.B. Sontakke,
Joint Director (WPC), M.P.C. Board, Mumbai.sssss | Invitee Member |
| 3. Dr. A.R. Supate,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri N.N. Gurav,
Regional Officer (HQ), M.P.C. Board, Mumbai. | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 24 of Consent to Renewal cases] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet No. 24					
1	MPCB- CONSENT- 0000094700	SAIFEE BURHANI UPLIFTMENT TRUST, Survey No. at C.S. No. 3571 to 3576, 1/3572, 3577 to 3592, 360 C.S.No. 3571 to 3576, 1/3571, 3577 to 3592, 3601 to 3616, 1/3609, 4394, 4396, 3671 to 3677, 1/3673, 3653 to 3670, 3638 to 3652, 1/3643, 1/3644, 1/3652, 3628 to 3637, 1/3626, 3627, 4186 to, 4198, 4179 to 4184, 4199 to 4220, 4232 to 4250, 4251 to 4263, 4280 to 4291, 1/4281, 4275 to 4279, 4292 to 4298, 1/4299, 4300, 4303 to 4305, 4308, 1/4308, 4309, 4310, 4312 to 4314, 1/4309, 4315 to 4326, 4264 to 4268, 4270 to	APPROVED Renewal of Consent to Operate (part-I)	31.08.2023	<p>Committee noted that, the PP has applied for grant of Renewal of Consent to Operate (part-I) for redevelopment Construction project on total plot area of 65,429 Sq.m and Construction BUA 80,828.39 Sq.m out of total construction BUA of 9,28,467.72 Sq.m and the case was discussed in CAC meeting held on 03/08/2021, 17/08/2021 & 20/08/2021 and was decided to defer the case due to ongoing court cases and RO/SRO to submit present status report about ongoing court matters.</p> <p>The Committee also noted that, the Court Case vide original application number 98/2019 (WZ) (IA NO. 145/2019) has been filed in the Hon'ble NGT for violation of terms of EC & CtoE conditions.</p> <p>Committee further noted that, the Hon'ble NGT in original application number 98/2019 (WZ) (IA NO. 145/2019) had constituted a committee comprising of State (SEIAA), MPCB; MCGM and Collector Mumbai Suburban for joint inspection of the project in question to verify the factual aspects and submit a report. <i>“And in the event the allegations are found to be correct, appropriate action in accordance with law be taken against the project proponent for mitigation which may include rectification of the infractions as well as assessment and payment of environment compensation for the damage caused.”</i></p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		4272, 4273, 4274, 4161 to 4178, 4221 to 4231, 1/4227, 4327 to 4341, 4342, 4343, 4358, 4361 of Bhuleshwar Division in C-Ward, Maulana Shouktali Road, SVP Road, Mutton Street & Ebrahim Rehamatullah Road, Bhendi Bazaar, Mumbai-400003.			<p>Meanwhile, Hon'ble NGT special bench disposed of the original application number 98/2019 (WZ) (IA NO. 145/2019) by ordered dtd. 17/01/2022 as below,</p> <p><i>"No objection has been filed to the above report on behalf of the applicant. The report shows that requisite clearances have been obtained and EC conditions followed.</i></p> <p><i>In view of above, no further order appears to be necessary at this stage"</i></p> <p>The Committee also noted that, the PP has submitted desired information i.e details of total open space for green belt development, copies of NOC of MCGM for scientific disposal of construction & demolition debris, Copies of bills of water tankers etc. The SRO-Mumbai-I also visited the site on 14/12/2021 and submitted a report. The collected JVS sample report of existing STP outlet shows, BOD – 25 mg/l and COD – 56 mg/l.</p> <p>The Committee also noted that, PP has obtained revised EC dtd. 07.01.2022 for total BUA 9,28,467.72 Sq.m. (increased by 71,875.97 Sq.m.), proposed to provide STP & OWC followed by Composting facility for the treatment of Biodegradable waste.</p> <p>After due deliberation, <u>it was decided to grant of Renewal of Consent to Operate (part-I) for redevelopment Construction project</u> on total plot area of 65,429 Sq.m and Construction BUA 80,828.39 Sq.m out of total construction BUA of 9,28,467.72 Sq.m by forfeiting the BG of Rs 2 lakh and top up with double the amount towards</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>JVS exceedance of existing project and by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall submit/extend existing BG to make total BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions.
2	MPCB- CONSENT- 0000100897	GOODYEAR SOUTH ASIA TYRES PRIVATE LIMITED PLOT NO. H-18 & L-1 MIDC Industrial Area Waluj. GANGAPUR	APPROVED Renewal of Consent to Operate	31.12.2025	<p>Committee noted that, PP has applied for renewal of consent to operate for manufacturing of Automotive Tyres-281.25 MT/Day.</p> <p>Committee also noted that, the said application was discussed in earlier CAC meeting and decided to call for technical presentation for non-provision of MEE, non-submission of plan towards use of cleaner fuel instead of Furnace Oil & enhancement in Capital Investment & non-provision of STP.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee also noted that, PP has made the presentation and briefed on above points and reported that, RO has been installed for Boiler feed water and not for treated effluent & TDS concentration of RO reject is @ 500-700 mg/l which is connected to ETP, Boilers operated on Furnace Oil are standby Boilers & agreed not to utilize the same till switch over to cleaner fuel, CI increased in upgradation & capitalization of Plant & machinery with latest technologies, building etc and installed STP.</p> <p>After due deliberation, it was decided to grant of renewal of consent to operate by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate Effluent Treatment Plant scientifically and partly recycle (110 CMD) treated effluent into the process & remaining 190 CMD shall be connected to CETP after achieving the consented norms. 2. PP shall operate Sewage Treatment Plant scientifically and partly recycle (18 CMD) treated sewage & remaining 75 CMD shall be used on land for gardening after achieving the consented norms. 3. PP shall not operate furnace oil fuel Boilers till switchover to cleaner fuel. 4. PP shall submit Bank Guarantee of Rs. 25 Lakh towards O&M of Pollution Control System and Compliance of Consent Conditions.
3	MPCB- CONSENT- 0000106061	Pune Kondhwa Reality Private Ltd., S No. 15, 16, 23 S No. 15, 16, 23 At Yewalewadi,	NOT APPROVED Renewal of consent (Part-I) with increase in CI	----	Committee noted that, PP has applied for renewal of consent (Part-I) with increase in CI for 10 Nos of residential buildings on total plot area of 3,64,425.2 Sq.mtr & construction BUA of 90,146.58 Sq.Mtrs out of total construction BUA of 3,34,299.55 Sq.Mtrs.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Kondhwa, pune Pune City			<p>Committee also noted that, the case was discussed in previous CAC meeting & was deferred and decided to issue SCN for refusal of consent due to:</p> <ol style="list-style-type: none"> 1. PP has not submitted/obtained the revalidation of EC & C to E. 2. PP has provided STP, however not operated scientifically as JVS results exceeded the norms. 3. PP has not submitted any justification towards increased in CI. of Rs. 16.14 Crs. <p>Committee further noted that, Board office has issued SCN for refusal of consent, however, PP has not submitted any say/reply, till date even after repeated follow up.</p> <p>After due deliberation, <u>it was decided to issue final refusal of consent</u> due to non-submission of compliance report towards SCN issued.</p>
4	MPCB- CONSENT- 0000106830	CEAT Ltd (Tyre Manufacturing) 338, 354 Bhandup Kurla	APPROVED Renewal of Consent with increase in CI	31.03.2026	<p>Committee noted that, PP has applied for renewal of consent with increase in CI and the application was discussed in earlier CAC and was decided to defer the case and call the PP for technical presentation along with Best Available Technology (BAT).</p> <p>Committee also noted that, PP has made presentation and briefed overall production process, Detailed process of ETP & STP, Details of the APCs such as Dust Collectors, Wet Scrubber & Cyclone separators provided at the air emission sources. Regarding Best Available Technologies (BAT) PP has explained that, initiatives such as operations of the Boiler with PLC, modifications of the Bag filter,</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Automatic feeding system, Change of fuel FO to PNG, Heat recovery unit, Upgradation of STP by provision of RO systems, Rainwater harvesting, Waste reduction, reuse and recycle, Energy Conservation Programmae are taken by the industry.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit Board Resolution within a month in prescribed format from company Board, towards increased CI by Rs. 48.23 Crs towards internal modernizations, furniture, etc. without obtaining consent from the Board thus violated the provision of Environmental Laws and in future, they will not do such violations and submit the BG of Rs. 2 lakh towards submission of the same. 2. Industry shall submit/extend existing BG making total BG of Rs. 25 Lakh towards compliance of consent conditions.
5	MPCB- CONSENT- 0000109717	Right Tight Fasteners Pvt. Ltd., Plot No. 14, Malegaon MIDC, Sinner, Dist. Nashik	APPROVED Renewal of Consent with increase in CI	31.03.2024	<p>Committee noted that, PP has applied for renewal of consent with increase in CI and the application was discussed in earlier CAC and was decided to issue SCN.</p> <p>Committee also noted that, PP has made compliance of the SCN issued and achieving ZLD.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <p>PP shall submit/extend existing BG making total BG of Rs. 25 Lakh towards compliance of consent conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
6	MPCB- CONSENT- 0000107167	Birla Carbon India Private Limited, Unit-Patalganga Village Lohop, Patalganga, Tal Khalapur, Dist. Raigad 410207	APPROVED Renewal of consent with increase in CI	31.03.2022	<p>Committee noted that, PP has applied for renewal of Consent for manufacturing of Carbon Black-84000 TPA and Electricity generation through waste heat recovery (Co-Generation)-23 MW.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent for short period i.e up to 31.03.2022</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. By forfeiting BG of Rs.5.0 Lakh towards JVS exceedance. 2. PP shall provide venturi scrubber to the Boiler within six months period i.e up to 31.07.2022 and submit the BG of Rs.5 Lakh towards compliance of same. 3. PP shall provide OCEMS for CO & NOx with recording and interlocking facilities as per EC conditions within 3 months and submit the BG of Rs.5 Lakh towards compliance of same. 4. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent and EC conditions.
7	MPCB- CONSENT- 0000109222	Pauni II Expansion OC Near Sakhari Village Tal-Rajura Dist-Chandrapur.	APPROVED Renewal of consent with increase in CI	31.03.2022	<p>Committee noted that, PP has applied for renewal of consent for coal mine-3.25 MTPA in lease area of 1095.52 Ha.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent for Short period i.e for the period up to 31.03.2022</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall provide the CAAQMS along with micrometeorological station at Pauni II expansion OC

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>mine within 3 months and submit the BG of Rs.5.0 Lakh towards compliance of same.</p> <ol style="list-style-type: none"> 2. PP shall install tyre wash system at the mine entry and exit point within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same. 3. PP shall provide mechanical road dust sweeping machine within 3 months period & submit the BG of Rs.5.0 Lakh towards compliance of same. 4. PP shall implement off pit conveyor system from Coal Handling Plant to Railway Siding with silo loading facility in three years as per EC condition and submit the BG of Rs.25 Lakh towards compliance of same. 5. PP shall ensure availability of abandoned coal mine for the disposal of bottom/fly ash generated from Coal based thermal power plant. 6. PP shall submit the BG as per BG regime of Coal Mine.
8	MPCB- CONSENT- 0000111276	Everest Industries Limited Gat No.152&153, Village- Lakhmapur Dindori	APPROVED 1st consent to operate for expansion and amalgamation with renewal of existing consent	31.03.2026	<p>Committee noted that, PP has applied for 1st consent to operate for expansion and amalgamation with renewal of existing consent.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p> <p>Committee also noted that, PP has made presentation and briefed overall production process, detailed process of STP, details of the APCs. They have close loop operating with automation system for the mixing of raw materials asbestos, cement and fly ash with provision of Dust Collector with reverse air jet pulse Bag filter system.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, <u>it was decided to grant 1st consent to operate for expansion and amalgamation with renewal of existing consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall switch over to the cleaner fuel or upgrade the APCs of the Boiler as per Board's circular dtd. 05.02.2020. 2. Industry shall carry out asbestos fiber monitoring for source and work environment regularly. 3. Industry shall submit the total BG of Rs. 25 Lakh towards operation and maintenance of pollution control systems and compliance of consent conditions
9	MPCB- CONSENT- 0000110568	Siemens Ltd., Plot No.1, MIDC, TTC Industrial Area, Airoli, Navi Mumbai.	<p>APPROVED</p> <p>1st C to O for expansion and Renewal with amalgamation.</p>	30.04.2026	<p>Committee noted that, PP has applied for 1st consent to operate for expansion and renewal of existing consent with amalgamation.</p> <p>Committee also noted that, this case was discussed in earlier CAC meeting & was deferred and decided to issue SCN due to inadequate capacity of ETP, additional product without obtaining consent, increased CI by Rs. 6.7 Crs, non-submission of Env. Statement, HW annual returns & non-submission of reply to Scrutiny letter dated 20.04.2021.</p> <p>Committee also noted, PP's submission about the compliance made on above points.</p> <p>After due deliberation, <u>it was decided to grant 1st consent to operate for expansion and renewal of existing consent with amalgamation</u> for Electrical Motor,</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Traction Motor, Switchgear Items & PI Products, LT & HT Switchboards, Transformers with Reactors & one additional product - Variable Speed AC & DC Drive, Electrical Control Cabinet, M.V. Drive & PLC System by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate & maintain pollution control system to achieve consented standards. 2. PP shall submit/extend the BG of Rs. 25 Lakh towards O & M of PCS and compliance of consent conditions. <p>Consent shall be issued after submission of production quantity in tonnage and additional consent fees, if any</p>
10	MPCB-CONSENT-0000112959	Chandrapur Super Thermal Power Station Chandrapur Mauza Dewai, 1 to 16 Mauza Dewai, 1 to 16, Govindpur, Rayyatawari, Urjanagar, Tal & Dist-Chandrapur.	NOT APPROVED Renewal of consent	---	<p>Committee noted that PP has applied for renewal of consent for coal based thermal power Plant of total capacity-2920 MW (Total-7 units) (Unit 3 & 4 -210 MW each and Unit 5,6,7,8 & 9-500 MW each).</p> <p>After due deliberation, <u>it was decided to defer the case and issue show cause notice for refusal of consent</u> & forfeiture of BG of Rs.25 lakh towards following non compliances:</p> <ol style="list-style-type: none"> 1. PP has not complied with the Hon'ble NGT order dated 19.01.2022 in original application No.74/2020(WZ). 2. To comply with emission norms, PP has not submitted detailed action plan along with bar chart for installation of FGD, as per MoEF notification dtd. 31.03.2021. 3. PP has failed to install Real time coal ash analyser. 4. PP is utilising Coal having high ash and sulphur content. 5. PP has not achieved 100% Fly ash utilization.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. PP has not submitted plan for legacy ash dumped in the ash pond.</p> <p>7. PP has not provided proper & adequate arrangements to collect and transfer ash slurry.</p> <p>8. PP has not provided proper collection, treatment & recycle system for the runoff water arises from coal reject storage area.</p> <p>9. PP has failed to submit the Bank Guarantee as per earlier consent conditions.</p> <p>10. The JVS analysis results of AAQM, Stack monitoring are exceeding the consented norms.</p>
11	MPCB- CONSENT- 0000113671	M/s. Writer Lifestyle Pvt. Ltd. Resort & Health Farm, Plot bearing Gut No. [At. Village Chawsar] 223, 226, 232, 234, 235, 236, 243 [At. Village Shillim] 905, 906, 907, 908, 910, 920, 921, 922, 923, 924, 925, 926, 927, 928, 930, 931, 932, 933, 934, [P/O], 935, 936, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 961, 972, 973, 974, 975, 976, 977,	NOT APPROVED Renewal of Consent to Operate	---	<p>Committee noted that, PP has applied for grant of Renewal of Consent for Hotel activity with total 126 Nos of buildings which includes Guest rooms (Keys) 82, Presidential villas 3, Spa suites 15, Residential Villas 33, Back of House including laundry 1, Central Facility 1, Club 1, Info. Center 1, Pool and Bar 1, Reception 1, Driver and security 1, Relaxation center 1, Spa reception 1, Spa treatment rooms 12, the project developed by Writer Lifestyle Pvt Ltd, having Total Plot Area of 13,24,930 Sq.m and Total Construction Built Up Area of 35,821.11 Sq.m.</p> <p>Committee also noted that, PP has not submitted reply of scrutiny letter, justification regarding increase in Capital investment and BG as per earlier Consent condition.</p> <p>After due deliberation, <u>it was decided to issue Show Cause Notice for refusal of Renewal of Consent to Operate.</u></p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		1023, 1024, 1032[P/O], 1033, 1034 [P/O] of Village Shillim â€“ Chawsar, Tal. Maval, Dist. Pune.			
12	MPCB-CONSENT-0000114391	Rashtriya Chemicals and Fertilizers Limited, Trombay Unit, 127 Chembur, 1 (Marawali), 1, 5, 5, 1 to 6 (Anik), Chembur, Mumbai.	APPROVED Renewal of Consent to Operate	31.07.2026.	<p>Committee noted that, industry has applied for grant of renewal of Consent to Operate.</p> <p>Committee also noted that, the case was discussed in earlier CAC & it was decided to defer the case and call the PP for technical presentation on smell nuisances & fog formation in the area, status of dispersion modelling study, increase in C.I. by Rs. 439.71 Crs and overall compliances.</p> <p>Committee further noted that industry has made its presentation on above points.</p> <p>After due deliberation, <u>it was decided to grant plain renewal of Consent to Operate</u> subjecting to existing Consent conditions and BG.</p>
13	MPCB-CONSENT-0000114183	EXIDE INDUSTRIES LTD PLOT NO E-5 & E-6 MIDC ,INDUSTRIAL AREA AHMEDNAGAR AHMEDNAGAR	APPROVED Plain Renewal of consent	31.07.2026	<p>Committee noted that, PP has applied for plain renewal of consent for manufacturing of Lead Acid storage batteries (Only for two wheelers).</p> <p>Committee also noted that, the case was discussed in previous CAC meeting & was deferred and decided to issue SCN for refusal of consent and call PP for technical presentation due to non-submission of EPR regarding Battery. Subsequently, PP has submitted the compliance report & given the technical presentation.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Committee further noted that Board office has issued direction vide dated 02.12.2021 u/s 5 of The Environment (Protection) Act, 1986 & Batteries (M & H) Rules, 2001.</p> <p>After due deliberation, <u>it was decided to grant plain renewal of consent</u> for manufacturing of Lead Acid storage batteries (Only for two wheelers) -15,00,000 Nos/M by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with the direction issued by Board vide dated 02.12.2021 u/s 5 of The Environment (Protection) Act, 1986 & Batteries (M & H) Rules, 2001. 2. PP shall operate & maintain the effluent treatment facility to achieve ZLD. 3. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O & M of PCs and compliance of consent conditions. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
14	MPCB- CONSENT- 0000114102	Balewadi Tech Park Pvt Ltd., 20 Balewadi, Haveli, Pune.	APPROVED Renewal of consent with increase in CI	30.09.2023	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for IT park project.</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting & was deferred and decided to call the PP for presentation due to non-submission of details of E-waste management, land availability for disposal of treated sewage etc.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, <u>it was decided to grant renewal of consent</u> with increase in CI for IT park project on total plot area of 34,900 Sq.mtr & total construction BUA of 1,85,361.92 Sq.Mtr by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in EC & Consent. 2. PP shall operate STP to achieve treated domestic effluent standard for parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 4. PP shall operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 6. PP shall submit BG of Rs. 25 Lakh towards O & M of Pollution Control System and compliance of Consent conditions. <p>Consent shall be issued after submission of additional consent fees towards increased CI.</p>
15	MPCB- CONSENT- 0000114882	Sound Casting Pvt. Ltd., Unit 2, Plot No. C - 10, Kagal-Hatkanangale MIDC, Tal.	APPROVED Renewal of consent with increase in CI	31.05.2026	Committee noted that, PP has applied for renewal of consent with increase in CI for manufacturing of Grey Iron Castings, SGI Castings & aluminium casting- 37800 MT/A.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Hatkanangale, Dist.: Kolhapur			<p>Committee also noted that, the case was discussed in earlier CAC meeting & was decided to issue SCN due to increase in CI by Rs. 80.27 Crs without Boards consent. Accordingly, Board office had issued SCN for refusal of consent due to above lapse.</p> <p>Committee also noted PP's submission/compliance report towards SCN issued.</p> <p>After due deliberation, it was decided to grant renewal of consent with increase in CI for manufacturing of Grey Iron Castings, SGI Castings & aluminium casting- 37800 MT/A by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit Board resolution towards increased CI without Boards consent & shall not do so in future & shall submit the BG of Rs. 2.0 Lakh towards compliance of the same. 2. PP shall achieve the emission standards as per the Notification issued by MOEF&CC vide dated 04.12.2019. 3. PP shall not exceed the production quantity at any point more than consented quantity & quantity prescribed in EC vide dated 15.01.2011 i.e. 3150 MT/M. <p>Consent shall be issued after submission of additional consent fees, if any.</p>
16	MPCB- CONSENT- 0000098656	Omkar Realtors & Developers Pvt. Ltd.	APPROVED	31.10.2023	Committee noted that, PP has applied for grant of Renewal of Consent to Operate (Part-I) for rehab Bldgs, R1 & R2, Sale Bldgs Tower A & C having Total plot area of 59,598.90 Sq.m and Construction BUA 2,57,508.07 Sq.m out of Total

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		CTS No. 811A/7 (pt), 812, 813, 814A/1 to 814A/4, 821, 824, 825 (pt) & 844 of Village Malad (East), P/N Ward, Mumbai.	Renewal of Consent to Operate (Part-I)		<p>Construction BUA of 6,78,938 Sq.m (As per EC dtd. 18/09/2018)</p> <p>Committee also noted that, PP has provided STP and OWC.</p> <p>After due deliberation, <u>it was decided to grant Renewal of Consent to Operate (Part-I)</u> by imposing the following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after receipt of additional Consent fees, if any.
17	MPCB- CONSENT- 0000114798	The TATA Power Co Ltd, Trombay Thermal Power Station Revenue Survey Number: 589, 636, 474-A, PL 72p Mahul Village, Chembur, Mumbai	APPROVED Renewal of consent with increase in CI	31.08.2022	Committee noted that, PP has applied for renewal of consent for Thermal Power Plant (Unit No. 5-500 MW, Unit No. 7- 180 MW & Unit No. 8 – 250 MW and Unit No. 6 – 500 MW is standby) <u>After due deliberation, it was decided to grant renewal of consent for short period i.e for the period up to 31.08.2022</u> , by imposing following conditions: 1. By forfeiting the BG of Rs.10 Lakh towards JVS exceedance. 2. PP shall carry out micro level dispersion modelling study in the area considering the parameter of PM2.5, PM10 by incorporating diurnal variation, wind speed, mixing height etc to know the dispersion of the pollutants within a year and submit the BG of Rs.25 Lakh towards compliance of same. 3. PP shall submit the BG of Rs. 25 Lakh towards operation and maintenance of pollution control system and compliance of consent conditions. 4. PP shall submit the BG as per BG regime of Thermal Power Plant.
18	MPCB- CONSENT- 0000105837	Cognizant Technology solution India Pvt. Ltd. Plot No. 16, Rajiv Gandhi Infotech Park, SEZ, MIDC	APPROVED Renewal of Consent to Operate	28.02.2025	Committee noted that, PP has applied for grant of Renewal of Consent to Operate for IT/ITES activity having Total plot area of 1,17,600 Sq.m and Total construction BUA of 1,50,378 Sq.m. Committee also noted that, PP has provided STP and OWC.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Phase-III, Hinjewadi, Tal. Mulshi, Dist. Pune-411057.			<p>After due deliberation, <u>it was decided to grant Renewal of Consent to Operate</u> for IT/ITES activity having Total plot area of 1,17,600 Sq.m and Total construction BUA of 1,50,378 Sq.m by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions. <p>Consent shall be issued after receipt of latest JVS analysis results.</p>
19	MPCB-CONSENT-0000113343	Athani Sugars Ltd., Shahuwadi Unit (Leesse of Udaysingrao	NOT APPROVED Renewal	-----	<p>Committee noted that, PP has applied for renewal of consent for 2500 TCD Sugar unit.</p> <p>Committee also noted that, the application was discussed in earlier CAC meeting and decided to issue SCN for</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Gaikwad S.S.K. Ltd., Sonawade) 229 Sonawade Shahuwadi			<p>refusal for various non-compliances. Accordingly, SCN for Refusal was issued on 14/10/2021.</p> <p>Committee further noted that, PP did not submit any reply till date. Also not obtain revocation order against the closer directions issued by CPCB. Board has also issued Closure directions dated 03/12/2021.</p> <p>After due deliberation, <u>it was decided to issue final Refusal of consent.</u></p>
20	MPCB-CONSENT-0000116471	Jayaswal Neco Industries Ltd ACD, Kh. No. 70, 71-A, 71-B & 76 29/8, Mile Stone Mouza Ruikhairi, Wardha Road Butibori Nagpur.	NOT APPROVED Renewal of consent with increase in CI	---	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for manufacturing of Cast Articles of Iron or Steel - 41,000 MT/A.</p> <p>Committee also noted that, this case was discussed in earlier CAC meeting & was issued SCN for refusal of consent due to increased CI by Rs. 24.35 Crs without obtaining Board's consent, not obtained NOC of CGWA for ground water extraction & non-submission of mandatory submissions such as HW annual returns, Environment statement, etc.</p> <p>Committee further noted that, PP has not yet obtained NOC from the CGWA and the JVS results of the STP outlet and AAQM are exceeding the norms.</p> <p>After due deliberation, <u>it was decided to defer the case and issue SCN</u> towards not obtaining CGWA NOC and JVS exceedance.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
21	MPCB- CONSENT- 0000116947	MAHAGENCO, KTPS, 3x660 MW, KORADI, NAGPUR Khasara no.. 188- 189, Koradi, Tal- Kamptee, Dist- Nagpur.	NOT APPROVED Renewal of consent with increase in CI	----	<p>Committee noted that, PP has applied for plain renewal of consent for Electricity Generation-1980 MW (i.e.3x660 MW) Unit No.8,9 & 10.</p> <p>After due deliberation, <u>it was decided to defer the case and issue show cause notice for refusal</u> of consent & forfeit the BG of Rs.25 lakh towards following non compliances of consent conditions:</p> <ol style="list-style-type: none"> 1. PP has not provided Flue Gas Desulphurisation also not submitted the detailed action plan along with bar chart for installation of FGD and to comply with emission norms. 2. PP has not installed Real time coal ash analyser. 3. Industry is utilising high ash and sulphur content coal. 4. PP has to achieve 100% Fly ash utilization. 5. PP has not submitted plan for legacy ash dumped in the ash pond 6. PP has not provided proper & adequate arrangements to collect and transfer ash slurry. 7. PP has not provided proper collection, treatment & recycle system for the runoff water arises from coal reject storage area. 8. PP has not provided adequate capacity STP for treatment of sewage generation 283 CMD. 9. JVS analysis results of Stack monitoring is exceeding the standards. Also exceeding CAAQMS results for the parameter PM10, PM2.5. 10. PP is not meeting the Specific water consumption standards of 3.5 m³/MWh

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
22	MPCB- CONSENT- 0000118168	Jakraya Sugar Ltd. (Distillery Unit) Gat No. 61/1/A, 64/1, Tal. - Watwate, Tal. - Mohol, Dist - Solapur Gat No. 61/1/A, 64/1, Tal. - Watwate, Tal. - Mohol, Dist - Solapur Gat No. 61/1/A, 64/1, Tal. - Watwate, Tal. - Mohol, Dist - Solapur	APPROVED Renewal with amalgamation	31.08.2022	Committee noted that, PP has applied for consent with amalgamation of two consent i.e 200 KLPD Molasses base distillery (ENA/RS production) & 150 KLPD Ethanol plant by using RS and SDS only. After due deliberation, <u>it was decided to grant renewal of consent with amalgamation</u> , by imposing following conditions: <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms. 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger. 3. Industry shall strictly achieve Zero liquid discharge. 4. PP shall submit/extend total Bank Guarantee of Rs. 25 lakhs towards O & M of pollution control systems and compliance of consent conditions.
23	MPCB- CONSENT- 0000118167	KORADI THERMAL POWER STATION (2 X 210 MW) Unit 6 & 7 (2x210 MW), At-Koradi, Tal-Kamptee, Dist- Nagpur.	NOT APPROVED Renewal of consent with increase in CI	----	Committee noted that, PP has applied for renewal of consent for Electricity Generation -420 MW (Unit no.6 & unit no.7 of capacity of 210 MW each). After due deliberation, <u>it was decided to defer the case and issue show cause notice for refusal of consent</u> & forfeit the BG of Rs.25 Lakh towards JVS exceedance of AAQM & following non compliances of consent conditions: <ol style="list-style-type: none"> 1. PP has not provided Flue Gas Desulphurisation also not submitted the detailed action plan along with bar chart for installation of FGD and to comply with emission norms . 2. PP has not installed Real time coal ash analyser. 3. Industry is utilising high ash and sulphur content coal.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 4. PP has not provided Dry Fly Ash collection system for Unit-6. 5. PP has to achieve 100% Fly ash utilization. 6. PP has not submitted plan for legacy ash dumped in the ash pond 7. PP has not provided proper & adequate arrangements to collect and transfer ash slurry. 8. PP has not provided proper collection, treatment & recycle system for the runoff water arises from coal reject storage area. 9. JVS analysis results of AAQM are exceeding the standards.
24	MPCB- CONSENT- 0000118281	Paras Thermal Power Station, Paras S.No.120A, 120B,120C,120D,1 032 &1184 Paras ,Tal-Balapur, Dist- Akola.	NOT APPROVED Renewal of consent with increase in CI	----	<p>Committee noted that, PP has applied for plain renewal of consent for Electricity Generation-500 MW (2 x 250 MW Unit 3 & 4).</p> <p>After due deliberation, <u>it was decided to defer the case and issue show cause notice for refusal of consent</u> & forfeit the BG of Rs.25 lakh towards following non compliances of consent conditions:</p> <ol style="list-style-type: none"> 1. PP has not provided Flue Gas Desulphurisation also not submitted the detailed action plan along with bar chart for installation of FGD and to comply with emission norms. 2. PP has not installed Real time coal ash analyser. 3. Industry is utilising high ash and sulphur content coal. 4. PP has not provided adequate capacity ETP for the treatment of effluent generation of 5000 CMD. 5. PP has not provided proper & adequate arrangements to collect and transfer ash slurry

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. PP has not provided proper collection, treatment & recycle system for the runoff water arises from coal reject storage area.</p> <p>7. Causing fugitive dust emission from conveyor belt connected to fly ash silo to storage silo.</p> <p>8. Industry has not disposed of hazardous waste (category 35.3) to the tune of 16.53 MT/A to CHWTSDF.</p> <p>9. Industry has not provided concrete road for vehicular movements from main gate to Silo filling area.</p> <p>10. PP has not submitted the BG as per earlier consent conditions.</p> <p>11. JVS analysis results of Stack monitoring and AAQM are exceeding the standards.</p>
25	MPCB- CONSENT- 0000117565	Sanvo Resorts Pvt. Ltd. "Marathon Nexzone", S. No. 94, (H. No. 1D), S. No. 95 (H. No. 1, 2, 3/A, 3/B, 4), S. No. 96, S. No. 97 (H. No. 1, 2), S. No. 98, (H. No. 6/A/1, 6/A/2, 6B, 6C, 6D), S. No. 98, (H. No. 5PT), Village Kolkhe, Tal. Panvel, Dist. Raigad.	APPROVED Revalidation of Consent to Establish	Commissioning or up to 30.06.2026 whichever is earlier.	<p>Committee noted that, PP has applied for grant of re-validation of Consent to Establish for remaining construction BUA of Rental Housing Scheme of MMRDA "Marathon Nexzone".</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to issue SCN for refusal due to non-submission of copy of approved plans, design details of STP & Composting facility and non-submission of application for renewal of Consent to Operate for Building S-1 & S-2.</p> <p>Committee further noted the PP's reply dtd. 05.01.2022 towards SCN, submitted copy of the approved plan, design details of STP & OWC and copy of application UAN No. 0000124847 dtd. 30.10.2021 for grant of renewal of Consent to Operate for Building S-1 & S-2.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, <u>it was decided to grant re-validation of Consent to Establish</u> for remaining construction BUA of Rental Housing Scheme of MMRDA "Marathon Nexzone" on total plot area 1,14,920 sq. mtrs. for remaining construction BUA 4,83,248.27 sq. mtrs. out of total construction BUA 7,53,983.27 sq. mtrs. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall comply with the conditions stipulated in EC and consent. 2. PP shall provide STP of adequate capacity to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility. 3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 4. PP shall provide organic waste digester along with composting facility/ bio-digester (biogas) for the treatment of wet garbage. 5. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 6. PP shall obtain NOC from PMC for disposal of construction debris at specific site inspected and approved by Municipal Corporation. 7. PP shall submit/extend BG of Rs. 25 Lakh towards compliance of EC and consent conditions.
26	MPCB- CONSENT- 0000118759	Maharashtra State Power Generation Company Ltd.,	NOT APPROVED	----	Committee noted that, PP has applied for plain renewal of consent for Electricity Generation TPS (Unit 3,4 &5 of 210 MW each) 630 MW

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Nashik Thermal Power Plant (Unit 3,4 & 5 of 210 MW each) Eklahare, Tal & Dist- Nashik.	Renewal of Consent with decrease in CI		<p>After due deliberation, <u>it was decided to defer the case and issue show cause notice for refusal of consent</u> & forfeit the BG of Rs.25 lakh towards following non compliances of consent conditions:</p> <ol style="list-style-type: none"> 1. PP has not provided Flue Gas Desulphurisation also not submitted the detailed action plan along with bar chart for installation of FGD and to comply with emission norms . 2. PP has not installed Real time coal ash analyser. 3. Industry is utilising high ash and sulphur content coal. 4. PP has not provided proper & adequate arrangements to collect and transfer ash slurry. 5. PP has not provided proper collection, treatment & recycle system for the runoff water arises from coal reject storage area Not submitted BG as per earlier consent conditions. 6. JVS analysis results of effluent, Stack monitoring and AAQM are exceeding the standards.
27	MPCB- CONSENT- 0000118295	EQUINOX BUSINESS PARKS PRIVATE LIMITED (formaly known as Peninsula Techno Park (IT Park), Kurla) CTS Nos. 83, 83/1 to 19, LBS Plot & CTS No. 81, 81/1 to 30 at Kurla (W), Mumbai- 400 070.	NOT APPROVED Renewal of Consent to Operate	----	<p>Committee noted that, PP has applied for grant of Renewal of Consent to Operate for Commercial / IT Park project having Total plot area of 44,782 Sq.m and Total construction BUA of 1,16,392.73 Sq.m with increase in CI.</p> <p>Committee also noted that, the PP has not submitted approved layout plan, Commencement certificate, Occupation certificate and satisfactory justification towards increase in CI.</p> <p>After due deliberation, <u>it was decided to issue Show Cause Notice for refusal of Consent to Operate.</u></p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
28	MPCB- CONSENT- 0000119262	SMW Ispat Private Limited, Plot No. C-2, C-4, C-5 Deoli Growth Center MIDC Deoli.	APPROVED Renewal of consent with increase in CI	30.06.2023	<p>Committee noted that, PP has applied for renewal of consent with increase in CI for manufacturing of MS billets & CTD round bars (Re-rolled items).</p> <p>Committee also noted that, the case was discussed in earlier CAC meeting & was decided to issue SCN for refusal of consent due to provision of inadequate pollution control system, exceedance of JVS result of STP outlet, stack & AAQM. Accordingly, Board office has issued SCN for refusal of consent due to above lapses.</p> <p>Committee also noted the PP's reply towards SCN issued including compliance report.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent for short period</u> with increase in CI for manufacturing of MS billets - 5,00,000 Ton/Y, CTD round bars (Re-rolled items) - 5,00,000 Ton/Y by imposing following conditions.</p> <ol style="list-style-type: none"> 1. By forfeiting proportionate BG of Rs. 5 Lakh towards JVS of water, Air & stack exceedance and non-provision of online monitoring system and shall obtain total BG of Rs. 25 Lakh towards O & M of PCs and compliance of consent conditions. 2. PP shall make necessary changes for augmenting suction capacity of primary & secondary fume extraction system and operate & maintain all the air pollution control systems to achieve the emission standards as per Notification issued vide dated 04.12.2019.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP shall upgrade the existing sewage treatment facility within 3 months & shall operate the same to achieve the BOD - 30 mg/l.</p> <p>4. PP shall provide online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Boards server within 1 month.</p> <p>Consent shall be issued after submission of:</p> <p>i. Justification towards increased CI.</p> <p>ii. Additional consent fees towards additional CI.</p>
29	MPCB- CONSENT- 0000120098	Macrotech Developers Ltd., Village Nilje Katai, Tal. Kalyan, Dist. Thane.	APPROVED Renewal of Consent to Operate (Commercial Buildings of Part- V)	31.05.2022.	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-V) for only Commercial Tower & Experia Mall excluding Residential Buildings Siena A, Siena B, Savaana A, Savaana B.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer and call the PP for presentation on approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP & Composting facility, details of various permissions obtained from the Local Authorities for proposed expansion project like water supply, Sewer line connection, drainage permission etc., justification for submission of bifurcated/separate application and reduced investment.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p> <p>After due deliberation, <u>it was decided to grant renewal of Consent to Operate (Part-V)</u> for Commercial Tower &</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Experia Mall on total plot area 14,54,275 sq. mtrs. for construction BUA 85,786 sq. mtrs. out of 20,22,789 sq. mtrs. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions. <p>Consent shall be issued after obtaining additional Consent to Establish fees of Rs. 3,59,787/- towards increase in C.I. by Rs. 146.4235 Crs.</p>
30	MPCB- CONSENT- 0000120095	Macrotech Developers Ltd., Village Nilje Katai, Tal. Kalyan, Dist. Thane.	APPROVED Renewal of Consent Operate (Part-III)	30.11.2022.	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-III) for Residential Buildings CASA Bella Gold & Golf Link.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and call the</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>PP for presentation on approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP & Composting facility, details of the various permissions obtained from the Local Authorities for proposed expansion project like water supply, Sewer line connection, drainage permission etc., justification for submission of bifurcated/separate application and reduced investment.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p> <p>After due deliberation, <u>it was decided to grant renewal of Consent to Operate (Part-III)</u> for Residential Buildings CASA Bella Gold & Golf Link vide UAN No. 0000120095 dtd. 18.08.2021 for construction BUA 4,11,077.52 sq. mtrs. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions.</p> <p>Consent shall be issued after obtaining additional Consent to Operate fees of Rs. 21,92,875.4/-.</p>
31	MPCB- CONSENT- 0000120097	Macrotech Developers Ltd., Village Ghesar, Tal. Kalyan, Dist. Thane.	APPROVED Renewal of Consent to Operate (Part-IV)	30.11.2022.	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-IV) for Residential Buildings CASA Rio & CASA Rio-Gold.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and call the PP for presentation on approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP & Composting facility, details of the various permissions obtained from the Local Authorities for proposed expansion project like water supply, Sewer line connection, drainage permission etc., justification for submission of bifurcated/ separate application and reduced investment.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p> <p>After due deliberation, <u>it was decided to grant renewal of Consent to Operate (Part-IV)</u> for Residential Buildings CASA Rio & CASA Rio-Gold on total plot area 14,54,275 sq. mtrs. for construction BUA 8,83,604.57 sq. mtrs. out of total construction BUA 20,22,789 sq. mtrs. by imposing following conditions.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions. <p>Consent shall be issued after obtaining additional Consent to Establish/ Operate fees of Rs. 43,79,597/-.</p>
32	MPCB- CONSENT- 0000120094	Macrotech Developers Ltd., Village Usarghar, Tal. Kalyan, Dist. Thane.	APPROVED Renewal of Consent to Operate (Part-I & II)	30.11.2022.	<p>Committee noted that, PP has applied for grant of renewal of Consent to Operate (Part-I & II) for Residential Buildings CASA Bella.</p> <p>Committee also noted that, the case was discussed in earlier CAC and was decided to defer the case and call PP for presentation on approved plan, details of land available for use of treated effluent for gardening purpose, performance of existing pollution control facility i.e. STP & Composting facility, details of the various permissions obtained from the Local Authorities for proposed expansion project like water supply, Sewer line connection, drainage</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>permission etc., justification for submission of bifurcated/ separate application and reduced investment.</p> <p>Committee also noted that, PP has made the presentation and briefed on above points.</p> <p>After due deliberation, <u>it was decided to grant renewal of Consent to Operate (Part-I & II)</u> for Residential Buildings CASA Bella on total plot area 14,54,275 sq. mtrs. for construction BUA 1,88,007.2 sq. mtrs. out of 20,22,789 sq. mtrs. by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall properly operate STP to achieve treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage. 2. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system. 3. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage. 4. PP shall make provision of charging ports for electric vehicles at least 30% of total available parking slots. 5. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions. <p>Consent shall be issued after obtaining additional Consent to Operate fees of Rs. 10,19,440/-.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
33	MPCB- CONSENT- 0000119078	Ganagkhed Sugar & Energy Ltd. 103, 104, 105, 106, 142 Vijaynagar, Makhani Ganagkhed	APPROVED Consent to Renewal	31.07.2022	<p>Committee noted that, Industry has applied for renewal of 60 KLPD molasses-based distillery unit.</p> <p>Committee also noted that, industry has provided Bio-digester followed by multiple effective evaporators followed 24 TPH incineration Boiler for treatment of spent wash.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms. 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger. 3. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
34	MPCB- CONSENT- 0000122253	Shri Dutt India Pvt.Ltd Gut No. 65/ 2,69 Sakharwadi Phaltan	APPROVED Renewal of Ethanol unit	31.08.2023	<p>Committee noted that, PP has applied for Renewal of Consent for Ethanol manufacturing by using SDS/RS as raw material having capacity of 150 KLPD.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms. 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger.
35	MPCB- CONSENT- 0000123221	MANAS AGRO INDUSTRIES AND INFRASTRUCTUR	APPROVED Renewal	31.08.2024	<p>Committee noted that, industry has applied for renewal of consent for 90 KLPD molasses base distillery unit.</p>

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		E LIMITED (UNIT-1) (DISTILLERY UNIT) H.NO. 397 KHURSAPAR (BELA) TAHSIL UMRED, DISTRICT NAGPUR UMRED			<p>Committee further nota that, industry has provided Bio-digester followed by MEE followed by Bio-composting for treatment of spent wash.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger. 3. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.
36	MPCB- CONSENT- 0000124918	SHRI SHANKAR SSK LTD DISTILLERY UNIT 288 SADASHIVNAGAR MALSHIRAS	APPROVED Renewal of consent to operate	31.08.2022	<p>Committee noted that, PP has applied for renewal of consent to operate for 30 KLPD Molasses base distillery.</p> <p>Committee also noted that, PP is taking steam from sugar unit where OCMS facility is provided. PP has also installed 6 TPH Boiler with multi cyclone dust collector which is not equipped with OCMS System. Also noted that, PP has provided Bio digester followed by composting to achieve ZLD of spent wash generated.</p> <p>After due deliberation, <u>it was decided to grant renewal of consent</u>, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall operate pollution control system scientifically to achieve the consented norms 2. PP shall ensure uninterrupted connectivity of OCEMS to Board server directly through data logger.

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP shall submit/extend total Bank Guarantee of Rs. 25 lakh towards O & M of pollution control systems and compliance of consent conditions.</p> <p>4. PP shall not operate 6 TPH Boiler till upgradation of APC & installation of OCMS for the same.</p> <p>Consent shall be issued after verification of OCMS connectivity in respect of flow meter and night vision camera.</p>
37	MPCB- CONSENT- 0000122902	Vasantrao Dada Patil Sahakari Sakhar Karkhana Ltd. Leased by Dharashiv Sakhar Karkhana Ltd. Unit No. Gut No. 799/2 Lohoner Deola	NOT APPROVED Renewal	----	<p>Committee noted that, industry has applied for renewal of consent for 2500 TCD sugar unit and 17 MW cogeneration unit.</p> <p>Committee further noted that, PP has increase capital investment by 59.3356 Crs. Without justification and not obtain revocation order from the CPCB against the closer issued.</p> <p>After due deliberation, <u>it was decided to issue SCN for refusal of consent</u> as industry has increase capital investment by 59.3356 Crs. Without justification and not obtain revocation order from the CPCB against the closer issued.</p>
The meeting is ended with vote of thanks.					*****