

## MAHARASHTRA POLLUTION CONTROL BOARD

### Minutes of 13th Consent Committee Meeting of 2022-2023 held on 01.08.2022 at 12:30 am at MPCB, HQ, Sion Mumbai.

The following members of the Consent Committee were present:

1. Shri Ashok A. Shingare, IAS, Member Secretary,  
Maharashtra Pollution Control Board, Mumbai – Chairman
2. Shri. R. G. Pethe, Retired WPAE, MPCB -- Member
3. Shri Y. B. Sontakke, Joint Director (WPC),  
Maharashtra Pollution Control Board, Mumbai --Member
4. Shri V. M. Motghare, Joint Director (APC)  
Maharashtra Pollution Control Board, Mumbai --Member

Chairman of the committee welcome the members of the committee and allowed proceeding of the meeting to start. The minutes of the 9th Consent Committee meeting of 2022-23 held on 30.06.2022 circulated vide email were confirmed.

The meeting thereafter deliberated on the agenda items placed before the committee and following decisions were taken.

Sr. No.	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent Granted upto	Section	Remarks/ Discussion
<b>Agenda A: Consent to Establish:</b>						
1	MPCB- CONSENT- 0000090318	M/s. Divekar Environmental Solutions A 93/1, MIDC Kurkumbh Industrial Area village, Taluka Daund, Pune	Approved Consent to Establish. PP shall not take effective steps without obtaining Environment clearance.	Commissioning of the unit or Five years whichever is earlier	PSO	Committee noted that This case was resubmitted in 2nd CC meeting dtd 23.05.2022 for consideration. CC decided to direct the PP to submit the treatment gap assessment for Pune district for the year 2022 and forecasting for year 2030 as per CPCB guidelines and substantiate the claim with data of HCE duly authenticated by ULBs, Civil Surgeon, DHO, ZP Pune within six months. Accordingly, letter to submit gap assessment was issued on 16.06.2022.  PP has proposed to collect BMW from the HCEs of Taluka Daund, Shirur, Indapur, Baramati, Purandar, Bhore Haveli, Ambegaon, Junnar, Khed, Maval, and Mulshi. Among these Taluka 1) Daund, Shirur, Indapur, Baramati, Purandar, and Bhore in Pune district, presently catered by M/s. Jai Bhavani Bio Medicare system, CTF,

					<p>Baramati.,2) Taluka Haveli, Ambegaon, Junnar, Khed, and Maval are catered by M/s.Life Secure Enterprises, CTF, Talegaon., and 3) Taluka Mulshi is catered by M/s. Passco Environmental Solutions, CTF, Pune.</p> <p>The proposed BMW CTF is fall within 75 Km radius of existing facility M/s. Passco Environmental Solutions, Pune, M/s. Jai Bhavani Biomedical, Baramati and M/s. Life Secure Enterprises, Talegaon. Hence does not fulfil the coverage area criteria of 75 km as per CPCB guidelines dtd 21/12/2016.</p> <p>PP has submitted the gap assessment and projection of BMW for 2030 for Pune District on 22/07/2022. The Report is authenticated by Civil Surgeon and DHO, ZP Pune.</p> <p>The submitted project report is shows projection for 2030 on the basis of 3 different growth rate scenarios1) Economic growth rate of Maharashtra (12.1% growth rate) 2) BMW generation potential based on positive growth of BMW generation in Gujrat (13.27% growth rate) 3) BMWgeneration potential based on positive growth of BMW generation in Gujrat (15.33% growth rate).</p> <p>The economic growth rate of Maharashtra scenario is considered as other two scenario are based on the BMW generation in Gujrat. For preparation of projection PP has considered the BMW generation 0.20 Kg /bed/day, 0.22 Kg/bed/day, and 0.28Kg/bed/day and economic growth rate of Maharashtra 12.1%, projected BMW generation for year 2030 is 0.931 MT/day , 3.85 MT/day , and 2.61 MT/day respectively. In accordance with this calculation PP has projected the BMW generation in Year 2030 is from 1 MT/day to 3.8MT/day.</p> <p>The M/s Passco Environmental Solution, Pune &amp; M/s Passco Environmental Solution, PCMC obtained C to E and EC for expansion of BMW CTF for incineration capacity of 10.80 MT each( Total 21.60 MT/day) . Expansion of Passco Environmental solution, Pune is completed and Expansion of PCMC is expected within a one year.</p> <p>At present Pune district have incinerator capacity 6.76 MT / day to treat the incinerable BMW however after expansion it will be 24.66 MT/day as against projected BMW generation in 2030 is</p>
--	--	--	--	--	---

						<p>29.19 MT/day to 40 MT/day. The existing facility are capable to treat the present generation of BMW.</p> <p>As per BMW annual report the BMW generated by Bedded HCE in year 2016 - 0.23 Kg/Bed/day, 2017 - 0.17 Kg/bed/day, 2018 - 0.17 Kg/bed/day 2019 - 0.17 Kg/bed/day, 2020 - 0.21 Kg/bed/day (Covid Period).</p> <p>After due deliberation CC decided to grant conditional C to E as per CPCB recommendation to collect the Bio Medical waste from newly established HCEs or those not registered with the existing CTFs within 150 Km.</p>
2	MPCB- CONSENT- 0000123273	Ramdev Chemical Pvt. Ltd E-41/129 & 128/2 MIDC Boisar Tarapur Boisar Tarapur Palghar	Approved Consent to Establish for expansion	Commissioning of the unit or Five years whichever is earlier	AST	<p>Committee noted that it is an existing Pharmaceutical i.e. API intermediates, fine chemicals mfg. unit having valid consent upto 31.10.2022. Now, applied for Consent to establish for installation of distillation plant &amp; related infrastructure with other attendant units, without change in products and production quantity. Also, noted that as per the decisions of Consent Committee meeting Show Cause Notice for refusal of consent issued on 12.05.2022. Industry has submitted reply to the SCN vide letter dtd.23.05.2022. The Field Officer has submitted the verification report of the reply submitted by the industry reporting that industry has stopped the construction work of Distillation Unit, till date 60% work is completed, no visible discharge noticed during visit, Haz. Waste found stored scientifically.</p> <p>After due deliberations, it was decided to grant consent to Establish for installation of distillation plant &amp; related infrastructure with other attendant units subject to obtain penal fees as PP has completed 60% Construction without obtaining consent to establish by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1) Industry shall achieve Zero Liquid Discharge.</li> <li>2) Industry shall operate and maintain existing Pollution Control Systems scientifically.</li> <li>3) Industry shall provide scientific storage arrangement for the Haz. Waste and properly collect, transport &amp; regularly dispose-off the Hazardous Waste to CHWTSDF through</li> </ol>

						<p>online manifest system, in compliance of the Hazardous and other Waste (M &amp; TH) Rule-2016.</p> <p>4) Industry shall switch over to cleaner fuel instead of F.O. as per Boards Circular dtd. 05.02.2020.</p>
3	MPCB- CONSENT- 0000113801	Proposed expansion & addition of Aroma Chemical manufacturing facility by Privi Speciality Chemicals Plot No. A- 3, Maharashtra Industrial Development Corporation Mahad.	Approved Consent to Establish for expansion	Commissioning of the unit or Five years whichever is earlier	AST	<p>Committee noted that it is an existing RED/LSI unit, located in Mahad MIDC and engaged in mfg. of Aromatic Chemicals. PP has applied for Consent to Establish (Expansion) for increasing the quantity of some existing products and proposed new products and Co-generation 3 MW. As per the Consent Committee meeting dtd. 24.05.2022, personal Hearing extended before the Technical Committee on 04.07.2022 based on the non-compliances as per the SCN issued to the industry on 06.07.2022 and reply submitted by the industry on 12.07.2022. Personal Hearing was extended on 13.07.2022 and Interim Directions were issued vide letter dtd. 20.07.2022.</p> <p>After due deliberations, it was decided to grant consent to Establish (Expansion) with following conditions;</p> <ol style="list-style-type: none"> <li>1) Industry shall obtain E.C from competent authority before taking effective steps.</li> <li>2) Industry shall dispose the by-products as per the provision of Haz. Waste Rules.</li> <li>3) Industry shall upgrade the ETP as proposed, RO capacity from 200 CMD to 300 CMD, MEE from 24 CMD to 72 CMD and ATFD by 15 CMD and achieve ZLD for the effluent generated in expansion.</li> <li>4) Industry shall comply to the Interim Directions issued by the Board dtd.20.07.2022.</li> <li>5) Industry shall submit BG of Rs.5.0 lakh towards Compliance of consent conditions and not to take effective steps prior to obtaining E.C</li> </ol>
4	MPCB- CONSENT- 0000129481	Development of Dry Port (Inland Container Depot) at Javasgaon & Daregaon Villages in Jalna District	Approved Consent to Establish	Commissioning of the unit or Five years whichever is earlier	WPC	<p>Project Proponent has applied for Consent to Establish for development of dry port Project activity having Total Plot Area is 1,81,8900 Sq.Mtrs and total Construction BUA 69215.33 Sq.Mtrs as per EC dt: 08/07/2021.</p>

		<p>Survey Numbers: 25 of Javagaon &amp; 318 of Daregaon villages Survey Numbers: 25 of Javagaon &amp; 318 of Daregaon Villages, Tahsil &amp; District, Jalna, Maharashtra Jalna</p>				<p>The proposed facilities at Dry Port ICD – Open Storage, Custom Office, Commercial Activities, Cold Storage, Container freight station, Liquid Storage. Ware Housing etc.</p> <p>After due deliberation, it was decided to grant Consent to Establish for development of dry port Project having Total Plot Area is 1,81,8900 Sq.Mtrs and total Construction BUA 69215.33 Sq.Mtrs as per EC dt: 08/07/2021, by imposing following terms and conditions:-</p> <ol style="list-style-type: none"> <li>(i) PP shall comply with the conditions stipulated in Environment Clearance &amp; consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</li> <li>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</li> <li>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</li> <li>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</li> <li>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</li> <li>(vi) PP shall comply with the provision of Construction &amp; Demolition Waste management Rules 2016.</li> <li>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase.</li> <li>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of.</li> <li>(ix) project proponent shall communicate / inform to member industries proposed to setup manufacturing &amp; production unit in proposed dry port project and shall require obtain statutory clearances like “Environmental Clearance” by their own, if applicable to the member industries .</li> </ol>
--	--	---	--	--	--	---

5	MPCB- CONSENT- 0000134212	Clean Science and Technology Limited Location of Plot No.D-25/1/1 & D-26/2, MIDC Kurkumbh, Dist-Pune. MIDC Kurkumbh Daund	Consent to Establish for Expansion	Commissioning of the unit or five years whichever is earlier	AST	<p>Committee noted that the industry has applied for Consent to Establish for Expansion for mfg of various synthetic organic chemicals. Also, Industry has obtained Environmental Clearance for expansion vide dtd 22/02/2022.</p> <p>After due deliberations, it was decided to grant consent to consent to Establish for expansion by imposing following conditions;</p> <ul style="list-style-type: none"> <li>(i) Industry shall comply with the conditions of Environmental Clearance.</li> <li>(ii) Industry shall submit BG of Rs. 5 Lakh towards compliance of EC &amp; Consent conditions.</li> </ul>
6	MPCB- CONSENT- 0000138793	ASB International Pvt Ltd E-9, E-44, E-45, E-46 MIDC, Additional Ambarnath Industrial Area, Anand Nagar, Ambarnath.	Not Approved Establish for Expansion.	Not Approved	APC	<p>It was decided to issue show cause notice for Refusal of Consent to Establish for Expansion for following non-compliance –</p> <ul style="list-style-type: none"> <li>i. PP has not submitted details regarding recycle / reuse of treated sewage.</li> <li>ii. PP has not having adequate land for disposal of treated sewage.</li> <li>iii. PP has failed to submit details regarding painting activity.</li> <li>iv. PP has failed to submit details regarding shot blasting section &amp; proposed APC of the same.</li> </ul> <p>PP has not submitted justification towards generation of HW of category no. 21.1 – Process wastes, residues &amp; sludges – 1.6 MT/A almost twice of existing quantity</p>
7	MPCB- CONSENT- 0000136001	Consent to Establish Expansion for Proposed Residential and Commercial Project S. No. 1195, 1196 & 1197 Chikhali Haveli	Approved Revalidation of Consent to Establish	Commissioning of the project or co terminus with the validity of EC dtd 03.12.2016 whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to Establish for Construction of Residential &amp; Commercial Development project having total plot area of 29847.82 Sq. Mtrs and remaining Construction BUA 36751.14 Sq. Mtrs out of total construction BUA 67,905.88 Sq. Mtrs, as per EC dtd. 03.12.2016.</p> <p>PP has obtained Consent to Establish dtd. 30.01.2017 which valid up to COU or 5 years for Construction Project having total plot area 17760.24 Sq.mtrs, total Construction BUA 67905.88 Sq.mtrs,.</p> <p>PP has obtained Consent to Operate(part-I) dtd. 04.04.2021 which valid up to 31.01.2022 for total plot area 29847.82 Sq.Mtrs, &amp; completed construction BUA 17760.24 Sq.mtr out of total construction BUA 67605.88 Sq.mtr.</p>

						<p>PP has applied for consent to operate(part-I) vide UAN NO 0000130721 for renewal of Consent to Operate part-I with amalgamation of Consent to operate part-II for construction of Residential &amp; Commercial project having total plot area of 29,847.82 Sq.mtr and Construction BUA 31154.74 Sq.mtr out of total construction BUA 67,905.88 per EC dtd. 03.12.2016.</p> <p>After due deliberation, it was decided to \grant Revalidation of Consent to Establish for Construction of Residential &amp; Commercial Development project having total plot area of 29847.82 Sq. Mtrs and remaining Construction BUA 36751.14 Sq. Mtrs out of total construction BUA 67,905.88 Sq. Mtrs, as per EC dtd. 03.12.2016 by imposing following conditions by imposing following conditions.</p> <ul style="list-style-type: none"> <li>(i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</li> <li>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</li> <li>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</li> <li>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</li> <li>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</li> <li>(vi) PP shall comply with the provision of Construction &amp; Demolition Waste management Rules 2016.</li> <li>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</li> <li>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.</li> </ul>
<b>Agenda B: Consent to Operate:</b>						
1	MPCB- CONSENT- 0000119563	Godrej Landmark Redevelopers Pvt. Ltd. Part of CTS	Approved Consent to Operate	30.07.2023	WPC	Committed noted that PP applied for 1 <sup>st</sup> consent to operate (part) for residential buildings redevelopment project on total plot area 17,541.98 sq. mtrs and 9955.87 Sq. mtr Out of total BUA-

		nos. 45,49(pt), 54(pt),56(pt)&58(pt) • Godrej Central • On land forming part of CTS nos. 45, 49(pt), 54(pt), 56(pt) and 58(pt), Chembur • M, District Kurla, Mumbai 400 071. Chembur.				1,40,443.79,Sq.mtr The case was discussed in 21 <sup>st</sup> CC meeting and accordingly SCN was issued on 27.04.2022 Committee noted the reply submitted by PP along with details of B.G. Committee also noted the compliance of E.C. and Compliance of SCN. After due deliberation, it was decided to grant 1st Consent to operate (part) for residential buildings redevelopment project on total plot area 17,541.98 sq. mtrs and 9955.87 Sq. mtr Out of total BUA-1,40,443.79, Sq.mtr, by imposing following terms and conditions: (i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O
2	MPCB- CONSENT- 0000127343	M/s Anand I Power Ltd (Casting Division) Plot No-E-34 MIDC Satpur Nashik-422007 MIDC ,Satpur Nashik-422007 Nashik	Approved 1 <sup>st</sup> Operate to operate for expansion with existing consent to operate	31/05/2025	APC	It was decided to grant consent to 1 <sup>st</sup> operate for expansion with Renewal of existing consent to operate for manufacturing of Piston Ring Casting – 235.0 MT/M, Shines & Plates Casting – 315.0 MT/M & Sleeves – 50.0 MT/M Ferrous Casting – 1000 MT/M (Without use of non-ferrous scrap as raw material until obtaining of actual registration of Haz. Waste) with following conditions, (i) Forfeit Bank Guarantee of Rs. 2.5 Lakhs out of Rs. 5 lakhs submitted towards O & M of PCS and compliance of consent conditions as O & M of STP is poor and JVS



						report exceeding consented std. and obtained top up double Bank Guarantee towards O & M of pollution control systems and compliance of consent conditions.
3	MPCB- CONSENT- 0000127910	SAREX OVERSEAS PLOT NO. N- 129,130,131, & N- 132, M.I.D.C., TARAPUR Palghar	Approved Amendment in Consent to Operate	28.02.2023 With Overriding effect	AST	<p>Committee noted that PP has applied for Amendment in Consent to Operate for increase in Capital Investment by Rs. 26.55 Crs, change in fuel from FO to PNG and change of disposal path of Haz. Waste of 3 categories to co- processing and increase in Haz. Waste quantity of one waste category. PP has obtained Consent to Operate on 08.05.2020 which is valid upto 28.02.2023. Total C.I is Rs. 83.98 Crs, increased by Rs. 26.55 Crs.</p> <p>After due deliberations, it was decided to grant Amendment in consent to Operate for increase in Capital Investment, Change of Fuel to Cleaner fuel from FO to PNG, increase in Haz. Waste quantity of 35.3 Chemical Sludge from ETP 20 MT/M to 34 MT/M with following conditions;</p> <p>(i) The By-product Poly Aluminium Chloride shall be shifted to Haz. Waste category with the disposal as per the provisions of Hazardous &amp; Othe Wastes (M &amp; TM) Rules 2016.</p> <p>(ii) The change in disposal path of the Haz. Waste category 20.2 - Pre-process sludge, 20.3 Distillation Residue &amp; 20.4 Process Sludge 3 MT/M to Co-processor shall be considered after finalization of the policy / guidelines.</p> <p>Amendment in Consent to Operate shall be issued after obtaining requisite consent fees.</p>
4	MPCB- CONSENT- 0000128829	M/s. Innova Rubbers Pvt. Ltd Plot No H-107 MIDC Ambad Nashik-422010 Plot No H-107 MIDC Ambad Nashik-422010 Nashik	Approved Plain Renewal of Consent to Operate	28/02/2024	APC	<p>It was decided to grant Plain Renewal of Consent to Operate for manufacturing of ) Rubber Compound – 7000 MT/A and b) Rubber &amp; Rubber to Metal Bonded Parts – 186960000 Nos./Y with following conditions,</p> <p>(i) Forfeit Bank Guarantee of Rs. 2.5 Lakhs out of Rs. 5 lakhs submitted towards O &amp; M of PCS and compliance of consent conditions due to exceeding JVS report dtd.16.03.2022 &amp; obtained top-up of double amount of B.G. towards O &amp; M of PCS.</p> <p>(ii) Industry shall apply separately for C to E towards increased production</p> <p>(iii) Industry shall install online monitoring system as per CPCB guidelines within period of 6 months</p>

5	MPCB- CONSENT- 0000134045	Nyati Housing (Nyati Elysia) 17/7,22/2A,17/6/1 (1+2+3),17/6/2 Kharadi Haveli	Approved Consent to Operate	31.12.2023	WPC	<p>Committee noted that Project Proponent has applied for 2nd part consent to operate with amalgamation of renewal of 1st part consent to operate for residential and commercial construction project having total plot area 27424.31 Sq. Mtrs and Completed Construction BUA 70595.9 Sq. Mtrs out of total BUA 148527.95 Sq. Mtrs as per EC dt. 07.01.2019.</p> <p>The case was discussed in 8th CC meeting dtd 30.06.2022 and SCN for refusal of consent was issued on 26.07.2022 as the JVS dtd 05.04.2022 is exceeding the standards and PP has not submitted EC compliance report.</p> <p>Committee noted the reply submitted by PP and EC compliance report submitted by SRO.</p> <p>After due deliberation, it was decided to grant 2nd part consent to operate with amalgamation of renewal of 1st part consent to operate for residential and commercial construction project having total plot area 27424.31 Sq. Mtrs and Completed Construction BUA 70595.9 Sq. Mtrs out of total BUA 148527.95 Sq. Mtrs as per EC dt. 07.01.2019 by imposing following conditions.</p> <ul style="list-style-type: none"> <li>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</li> <li>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</li> <li>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</li> <li>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</li> <li>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</li> <li>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O.</li> </ul>
---	---------------------------------	--	-----------------------------------	------------	-----	---

						(vii) The consent shall be issued after submission of penal fees as 1st Part Consent to Operate dtd. 05.02.2021 was valid up to 31.12.2021 and PP has not applied for renewal of the same.
6	MPCB- CONSENT- 0000129135	M/s. Highspot properties LLP. S. no 83, Hissa No: A/1, A/2A, A/3, B(PT) Mundhwa Tal - Haveli Pune. Mundhwa Haveli	Approved Consent to Operate	31.07.2023	WPC	<p>Committee noted that Project Proponent has applied for Consent to operate for Commercial construction project having total plot area of 19985.45 Sq. Mtrs and completed Construction BUA 111445.96 Sq. Mtrs as per EC dtd. 03.09.2021.</p> <p>The case was discussed in 27.06.2022 and it was decided to issue SCN for refusal of consent. However PP has submitted reply to minutes of meeting and submitted that the Construction was started on site as per first consent to Establish dtd 04.07.2019 for 95,513 sq.m built up area and subsequently, project has received expansion in Environmental Clearance for 1,11,445.96 sq.m. As per Expansion in Environmental Clearance PP has applied for Expansion in Consent to Establish on 08.12.2021 and same has been received on 30.06.2022. PP has have constructed the construction of 1,11,445.96 sq.m as per earlier CTE received and application for expansion in CTE. PP has submitted EC compliance report.</p> <p>After due deliberation, it was decided to grant Consent to operate for Commercial construction project having total plot area of 19985.45 Sq. Mtrs and completed Construction BUA 111445.96 Sq. Mtrs as per EC dtd. 03.09.2021 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</p>

						<p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O.</p> <p>The consent shall be issued after submission of penal fees as PP has completed the construction work without obtaining valid consent to establish of the Board.</p>
7	MPCB- CONSENT- 0000135469	M/s. Kukreja Construction Co. CTS No. 128/B/5 CTS No. 128/B/5 of Village Chembur, Tal- Kurla, Dist.- Mumbai. Kurla	Approved Consent to Operate	30.07.2023	WPC	<p>Committee noted that PP had applied for consent to 1st operate for residential building project on Total Plot area 18034.70 Sq.mtrs and BUA 45028.04 Sq.mtrs.</p> <p>The case was discussed in 3rd CC meeting and accordingly SCN was issued on 08.06.2022 for non-submission of E.C. Verified compliance and not submitting proper C.A. Certificate.</p> <p>Committee noted the reply submitted by PP, E.C. Compliance which verified by SRO.</p> <p>After due deliberation, it was decided to issue Consent to 1st operate with following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O</p>

8	MPCB- CONSENT- 0000137638	M/s. Jabil Circuit India Pvt.Ltd. Plot No.B-26 MIDC Industrial area, Ranjangaon, Tal-Shirur, Dist.-Pune Shirur	Approved 1 <sup>st</sup> Operate to operate (part)for expansion amalgamation with existing consent to operate	30/04/2023	APC	It was decided to grant 1 <sup>st</sup> consent to operate for part production i.e part production quantum of Printed Circuit Board Assembly (PCBA)- 3550000 Nos/Y and Printed Circuit Board Assembly (PCBA) with Box Build 4500000 Nos/Y amalgamation with existing consent to operate with following condition, (i) PP shall submit Bank Guarantee of Rs. 5 Lakhs towards O & M of pollution control systems and compliance of consent conditions.
9	MPCB- CONSENT- 0000138016	M/s. Paradise Lifespaces LLP (formerly known as Dhariwal Developments) as per location of unit	Approved Consent to Operate	30/06/2026	WPC	Committee noted that PP has applied for C to O (for building A, B, C, D having Total plot area of the project is 1,26,231 Sq. Mtr. and Total BUA 1,75,637.74 sq. mtr. Out of Total BUA 8,96,914.88 sq. mtr. The case was discussed in 4th CC meeting dtd 24/05/2022 and Show Cause Notice for refusal of consent was issued on 22/06/2022 for submission of EC compliance report. Committee noted the reply submitted by PP and verification report of EC compliance reported by SRO, Raigad-I.  After due deliberation, it was decided to grant C to O for construction project (for building A, B, C, D having Total plot area of the project is 1,26,231 Sq. Mtr. and Total BUA 1,75,637.74 sq. mtr. Out of Total BUA 8,96,914.88 sq. mtr by imposing following conditions. (i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.

						(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O
10	MPCB- CONSENT- 0000136828	Deepak Novochem Technologies Limited Plot No D-27/3/1 & D- 27/2 Plot No D- 27/3/1 & D-27/2 MIDC - Lote Parshuram, Taluka - Khed, District - Ratnagiri Maharashtra, 415 722 Khed	Approved consent to operate	31/10/2022	AST	<p>It was noted that the industry has applied for consent to 1st Operate for Operation of Boiler having capacity 6.0 TPH (FO/PNG fired) for standby use against existing Boiler of 5.0 TPH &amp; 2 nos. of baby boiler of 850 kg/hr. The existing consent of the unit is valid upto 31/10/2022.</p> <p>After due deliberation it was decided to grant consent to 1st Operate for Operation of Boiler having capacity 6.0 TPH (FO/PNG fired) for standby use against existing Boiler of 5.0 TPH &amp; 2 nos. of baby boiler of 850 kg/hr by amalgamation with existing consent for period upto 31/10/2022 by extending existing BG's.</p>
11	MPCB- CONSENT- 0000140138	Bridge Data Centres (Mumbai) LLP Plot no.13 Kalwa Industrial Area,TTC MIDC,Digha,Tha ne-Belapur Road,Navi Mumbai-400708 Thane	Approved Consent to Operate	31.07.2023	WPC	<p>It was decided to grant consent to operate for IT &amp; b ITEs Activity (Data Centers) construction project having Total plot area 16240 SqM and Total BUA 31240.0 SqM as per specific condition of EC dtd 26/03/2019 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 25 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O</p>

Agenda C: Renewal of Consent:						
1	MPCB- CONSENT- 0000109386	Gland Chemicals Private Limited Plot No.-L-8(P) & L-9, Gat No.- 36,37,& 38 Plot Nos. L-8 (P) & L- 9, Gut Nos. 36,37 & 38, MIDC, Waluj, Aurangabad- 431136 Gangapur	Approved Renewal with Change in Name	30.04.2023	AST	<p>Committee noted that it is an existing R-58 Pharmaceutical unit of M/s. Pfizer Healthcare India Pvt. Ltd., purchased by M/s. Gland Chemical Pvt. Ltd. and applied for renewal of consent with change in name. Environmental Clearance was transferred in the name of M/s. Gland Chemicals Pvt. Ltd. It is a Zero Liquid Discharge unit. SCN was issued on 11.11.2021 and Personal Hearing was extended to the industry on 11.09.2021. Industry has submitted reply to the SCN vide letter dtd. 21.07.2022.</p> <p>After due deliberations, it was decided to grant Renewal of Consent to Operate with change in name and following conditions;</p> <ul style="list-style-type: none"> <li>(i) Industry shall dispose the by-products as per the provisions of Haz. Waste Rules.</li> <li>(ii) Industry shall submit the PCS adequacy report to the Regional Officer Aurangabad and get the permission after verification of RO Aurangabad before recommissioning the production activity.</li> <li>(iii) Industry shall achieve ZLD.</li> <li>(iv) Industry shall comply with the EC conditions.</li> <li>(v) Industry shall extend the existing Bank Guarantee of Rs. 5.0 Lakh submitted towards O &amp; M of PCS.</li> <li>(vi) Industry shall ensure the connectivity of OCEMS system to the Board server and data to be transmitted directly from datalogger to the server.</li> </ul>
2	MPCB- CONSENT- 0000104938	VED HOSPITAL SUPER SPECIALITY AND MEDICAL RESEARCH PRIVATE LIMITED VEDANT CHAMBERS, KALYAN BHIWANDI ROAD, KONGAON	Approved in principle Combined Consent to Renewal & BMW Authorization . PSO to grant PH for reduced beds.,	31.05.2023	PSO	<p>HCE has applied for CCA renewal application for 150 Beds. This application was discussed in 15<sup>th</sup> CC meeting dtd 30.12.2021. CC decided to issue SCN for refusal for non-submission of required information. Accordingly, SCN for refusal was issued on 02.02.2022.</p> <p>Hospital has failed to submit the satisfactory reply to SCN dtd 02.02.2022 hence the opportunity of personal hearing was extended on 01.07. 2022. ,and directed to submit the following:</p> <ul style="list-style-type: none"> <li>a. Valid Membership copy of BMW CTF for 150 beds.</li> <li>b. BMW Annual report for year 2021.</li> <li>c. Revised water budget considering 150 beds.</li> </ul>

						<p>d. CA certificate with land cost.  e. Proposal for upgradation of STP to adequate capacity.  f. Category and Quantity of BMW as per schedule-I of BMW, Rules 2016 by considering 150 beds.</p> <p>Hospital has not submitted the required document directed in personal hearing dtd 01.07.2022.</p> <p>Hospital has sent a mail on 27/07/2022 regarding withdrawal of application vide UAN No. MPCB-CONSENT-0000104938 as the hospital has less occupancy than the registered 150 beds.  After due deliberation it was decided to in principle approval for reduced beds and extend the personal hearing before PSO.</p>	
3	MPCB-CONSENT-0000118546	M/s. The Rising Medicare Pvt. Ltd. Kharadi Bypass, Kharadi, Pune	Approved Combined Consent to Renewal & BMW Authorization	23.04.2024	PSO	<p>Hospital has applied for renewal of CCA for 104 beds and this application was discussed in 20th CC meeting held on 17.03.2022 and it was decided to issue Show Cause Notice for refusal of application for non-submission of following:</p> <ol style="list-style-type: none"> <li>C.A. certificate with land cost.</li> <li>Last Six months Water Bills of Pune Municipal Corporation.</li> <li>Details of land availability for treated water disposal.</li> <li>SRO Pune-I shall submit the BG compliance along with JVS report.</li> </ol> <p>HCE has submitted reply on the basis of minutes vide letter dated 14.05.2022.</p> <p>After due deliberation it was decided to grant renewal of combined consent and BMW authorization for 104 beds &amp; total plot area = 1465 sqm and total BUA = 1865 sqm for a period upto 23.04.2024 by imposing following conditions:</p> <ol style="list-style-type: none"> <li>BG of Rs 50000/- obtained towards O &amp; M of STP shall be forfeited as the JVS collected on 21.10.2021 shows BOD exceeding. HCE shall submit double the amount of BG i.e Rs 1 lakh towards O &amp; M of STP.</li> <li>The BG of Rs 50000 &amp; Rs 10000 towards provision of separate BMW storage facility and STP respectively shall be returned as HCE has complied the same. Remaining std BG shall be extended.</li> </ol>	



4	MPCB- CONSENT- 0000121656	M/s. Hikal Limited Plot No. A-18 M.I.D.C. Mahad Mahad	Not Approved Renewal of consent	--	AST	<p>Committee noted that PP has applied for renewal of consent with shifting 10 Nos of By-products from product list to Haz. Waste categories. Application was discussed in the CC meeting dtd.24.05.2022 and it was decided to issue SCN for exceeding JVS, non- segregation of effluent and non-provision of separate and adequate treatment for the same and non- switching to cleaner fuel. Industry has submitted reply dtd.15.06.2022;</p> <p>After due deliberations it is decided to call personal hearing with technical presentation for details of generation and disposal of By-products, segregation of trade effluent streams and details of separate treatment provided and compliance of Environmental Clearance conditions etc.</p>
5	MPCB- CONSENT- 0000122363	Classic Industries And Exports Ltd Plot No-1-1/2 Plot No-A-1/2 ,MIDC Rangangaon Shirur	Approved Renewal of consent to operate	30/09/2025	APC	<p>Industry has applied for renewal of consent for product production of Automotive tubes, Flaps, rubber, Bladders, curing bags, Envelopes and other rubber engg items- with increased in production from 2100 MT to 2400 MT/M and increased in CI by Rs. 29.33 Cr.</p> <p>Committee has noted that, earlier case was discussed in 2nd Consent Committee meeting held on 23/05/2022. It was decided resubmit case after submission of work completion report of ZLD and Stack to bag filter of external power unit form industry and verification from SRO. Vide letter dtd. 01/06/2022 Board has requested to submit status. Vide letter dtd. 25/7/2022 PP has submitted that, they have issued work order for ZLD for ETP and process stack for external powder coating on 18/07/2022 and work will be completed within 15 to days.</p> <p>It was decided to grant plain renewal of consent with following conditions,</p> <ul style="list-style-type: none"> <li>(i) PP shall upgrade existing ETP with advance treatment facility to achieve Zero liquid discharge within 1 months and submit Bank Guarantee of Rs. 5 lakhs towards compliance of same.</li> <li>(ii) PP shall provide process stack for external powder coating within 15 days.</li> <li>(iii) PP shall submit separate application for consent to establish for enhancement of production from 2100 MT/M to 2400 MT/M.</li> </ul>

						(iv) PP shall submit Bank Guarantee of Rs. 5 lakhs towards O & M of pollution control systems and compliance of consent conditions.	
6	MPCB- CONSENT- 0000121756	Innovassynth Technologies (India) Limited Revenue Survey No. 9 - 24, Wasrang 34-36 Khopoli Khalapur	Approved Amendment under change in product mix	31.08.2023	AST	<p>Committee noted that it is an existing Red/LSI Synthetic Organic Chemical mfg. unit, obtained consent dtd.21.06.2021, valid upto 31.08.2023 and now, applied for amendment in consent under change in product mix. Capital Investment is Rs. 108.66 Crs. It is a ZLD unit. The said application was discussed in the 4th Technical Committee meeting under change in product mix and recommended the case for change in product mix. Technical Presentation was extended on 19.04.2022, SRO Raigad-I has submitted the verification report as per the decision of Technical Presentation vide email dtd. 11.07.2022;</p> <p>After due deliberations, it was decided to grant Amendment in Consent to Operate for change in product mix as per the decision of Technical Committee with following conditions.</p> <p>(i) Industry shall dispose the by-products as per the provision of Hazardous &amp; Other Wastes (M &amp; TM) Rules, 2016.</p> <p>(ii) Industry shall comply with the conditions stipulated in EC.</p> <p>(iii) Industry shall operate and maintain ETP and 100% recycle treated effluent into process/utilities to achieve Zero Liquid Discharge.</p> <p>(iv) Industry shall ensure the connectivity of OCEMS to the Board server.</p>	
7	MPCB- CONSENT- 0000121208	Shree Swami Samarth Enterprises Gut no. 54/2 Dohadee, Dhamane, Tal & Dist.Dhule.	Not approved Combined Consent to Renewal & BMW Authorization  - EC violation - Grant PH with Municipal Commissio ner, Dhule	--	PSO	<p>Committee noted that PP has applied for renewal of CCA of BMW CTF located at Dhule forexisting Incinerator-100 Kg/hr, Autoclave- 50 Lit/Cycle, Shredder- 50 Kg/hr</p> <p>The Board has issued PD 06/12/2019, and SCN for refusal by imposing ECC was issued on 16/09/2020. Conditional CCA was issued valid up to 20/08/2021 by imposing BG of Rs.5.0 lakhs.</p> <p>Facility has applied for renewal of CCA on 08/10/2021. The renewal application was discussed in 18<sup>th</sup> CC meeting (2021-22) dtd 8/03/222 and decided to issue SCN for non-compliances. The Board office issued SCN for the following non-submission on 11/04/2022.</p>	

			<p>Municipal Corporation and PP before MS. MS to take final decision</p>			<p>a) CA certified Capital investment for year 2021  b) Detail of BG imposed of Rs.5.0 lakhs vide CCA dtd 11/08/2021.  c) Valid Copy of Membership of CHWTSDF for HW disposal.  d) Submission of details of ETP sludge, Plastic Waste and Sharp waste disposal.  e) Reconciliation statement of HW disposed at CHWTSDF, Pune.  f) The OCEMS is not connected to MPCB server since September-2019.  g) Submission of details of vehicle used for collection and transportation.  h) The spore test report to confirm the efficiency of autoclave.  i) Incinerator temperature is not maintained as per annexure-II of consent condition.  j) Record of average quantity of BMW collected and treated was not maintained.  k) APCD system is not upgraded to meet revised standard of PM.  l) Facility has completed installation of 250kg/hr incinerator without obtaining EC</p> <p>Committee noted that Facility has not submitted the reply to SCN hence this office has extended opportunity of the personal hearing on 04/05/2022. In personal Hearing facility it was directed to</p> <p>a) To submit the reply to SCN dtd 11.04.2022.  b) SRO shall verify the reply submitted by CTF and submit the verification report.  c) Municipal Commissioner, Dhule Municipal Corporation to be directed to appoint new operator/allow new CTF in his jurisdiction.  d) The operator has violated EC notification. Hence, to be reported to the Environment department for initiating further legal action.</p> <p>SRO Dhule submitted verification report and reported:</p>	
--	--	--	--	--	--	--	--

					<p>a) Facility has not submitted details of disposal of ETP sludge, and Sharp waste for year 2020,2021.</p> <p>b) Plastic waste sent to the M/s Shah Plastic who do not have the valid consent from board.</p> <p>c) Facility has treated 164 MT yellow category waste. However, Ash generation was 0.155 MT i.e., 0.09% of total waste treated in incinerator as against 3%.</p> <p>d) Facility has not disposed ETP sludge at CHWTSDF. Same is confirmed by M/s MEPL, CHWTSDF facility at Ranjangaon.</p> <p>e) Most of the time OCEMS data is not uploaded on boards server. As per letter of vendor due to non-availability of internet data cannot be transmitted. Vendor has requested PP to resolve the issue of internet connectivity.</p> <p>f) Facility has provided ventury scrubber, but the JVS result of stack collected on 26.10.2021, 12.01.2022 are i.e. 171 mg/Nm<sup>3</sup> &amp; 481 mg/Nm<sup>3</sup>, which are highly exceeding than the consented limit of 50 mg/Nm<sup>3</sup></p> <p>g) PP has made expansion of facility without obtaining prior C to E and EC.</p> <p>1. Existing Incinerator, autoclave is operated in violation of C to O conditions. PP is showing gross negligence towards provision of environmental laws including BMWM Rules, 2016, CPCB guidelines and EIA notification as amended on dtd 30/04/2015.</p> <p>2. Municipal Commissioner, Dhule Municipal Corporation to be directed to consider appointment of new operator/allow new CTF in his jurisdiction. Environment department to be reported violation of EC notification for initiating further legal action as per MoEF&amp; CC OM dtd 07/07/2021.</p> <p>After Due deliberation it was decided to extend Joint personal hearing with Municipal Commissioner, Dhule Municipal Corporation, Facility operator before Member Secretary, MPCB and inform EC violation to Department of Environment &amp; Climate Change for further legal action as per MoEF&amp; CC OM, dtd 07/07/2021.</p>	
--	--	--	--	--	---	--

8	MPCB- CONSENT- 0000129041	M/s. Reliance Jio Infocomm Ltd. CTS. No. 1612 (pt) 4th Floor, F2K, Bharat Nagar, Bandra Kurla Complex, Bandra East Santacruz Transport Road, Near Khira Nagar Ind. Estate	Approved Renewal of Consent	31.01.2024	WPC	<p>Committee noted that PP had applied for renewal of consent for ITES and ITES activities for data centre having total plot area 984.76 Sq.mtrs &amp; construction BUA 9984.76 Sq.mtrs.</p> <p>The case was discussed in 3rd CC, meeting and SCN was issued on 08.06.2022. Committed noted the reply of SCN submitted by PP.</p> <p>After due deliberation, it was decided to issued renewal of consent with following conditions.</p> <ul style="list-style-type: none"> <li>(i) PP shall comply with the conditions stipulated in consent conditions and EC conditions shall submit BG of Rs. 10 Lakhs towards compliance of the same.</li> <li>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</li> <li>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</li> <li>(iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively.</li> <li>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</li> </ul>	
9	MPCB- CONSENT- 0000128844	HINDUSTAN PETROLEUM CORPORATION LIMITED USAR LPG PLANT A-2 USAR ALIBAG	Approved Renewal with capacity enhancement	28.02.2025	AST	<p>Committee noted that PP has applied for renewal of consent with capacity enhancement i.e Bottling of bulk LPG in cylinders from 17,000 MT/M to 20,000 MT/M. Capital Investment is Rs.70.41 Crs. I.E generation -3.0 CMD –Provided ETP with designed capacity 10 CMD consisting primary treatment (collection tank, oil skimmer) and tertiary treatment (sand filter and carbon filter) and final storage tank. Industry has provided scrubber as an APC to paint booth. Also, noted that the Board has issued SCN as per the decision of CC meeting dtd. 19.05.2022 vide letter dtd. 15.01.2022. Industry has submitted reply to the SCN vide letter dtd.22.06.2022;</p> <p>After due deliberations it was decided to grant plain renewal of consent to operate without capacity enhancement with following conditions;</p>	

						<ul style="list-style-type: none"> <li>(i) Industry shall recycle the treated effluent completely for washing purpose to achieve Zero Liquid Discharge and shall install flow meters to the recycle line.</li> <li>(ii) Industry shall install separate energy meter to the pollution control systems.</li> <li>(iii) Crushed Cylinder Scrap – 60 MT/A and Brass Scrap – 5.5 MT/A shall be included in Nan- Hazardous Waste.</li> <li>(iv) Industry shall extend the existing Bank Guarantee of Rs. 5.0 Lakh submitted towards O &amp; M of PCS and Compliance of consent conditions.</li> </ul>	
10	MPCB- CONSENT- 0000129794	M/S IPCA Laboratories Ltd C89 to C95 Plot no C89 to C95, Mahad MIDC, Tal- Mahad. Mahad	Approved Renewal of consent	31.03.2025	AST	<p>Committee noted that it is an existing API bulk drug intermediate mfg. unit, obtained consent for 15 Nos of products and 3 Nos of by-products. Now, applied for Renewal of consent with CI of Rs. 70.41 Crs. Previous consent was valid upto 31.03.2022. ZLD unit, segregated strong stream and weak stream and provided separate treatment.</p> <p>As per the decision of CC meeting dtd. 19. 05.2022, SCN was issued on 15.06.2022. Industry has submitted reply to the SCN vide letter dtd.16.06.2022. Committee noted that Industry has submitted the details of three by-products and submitted that industry has upgraded the APC system by providing additional water scrubber along with Bag filters. The JVS of Boiler Stack dtd.10.03.2022 TPM -33 mg/Nm<sup>3</sup> are within limits.</p> <p>After due deliberations it was decided to grant renewal of consent to operate with following conditions;</p> <ul style="list-style-type: none"> <li>(i) The By-products shall be shifted to Haz. Waste categories and for the disposal of same industry shall follow the provision of Hazardous &amp; Other Wastes (M &amp; TM) Rules, 2016.</li> <li>(ii) The Bank Guarantee of Rs. 2.5 Lakh shall be forfeited towards JVS exceedance of stack and shall obtain the double amount of BG to form the sum of Rs. 10.0 Lakh towards O &amp; M of PCs and compliance of EC &amp; consent conditions.</li> <li>(iii) Industry shall O &amp; M the PCS to achieve the consented norms.</li> </ul> <p>Consent shall be issued after obtaining requisite consent fees.</p>	

11	MPCB- CONSENT- 0000129875	Clean Science and Technology Limited Plot No.D-25/1/1 MIDC Kurkumbh Tal Daund, Dist Pune	Renewal of Consent to Operate	31/03/2024	AST	<p>Committee noted that the industry has applied for grant of Renewal of consent to Operate for mfg of various synthetic organic chemicals. Also it was noted that the industry has obtained Environmental Clearance for Expansion vide dtd 22/02/2022 &amp; separately applied for Consent to Establish for Expansion.</p> <p>After due deliberations it was decided to grant Renewal of consent to Operate by imposing following conditions;</p> <p>(i) Industry shall operate ETP and 100% recycle treated trade effluent into process, cooling tower make up, fire-fighting &amp; utility purposes so as to achieve ZLD.</p> <p>(ii) Industry shall extend existing BG of Rs. 3 Lakh towards O&amp;M of pollution control systems and Rs. 2 Lakh towards compliance of the Consent conditions.</p>
12	MPCB- CONSENT- 0000130942	Kirloskar Ebara Pumps Limited Gat No.904 Gat No.904,Sawantpur Vasahat Near Kirloskarwadi Palus	Not approved Renewal of consent	--	APC	<p>It was decided to issue show cause for refusal of renewal of consent to operate for following non-compliance,</p> <p>(i) Industry has failed to comply as per fuel policy of Board issued vide letter dtd 05.02.2020 to replace existing consumption of Furnace Oil to cleaner fuel and still using Furnace Oil.</p>
13	MPCB- CONSENT- 0000127492	Paranjape Autocast Pvt. Ltd; Plot No.J-15/16 Plot No. J-15/16 Additional MIDC, Satara, 415004 Satara	Approved Renewal of consent to operate	31/12/2024	APC	<p>It was decided to grant renewal of consent to operate in RED category for manufacturing of aluminium cylinder head &amp; components for automobiles- 600 MT/M &amp; Iron casting &amp; components of Automobiles- 1500 MT/M (with painting activity) and reclamation sand &amp; coated sand -3800 MT/M, Green sand process-36 MT/M with following conditions,</p> <p>(i) PP shall install secondary fumes extraction systems within 06 months and submit Bank Guarantee of Rs. 2 lakhs towards compliance of same.</p> <p>(ii) PP shall submit Bank Guarantee of Rs. 5 Lakhs towards O &amp; M of pollution control systems and compliance of consent conditions.</p>
14	MPCB- CONSENT- 0000132562	Sulzer India Private Limited Gat No 304 Village - Kondhapuri Shirur	Approved Renewal of consent to operate	30/04/2023	APC	<p>Industry has applied for renewal of consent for production Trays &amp; Internals /Mixing Process Equipment 5760 MT/A with increased in CI by Rs. 12.74 Cr.</p> <p>Committee noted that, earlier case was discussed in 4th CC meeting held on 24/05/2022. As per CC decision Show cause was issued on 01/06/2022. PP has submitted reply as below, 1. Process</p>

						<p>water reduced because they had initiated water conservation by 100% recycling treated effluent for pickling activity and taken initiative to educate customers with avoiding product pickling requirement. 2.Submitted BG of Rs. 5 lakhs. 3. Obtained CGWA NOC on 05/06/2020 valid upto 04/06/2023.</p> <p>It was decided to grant renewal of consent for period upto 30/04/2023 as per CGWA NOC validity with reduced water consumption &amp; effluent generation with following conditions,</p> <p>(i) PP shall submit Board resolution as they have increased Capital investment more than 10% towards plant &amp; machinery and submit Bank Guarantee of Rs. 1 lakh towards compliance of same.</p> <p>(ii) PP shall achieve Zero liquid discharge. PP shall submit extend existing consented Bank Guarantee.</p>	
15	MPCB- CONSENT- 0000132857	GRINDWELL NORTON LIMITED G-51 G-51, MIDC Industrial Area, Butibori, NAGPUR. Hingna	Approved Renewal of consent to operate	30.04.2026	APC	<p>Industry has applied for renewal of consent to operate for production Grinding Wheels(Thin wheel, Bonded Wheel &amp; Construction Products) with increased in production quantity from 1000 MT/M to 2000 MT/M.</p> <p>Committee has noted that, earlier case was discussed in 4th CC meeting held on 24/05/2022 and as per CC decision Show cause was issued on 01/06/2022. Vide letter dtd. 04/06/2022 PP has submitted reply as belwo, 1. They increased production capacity 2000 MT/M with existing plant &amp; machinery by automation as part of their innovation and enhance the production capacity of existing machine. Industry has denied that they have increased production quantity 2000 MT/M, they have done automation and process improvement to increased production &amp; utilization of machines. 2. Not increased production and pollution load. 3. After visit of Board officer corrected action taken to improve ETP &amp; STP operation. 4. Using pyrolysis liquid products as fuel to kiln for heat recovery process for running dryer. Having negligible % of carbon content and not effect to carbon dioxide . 5. Submitted BG of Rs. 5 Lakhs 6. Sending treated effluent to CETP.</p> <p>It was decided to grant renewal of consent to operate production Grinding Wheels(Thin wheel, Bonded Wheel &amp; Construction Products):with increased in production from 1000 MT/M to 2000 MT/M and CI by Rs.23.92 with following conditions,</p> <p>(i) Forfeit existing consented Bank Guarantee of Rs. 5 lakhs obtained towards O &amp; M as industry has exceeding of analysis results of ETP treated effluent collected on</p>	



						<p>10/1/2020 BOD-390 mg/lit., COD-984 mg/lit. Effluent collected on 5/07/2021 BOD-605 mg/lit. &amp; COD-1506 mg/lit, 22/04/2022TD 2238, SS:398, COD:463 &amp; BOD:190 and increased production &amp; CI without prior consent.</p> <p>(ii) PP shall provide adequate air pollution control systems to kiln within 3 months.</p> <p>(iii) PP shall submit top up Bank Guarantee of Rs. 10 lakhs towards O &amp; M of pollution control systems and compliance of consent conditions.</p> <p>(iv) PP shall submit Board resolution of industry Director in MPCB format as they have increased production and Capital Investment without prior consent thus violated environmental laws and in future they will not do such violation. Pp shall submit Bank Guarantee of Rs. 2 lakhs towards compliance of same.</p>	
16	MPCB- CONSENT- 0000133215	Endurance technologies Limited K - 228/229 MIDC Industrial Area Gangapur	Approved Renewal of Consent to Operate with modernization of existing ETP by installing ZLD.	30/04/2025	APC	<p>Committee noted that, industry has applied for renewal of consent with consent to operate for up gradation/ modernization of existing Effluent treatment plant by Installation of Zero Liquid Discharge Plant. Application was discussed in the 5th CC meeting held on 24/05/2022.Show cause was issued. Now vide letter dtd. 20/7/2022 PP has submitted reply.</p> <p>It was decided to grant renewal of consent for manufacturing of Plating fork pipes-84 lakhs nos./Annum, front fork Assembly -12 lakhs/Annum, Telescopic front fork- 30 Lakhs nos./annum and aluminium Die Casting 8025 MT/annum, ( Hard Chrome &amp; Nickel plating , Die Casting &amp; powder coating Activity) with ZLD by imposing following conditions,</p> <p>(i) PP shall extend existing BG of Rs.5 Lakh submitted towards O &amp; M of pollution control systems.</p> <p>(ii) PP shall submit penal charges as per Board's circular dtd. 12/07/2022 as PP has installed 02 nos. of melting furnace &amp; 1 holding furnace without obtaining Consent from the Board.</p> <p>(iii) Consent is issued without prejudice to the order passed or being passed by the Hon'ble NGT, Principal Bench, New Delhi in O.A. 1038/2018.</p>	
17	MPCB- CONSENT- 0000133780	P One Infrastructure Pvt. Ltd.Project Name-	Approved Renewal of	31.05.2023	WPC	<p>Committee noted that PP has applied for Auto renewal of consent to operate (part) for commercial project having total plot area of 77436.43 sq.m and construction BUA of 17626.30 sq. mtr out of</p>	

		Eon Business Park, S. No.1, H No 1A, 2A, 1B & 2 B, Kharadi, Dist Pune	Consent to Operate			<p>total construction BUA of 2,18,392.85 SqM as per EC dtd 06.02.2015</p> <p>PP has obtained consent to operate dtd 26.09.2017 valid till 31.05.2022 for commercial project having total plot area of 77436.43 sq.m and construction BUA of 17626.30 sq. mtr out of total construction BUA of 2,18,392.85 SqM as per EC dtd 06.02.2015.</p> <p>PP has submitted Self certification and Board resolution for Auto Renewal scheme. However, the JVS dtd 10.05.2022 is exceeding the standards</p> <p>After due deliberation, it was decided to consider the case in regular renewal of consent and it was decided to grant consent to operate (part) for commercial project having total plot area of 77436.43 sq.m and construction BUA of 17626.30 sq. mtr out of total construction BUA of 2,18,392.85 SqM as per EC dtd 06.02.2015 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p>	
18	MPCB- CONSENT- 0000132810	Konecranes and Demag Private Limited Plot No. D 16 Plot No. D 16, Jejuri MIDC, Taluka " Purandar, Dist " Pune 412303 Purandar	Approved Renewal of Consent to Operate	30/04/2025	APC	<p>It was decided to grant renewal of consent to operate for manufacturing of Standards duty industrial cranes :800 Nos/Y, Heavy duty industrial cranes:300 Nos/Y, Industrial Jib Cranes:216 Nos/Y, Runway rails:50000 Meters/Y and assembly of light lifting cranes:500 Nos/Y subject to submission of latest CA certificate with following conditions,</p> <p>(i) PP shall extend existing Bank Guarantee submitted towards O &amp; M of pollution control systems.</p>	

19	MPCB- CONSENT- 0000135468	M/s. Sound Castings Pvt. Ltd. Unit 3 151/1 & 2 KATP Industrial Estate, Tardal Hatkanangale	Approved Renewal of Consent to Operate	31/05/2025	APC	It was decided to grant renewal of consent for manufacturing of Grey Iron & SG Iron castings -1890 MT/M and Aluminum Die castings- 200 MT/M with following conditions, (i) Forfeit 50% of existing consented Bank Guarantee submitted towards O & M of PCS and compliance of consent conditions against exceeding JVS report of ETP outlet collected on 10.05.2022 and obtain top-up of double amount of B.G (ii) PP shall submit board resolution within 1 month of industry director/owner as they have increased CI more than 10% towards plant & machinery and in future they will not do such violation. Submit Bank Guarantee of Rs. 2 lakhs towards compliance of same.	
20	MPCB- CONSENT- 0000135897	SCHNEIDER ELECTRIC INDIA PVT LTD PLOT NO A- 600 TTC INDUSTRIAL AREA, SHIL - MAHAPE ROAD, NAVI MUMBAI THANE	Not approved Renewal of consent	----	APC	It was decided to issue show cause notice for refusal of renewal of consent to operate for following non compliances, (i) PP has not submitted justification for decrease in CI from Rs. 135.22 Cr. to Rs. 126.10 Cr. (ii) PP has not submitted details regarding reuse of treated sewage. (iii) Land provided for the use of treated sewage is inadequate (only 0.5 acres) for 84 CMD treated sewage. (iv) PP has not submitted justification for increase in quantity of HW in the form of category no. 5.1, 33.1, E-waste & Lead acid Batteries / used batteries. (v) PP has not submitted form IV & V for the year 2022. (vi) PP has not submitted BG of Rs. 10 Lakh as per the condition of earlier C to O	
21	MPCB- CONSENT- 0000135905	M/s. Fire Arcor Infrastructure Pvt. Ltd. New 116 (Old list enclosed) Kotewada, PO- Gumgaon Hingna	Not Approved Renewal of Consent to Operate	--	WPC	Committee noted that PP had applied for renewal of consent for residential & commercial township project having on Total Plot area 606200.00 Sq.mtrs and BUA-105907.00 Sq.mtrs. Out of total Construction BUA 370542.846 Sq.mtrs.  The case was discussed in 9th CC meeting and it was decided to issue SCN and accordingly SCN was issued on 26.07.2022. as PP has not provided OWC, Not submitted B.G.,not submitted clarification towards increased investment.	

						<p>Committee noted that PP has submitted reply to SCN and submitted that they provided OWC, submitted B.G. and also submitted clarification towards increased investment.</p> <p>After due deliberation, it was decided to call the PP for personal hearing before JD(WPC).</p>	
22	MPCB- CONSENT- 0000133297	Phoenix Mecano India Private Limited 379,384,385,386,3 88,389 Pirangut Industrial Area Mulshi	Not approved Renewal of consent	--	APC	<p>It was decided to issue show cause notice for refusal of renewal of consent to operate for following non compliances,</p> <p>(i) PP has not submitted Board resolution as per existing consent.</p> <p>(ii) Earlier consent issued with Board resolution towards increased in CI, but now PP has applied with increased in CI by Rs. 25 Cr.</p> <p>(iii) PP has not submitted CGWA NOC.</p> <p>(iv) PP has not provided air pollution control systems to PT line.</p> <p>(v) PP has not upgraded existing ETP for 100% recycling of treated effluent to achieve Zero Liquid Discharge</p>	
23	MPCB- CONSENT- 0000137555	ISMT Ltd (TW) Plot No C-1 , C-1 -Part I & II, C-1 - Part III MIDC Nagapur Ahmednagar	Approved Renewal of consent to operate	30/04/2023	APC	<p>It was decided to grant renewal of consent for manufacturing of Seamless Metal Tubes of Different Diameter – 4000 MT/M with following conditions,</p> <p>(i) PP shall obtain Environment Clearance as per MoEF Notification dtd.20.07.2022 within 1 year i.e. on or before 19/07/2023.</p> <p>(ii) PP shall install OCEMS within period of three months and submit Bank Guarantee of Rs. 2 Lakhs towards compliance of same</p> <p>(iii) PP shall extend existing BG submitted towards O &amp; M of PCS and compliance of consent conditions.</p>	
24	MPCB- CONSENT- 0000138477	M/s Bobst India Pvt Ltd Plot No 82,126-132 Village Kasar Amboli Post Ambadvet Mulshi	Approved Renewal of Consent	31/12/2023	APC	<p>Committee noted that, earlier consent of industry was refused as PP has not obtained CGWA NOC. Now PP has obtained CGWA NOC granted by CGWA on 31/05/2022 valid upto 30/05/2025</p> <p>It was decided to grant renewal of consent for manufacturing of Packing Machines, Repairs of Machine with powder coating activity:35 Nos/M with reduction of water consumption and industrial effluent generation by imposing following conditions,</p> <p>(i) PP shall operate existing ETP for 100% recycling treated effluent in process to achieve Zero liquid discharge and submit Bank Guarantee of Rs. 2 Lakhs towards compliance of same.</p>	

						<ul style="list-style-type: none"> <li>(ii) PP shall upgrade existing STP within 3 months to achieve consented std. and submit Bank Guarantee of Rs. 2 Lakhs towards compliance of same</li> <li>(iii) PP shall submit penal charges as per Board's circular dtd. 12/07/2022.</li> <li>(iv) PP shall extend existing consented Bank Guarantee submitted towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ul>	
25	MPCB- CONSENT- 0000138896	Siemens Ltd Plot No. 1/2 Shendra , MIDC, Aurangabad Aurangabad	Approved Renewal of Consent to Operate.	28/02/2023	APC	<p>It was decided to grant renewal of consent for manufacturing of Railway Bogies 800 Nos./Y with following conditions,</p> <ul style="list-style-type: none"> <li>(i) PP shall submit BG of Rs. 5.0 Lakh towards O &amp; M of pollution control systems &amp; compliance of Consent conditions.</li> <li>(ii) PP shall upgrade existing STP for the capacity 25 CMD within a period of 2 months &amp; shall submit BG of Rs. 2.0 Lakh towards compliance of the same.</li> <li>(iii) PP shall carry out HW audit within 03 months as qty. of HW is increased compared to earlier C to O.</li> </ul> <p>This Consent is issued without prejudice to the order passed or being passed by the Hon'ble NGT, Principal Bench, New Delhi in O.A. 1038/2018. Consent will be issued after submission of additional fees towards period from 01/03/2018 to 28/02/2023.</p>	
26	MPCB- CONSENT- 0000137710	Larsen & Toubro Ltd 86(Part), 86/1, 86/2, 86/3, 87(Part) L&T- Powai Mulund	Approved Renewal of Consent to Operate with reduced CI & decrease in production qty.	30/04/2025	APC	<p>It was decided to grant renewal of consent to operate for manufacturing of S-200 Motor Casing Set (Header Segment-1 No., Middle Segment-1 No., Nozzle Segment-1 No.1): 04 nos/Y and reduction of CI with following conditions.</p> <ul style="list-style-type: none"> <li>(i) PP shall extend existing consented Bank Guarantee submitted towards O &amp; M of pollution control systems and compliance of consent conditions</li> </ul>	
27	MPCB- CONSENT- 0000136779	Endurance Technologies Ltd. B-22 Plot No.B-22 ,MIDC Chakan,Village- Nighoje,Tal- Khed,Dist-Pune Khed	Approved Renewal of consent to operate	31/05/2027	APC	<p>It was decided to grant renewal of consent manufacture of Alluminium Alloy Wheel for Two Wheeler-2,50,000 Nos/M with following conditions,</p> <ul style="list-style-type: none"> <li>(i) PP shall submit Board resolution towards increased in CI and installed new paint booth without prior consent. Submit Bank guarantee of Rs. 2 lakhs towards compliance of same.</li> <li>(ii) Pp shall treat trade effluent &amp; sewage at sister concern located at plot No. A-12 to achieve Zero liquid discharge conditions.</li> </ul>	

						<p>(iii) PP shall submit agreement done between both industry for treatment of tread and domestic effluent.</p> <p>(iv) PP shall extend existing consented Bank Guarantee submitted towards O &amp; M of pollution control systems and compliance of consent conditions</p>	
28	MPCB- CONSENT- 0000141231	M/s. Hamlet Construction (India) Pvt. Ltd. CTS No. 1406 A/28A of Village Malad (S) Prism Tower, Building No. 4, CTS No. 1406 A/28A of Village Malad (S), Mindspace, Malad (West), Mumbai	Not Approved. Renewal of consent	--	WPC	<p>Committee noted that Project Proponent had applied for renewal of consent for IT &amp; ITEs Activity on plot area 32968.61 Sq.Mtrs and BUA-60907.01Sq.Mtrs.</p> <p>After due deliberation, it was decided to issue SCN for Refusal towards applied Renewal of Consent to Operate for following non-compliances:</p> <p>(i) PP not submitted the B.G. as per earlier consent condition.</p> <p>(ii) Applied with increase investment not submitted clarification and not paid fees towards increased investment.</p>	
29	MPCB- CONSENT- 0000142210	Savita Oil Technologies limited 17, 17 A MIDC TTC Navi Mumbai	Approved Renewal of Consent	31.08.2027	AST	<p>Industry has applied for grant of renewal of consent for an existing industry for the mfg. of i) Lube Oil- 75000 MT/A ii) Transformer Oil, Liquid Paraffin, Specialty Oil- 1,80,000 MT/A by blending and filtration process with 57.46 Crs. C.I. Industry has provided online monitoring system with SCADA system to the outlet of ETP. Industry has submitted bank guarantee of Rs. 5 Lakhs which is valid up to 30.11.2022.</p> <p>After due deliberation it was decided to grant renewal of consent by extending existing B.G.</p>	
30	MPCB- CONSENT- 0000143323	Proposed Professional College on Plot No. 02, Sector - 33 at Kharghar, Navi Mumbai, Maharashtra. Plot No. 02, Sector - 33 Kharghar, Navi Mumbai Panvel	Approved Renewal of Consent	30/06/2027	WPC	<p>It was decided to grant renewal of the Consent to operate for Professional College construction project on plot area of 17770.42 Sq. m and built up area of 32193.73 Sq mtrs by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall</p>	

						<p>be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p>	
--	--	--	--	--	--	--	--