

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437 / 4014701 /  
4020781  
Fax : 4024068 / 4023516  
Website : <http://mpcb.mah.nic.in>.  
E-Mail : [ast@mpcb.gov.in](mailto:ast@mpcb.gov.in).



KALPATARU POINT, 3rd Floor,  
Sion-Matunga Scheme Road No.8,  
Opp. Sion Circle, Sion (East)  
Mumbai-400 022.

Red/LSI

Consent No. BO/RO(P&P)/EIC. No. NK-9226-11/E/CC-119

Date: 09 / 01 / 2012.

Consent to Establish under Section 25 of the Water(Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW(M&H) Rules respectively].

CONSENT is hereby granted to

**M/s Hotel Reeva Pvt. Ltd.,**  
Plot No. 112, Shirdi-Shiv Road, Nighoj,  
Taluka-Rahata, Dist.-Ahmednagar.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period upto commissioning of the Hotel or upto 5 years whichever is earlier.

2. The consent is valid for the manufacture of -

Sr.No.	Product	Maximum Quantity
1.	Lodging & Boarding (Hotel Activity with Laundry & Swimming Pool having Total Built-up area-50,000 Sq. Ft.)	(114 Rooms)

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the Hotel shall not exceed 10.5 M<sup>3</sup>.  
(ii) The daily quantity of sewage effluent from the Hotel shall not exceed 30.0 M<sup>3</sup>.

(iii) **Trade Effluent Treatment:** The applicant shall provide comprehensive treatment system consisting of primary/secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

(A) Treated Trade Effluent; (B) Swimming Pool / Water Sport Activity-

Sr. No.	Parameter	Limit	(A)	(B)
1	pH	Between	5.5 to 9.0	7.0 to 8.5
2	Suspended Solids	Not to exceed	100 mg/l	10 mg/l
3	BOD 3 days 27 Deg. C	Not to exceed	30 mg/l	10 mg/l
4	Oil & Grease	Not to exceed	10 mg/l	5 mg/l
5	Chlorides	Not to exceed	600 mg/l	Nil
6	Detergent	Not to exceed	2 mg/l	...

- (iv) **Trade Effluent Disposal** :- The 80% of the treated effluent shall be recycled and reused for toilet flushing, fire fighting, air conditioning etc. and rest of the treated effluent shall be applied on own land for gardening / irrigation purpose within the premises. In no case, treated effluent shall find its way outside Hotel's premise.

The applicant shall opt for environmental friendly technologies such as Ozonization, UV treatment etc. by replacing chlorination

- (v) **Sewage Effluent Treatment**: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

Sr. No.	Parameter	Limit	(A)
1	pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l
3	BOD 3 days 27 Deg. C	Not to exceed	30 mg/l
4	Oil & Grease	Not to exceed	10 mg/l

- (vi) **Sewage Effluent Disposal**: The 80% of the treated sewage effluent shall be recycled for flushing, air conditioning etc. and rest of the sewage effluent shall be discharged on land for gardening / plantation within premises. In no case, treated sewage shall find its way outside Hotel's premise.

- (vi) **Non-Hazardous Solid Wastes**:

Type of waste	Quantity	Treatment	Disposal
Waste Food	10.0 Kg/day	--	Municipal Dumping Site.

- (vii) **Other Conditions**: The hotel shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 ( to be referred as Cess Act ) and Amendment Rules, 2003 thereunder:

The daily water consumption for the following categories is as under:

(i)	Industrial Cooling/Boiler	...	-- CMD
(ii)	Domestic	...	35.0 CMD
(iii)	Industrial Processing	...	10.0 CMD
	a) Laundry	...	40.0 CMD
	b) Swimming Pool	...	1.0 CMD
(iv)	Agriculture/Gardening	...	1.0 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

#### 5. CONDITIONS UNDER AIR ACT :

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**Control Equipment**:- The firm shall provide the following equipments to control air pollution:-

:3:

- (i) The kitchen shall be provided with Exhaust System with Oil catcher connected to chimney through ducting.
- (ii) The air conditioner shall be vibration proof and noise level shall not exceed 68 dBA).

(ii) **Standards for Emissions of Air Pollutants:**

(i)	SPM/TPM	Not to exceed	150 mg/Nm <sup>3</sup>
(ii)	SO <sub>2</sub>	Not to exceed	1.2 Kg/day

(iii) **The applicant shall observe the following fuel pattern :-**

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	Diesel	2.8 Ltrs./Hr.
2.	LPG	10 Kg/day.

(iv) **The applicant shall erect the chimney(s) of the following specifications**

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs.</u>
1.	Hot Water Generator	14 Mtrs.
2.	D.G. Sets (2 Nos. of 250 KVA each)	3.0 Mtrs. Above the roof.

- (v) The applicant shall provide ports in the chimney/(s) and facilitates such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers, such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (vi) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 p.m.
- (vii) **Conditions for DG Sets: -**
1. Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the room acoustically.
  2. Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.
  3. The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and control measures.
  4. Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer.
  5. A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.
  6. The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.
  7. The Applicant shall not cause any nuisance in the surrounding area due to operation of DG sets.
  8. In case of problems, the D.G. set shall not be operated until it is set back to satisfactory position.
- (vi i) **Other Conditions:**
1. The Hotel should not cause any nuisance in surrounding area.


**6. CONDITIONS UNDER HW (M&H) RULES, 1989 & AMENDMENT RULES, 2003 :-**

- (i) There shall not be any generation of hazardous wastes.
7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**8. General conditions:**

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, no. of trees surviving as on 31<sup>st</sup> March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution level.
- (iii) The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30<sup>th</sup> September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption alongwith Environmental statement.
- (vi) Separate drainage system shall be provided for collection of sewage effluents. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the Resort.
- (vii) The applicant shall provide facility for collection of environmental samples and samples of sewage effluents and air emissions wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The firm shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the Hotel premises.
- (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/ inhabitants.

9. The applicant shall obtain consent to operate before commencement of Hotel activities.
10. The applicant shall submit an irrevocable Bank Guarantee of Rs. 3.0 Lakhs drawn in favour of Regional Office, Nashik with validity upto one year from the date of issue of this Consent.
11. This Consent is issued pursuant to the decision of Consent Committee meeting held on 17.12.2011.
12. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
13. The total capital investment of the Hotel is Rs. 25.02 Crores.

  
 (Milind Mhaiskar)  
 Member Secretary

To,  
**M/s Hotel Reeva Pvt. Ltd.,**  
**Plot No. 112, Shirdi-Shiv Road, Nighoj,**  
**Taluka-Rahata, Dist.-Ahmednagar.**

Copy to:

- 1) Regional Officer (Nashik), MPCB, Nashik.
- 2) Sub-Regional Officer (Ahmednagar), MPCB, Ahmednagar.
- 3) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of -

Amount	D.D.No.	Date	Drawn on
Rs. 50,000/-	000197	29/12/2010	ICICI Bank.
Rs. 25,000/-	001790	23/12/2011	ICICI Bank.

4) Cess Branch, MPCB.

5) Master file.