MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701	MAHARASHTRA	Kalpataru Point, 2 nd - 4 th Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: http://mpcb.gov.in		Near Sion Circle, Sion (E)
E-mail: mpcb@vsnl.net		Mumbai-400 022.

Red/L.S.I

Date: 25/042012

Consent No: BO/JD(APC)/EIC No. PN-12610-12 /O/ec= CAC - 39/

Consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Piaggio Vehicles Pvt. Ltd. F-19, MIDc Baramati, Tal. Baramati, Dist. Pune 413 133

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- 1. The Consent to Operate is granted for a period up to: 31/03/2013.
- 2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Two wheeler-Scooters	1,50,000	Nos./Y

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 60.30 M3.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 45 M³

(iii) Trade Effluent:

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards

1)	pН	Between	5.5 to 9.0
2)	Suspended Solids	Not to exceed	100 mg/l.
3)	BOD 3 days 27 Deg. C.	Not to exceed	30 mg/l.
4)	COD	Not to exceed	250 mg/l.
5)	Oil & Grease	Not to exceed	10 mg/l.
6)	Total Dissolved Solids	Not to exceed	2100 mg/l.
7)	Chlorides	Not to exceed	600 mg/l.
8)	Sulphates	Not to exceed	1000 mg/l.
9)	Dissolved Phosphate	Not to exceed	5.0 mg/l
10)	Total Metal	Not to exceed	10 mg/l
11)	Iron	Not to exceed	3.0 / mg/l
12)	Nickel	Not to exceed	3.0 mg/l
13)	Copper	Not to exceed	3.0 mg/l

- (iv) **Trade Effluent Disposal:** The treated effluent shall use on land for gardening. There shall not be any discharge outside the factory premises.
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27o C.	Not to exceed	100	mg/l.

(vi) Sewage Effluent Disposal: The domestic effluent shall be treated in sewage treatment plant. It any, shall be used on land for gardening / plantation only.

(v) Non-Hazardous Solid Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatmen Disposal
1	MS+Steel Scrap	25000.00	Kg/Day	sale to
				authorised
				vendor
2	Wooden Planks	250000.00	Kg/Day	sale to
				authorised
			·	vendor
3	Cartons	500000.00	Kg/Day	sale to
				authorised
				vendor
4	Garbage	750000.00	Kg/Day	sale to
				authorised
				vendor

- (vi) Other Conditions: The industry should monitor effluent quality regularly and submit the monthly report to the Regional Office of Board at Pune and also Cess division of Board.
- 4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i) Domestic

50.00 CMD

(ii) Industrial Processing

118.25 CMD

(iii) Industrial Cooling

0.00 CMD

(iv) Agriculture / Gardening

0.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

(i)The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment:

- i) Fume extraction system followed by Dust collection system of sufficient capacity should be provided to all sources of SPM/TPM shall be operated properly and continuously
- ii) Painting activity shall be carried out in an enclosed shed
- iii) There shall not be any secondary (Fugitive) emissions.

b. Standards for Emissions of Air Pollutants:

(i) SPM/TPM

Not to exceed

150 mg/Nm³

(ii) SO₂

Not to exceed

3.0 Kg/Day.

c. Conditions for D.G. Set

Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

d.(I) The applicant shall observe the following fuel pattern: Type fuel used & quantity

Sr. No.	Type Of Fuel	Quantity	UOM
1	HSD	0.14	MT/D
2	Petrol	0.10	MT/D
3	LPG	3.65	MT/D

(ii)The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height
1	Pretreatment	18
2	Pretreatment	18
3	CED	18
4	ED oven	18
5	ED oven	18
6	ED oven	18
7	ED oven	18
8	Work area metal paint line	18
9	Top coat booth 1-metal painting.	18

10	Top coat booth 2-metal	18
	painting.	· · · · · · · · · · · · · · · · · · ·
11	Top coat booth 3-metal painting.	18
12	Top coat booth Flash off 1	18
13	Top coat booth Flash off 2	18
14	Top coat booth Flash off 3	18
15	Top coat Oven metal	18
- 0	painting	
16	Top coat Oven metal painting	18
17	Top coat Oven metal	_
11	painting	18
18	Top coat Oven metal painting	18
19	Plastic Pretreatment	18
20	Air Bow off after plastic PT	18
21	Water Dry off oven	18
22		18
	Water Dry off oven	18
23	Work area Plastic paint line	10
24	Top coat booth 1-Plastic painting.	18
25	Top coat booth 2-plastic painting.	18
26	Top coat booth 3-plastic	18
27	painting.	18
	Top coat booth Flash off 1	The second secon
28	Top coat booth Flash off 2	18
29	Top coat booth Flash off 3	18
3 0	Top coat Oven Plastic painting	18
31	Top coat Oven Plastic painting	18
32	Top coat Oven Plastic painting	18
33	Top coat Oven Plastic painting	18
34	Paint Kitchen	18
35	Hot water generator 1 & 2	30
36	Hot water generator 2 & 3	30
37	D.G.Set for CED stage	10
38	ED Oven	
	(Heat Up)	18
39	EDOven (Hold)	18
40	Metal paint Oven	10
	(Heat Up)	18
41	Metal paint Oven (Hold)	18
42	Plastic paint Oven	18

	(Heat Up)	
43	Plastic paint Oven (Hold)	18
44	Water Dry off oven	18
Vehic	le Assembly+Weld Shop	•
45	Dynamometer-OFF Line	16
46	Dynamometer-ON Line	16
47	Paint Touch Up booth	16
48	CO2 welding Station-Robotic	12
49	CO2 welding Station-Manual	12
50	Paint Touch Up booth	16

- 6. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 7. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(iii) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.
- 8. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:
 - (i) The Industry shall handle hazardous wastes as specified below.

1	:	:	`	
•	1	1	- 1	

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	5.1 Used /spent oil	3.00	Kg/D	Sent to Auth
	_			reprocesor
2	12.2 Alkali residues	0.83	Kg/D	CHWSTF
3	12.5 Phosphate sludge	3.50	Kg/D	CHWSTF
-4	12.9 Chemical sludge	20.00	Kg/D	CHWSTF
	from waste water treatmen	1		
5	20.2 Spent solvents	21.00	Kg/D	CHWSTF
6	21.1 Wastes and residues	368.00	Kg/D	CHWSTF

(iii) Treatment: - NIL

- a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- b. The unit has to display and maintain the data outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of

- the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.
- c. It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008and shown & submitted to the Board as & when asked for.

9. Industry shall comply with following general conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- ix. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- x. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the

pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system

- xi. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory
- 10 This is issued with approval of Consent Appraisal Committee meeting of the Board held on dtd. 16/04/2012.
- 11. The Capital investment of the industry is Rs. 180.0 Crs.

(Milind Mhaiskar IAS) Member Secretary

To,

M/s. Piaggio Vehicles Pvt. Ltd. F-19, MIDc Baramati, Tal. Baramati, Dist. Pune 413 133

Copy to:

- 1) Regional Officer/Sub-Regional Officer, MPCB, Pune-I-they are directed to ensure the compliance of consent conditions & submit the detail report of pollution control System within 1 month period.
- 2) Chief Accounts Officer, MPCB, Mumbai Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	360000	029481	04 Jan 2011	ICICI Bank
	100	029484	04 Jan 2012	ICICI Bank