

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022-24020781,24014701  
Fax : 022-24023516,24093814  
Email : [jdwater@mpcb.gov.in](mailto:jdwater@mpcb.gov.in)  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 2nd - 4th Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai-400 022.

Red/M.S.I

Date: 4/05/2012

Consent No. BO/JD (WPC)/RO AM/ ECI-AM-3464-11/R/CC-381

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M,H &TM) Rules respectively].

CONSENT is hereby granted to

Jaju Krushi Utpadan and Prakriya Udyog Pvt. Ltd.

Plot No.E-9, MIDC Chikhali, Tq. Chikhali,

Dist. Buldana

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M, H & TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the Project or 5 years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	ENA	864.0	KL/M
2	Technical Alcohol	36.0	KL/M
3	Electricity Generation (Co-Gen Power Plant)	1.0	MW
4	Biomass Briquettes (Coal Briquettes)	250.0	Ton/M
5	Fly Ash Bricks	125000	Nos./M.
6	Mineral Water	150000	Ltr./M
7	Soya Bean, Makka Seed Project	225.0	Ton/M
8	Warehouse (Bags Storage)	18000	Nos.
9	Paver Block	12500	Nos./M

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 257.00 M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 15.00 M<sup>3</sup>.
- (iii) **Trade Effluent :**

Treatment: The applicant shall provide comprehensive treatment system for treatment of trade effluent generated through a) Grain Based – Multi Effect Evaporation system and the concentrated syrup shall be mixed with wet cake and used as cattle feed there by achieving Zero Discharge.

- (iv) **Trade Effluent Disposal:** Nil.

(iv) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- |     |                  |               |     |       |
|-----|------------------|---------------|-----|-------|
| (1) | Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 100 | mg/l. |

(vi) **Sewage Effluent Disposal:** The treated sewage effluent shall be soaked in a soak pit, which shall be got cleaned periodically and overflow shall be used for gardening purpose within premises.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	DDGS	20.0	Ton/D	Cattle Feed	
2	Boiler Ash	20.0	MT/D	Sale to Brick Manufacturers.	
3	Yeast Sludge	20.0	Kg/Day	By Compost	
4	Grain Skins	500.0	Kg/Day	By Sale for Cattle feed	

(viii) **The Spent grain shall not be stored for more than 24 Hrs. & Moisture content should be less than 5 % by dry basis; it should not cause any smell nuisance in the surrounding area.**

(ix) **Other Conditions:**

- 1) Industry should monitor effluent quality regularly.
- 2) In no case effluent shall find its way to any water body directly or indirectly at any instance.

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

- |   |     |            |
|---|-----|------------|
| (i) Domestic purpose  | ... | 21.00 CMD  |
| (ii) Water gets Polluted & Pollutants are Biodegradable             | ... | 275.00 CMD |
| (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic | ... | 0.00 CMD   |
| (iv) Industrial Cooling, spraying in mine pits or boiler feed       | ... | 240.00 CMD |

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT:**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**a) Control Equipment:**

1. Bag Filter of Sufficient capacity shall be provided to Boiler.
2. Dust collection system and automatic water sprinkler system shall be provided to coal handling plant.
3. Dust collector of sufficient capacity shall be provided to coal crusher and any other sources of SPM emissions.
4. There shall not be any fugitive emissions from coal storage yard.

**b) Standards for Emissions of Air Pollutants:**

i)	SPM	Not to Exceed	150 mg/Nm <sup>3</sup> .
ii)	SO <sub>2</sub>	Not to Exceed	432 Kg/Day.

(ii) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	Coal	43.20	MT /Day

(iii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Boiler	45.00

(iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:**

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1.	20.3 Distillation Residue	50	Kg/Day	CHWTSDF


(ii) Treatment: -

1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
2. The industry should comply with the Hazardous Waste (M&H) Rules, 2003.
  - a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**7. Industry shall comply with following additional conditions:**

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
  - ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
  - iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
  - iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
  - v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
  - vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
  - vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
  - viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
  - ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
  - x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
  - xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
8. Commissioner, State Excise, Mumbai has granted the letter of intent to this industry vide letter No. DYS/112007/47904/4, Mumbai Dt. 28.07.2009.

9. The applicant shall not take any effective steps towards implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto.
10. The Consent is issued pursuant to the decision of Consent Committee meeting of the Board held on dt. 02.05.2012.
11. The consent is issued with the overriding effect of Consent No.MPCB/RO(P&P)/EIC-AM-1553-09 & AM-2082-10/E/CC-301 Date: 07.08.2010.
12. The Capital investment of the industry is Rs. 4200 Lacs.

  
(V. B. Waghjale)  
Member Secretary

To,  
M/s. Jaju Krushi Utpadan and Prakriya Udyog Pvt. Ltd.  
Plot No.E-9, MIDC Chikhali, Tq. Chikhali,  
Dist. Buldana

Copy to: - RO Amravati/SRO Akola :- They are directed to ensure compliance of consent conditions.  
CAO/Cess wing/Master file.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	25000	355247	29 Nov 2011	Akola Janata Commercial Co-Operative Bank
2	50000	265261	25 Sep 2009	Akola Janata Commercial Co-Operative Bank