MAHARASHTRA POLLUTION CONTROL BOARD

Fax: 24024068 / 24023516

Website: http://mpcb.gov.in

E-mail: mpcb@vsnl.net

Red/L.S.I



Kalpataru Point, 2nd - 4th Fl. Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

Date:07/06/2012

Consent No:BO/JD(APC)/EIC No. KP-7159-11/E-CC- 404

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act. 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Paranjape Autocast Pvt. Ltd. R.S. No. 822, H No. 3 &4, Urun, Tal. Walwa, Dist. Sangli

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to establish is granted for a period up to commissioning of the unit or 5 year which ever is earlier

2. The Consent is valid for the manufacture of -

ST No	ProducteName	Maximum Quantity	The state of the s
. 1	Alloy Iron Casting & CI Casting	840 MT/M	

3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be NIL

(ii) The daily quantity of sewage effluent from the factory shall not exceed $9.5 M^3$.

Trade Effluent : N.A.

- (iii) Trade Effluent Disposal: N.A.
- (iv) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

Suspended Solids BOD 3 days 27o C.	Not to exceed Not to exceed	 mg/l. mg/l.

Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a (vi)soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) Non-Hazardous Solid Wastes:

SEINO	Type Of Waste	Quantity	TION	
•)		425	MT/M	Treatment Disposal Reused in Plant
3	MS Scrap Slag	$\frac{80}{80}$	MT/M Kg/D	Reused in Plant Land fill in own premises

(viii) Other Conditions: Industry should monitor effluent quality regularly. 4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under The daily wate

The dan	y water consumption	for the following	and the second	
(i) Dom	ostio	for the tonowing	categories is as under:	

(1) Domestic		0		10 10 0.0
(ii) Industrial Processing			12.0	CMD
(iii) Industrial Cooling	•••		0.0	CMD
(iv) Agriculture / Gardening	•••		4.0	CMD
The application by the second second	•••		4.0	CMD
The applicant shall regularly	submit	to the	Board	the w

consumption in the prescribed form and pay the Cess as specified under the Board the returns of water Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT : (i)

The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment: -

1) Adequate fume extractor system (primary and secondary level)followed by dust collector of sufficient capacity shall be provided to furnace the same shall be operated properly and continuously

- 2) The industry shall provide comprehensive fume collection system at furnace level &
- also roof top level to ensure that all fumes are collected for furnace treatment. 3) There shall not be any secondary (fugitive)emission.

6. Conditions for D.G. Set: N.A. Standard

rds for E	missions of Ai	r Pollutants:	
(i) (ii)	SPM/TPM SO2	Not to exceed	 mg/Nm³ Kg/Day

(i) The applicant shall observe the following fuel pattern:-

(ii)	$\frac{1}{2}$ HSD	Of Fuel	47 60	K	UON (G/Da it/D of	У	following
	$\begin{array}{ccc} 1 & Fu \\ 2 & D(\\ 3 & Sh \\ \end{array}$	nnev Attache rnace Set (380 KVA ot Blasting int Booth		Height in 15.0 4.0 11 10	Mtrs.		

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly

7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

(i) The Industry shall handle hazardous wastes as specified below.

STAN AVDE OF Waster Que	antity UO	N Dispo	sal
<u> </u>	21		Sale to authorized re-processor
2 12.9 Paint sludge	15	Kg/M	CHWTSDF

- (ii) Treatment: NIL
- 1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
- 2. The industry should comply with the HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008.
- a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services. Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- b. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x-1' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.
- c. It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008 and shown & submitted to the Board as & when asked for.
 8. Industry shall comply with following the following the following strictly shall comply with following the following strictly shall comply with following strictly strictly shall comply with following strictly strictly shall comply with following strictly strictly
- 8. Industry shall comply with following additional conditions:
- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
 ii. The applicant shall bring minimum 20% of the surrounding the surrounding area and the surrounding area area and the surrounding area area area.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
 iii. Solid waste = The pop because with the state of the state of
- ili. Solid waste The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the

applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.

- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 The applicant shall introl
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 9. This is issued with approval of Consent Committee meeting of the Board held dtd. 30/05/2012
- 10. The Capital investment of the industry is Rs. 33.33 Crs.

Ailind Mhaiskar IAS) Member Secretary

Τо,

- M/s. Paranjape Autocast Pvt. Ltd.
- R.S. No. 822, H No. 3 &4, Urun,

Tal. Walwa, Dist. Sangli

Copy to:

- RO- MPCB Kolhapur /SRO-MPCB Sangli
- They are directed to ensure the compliance of consent conditions.
- CAO/Cess Branch/Master File Remained C

Received Consent fee of -

$\frac{1}{1} = \frac{50100/-}{100/-}$	ヨリリアドへの	Date	Discussion of the second
1 50100/-	865796	16/09/0011	
2 25000/-		10/03/2011	State Bank of India
25000/-	909356	21/11/2011	State Bank of India