

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437 24020781 24014701

Fax: 24024068 24023516

Website: <http://mpcb.gov.in>

E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th Fl.

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

Red/L.S.1

Consent No:BO/JD(APC)/EICNo.AD-8221-11/R/CC-459 Date 22/6/2012

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Birla Accucast Ltd.,
B-15/3/2, MIDC Waluj,
Dist:- Aurangabad.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made hereunder and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to commissioning of unit or Five years whichever is earlier.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Cast Iron (Modular)	750	MT/M

3. CONDITIONS UNDER WATER ACT:

1. The daily quantity of trade effluent from the factory shall be NIL..
2. The daily quantity of sewage effluent from the factory shall not exceed 10.0 M³.

Trade Effluent :

Trade Effluent Disposal:

1. Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

1. Suspended Solids	Not to exceed	100	mg/l.
2. Biochemical Oxygen Demand (5 days @ 20°C)	Not to exceed	100	mg/l.

vi. Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used only for gardening / plantation only.

vii. Non Hazardous Solid Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Slag	100.0	MT/M	--	Sale
2	Used Sand	900	MT/M		

viii. Other Conditions:-

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

Domestic	...	16.0 CMD
Industrial Processing	...	--- CMD
Industrial Cooling	...	15.0 CMD
Agriculture / Gardening	...	--- CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

- a. Control Equipment: 1) Dust collector followed by wet scrubber of sufficient capacity shall be provided to furnace.
- 2) Dust collector of sufficient capacity shall be provided to shot blasting section and any other source of particulate matter.

Standards for Emissions of Air Pollutants:

SPM/TPM	Not to exceed	150	mg/Nm ³
---------	---------------	-----	--------------------

The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
		Electricity	

The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Furnace	30

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

vii. Other Conditions:

- 1. The industry should not cause any nuisance in surrounding area.
- 2. The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

- (i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
There shall not be generation of Hazardous Waste				

(ii) Treatment: NIL.

- 7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.


8. Industry shall comply with following additional conditions:

- (i) The applicant shall maintain good housekeeping and take adequate measures to prevent of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- (ii) The applicant shall bring minimum 33% of the available open land under green coverage - tree plantation.
- (iii) Solid waste - The non hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- (iv) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the

- applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
 - vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
 - vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
 - viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment Protection (Second Amendment) Rules, 1992.
 - ix. An inspection book shall be opened and made available to the Board's officers for their visit to the applicant.
 - x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
 - xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down-stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
 - xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

9. The total Capital investment of the industry is Rs. 33.71 Crs.

10. This is issued with the approval of Consent Committee meeting held on 30/05/2012.


(M. Ind Mhaiskar, IAS)
Member Secretary

To,
M/s. Birla Accucast Ltd.,
B-15 3/2, MIDC Waluj,
Dist:- Aurangabad.

Copy to:
RO-MPCB Aurangabad SRO-MPCB Latur
CAO Cess Branch Master File
Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
	10000/-	131077	7/4/2011	HDFC Bank