MAHARASHATRA POLLUTION CONTROL BOARD Phone : 24010437/24020781 Kalpataru Point, 2nd - 4th Fl.

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

Fax

24024068 / 24023516

Email

mpeb@ mpeb.gov.in

Visit At :

http://mpeb.gov.in

MAHARASHTRA

MSIHC/NK-10462/11

RED/L.S.1

Consent No: BO/RO(HQ)/CC/CR/ CC -500

Date 3 V07/2012

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Indian Oil Corporation Ltd (Storage) Manmad-Nandgaon Road, Panewadi Terminal, Vill- Nagapur, Manmad Nashik, Maharashtra Nashik-423104

Located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- 1. The Consent to Operate is granted for a period up to: 31/10/2013
- 2. The Consent is valid for the storage and Handling of petroleum products to the maximum quantity of 22940 KL at a time as below:

Sr. No	Tank No.	Product Name	Maximum
			Capacity at a time
	10000		In KL
	SR 01	Motor Spirit	800
2	SR 02	Motor Spirit	800
3	SR 24	Motor Spirit	1100
4	SR 25	Motor Spirit	1100
5	SR 03	Superior Kerosene Oil	2000
6	SR 04	Superior Kerosene Oil	2000
7	SR 05	High Speed Diesel	5000
8	SR 06	High Speed Diesel	5000
9	SR 07	High Speed Diesel	5000
10	SR 08	Ethanol	70
11	SR 09	Ethanol	70
	Total		22940

3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be Nil.

(ii) The daily quantity of sewage effluent from the factory shall not exceed

 $10.00M^{3}$

(iii) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)Suspended Solids

Not to exceed

100 mg/l.

BOD 3 days 27o C. Not to exceed (2)

100 mg/l.

- (vi) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.
- (vii) Non-Hazardous Solid Wastes: Nil

(viii)Other Conditions: Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i) Domestic purpose

11.00 CMD

(ii) Water gets Polluted &

Pollutants are Biodegradable...

0.00 CMD

(iii) Water gets Polluted, Pollutants

are not Biodegradable & Toxic

0.00 CMD

(iv) Industrial Cooling, spraying

in mine pits or boiler feed

0.00CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

The applicant shall install a comprehensive control system consisting of control (i) equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment: Air Pollution Contol equipments of sufficient capacity should be provided to limit the emissions if any.

(ii) Conditions for D.G. Set

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- g. D.G. Set shall be operated only in case of power failure
- h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set

Standards for Stack Emissions:

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	Diesel	100.00	Ltrs/hr
2	HSD	35.00	Ltrs/hr

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	DG Set(250KVA)	3.50
2	DG Set(250KVA)	3.50
3	DG Set(150KVA)	2.50

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted displayed to facilitate identification.
- The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) Other Conditions:

(vi) Other Conditions:

- The petroleum products—should be properly stored in tanks which should be absolutely leak proof. At no stage of handling, there should be leakage or spillage.
- The necessary arrangement for collection & treatment of leachate / tank bottom generated underneath the storage tank should be made along with provisions of Oil skimmers & necessary treatment arrangements for the same.
- 3] High level alarm synchronized with cut off capacity should be provided to the storage tanks.
- The storage tanks should be kept in good conditions all the year round with adequate maintenance. The hazardous waste generated in handling, storage and transport should be disposed off in accordance with Hazardous waste (Management, Handling and Transboundary Movement) Rules 2008 & related amendments made therein.
- The project authority should prepare On-site & Off-site emergency preparedness plan based on detailed risk analysis.
- The internal roads should be cement concrete and should be maintained with adequate green belt.
- 7] The working area should be impermeable & covered with roof / shed.

- 8] Control Equipment: Industry should make necessary provisions to arrest the emissions of volatile hydrocarbons to Environment by the way of volatile matter absorption system to the tank vent and monitoring arrangement.
- 9] The Industry should regularly monitor the emission of Volatile Organic Compound particularly Benzene, Toluene and Xylene
- The industry should monitor ambient air quality regularly from MoEF approved laboratory.
- The industry should not cause any nuisance in surrounding area.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	3.3 Sludge and filters contaminated with oil	1.20	Kl/annum	Bio remediation process as CPCB norms

- a. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.
- b. It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous Waste (Management & Handling) Rules, 1989 as amended on 2003 and shown & submitted to the Board as & when asked for

7. Industry shall comply with following additional conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- ix. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

system. A register showing consumption of chemicals used for treatment shall be maintained.

- 8. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information should be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the storage process connected to it should be stopped.
- 9. This consent should not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deemed fit necessary.
- 10. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the applicant.
- 11. This consent is issued with the approval of Consent Committee of the Board in its meeting held on 30^{th} May 2012.
- 12. Capital investment of the industry should not exceed Rs. 3486 lacs

(Milind Mhaiskar,_{IAS}) Member Secretary

To, M/s. Indian Oil Corporation Ltd (Storage) Manmad-Nandgaon Road, Panewadi Terminal, Vill- Nagapur, Manmad Nashik, Maharashtra Nashik-423104

Copy to:

a. RO-Nasik SRO-Nasik -II

b. CAO Cess Branch/Master File

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	75000/-	444773	24 Mar 2011	SBI Bank
2	75000/-	448064	04 July 2012	SBI Bank