

# MAHARASHTRA POLLUTION CONTROL BOARD REGIONAL OFFICE, KOLHAPUR

Phone : 0231-2652952 /2660448

Fax : 0231-2652952

Email : rokolhapur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Udyog Bhawan Near Collector Office,

Kolhapur - 416003

Orange/S.S.I

Date: 11 / 09 /2012

Consent No: MPCB/ROK/SROC/ 1473/12

Consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].  
CONSENT is hereby granted to.-

M/s. Fruitland Agro Industries,  
S. No. 235/236 ( Section 1,4 &6), At- Kuwa Ghati,  
Po. Furus, Tal- Khed,  
Dist- Ratnagiri.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to operate is granted for a period up to: 31.03.2014.
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Mango Pulp	200	T/A
2	Mango Juice	40	T/A
3	Guava Juice	10	T/A
4	Tomato Ketchup	10	T/A

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 1.4 M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 1.2 M<sup>3</sup>.

#### (iii) Trade Effluent :

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

Received  
AS Wickray  
11/9/12

1	pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 days 27 Deg. C.	Not to exceed	100 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
6	TDS	Not to exceed	2100 mg/l
7	Chlorides	Not to exceed	600 mg/l
8	Sulphate	Not to exceed	1000 mg/l

(iv) **Trade Effluent Disposal:** The treated trade effluent shall be used on land for gardening /plantation only.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27o C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Fruit Waste	6	T/A	Compost	Manure

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under.**

The daily water consumption for the following categories is as under:

(i) Domestic	...	2.0	CMD
(ii) Industrial Processing	...	3.0	CMD
(iii) Industrial Cooling	...	1.0	CMD
(iv) Agriculture / Gardening	...	--	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT:**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**Control Equipment:**

Industry shall provide adequate air pollution control system to all sources of emissions.

**6. Standards for Stack Emissions:**

Standards for emission of Air Pollutants;

1. SPM -- Not to exceed 100 mg/Nm<sup>3</sup>
2. SO<sub>2</sub> -- Not to exceed 5.0 Kg/D.

**(i) The applicant shall observe the following fuel pattern:-**

Sr. No.	Type Of Fuel	Quantity	UOM
1	Wood	50	Kg/Hr.

**(ii) The applicant shall erect the chimney(s) of the following specifications:-**

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Mini Boiler	12

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

**7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:**

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
Industry shall not generate any hazardous waste				

(ii) Treatment: - NIL

1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
2. The industry should comply with the Hazardous Waste (M&H) Rules, 2008.

a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives,

*Handwritten signature*


~~The applicant shall not change or alter quantity, quality, and rate of effluent~~  
temperature or the mode of the effluent ) emissions or hazardous wastes or  
control equipments provided for without previous written permission of the  
control equipments provision ...  
Board.

- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.

*Handwritten signature*

xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory. Page 3 of 5

10. The Capital investment of the industry is Rs. 1.26 Crore.



(Amar B. Durgule)

I/c. Regional Officer, Kolhapur

To,

**M/s. Fruitland Agro Industries,**  
S. No. 235/236 ( Section 1,4 &6),  
At- Kuwa Ghati, Po. Furus, Tal- Khed,  
Dist- Ratnagiri.

**Copy submitted to:**

1. The Member Secretary, M P C Board, Mumbai.
2. The Chief Accounts Officer, M P C Board, Mumbai.
3. Cess wing/ Statistical wing/Air wing/ Hazardous Management Wing, M P C Board. Mumbai

**Received Consent fee of -**

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	15000/-	174478	29.03.12	State Bank of India

**Copy to:**

The Sub Regional officer, M P C Board, Chiplun.

Maharashtra Pollution Control Board