

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023516

Website: <http://mpcb.gov.in>

E-mail: pci2@mpcb.gov.in



Kalpataru Point, 2nd - 4th Fl.

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

Red/LSI

Consent No. BO/JD-PAMS/RO-KN/EIC No KN-5998-12/E/CC/CAC-1142 Date: 12/12/2012.

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

[To be referred as Water Act, Air Act and HW(M&H) Rules respectively].

CONSENT is hereby granted to,

M/s Ferring Therapeutics Pvt. Ltd.,
K-28/1, MIDC Addl. Ambernath,
Dist.-Thane-421506.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW (M & H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to Commissioning of the unit or Five years whichever is earlier.
2. The Consent is valid for manufacturing of -

Sr. No.	Products	Max. Qty.(MT/M)
1	Mesalazine (Active Pharmaceutical Ingredient) (API)	300

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory should not exceed 130.0 M³.
- (ii) The daily quantity of sewage effluent from the factory should not exceed 4.0 M³.
- (iii) **Trade Effluent Treatment:** The applicant shall operate comprehensive treatment system consisting of primary, secondary and tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1	pH	Between	6.5 to 8.5
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 days 27 deg.0	Not to exceed	100 mg/l
4	COD	Not to exceed	250 mg/l.
5	Oil & Grease	Not to exceed	10 mg/l.
6	Total Dissolved Solids	Not to exceed	2100 mg/l.
7	Bioassy Test	90% survival of fish after first 96 hrs in 100% effluent**	
8	Mercury	Not to exceed	0.01 mg/l.
9	Arsenic	Not to exceed	0.20 mg/l.
10	Chromium (Hexavalent)	Not to exceed	0.10 mg/l.
11	Lead	Not to exceed	0.10 mg/l.
12	Cyanide	Not to exceed	0.10 mg/l.
13	Phenolics (C6H5OH)	Not to exceed	1.0 mg/l.
14	Sulphide (as S)	Not to exceed	2.0 mg/l.
15	Phosphate(as P)	Not to exceed	5.0 mg/l.

- (iv) **Trade Effluent Disposal:** The treated effluent shall be recycled/ reused in the process to the maximum extent possible and remaining shall be discharged to CETP. In no case, trade effluent shall find its way into any inland surface water, nalla, river or stream.
- (v) **Sewage Effluent Treatment:** The applicant should operate comprehensive treatment system as is warranted with reference to influent quality and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27 Deg. C.	Not to exceed	100	mg/l.

- (v) **Sewage Effluent Disposal:** The treated sewage effluent should be soaked into soak pit which should be got cleaned periodically. Overflow, if any shall be connected to the sewerage system provided by MIDC.

- (vi) **Non-Hazardous Solid Wastes :**

Type of waste	Quantity	Treatment	Disposal
		--NA--	

- (vii) **Other conditions:** The industry should monitor effluent quality regularly from MoEF approved laboratory.

4. The applicant should comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under:

The daily water consumption for the following categories is as under:

i	Domestic	5.00	CMD
ii	Industrial Cooling	33.0	CMD
iii	Industrial processing	112.0	CMD
Iv	Agriculture / Gardening	--	CMD

The applicant should regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

- (i) The applicant should operate a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment: Scrubber of sufficient capacity shall be provided to control the air emission.

- (i) **Standards for Emissions of Air Pollutants:**

1	SPM/TPM	Not to exceed	150	mg/Nm ³
2	SO ₂	Not to exceed	371.52	Kg/day
3	Acid Mist	Not to exceed	35	mg/Nm ³
4	SO ₂ (from Process)	Not to exceed	50	ppm
5	Hydrocarbons	Not to exceed	10	ppm

- (ii) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity
1	LDO	430 Kg/Hr.

- (iii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney attached to	Height (in meters)
1	Boiler (1 & 2)	35.0
2	Scrubber	20.0
3	D.G. Set (1500 KVA)	30.0

- (iv) The applicant should provide ports in the chimney/(s) and facilitates such as ladder, platform etc. For monitoring the air emissions and the same should be

open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission should be designated by numbers such as S-1, S-2, etc. And these should be painted / displayed to facilitate identification.

- (v) The industry should take adequate measures for control for noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. And 10 p.m. And night time is reckoned between 10 p.m. And 6 p.m.
- (vi) Other Conditions:
- 1) The industry should not cause any nuisance in surrounding area.
 - 2) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HW (M,H & T) RULES, 2008 :

The applicant should handle hazardous wastes as specified below:

Sr. No.	Item No. as per Schedule-I/II	Type of Waste	Quantity	Disposal
1	34.3	Chemical Sludge from Waste water treatment	10 MT/M.	CHWTSDF


7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information should be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it should be stopped.

8. General Conditions:

- (i) The applicant should bring minimum 33% of the available open land under green coverage/ plantation. The applicant should submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
- (ii) The applicant should provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant should stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (iii) The applicant should make an application for renewal of the consent at least 60 days before the date of the expiry of the consent. The applicant should not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm should submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.
- (v) The applicant should install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment should be maintained. The applicant should also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system should be provided for collection of trade and sewage effluents. Terminal manholes should be provided at the end of collection system with arrangement for measuring the flow. No effluent should be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent should find its way other than in designed and provided collection system. Neither storm water nor

discharge from other premises should be allowed to mix with the effluents from the factory.

- (vii) The applicant should provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and should pay to the Board for the services rendered in this behalf. An inspection book should be opened and made available to the Board's officers during their visit to the applicant.
 - (viii) The industry should ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - (ix) The applicant should maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
9. If CETP dose not work for achieving standards & problem of pollution occurs, industry shall voluntarily stop the production or total effluent shall be reused.
 10. The consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.
 11. The industry shall also comply with the Industry specific standards notified under Environment Protection Act.
 12. Applicant shall obtain Environment Clearance as per EIA Notification, 2006 as Amended.
 13. The applicant shall obtain Consent to Operate before commencing the production.
 14. This Board reserves the right to revoke, amend or add any conditions in this consent and the same shall be binding on the Applicant.
 15. This Consent is issued pursuant to the decision of 7th CAC meeting of 2012 held on 26.11.2012 of the Board.
 16. Capital Investment of the industry is Rs. 110 Crore.


(Rajeev Kumar Mittal, IAS)
Member Secretary

To,
M/s Ferring Therapeutics Pvt. Ltd.,
K-28/1, MIDC Addl. Ambernath,
Dist. Thane-421506.

Copy to: 1) Regional Officer, MPCB, Kalyan & 2) Sub-Regional Officer, MPCB, Kalyan-II- They are to ensure the compliance of consent conditions.
3) Chief Accounts Officer, MPCB, Mumbai 4] Cess Branch, MPCB. 5] Master file.

Consent Fee Received:

Amount	D.D. No.	Date	Bank Name
Rs. 2,20,000/-	038276	11/07/2012	ICICI Bank