MAHARASHTRA POLLUTION CONTROL BOARD

 Phone
 :
 24010437/ 24014701
 240

 Fax
 :
 24023516/ 24044531
 240

 Email
 :
 enquiry@mpcb.gov.in

24020781/ 24024068/ v.in



Kalpataru Point, 2nd, 3rd & 4th floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400 022.

Visit At : <u>http://mpcb.gov.in</u>

Red/L.S.I EIC No.PN-13799-12

Date: |5/Dec /2012

Consent No: MPCBHQ/Pune/AST/Establish/Combined Consent/CAC- $\mathcal{H8}$

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008, as amended to date.

[To be referred as Water Act, Air Act and HW (M,H & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Owk Woods Hospitality Pvt. Ltd S.No-198/1B, Viman Nagar, Lohagaon, Pune, Dist- Pune Maharashtra -411032

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the Unit or five years which

ever is earlier. For development of land/plot as construction activities for notel named as **Owk Woods Hospitality Pvt. Ltd (5** star) with **256 rooms** on total plot area of **17197 sq mtrs** and proposed built up area of **31830 sq. mtrs** including utilities and services as per construction commencement certificate issued by local body.

2. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the Hotel shall be Nil.
- (ii) The daily quantity of sewage effluent from the Hotel shall not exceed 337 M³.
- (iii) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

quair	ty of treated endent to the	Not to exceed	100	mg/l.
(1)	Suspended Solids			.
(2)	BOD 3 days 270 C.	Not to exceed		mg/l.
• •		Not to exceed	5.5 to 9.1	0
(3)	pH		10	ma/l.
(4)	Oil & Grease	Not to exceed	10	ing/ii

 Sewage Effluent Disposal: The treated effluent shall be 80% recycled/ reused for secondary purposes such as toilet flushing, fire fighting, cooling tower etc and the remaining shall be discharged to Municipal sewer.

Hotel shall comply with the MoEF notification G.S.R. 794(E) dated 4th November, 2009.

(v) Non-Hazardous Solid Wastes:

Tuno Of Masto	Quantity	UOM	Treatment	Disposal
Bio – Degradable		MT/Day	Vermi-Composti	Used as Manure within premise
	0.12	MT/Day		By Sale
Waste STP Sludge	0.067	MT/Day		Used as Manure within premise
	Type Of Waste Bio – Degradable Waste Non Bio – Degrada Waste	Type Of WasteQuantityBio– Degradable0.89Waste0.12Waste0.12	Type Of WasteQuantityUOMBio–Degradable0.89MT/DayWaste0.12MT/DayWaste0.12MT/Day	Type Of Waste Quantity UOM Treatment Bio – Degradable 0.89 MT/Day Vermi-Composti Waste

(vi)Other Conditions:

- 1. The industry shall monitor effluent quality regularly.
- 2. The applicant shall opt environmental friendly technologies such as ozonisation, UV treatment etc by replacing chlorination.

(vii) Conditions for Construction Phase:

- All activities shall be in resonance with the provisions of Indian Forest Act, 1927 (16 of 1927), Forest (Conservation) Act, 1980 (69 of 1980) and Wildlife (Protection) Act, 1972 (53 of 1972), CRZ notification, and special notifications published for Dahanu, Murud - Jangira, Matheran and Mahabaleshwar area wherever applicable and all the Environmental Statutes and Instruments.
- 2. No quarrying activities shall be commenced in the area unless appropriate permissions are obtained for a limited quarrying material required for construction of local residential housing and traditional road maintenance work, provided that such quarrying is not done on Forest Lands and the material is not exported to the outside area.
- 3. There shall be no felling of trees whether on Forest, Government, Revenue or Private lands except as per prevailing Rules.
- 4. Extraction of Groundwater for the project shall require prior permission of the State Ground Water Authority or other relevant authorities, as applicable;
- 5. Near the activities that are related to water (like activity of water parks, water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not be less than 5 mg/liter.
- 6. In order to ensure that the water from this project do not enter into outside environment, the nallas crossing the township/complex premises, shall be lined, covered and made water tight by the applicant within the premises with intermittent inspection of chambers following good engineering practices as per the regulations of local body. This management shall be such as also to help in excluding the external pollutants degrading the internal environment of residential complex.
- 7. The Applicant shall prepare management plan for water harvesting, roof-water reclamation, water/storm water conservation and implement the same before handling over of complex for occupation.
- 8. Applicant shall provide fixtures for showers, toilet, flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- 9. The Applicant shall draw plans for the segregation of solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting with the approval of local body and the inorganic material shall be disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and method and shall be located 1 km away from river Mula. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered land fill shall be as per the Municipal Solid Waste (M&H) Rules, 2000.
- 10. Applicant shall be responsible to take adequate precautionary measures as detailed in this consent.
- 11. The applicant/generator shall be responsible for safe and scientific collection, transportation, treatment and disposal of Bio-Medical Waste as per the provisions made under the Bio-Medical Waste (Management & Handling) Rules, 1998. Any activity as defined under BMW (M & H) Rules has to obtain a separate Authorization from Maharashtra Pollution Control Board.
- 12. For disinfection of waste water ultra violet radiation shall be used in place of chlorination
- 13. Vehicles hired for construction activities should be operated only during non peak hours.
- 14. Ready mixed concrete used in building construction should apply separately for consent from the Board.
- 15. The applicant, during the construction stage shall provide
 - a) Septic tank and soak pit of adequate capacity for the domestic effluent generated due to workers residing at site.
 - b) Proper loading and unloading of construction material, excavated material and its proper disposal as per MSW (M&H) Rules 2000.
 - c) Cutting of trees is not permitted, however in unavoidable conditions necessary permission from the local body shall be obtained.
 - d) Green belt of 33% of the open space shall be developed.

3. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:	,	•
	The daily water consumption for the	e following categories is as under:

(i)	Domestic	593	CMD
(ii)	Flushing		CMD
(iii)	Gardening		CMD
(iv)	HVAC water make-up		CMD
(v)	Swimming pool water make-up		CMD
(vi)	Laundry	••••	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act which is also available on MPCB website at http://mpcb.mah.nic.in/images/cessform1.pdf

4. CONDITIONS UNDER AIR ACT :

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

A) Control Equipment:- The firm shall provide the following equipments to control air pollution

- i) The kitchen shall be provided with Exhaust System with Oil catcher connected to chimney through ducting.
- ii) The air conditioner shall be vibration proof and noise level shall not exceed 68 dBA.
- B) Standards for Emissions of Air Pollutants :
 - (i) SPM/TPM Not to exceed

The following measure shall be taken.

a)Adequate mitigation measures shall be taken to control emissions of SO2, NOx, SPM, RSPM.

b)Applicant shall achieve Revised National Ambient Air Quality standards as per MoEF notification dated 16.11.2009.

150

mg/Nm

(ii) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM	
1	Diesel (For DG Set)	400	Lit/Hr	

(iii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	D.G.Set (1250 KVA x 2 Nos)	6*
(*=	Height above Roof of the Building)	

(*= Height above Roof of the Building

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) Conditions for DG Sets :-
- 1. Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the room acoustically.
- 2. Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.

- 3. The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and control measures.
- 4. Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer;
- 5. A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.
- 6. The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.
- 7. The Applicant shall not cause any nuisance in the surrounding area due to operation of DG sets.
- 8. In case of problems, the D.G. set shall not be operated until it is set back to satisfactory position.

Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions regularly.
- 5. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:
 - (i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	e-waste	-		By sale to authorized reprocessor / recycler

- (ii) Treatment: NIL
- 1. The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.
- 2. The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008.
- 6. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

7. General Conditions:

- a. The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- b. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- c. Solid Waste The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- d. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- e. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- f. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- g. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- h. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- i. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Sr. 1	NO.	Amount(Rs.) 260000	DD. No. 029983	Date 2.3.2012	Drawn On ICICI Bank		
		d Consent fee of -				:	
RO-	Pun			to ensure com	bliance of consent cor	nditions and repo	ort according
Con	by to:	and the second se					
		on, Pune, Dist- Pu htra -411032	ne				
S.N	o-198	8/1B, Viman Naga	r,				
To, M/s	0.4/	k Woods Hospital				\lor	1
						Member Seci	
				<i>M</i>		(Rajeev Kumar	Mittal (AS)
				and the second s	(vicinal de	1) Inte	
		į	4	100	Fo	or and on behalf htra Pollution C	of the
17.	The	capital investmen	t of the hotel ir	ndustry is 130 C	rs.		
	bind	ing on the Applic	ant.		by conditions in this	s consent and	ule same shall be
		1.2012 of the Board		nond or odd - ⁸			41
15.	This	consent is issu	ed pursuant t	o the decision	of Consent Appra	isal Committee	Meeting held on
14.	Indi	sent to 1st ope a and Town plar	erate will not ning departn	be granted ti tent	ll submission of	NOC from Air	port authority of
13.	The	applicant shall GoM vide No. 21	comply with	the condition	s stipulated in Em	vironmental C	learance granted
12.	Gov	ernment agencies	as may deem	ed fit necessary	ion from obtaining /.	necessary NOC	rrom any other
					of the Hotel without	/ 4.	×
	shou	uld be integrated	part of the proj	ect design.			-
10.	Enei	rgy conservation	measures like	installation so	plar panels for light	-	utside the building
9.	The cont	applicant shall t tamination is prev	ake the prope	r remediation	measures to ensure e at the construction	e that the grou	ind water and soil
8.				• •	nology in developm	ent of the proje	ect.
	I. ⁻		ensure that fugi	tive emissions fr	om the activity are co	ontrolled so as to	maintain clean and
	k . I	other than in desig Neither storm wate factory.	er nor discharge	e from other pre	em. mises shall be allowe	ed to mix with th	e effluents from the
	:	shall be provided a shall be admitted i	at the end of th n the pipes/sew	e collection syst /ers down strea	em with arrangement m of the terminal mai	t for measuring t	the flow. No effluent
	j	Separate drainage	system shall be	e provided for co	llection of trade and s	sewage effluents	. Terminal manholes