# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 / 24023515
Website: http://mpcb.gov.in
E-mail: pci2@mpcb.gov.in



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

RED/LSI

Date: 24/12/2012

Consent No. BO/JD PAMS/EIC No. NM-3875-12/R/CC-740

Consent to Operate under Section 26 of the Water (Prevention & Control of pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Trans boundary) Rules 2008 [To be referred as Water Act, Air Act and HW (M,H & T) Rules respectively].

CONSENT is hereby granted to -

M/s. Hemmo Pharmaceuticals Pvt Ltd. Plot No. C-43, MIDC TTC, Turbhe, Navi Mumbai.

located in the area declared under the provisions of the Water Act, Air act and Authorisation under the provisions of HW(M,H & T) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

- 1. The Consent to Operate is granted for a period up to 31/03/2015.
- 2. The consent is valid for the manufacture of -

Sr.	Product	Max. Qty.	
1	Oxytocin (Bulk Drug)	3000 (15000)*	MIU Lit/M*
2	Other peptides (such as nonapeptide etc.) & R & D work		

\* Industry shall manufacture "nonapeptide" and for further processing and producing "Oxitocin" it can sent partial quantity to M/s. Jasan Textile Mills (P) Ltd. (Pharmaceutical Div., Hemmo Pharma), 159A, 25<sup>th</sup> Road, Wagale Indl. Estate, Thane-400604..

## 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory should not exceed **50.00** m<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory should not exceed 5.00 m<sup>3</sup>.

#### (iii) Trade Effluent:

<u>Treatment</u>: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1)	pH	Between	6.0 to	8.5
2)	Suspended Solids	Not to exceed	100	mg/l.
3)	BOD 3days 27 Deg. C.	Not to exceed	100	mg/l.
4)	COD	Not to exceed	250	mg/l.
5)	Oil & Grease	Not to exceed	10	mg/l.
6)	TDS	Not to exceed	2100	mg/l.
7)	Sulphides	Not to exceed	2	mg/l.
8)	Phenol	Not to exceed	1	mg/l.
9)	Free Ammonia	Not to exceed	5	mg/l.
10)	Nitrate Nitrigen	Not to exceed	20	mg/l.

- 11) Bioassay test 90% survival of fish after first 96 hours in 100% effluent
- (iv) Trade Effluent Disposal: The treated trade effluent shall be recycled/reused to the maximum extent & remaining shall be disposed into CETP.
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards:
  - (1) Suspended Solids Not to exceed
     (2) BOD 3 days 27° C. Not to exceed
     100 mg/l.
     100 mg/l.
- (vi) Sewage Effluent Disposal: The treated sewage effluent shall be soaked into soak pit which shall be got cleaned periodically. Overflow, if any be disposed ito CETP.
- (vii) Non-Hazardous Solid Wastes:

Type of Waste Quantity Disposal

- (viii) Other conditions: The industry should monitor effluent quality regularly.
- 4. The applicant should comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under:

The daily water consumption for the following categories is as under:

i	Domestic	15.0	CMD
ii	Industrial Processing	100.0	CMD
iii	Industrial Cooling	25.0	CMD
iv	Agriculture/Gardening	05.0	CMD

The applicant should regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

### 5. CONDITIONS UNDER AIR ACT:

(i) The applicant should operate comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

### Control Equipment:

- 1) Adequate fume extraction system followed by ammonia scrubber of sufficient capacity shall be provided to limit the emissions and operated properly.
- 2] There shall not be any secondary (fugitive) emissions.

#### Standards for Emissions of Air Pollutants:

1	SPM	Not to exceed	150	$mg/Nm^3$
2	$\mathrm{SO}_2$	Not to exceed	50	Kg/Day
3	NH3	Not to exceed	50	mg/Nm3

(ii) The applicant should observe the following fuel pattern:-

<u>Sr.No.</u>	Type of Fuel	Quantity
1.	LDO	600 Lit/day
2.	Diesel	100 Lit/day

(iii) The applicant should erect the chimney(s) of the following specifications:-

<u>Sr.No.</u>	Chimney attached to	<u>Height in mt.</u>
1.	Boiler	21
2	D G Set (500 KVA)	9.0 above roof level

- (iv) The applicant should provide ports in the chimney/(s) and facilitates such as ladder, platform etc. For monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. And these shall be painted/displayed to facilitate identification.
- (v) The industry should take adequate measures for control for noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. And night time is reckoned between 10 p.m. and 6 p.m.

#### (vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

#### Conditions for D.G. Set:-

- 1) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- 2) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 metres from acoustic

enclosure/room and then average.

- 3) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- 4) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- 5) Installation of DG Set much be strictly in compliance with recommendations of DG Set manufacturer.
- 6) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- 7) D.G. Set shall be operated only in case of power failure.
- 8) The applicant should not cause any nuisance in the surrounding area due to operation of D.G.Set.

## 6. CONDITIONS UNDER HW (M, H & TB) RULES, 2008:

The applicant should handle hazardous wastes as specified below:

Sr.No	Item No. as per Sch-I	Type of Waste	Quantity	Disposal
1	34.3	ETP Sludge	50 Kg/M.	CHWTSDF
2	28.1	Waste & residue	30 Kg/M	CHWTSDF

7. Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

# 8. Industry shall comply with following additional conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.

- iii. Solid waste The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 9. If CETP dose not work for achieving standards & problem of pollution occurs, industry shall voluntarily stop the production or total effluent shall be reused.
- 10. The consent shall not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may be deemed fit necessary.
- 11. The industry shall also comply with the Industry specific standards notified under Environment Protection Act.

- 12. This consent is issued as per the decision taken in the meeting of the Consent Committee of Board held on 30/11/2012...
- 13. The Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
- 14 Total Capital investment of the industry is Rs. 25.65 Crores.

(Rajeev Kumar Mital, IAS) Member Secretary

To.

M/s. Hemmo Pharmaceuticals Pvt Ltd. Plot No. C-43, MIDC TTC, Turbhe, Navi Mumbai.

Copy to:

- 1) Regional Officer, MPCB, Navi Mumbai, 2) Sub-Regional Officer, MPCB, Taloja They are requested to ensure compliance of consent conditions & report the same.
- 3) CAO. 4) Cess Branch, MPCB. 5) Master file.

#### Received Consent fee of -

Sr. No.	Amount(Rs.	DD. No.	Date	Drawn On	
1	2,50,000/-	405263	25/03/2010	Oriental Cmmerce	Bank of
2	80,000/-	406536	12/07/2010		
3	16,000/-	406535	12/07/2010	"_	
4	1,10,000/-	270272	19/04/2012		