

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 022-22640345

Fax : 022-22640345

Email : sromumbai1@mpcb.gov.in

Visit At : <http://mpcb.gov.in>

Shri Chatrapati Shivaji Maharaj Municipal Market  
Building 4th floor, Mata Ramabai Ambedkar Road

Mumbai - 400 001

RED/SSI

Consent No. BO/JD(APC) EIC NO .MU-

-12/R/CC-1874

Date: 01/03/2013  
10/2/2013

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management Handling & Transboundary Movement) Rules, 2008.

[To be referred as Water Act, Air Act and HW(MH & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Carriage Repair Workshop,  
Western Railway, N.M. Joshi Marg,  
Lower Parel, Mumbai- 400 013.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(MH&TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to - 31.12.2015
2. The Consent is valid for the Manufacture of -

Sr. No.	Product	Maximum Quantity
1	Periodic Over haul of maintenance Board gauge coaches	128 Coaches/Month

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 149.0 M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 521 M<sup>3</sup>.
- (iii) Trade Effluent Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1)	pH	Between	5.5 to 9.0
2)	Suspended Solids	Not to exceed	100 mg/l.
3)	BOD 3 days 27°C	Not to exceed	100 mg/l.
4)	COD	Not to exceed	250 mg/l.
5)	Oil & Grease	Not to exceed	10 mg/l.
6)	TDS	Not to exceed	2100 mg/lit.
7)	Chlorides	Not to exceed	600 mg/l.
8)	Sulphates	Not to exceed	1000 mg/l.

(iv) **Trade Effluent Disposal:** The treated effluent be reused/recycled in the process to the maximum extent and remaining shall be disposed in to the sewerage system provide by MCGM. There shall not be any discharge outside the factory premises in open drain.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27° C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Sale to Authorized dealer
1	M S Scrap	2528	MT/A	---	Sale to Authorized dealer
2	Turning & Borings	530	MT/A	---	Sale to Authorized dealer
3	Non Ferrous scrap	66	MT/A	---	Sale to Authorised dealer

(viii) **Other conditions:** The industry shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under: The daily water consumption for the following categories is as under:

(i) Domestic	652 CMD
(ii) Industrial Processing	186 CMD
(iii) Industrial Cooling	18.0 CMD
(iv) Agriculture/Gardening	0.0 CMD
(v) Other	0.0 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**A) Control Equipment:**

- 1) Fume extraction system followed by dust collector of sufficient capacity shall be provided to all dust generating sources of SPM/TPM and shall be operated properly and continuously.
- 2) There shall not any secondary (fugitive) emissions

**B) Standards for Emissions of Air Pollutants:**

- (i) SPM/TPM Not to exceed 150 mg/Nm<sup>3</sup>  
(ii) SO<sub>2</sub> Not to exceed 2.27 Kg/Day.

- (ii) The applicant shall observe the following fuel pattern:-

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	Coal	56.0 Kg/day
2.	LSHS	98.63 Lit/day

- (iii) The applicant shall erect the chimney(s) of the following specifications:-

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs.</u>
1.	Burn out Processor	30

- (iv) The applicant shall provide parts in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted /displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

- (vi) **Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.  
2) The industry should monitor stack emissions and ambient air quality Regularly.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MH & TM) RULES, 2008:**

- (i)The applicant shall handle hazardous waste as specified below:-

Sr. No.	Item No. of Process Generating H.W. as per Schedule-I	Type of Waste	Quantity	Disposal
1	5.1	Used/Spent Oil	124.37	Sale To Authorized Recycler/Reprocessor
2	5.2	Waste/Residue containing oil	MT/Year	
3	B-4	Condemned battery cells	476.430 MT/Year	Sale To Authorized Recycler/Reprocessor

(ii) Treatment:-

(iii) The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**8. General conditions:**

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, no. of trees surviving as on 31<sup>st</sup> March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm shall submit MPCB the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30<sup>th</sup> September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

- (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
9. The Board reserves the rights to add/amend/revoke any condition in this consent and the same shall be binding on the applicant.
10. The applicant shall submit Bank Guarantee of Rs.5,00,000/- towards installation of STP by 31/08/2013. The Bank guarantee shall draw in favour of Regional Officer, MPCB, Mumbai within 15 days valid for one year .
11. The Consent is issued subject to the decision taken in the meeting of the Consent Committee of the board held on 15.02.2013.
12. The total Capital investment of industry is Rs.37.50 Crores.

For and On Behalf of the  
Maharashtra Pollution Control Board,

  
(Rajeev Kumar Mital, IAS)  
Member Secretary

To,  
M/s. Carriage Repair Workshop,  
Western Railway, N.M. Joshi Marg,  
Lower Parel, Mumbai-400 013.

Copy to:

- 1) Regional Officer, MPCB, Mumbai / 2) Sub-Regional Officer, MPCB, Mumbai-I  
-They are directed to obtained Bank Guarantee of Rs.5,00,000/- as per consent condition no.10 and ensure the compliance of consent conditions and submit the performance report along with monitoring results within one month period.

- 3) Chief Accounts Officer, MPCB, Mumbai  
Received Consent fee of -

<u>Amount</u>	<u>D.D.No.</u>	<u>Date</u>	<u>Drawn on</u>
Rs.2,25,000/-	171293	16.10.2012	Reserve Bank of India.

- 4) Cess Branch, MPCB.