

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515

Website: <http://mpcb.gov.in>

E-mail: [pci2@mpcb.gov.in](mailto:pci2@mpcb.gov.in)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor

Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E)

Mumbai-400 022.

Red/L.S.I

Date: 25/Mar/2013

Consent No: BO/PAMS/RO Mumbai/EIC No MU-4522-13/E/CAC/2495

Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s Rashtriya Chemicals and Fertilizers Ltd  
Revenue Survey No.1,100,100/1-1,12,101,108,116,117/1-2,  
Village Marawali, CTS No.127, Trombay unit  
Chembur Mahul Village Road,  
Chembur, Mumbai-400074

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Establish is granted for a period up to: Commissioning of the unit or Five years whichever is earlier.

2. The Consent is valid for installation of potassium nitrate plant - 300MT/M. The total production of sodium nitrate/nitrite & potassium nitrate together shall not exceed the consented capacity i.e 5230 MT/A.

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be Nil.  
(ii) The daily quantity of sewage effluent from the factory shall be 2.00M<sup>3</sup>.

(iii) Trade Effluent: --NA--

(iv) Trade Effluent Disposal: --NA--

(v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- (1) Suspended Solids Not to exceed 100 mg/l.  
 (2) BOD 3 days 27o C. Not to exceed 100 mg/l.

(vi) Sewage Effluent Disposal: The treated domestic effluent shall be connected to the sewerage system provided by MCGM

(vii) Non-Hazardous Solid Wastes: --NA--

(viii) Other Conditions: --NA--

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic purpose ... 2 CMD  
 (ii) Water gets Polluted & Pollutants are Biodegradable ... ---- CMD  
 (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic ... ---- CMD  
 (iv) Industrial Cooling, spraying in mine pits or boiler feed ... 7 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT.

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment: Industry shall provide necessary APC devices to control the emissions.

b. Standards for Stack Emissions:

- a. SPM/TPM Not to exceed ---- mg/Nm<sup>3</sup>  
 b. SO<sub>2</sub> Not to exceed ---- kg/Day

(i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
----N/A----			

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Neutralization Tower-SNNP (existing)	20.00

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions:**
- 1) The industry should not cause any nuisance in surrounding area.
  - 2) The industry should monitor stack emissions and ambient air quality Regularly.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:**

- (i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	5.1 Used /spent oil	1050.00	Lit/Y	Sale to autho.reprocessor

- Quantity of used/spent oil generated shall not exceed the total consented quantity i.e 100 MT/Year

- (ii) Treatment: - NIL

7. Whenever due to any accident or release of gases or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emissions and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organizations as require under the law.

**8. General conditions:**

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, no. of trees surviving as on 31<sup>st</sup> March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant

- shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (ii) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
  - (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30<sup>th</sup> September every year.
  - (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
  - (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
  - (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - (ix) The applicant shall maintain good house keeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.

**9. This consent to Establish is applicable only for installation of Potassium Nitrate plant of 300 MT/M**

**10. The consent should not be construed as any exemption from obtaining necessary NOC from other Govt. agencies as may deemed fit necessary.**

**11. The industry shall obtain necessary NOC/permission from any other Govt. agencies as may be deemed fit necessary under the relevant laws applicable to the area.**

**12. The industry shall obtain consent to Operate before Actual commencement of the potassium nitrate unit.**

13. This consent is issued in accordance with MoEF, Govt of India circular dated December 14, 2006 stating that in cases of change of product-mix, changes in the quantities or the numbers of product may be allowed without E.C by the concerned SPCB provided such changes in the quantities of product are in the same category and are with the previously granted overall total limits. Industry vide letter no TS/ENV/PN-Consent/2013 dtd 01st Feb, 2013 has submitted that the production of the product is within the consented limit and there is no increase in pollution load.
14. The industry shall also comply with the Industry specific standards notified under Environment Protection Act.
15. This consent is issued pursuant to the decision of the 2<sup>nd</sup> sitting of 11<sup>th</sup> Consent Appraisal Committee held on 12/03/2013.
16. The projected Capital investment for installation of potassium nitrate plant is Rs. 4.07 Crore. Capital investment of the existing unit is Rs. 1496.26 Crore

(Rajiv Kumar Mital, IAS)  
Member Secretary

To,  
Rashtriya Chemicals and Fertilizers Ltd Chembur  
Revenue Survey No.1,100,100/1-1,12,101,108,116,117/1-2 ,  
village Marawali ,CTS No.127, Trombay unit,  
Chembur Mahul Village Road,  
Chembur, Mumbai-400074

Copy to:

- 1) Regional Officer, MPCB, Mumbai } They are directed to ensure the compliance of consent conditions.
- 2) Sub-Regional, Officer, MPCB, Mumbai - 3 } They are directed to ensure the compliance the consent conditions.
- 3) Chief Accounts Officer, MPCB, ,Mumbai

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	15100	096051	07 Sep 2012	SBI Bank