## MAHARASHATRA POLLUTION CONTROL BOARD

Phone:

4010437/4020781

Favi

/4037124/4035273

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in



Kalpataru Point 3rd & 4th 100m Sic Scheme Road No 3 Our Ose Parei Sion Circle Sign (5)

Mumbai - 400 022

Red/L.S.I

Date: 104/20

Consent No: BO/PAMS/O/EIC NO.PN-16464-13/CAC-3017

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively.]

CONSENT is hereby granted to

M/s. 3 M India Ltd Plot No. B-20, MIDC Ranjangaon Tal-Shigur, Dist Bunc

located in the area declared under the provisions of the Water the Authorization under the provisions of HW(ACCH). Rules and amendments subject to the provisions of the Act and the Rules and the orders that made further and subject to the following terms and conditions

1. The Consent to Operate is granted for a period up to: 31, 10, 2013

2. The Consent is valid for the manufacture of

Sr. No.	Product Name	Maximum	UOM
		Quantity	
1	Jumbo Tane	2780833	Sq.Mtrs/vi
2	Scotch Brite	123824484	Nos. Y
3	Nose Mask	21380000	Nos./Y
4	Repacking of Adhesives	400	Ltr/M
5	Repacking of Thinner / Primers	4000	Ltr/M
6	Repacking of Paste Glaze	2200	Ltr/M
7	Drape packing	70000	Pouch/M
8	Surgical Tape Slittting	500000	Pcs/M
9	Repacking of Tapes & Dressings	500000	iPcs/M
10	Surgical Instrument Cleaner	13000	
	Non – Woven abrasive products (Jumbo,	479000	
	roll, pad, brushes and wheels)		
12	Abrasive wheels and accessories, square	600	
	meters / month)		
13	Dressings	16500000	
14	Skin Application Products	170	
15	Instruments, Surface Cleaning and	215	
	Disinfection Products	×	

#### CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory's
- (ii) The daily quantity of sewage effluent from the factory shall no

#### (iii) Trade Effluent:

Treatment: The applicant shall provide comprehensive consisting of primary / secondary and/or tertiary treatment as reference to influent quality and operate and maintain the as to achieve the quality of the treated effluent to the following

1	рН	Between .	5.5 6 90
2	BOD 3 days 27 deg C	Not to exceed	100 mg/l
3	Oil & Grease	Not to exceed	10 m
4	Suspended Solids	Not to exceed	100 mg/
5	COD	Not to exceed	250 mg/E
6	TDS	Not to exceed	
7	Chloride	Not to exceed	600 mg/L
8	Sulphate	Not to exceed	1000 mg/L
9	Bioassay test on fish should show	90% survival in	96 hrs

- (iv) Trade Effluent Disposal: The treated efflue maximum extent and remaining treated effi gardening. There shall not be any discharge of
- Sewage Effluent Treatment: The applicant shall protreatment system as is warranted with reference to influent and maintain the same continuously so as to achieve effluent to the following standards.

(1) Suspended Solids

Not to exceed 100

- **(2)** BOD 3 days 27o C. Not to exceed 100
- (vi) Sewage Effluent Disposal: The treated domestic effluent shall be soak pit, which shall be got cleaned periodically. Overflow, on land for gardening plantation only.

#### (vii) Non-Hazardous Solid Wastes:

Sr.	Type Of Waste	Quantity	UOM	Disposal	31111
No.		•		2 isposai	
1	Metal scrap / waste	500.00	Kg/M	Sale to Authorized vendor	
2,0	Wooden scrap / waste	5000.00	Kg/M	Sale to Authorized vendor	
3	Plastic & rubber scrap /	4000.00	Kg/M	Sale to Authorized	m
	waste			vendor aRubber waste sent to CHWISDE	
4	Paper & cardboard waste like pad, liners etc.	7000.00	Kg/M	Sale o su doutes venus	
5	Glass scrap / waste	10.00	Kg/M	Sale to Aution segment	H
6	Fabric & cloth pads	1500.00	Kg/M	Sale to Authorized verifier	
7	Domestic waste	2000.00		Sale to Authorized very gr	
8	Gardening waste	1000.00	Kg/M	Sale to Authorized ven or	
9	Rejected products	47000.00	Kg/M	Sale to Authorized ventor	
10	Film	3800.00	Kg/M	Sale to Authorized vender	
1.16				THE PERSON NAMED IN COLUMN OF STREET	10.00

	Cartoons	3750.00	Kg/M		
12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1700.00	Kg/M	Sale to Authorize 1/2 lo	
13	Cardboard, broken wood pallets	5500,00	Kg/M	Sale to Authorize 7: 3	
14	Miscellaneous	1500.00	Kg/M	Sale to Authorizet vendo	
15	Natural Fiber	500.00	Kg/M	Sale to Authorize versio	
16	Bottles, dispenser, plastic items	1000.00	Kg/M	Sale to Authorized yendo	ijĘ

(viii)Other Conditions: Industry should monitor effluent quality regular

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under

- (i) Domestic purpose
- (ii) Water gets Polluted & Pollutants are Biodegradable ...
- (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic...
- (iv) Industrial Cooling, fire hydrant Make up or boiler feed ...

The applicant shall regularly submit to the Board the consumption in the prescribed form and pay the Cess as veci in the Section 3 of the said Act.

#### 5. CONDITIONS UNDER AIR ACT

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
- a. Control Equipment:
  - I. Air pollution control system of sufficient capacity shall be provided to all dust generating locations and operated properly.

    There shall not be any secondary (fugitive) emissions.

#### Standards for Emissions of Air Pollutants:

- (i) SPM/TPM Not to exceed 150 mg/Nm3 (ii) SO2 Not to exceed 360 Kg/day
- (i) The applicant shall observe the following fuel parteur

Sr. No.	Type Of Fuel		UOM
1	HSD	750.00	Kg/Hr
2	Natural Gas	180.00	Kg/Hr
3	Propane	212.00	Kg/Hr
4	GAS	120.00	MT/Hr

(ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Boiler	1000
2	D.G. Set (1500 KVA) (2 Nos)	Boldon Branch
3	D.G. Set (250 KVA)	<b>B</b> 00 <b>H H</b>
4	RTO (Regenerating Thermal Oxidizer)	6.00
5	TFH (Thermic Fluid Heater)	16.00
6	Oven	80.00
		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COL

installed above the root

- The applicant shall provide ports in the chimney/(s) and facilities (iii) adder, platform etc. for monitoring the air emissions and the same open for inspection to/and for use of the Board's Staff. The chimpe attached to various sources of emission shall be designated by such as S-1, S-2, etc. and these shall be painted/ displayed identification.
- The industry shall take adequate measures for control of nois (iv) its own sources within the premises so as to maintain ambient standard in respect of noise to less than 75 dB( dB(A) during night time. Day time is reckone p.m. and night time is reckoned between 10

#### (vi) Other Conditions:

- ther Conditions.

  1) The industry should not cause any nuisance in surrous
- 2) The industry should monitor stack emissions and am Regularly.

#### Conditions for D.G. Set :-

- Noise from the LG. Set should be controlled by proving acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise acoustic enclosure/ acoustic treatment of the room should designed for minimum 25 dB (A) insertion loss or for meeting ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - The industry shall take adequate measures for control levels from its own sources within the premises in respect of nois less than 55 dB(A) during day time and 45 dB(A) during time. Day time is reckoned between 6 a.m. to 10 juring n is reckoned between 10 p.m. to 6 a.m. Industry should make efforts to bring down noise eye du set, outside industrial premises, within ambient noise in the control of the control
- by proper sitting and control measures.
- by proper sitting and control measures.

  Installation of DG Set must be strictly in complianc recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for should be set and followed in consultation with manufacturer which would help to prevent noise leve from deteriorating with use

- g. D.G. Set shall be operated only in case of power fair.
- h. The applicant should not cause any nuisance in the survey area due to operation of D.G. Set.

# 7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT HANDING TRANSBOUNDRY MOVEMENT) RULES, 2008:

(i) The Industry shall handle hazardous wastes as specified pelo

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	5.1 Used /spent oil	340.00		To authorizer
2	5.2 Wastes/residue containing oil	150.00	Kg/M	онулсыс
3	5.2 Wastes/residue containing oil	250.00	Kg/M	CHVVISDE
4	33.3 Discarded containers / barrels / liners	1300.00	Drum/M	Sale to surhorized
5	22.1 Residues of additives used plastics manufacture	7500.00	Kg/M	HWIISDF
6	20.2 Spent solvents	6000.00	KeM V	CHWTSDF
7	23.1 Waste residue	31500.00	KeM	CHWTSDF
8	33.4 Chemical sludge from waste water treatment	5000 00	Kg/V	CHIVITS D.F
9	Sch- IV Sr No 18-Printer wastes, Cartridges, cans, bottles)	EP CONT	Koʻiv	Sale io

#### (ii) Treatment: - NIL

- a. The unit has to display and maintain the data online outside the corremain gate in Marathi & English both on a 6x4' display heard in manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office Silv Regions Office.
- 8. Whenever due to any accident or gas leakage or other unforeseen act or even site emissions occur or is apprehended to occur in excess of standards laid down suc information shall be forthwith Reported to Collector, Directorate of Industry Safety and Health, Police Station, Fire Brigade, Directorate of Health Services Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm of nuisance in the surrounding. The industry should not restart the process without necessary in the Board and other statutory organization as require under the law

### 9. Industry shall comply with following additional conditions

- i. The applicant shall maintain good housekeeping and take acadilating for control of pollution from all sources so as not to cause hits testing surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open and under green coverage/ tree plantation.
- iii. Solid waste The non hazardous solid waste arising in the factor or nises sweepings, etc., be disposed of scientifically so as not to cause any numarical

- pollution. The applicant shall take necessary for disposal to dumping ground.
- for disposal to dumping ground.

  The applicant shall provide for an alternate electric power some facilities installed by he applications. compliance with the terms and conditions of the consent. In applicant shall stop, reduce or otherwise, control production & conditions of this consent regarding pollution levels.
- The applicant shall not change or alter quantity, quality, the rate of temperature or the mode of the effluent / emissions or hazardous control equipments provided for without previous written permiss Board.
- vi. The applicant shall provide facility for collection of environmental samples of trade and sewage effluents, air emissions and hazardou the Board staff at the terminal or designated points and shall for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the co days before the date of the expiry of the consent.
- viii.The firm shall submit to this office the 3014 Environmental Statement Report for the lina the prescribed Form-V as pre the provisions of rule 1 (Protection) (Second Amendment) Rules 1992
- ix. As inspection book shall be opened and made available to the during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consu energy for operation of domestic and industrial effluent treatment bland air pollution control system. A register showing consumption of che for treatment shall be maintained.
- Xi. Separate drainage system shall be provided for collection of trade and sewage effluents Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall admitted in the pipes / sewers down- stream of the terminal manhole effluent shall find its way other than in designed and provided co System.
- Neither storm water nor discharge from oth mix with the effluents from the factory:
- This consent shall not be construed as any exemption from No Objection Certificate from other Government agencies as in necessary.
- If CETP does not operate efficiently and problem of pollution occur 10. should voluntarily stop the production or total effluent should

- The existing Bank Guarantee of Rs 5.00 lakhs towards of control system is hereby extended up to consens validity in
- This consent is issued with an overriding effect on existing coursen to learn the granted by Board vide No. BO/PAMS/R/EIC No. 15070. 2/(11) dated 10/12/2012, valid upto 31.10.2013.
- This consent is issued pursuant to the decision of Consent According to the Board held on 19/03/2013.

The Capital investment of the industry is Rs 245.49 Cr

(Rajee Rumar Wita

To, M/s 3 M India Ltd. Plot No. B-20, MIDC Ranjangaon, Tal-Shirur, Dist-Pune.

Copy to:

RO, Pune/SRO, Pune II

- They are directed to ensure the compliance of consent conditions CAO/Cess Branch/Master file.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD No	Date	
1	100000/-			Drawn On
2		284402	20 Dec 2012	Citi Bank
3	41000/-		27 Nov 2012 04 Jan 2013	Citi Bank