# MAHARASHATRA POLLUTION CONTROL BOXED

Phone: 24020781 / 24010437

Fax : 24024068 / 24044532

Email: mpcb@vsnl.net

Visit At: http://mpcb.gov.in



Kalpataru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor Opp. Cineplanet, Near Sion Circle Sion (E), Mumbai-400022.

EICINO: PN-13898-12

Infrastructure Project/Orange/LSI

Consent No. MPCB/ROHQ/Pune/CE/CC/ 3067

Date:

Consent to Establish under Section 25 of the Water (Preventions) Control Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Franspornding Movement) Rules 2008

CONSENT is hereby granted to,

M/s. Balewadi Properties Pvt. Ltd., Plot No. 20 and 21, at Balewadi, Tal. Haveli, Pune.

located in the area declared under the provisions of the Water Act. Air act and Authorization under the provisions of HW(M&H) Rules and amendments the resubject to the provisions of the Act and the Rules and the Orders that may be further and subject to the following terms and conditions:

The Consent to Establish s valid up to Commissioning of the Pro-5-years whichever is earlier.

For development of land/ plot as new construction activities for construction of Residential cum Commercial Project of M/s. Balewadi Properties Ryf. Lfd.

Plot No. 20 and 21, At Balewadi, Tal. Haveli, Pune on Total plot area of 5, 400 sq.mtrs, & Praposed BUA (As per FSI) is 93,179.05 sq.mtrs and Total Brat of 2,09,608.89 sq.mtrs including utilities of the project as per construction commencement certificate issued by local body.

# 2. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of sewage effluent from construction project shall not exceed 465  $M^3$ .
- (ii) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and main at the same continuously so as to achieve the quality of preate afflicant forth standards.

1	pH	Not to exceed	6 5 to 9.0 1
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 Days 27 degree C	Not to exceed	100 mg/l.
4	Fecal Coliform	Not to exceed	500/100/1 mg/l
5	Residual Chlorine	Not to exceed	01 mg/l.
6	Detergent	Not to exceed	01 mg/l.
7	Floating matters	Not to exceed	10 g/i

Sewage Effluent Disposal: The treated domestic effluent reused for flushing, fire fighting, cooling of Air conditione be discharged into sewer line of local body. In no case, eit let any water body directly/indirectly at any time.

[The project proponent authorities should opt technologies like ozonation, UV treatment etc by re

Non-Hazardous Solid Wastes: (iv)

		T. F	T total total total where the contract of	s i 1886. Attachicat Libration de Libration i
Sr. No	Type of Segregated solid waste	Quantity Kg/D	Treatment	Lisposa
1.19		1 1 1 1 1	Name (child)	
1.	Wet Garbage	3450	Treated in Organic	Use <b>us</b> El
			Waste Converter	Маоте
2.	STP Sludge	100	Composting	
	<u> </u>		Compositie	
3.	Dry Garbage	2300		Willage
				Handed over
l .				to Authorized
				Recycler
O . 1				(C)

Other Conditions (during Construction Phase):

1. All activities shall be in resonance with the provisions of Indian For 1927 (16 of 1927), Forest (Conservation) Act, 1980 (69 of 1980) and (Protection) Act, 1972 (58 of 1972), and special notification publis area wherever applicable and all the Environmental Scatter

Instruments.
This Consent to Establish is issued only for N

This Consent to establish is Construction Projection proses.

No quarrying activities shall be commenced in the area in less permissions are obtained for a limited quarrying material residential housing and traditional road in construction of local residential housing and traditional moad new work provided that such quarrying is not done on Forest Lange material is not exported to the outside area.

There shall be no felling of trees whether on Forest, Government or Private lands except as per prevailing Rules.

Extraction of Groundwater for the project shall require prior perm the State Ground Water Authority or other relevant authoritie applicable.

Near the activities that are related to water (like activity of water har water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not less than 5 mg/liter.

7. In order to ensure that the water from this project do not enter into a environment, the nallas crossing the township/complex premises, si lined, covered and made water tight by the applicant within their with intermittent inspection of chambers following good practices as per the regulations of local body.

The Applicant shall prepare management of water reclamation, water/storm water conser-before handling over of complex for occupation

- Applicant shall provide fixtures for showers, toilet flust should be of low flow either by use of aerators or pressure reducing or sensor based control.
- 10. The Applicant shall draw plans for the segregation of solid wastes in biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting (i.e. vermi composting facility within premises) with the approval of local pody. The proper demarked area shall be identified for collection & storage of MS properly which, shall be finally disposed off at approved Municipa Waste landfill site of local body environmentally acceptable method. It is clarified that the term solid waste include commercial, and garden wastes out does not include medical wastes. The activities of bio-commostance are resulted by the same of the Municipal Solid Waste (M&H) Rules 2001.

  11. Applicant shall be responsible to take adequate precautions of the same of the sa
- detailed in this consent.
- 12. The applicant/generator shall be responsible for safe and transportation, treatment and disposal of Bio Medica Wast provisions made under the Bio-Medical Waste (Management Rules, 1998. Any activity as defined under BMW M & H R obtain a separate Authorization from Maharashtra Pollution Control
- 13. For disinfections of waste water ultra violet radiation shall be used of chlorination.
- 14. Vehicles hired for construction activities should be operated only during nor peak hours.
- 15. Ready mixed concrete used in building construction should apply separately for consent from the Board.
- 16. Applicant, during the construction stage shall provide
  - a. Septic tank and soak pit of adequate capacity for the dome effluent generated due to workers residing at site.
  - Proper loading and urloading of construction material
- material and its proper disposal as per MSW (M&H) Rull
  c. Cutting of trees is not permitted however is mayout ble
  necessary permission from the local odd strail to the acceptable of 33% of the open space shall be developed.

  17. E-Waste shall be disposed to authorized re processor.
- The applicant shall comply with the provisions of the Water (P & Control of Pollution) Cess Act, 1977 (to be referred as Cess amendment Rules, 2003 there under,
  - The daily water consumption for the following categories is as
  - (i) Domestic Water gets Polluted &

Pollutants are Biodegradable

(iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic ...

(iv) Industrial Cooling, spraying

.. CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified Section 3 of the said Act.

- CONDITIONS UNDER AIR (Prevention & Control of Pollution) A
  - The Applicant may install 1-nos of diesel gene 200 KVA and shall be equipped with comparations warranted with reference to generations a maintain the same continuously so as to achie following standards:

# Standards for Emissions of Air Pollutants

(i) SPM/TPM

Not to exceed

(ii) SO2 (DG Set)

Not to exceed

#### (ii) The following measures shall be taken:

- Adequate mitigation measures shall be taken to control emissions of SO2, NOx, SPM, and RSPM.
- Applicant shall achieve following Ambient Air Quality standards.
- SPM Not to Exceed (Annual Average)  $\mu g/m3$ Not to Exceed (24 hours)  $\mu g/m3$
- Not to Exceed (Annual Average) Not to Exceed (24 Hours)
- NOx Not to Exceed (Annual Average). Not to Exceed (24 hours)
- RSPM Not to Exceed (Annual Average) Not to Exceed (24 hours)

### The applicant shall observe the following fuel pattern

	Sr. No		Type Of Fuel		Quantity	
į.	1		HSD	444	45.50 Ltrs/Hr	
444)	The	annligant	shall erect the	chimn		

specifications:-

Sr. No.	Chimney Attached To	Height above the roof of
		building in which it is
		installed
1.	200 KVA	3.5 Mtrs each

# (iv)

- Conditions for D.G. Set:

  Noise from the D.G. Set should be controlled by providing an accention or by treating the room acoustically.

  Industry should provide acoustic enclosures for course in acoustic enclosure acoustic treatment of the room should be deforminimum 25 dB (A) insertion loss or for meeting the amount standards, whichever is on higher side. A suitable estimation with insertion loss of 25 dB (A) shall also be provided measurement of insertion loss will be done at different points. measurement of insertion loss will be done at differen meters from acoustic enclosure/room and then average
  - The industry shall take adequate measures for control levels from its own sources within the premises in respect of not less than 75 dB(A) during day time and 70 dB(A) during the time. Day time is reckoned between 6 a.m. to 10 p.m and nie reckoned between 10 p.m to 6 a.m.
- Industry should make efforts to bring down noise level d outside industrial premises, within ambient noise requirements proper sitting and control measures.
- Installation of DG Set must be strictly in compliance recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for I should be set and followed in consultation with the DG manufactors which would help to prevent noise levels of DG set from dere with use.
- D.G. Set shall be operated only in case of po The applicant should not cause any nuisa
- due to operation of D.G. Set

#### (v) Other Conditions:

- The applicant shall provide ports in the chimney/(s) and facilities ladder, platform etc. for monitoring the air emissions and the same sha a) be open for inspection to/and for use of the Board's Staff. The chimney(s vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted displayed facilitate identification.
- Water spraying shall be done on ground to avoid fugitive emissions
- Construction material shall be carried in enclosed vehicles construction activities.

# Conditions for Utilities like Kitchen, Eating

- Iditions for Utilities in the kitchen shall be provided with excausi system of mir catcher connected to chimney through discrime.

  The toilet shall be provided with exhaust system connected.
- The air conditioner shall be vibration proof exceed 68 dB (A).
- The exhaust hot air from A.C. shall be attached to Char mtrs. higher than the nearest tallest building through duct shall discharge into open air in such way that no nuisance is ca neighbors.
- The Applicant shall take adequate measures for control of noise its own sources within the complex (residential cum Commer respect of noise to less than 55 dB(A) during day time and 45 dB(A) time the night time. Daytime is reckoned as between 6 a.m. to 10 p.m. an Nighttime is reckoned between 10 p.m. to 6 a.m.
- (viii) Construction equipments generating noise of less than 65/90 db(A) permitted.
- No construction work is permitted during nighttime. (ix)
- CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT HANDIN TRANSBOUNDRY MOVEMENT) RULES, 2008;
  - The applicant shall handle hazardous wastes

#### Type Of Waste Quantity UOM Disposal The applicant shall not generate any type of Hazardous Waste.

- The applicant shall certify that the bricks used in construction are in using the ash from Thermal Power stations if it is within a radius of 100 Thermal Power Plant and submit the names of bricks manufacturer The shall use fly ash based material/products as per the pro Notification of 14.09.1999 and as amended on 27.08.2003.
- The applicant shall obtain Consent to Operate from Maharasi Pollution Control Board before commissioning of the project.
- The applicant shall adopt environment friendly technology in development project.
- 10. The applicant shall take the proper remediation measures to ensure the ground water and soil contamination is prevented and follow due diligence construction stage.
- Energy conservation measures like installation of sol outside the building should be integrated part of the
- The applicant shall use fly ash based fly ash Notification of 14.09.1999 and as amended on 27.08.2003

- 13. This Board reserves the right to amend or add any conditions in this consent the same shall be binding on the Applicant.
- 14. The applicant shall provide Environmental friendly road transportation by adopting mechanical type closed trucks for transportation of minerals & metals construction debris with effect from 1/04/2012.
- 15. The applicant shall comply with the conditions stipulated in Environmenta Clearance granted by GOM, vide no: SEAC2211/CR-918/TC-2. dt: 26/11/2012
- 16. The applicant shall comply conditions prescribed in Minister of PRZ
  Review Meeting issued by Department of Environment System March 2013
  No.Nadiyo-2011/Pr.Kr.41/Tan. K-1 dated 8th March 2013
- 17. The applicant shall submit site map approved by Pune Muticipa Cape indicating STP & MSW site location, to the concerned authority.
- 18. This is issued pursuant to the decision of Consent Committee of the Dorre in meeting held on 28th March, 2013.
- 19. The applicant shall submit Bank Guarantee of Rs. 10 Lakhs toward compliance of Consent conditions and Environmental Clearance Conditions Regional Office, MPCB, Pune within 15-days.

20. The Capital investment of the project is Rs. 280 07 Cr.

(Rajeev Kumar Mita) Membenseben in

M's. Balewadi Properties Pvt. Ltd. Rot No. 20 and 21, At Balewadi, Tal. Haveli, Pune.

#### Copy to-

- Regional Officer, MPCB, Pune He is directed to obtain necessary B Guarantee from the applicant and ensure compliance of consent conditions
- 2. Sub Regional officer, Pune MPCB.
- 3. Chief Accounts Officer, Mumbai, MPCB.

Received consent fee of:-

Sr. No.	Amount	DD. No.	Date	Drawn On	
1.	Rs. 1,92,746/-	032929	29/8/2011	HDFC Bank	100
2.	Rs.3,67,254/-	035904	26/3/2012	ICICI Bank	

4. | Cess Branch, MPCB, Mumbai.

5. Master file.