

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24020781 / 24010437

Fax : 24024068 / 24044532

Email : mpcb@vsnl.net

Visit At : <http://mpcb.gov.in>



Kalpataru Point, 2nd, 3rd & 4th Floor,
Opp. Cineplanet, Near Sion Circle,
Sion (E), Mumbai-400022.

MU-4411-13 & MU-2975-11

Infrastructure/Orange/L.S.I

ConsentNo.MPCB/RO(HQ)/CE&CO/CC/B- 3938

Date: 06/05/2013

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008.

[To be referred as Water Act, Air Act and HW (M,H&T) Rules respectively].

CONSENT is hereby granted to,

**M/s.Mumbai Housing Area Development Board(MHADA)
CTS No. 1C/1/1(part), Shimpavali of village- Kandivali at
Charkop,Mumbai – 400 092.**

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M,H&T) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 31/10/2014.
2. The Consent is valid for construction for development of land /Plot as new construction Activity for development of Economically Weaker Section and MIG Type Tenements named as **M/s. Mumbai Housing Area Development Board(MHADA) at CTS No. 1C/1/1(part), Shimpavali of village- Kandivali at Charkop,Mumbai – 400 092** on Total Plot area of 13,378.00 sq.mtrs and Total Construction BUA of 27,797.0 sq.mtrs including utilities of the project as per construction commencement certificate by local body.
3. **CONDITIONS UNDER WATER ACT:**
 - (i) The daily quantity of trade effluent from the factory shall be NIL.
 - (ii) The daily quantity of sewage effluent from the factory shall not exceed **382.00 M³**.
 - (iii) **Sewage Effluent Treatment :**

Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards

1	pH	Between	5.5 to 9.0
2	Suspended Solids	Not to exceed	100 mg/l.
3	BOD 3 Days 27 ° C	Not to exceed	100 mg/l.
4	Fecal Coliform	Not to exceed	500/100/1 mg/l.
5	residual chlorine	Not to exceed	01mg/l.
6	Detergent	Not to exceed	01mg/l
7	Floating Matter	Not to exceed	10 mg/l
8	COD	Not to exceed	250 mg/l

(iv) **Sewage Effluent Disposal:** The treated domestic effluent shall be 80% recycled and reused for flushing, fire fighting and cooling of Air conditioners etc. In no Case, effluent shall find its way to water body directly/indirectly at any time.

proponent shall operate STP for five years from the date of obtaining Occupation Certificate.

(v) **Non-Hazardous Solid Wastes:**

Sr. No	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Wet Garbage	1020	Kg/Day	Composting	Used as as Manure
2	Dry Garbage	680	Kg/Day		Will be handled to Authorized Recycler
3	STP Sludge	15	Kg/Day	Composting	Used as as Manure

(vi) **Other Conditions:**

- All activities shall be in resonance with the provisions of Indian Forest Act, 1927 (16 of 1927), Forest (Conservation) Act, 1980 (69 of 1980) and Wildlife (Protection) Act, 1972 (53 of 1972), and special notification published for area wherever applicable and all the Environmental Statutes and Instruments.
- There shall be no felling of trees whether on Forest, Government, Revenue or Private lands except as per prevailing Rules.
- Extraction of Groundwater for the project shall require prior permission of the State Ground Water Authority or other relevant authorities, as applicable.
- Near the activities that are related to water (like activity of water parks, water sports) and/or in the vicinity of lake, Dissolved Oxygen shall not be less than 5 mg/liter.
- In order to ensure that the water from this project do not enter into outside environment, the nallas crossing the township/complex premises, shall be lined, covered and made water tight by the applicant within the premises with intermittent inspection of chambers following good engineering practices as per the regulations of local body.
- The Applicant shall prepare management plan for water harvesting, roof-water reclamation, water/storm water conservation and implement the same before handling over of complex for occupation.
- The Applicant shall segregate solid wastes into biodegradable and non-biodegradable components. The biodegradable material shall be recycled through scientific in-house composting. The proper demarked area shall be identified for collection & storage of MSW properly which, shall be finally disposed off at approved Municipal Solid Waste landfill site of local body environmentally acceptable location and method. It is clarified that the term solid waste includes domestic, commercial, and garden wastes, but does not include hazardous and bio-medical wastes. The activities of bio-composting and engineered landfill shall be as per the Municipal Solid Waste (M&H) Rules, 2000
- Applicant shall be responsible to take adequate precautionary measures as detailed in this consent.

9. The applicant/generator shall be responsible for safe and scientific collection, transportation, treatment and disposal of Bio-Medical Waste as per the provisions made under the Bio-Medical Waste (Management & Handling) Rules, 1998. Any activity as defined under BMW (M & H) Rules has to obtain a separate Authorization from Maharashtra Pollution Control Board.
10. For disinfections of waste water ultra violet radiation shall be used in place of chlorination.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i) Domestic purpose	...	471.00 CMD
(ii) Industrial Processing	...	00.00 CMD
(iii) Industrial Cooling	...	00.00 CMD
(iv) Agriculture/Gardening	...	00.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT :

- (i) The Applicant may install 3-nos of diesel generating set (DG Set), of capacity (1010 KVAx1) and (250 KVAx1) and shall be equipped with comprehensive control system as is warranted with reference to generations of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

Standards for Emissions of Air Pollutants:

(i) SPM/TPM	Not to exceed	150 mg/Nm ³
(ii) SO ₂ (DG Set)	Not to exceed	-- Kg/day

The following measures shall be taken:

- a. Adequate mitigation measures shall be taken to control emissions of SO₂, NO_x, SPM, and RSPM.
- b.
- c. Applicant shall achieve following Ambient Air Quality standards.

1.	SPM	Not to Exceed (Annual Average)	140	µg/ m ³
		Not to exceed (24 hours)	200	µg/ m ³
2.	SO ₂	Not to Exceed (Annual Average)	60	µg/ m ³
		Not to Exceed (24 hours)	80	µg/ m ³
3.	NO _x	Not to Exceed (Annual Average)	60	µg/ m ³
		Not to exceed (24 hours)	80	µg/ m ³
4.	RSPM	Not to Exceed (Annual Average)	60	µg/ m ³
		Not to Exceed (24 hours)	100	µg/ m ³

(i)The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	HSD	500	Litrs/hr

(ii) The applicant shall erect the chimney(s) of the following specifications:

Sr. No.	Chimney Attached To	Height in Mtrs.
1	DG Set (1010 KVA)	2.5
2	DG Set (250 KVA x2)	2.5

(iii) Conditions for D.G. Set

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

(iv) Other Condition

- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- Water spraying shall be done on ground to avoid fugitive emissions.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:


(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
Industry shall not generate any type of Waste.				

7. The applicant shall adopt environment friendly technology in development of the project.

8. The applicant shall take the proper remediation measures to ensure that the ground water and soil contamination is prevented and follow due diligence at the construction stage.

9. Energy conservation measures like installation of solar panels for lighting the area outside the building should be integrated part of the project design.
10. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
11. This consent shall not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deemed fit necessary.
12. The applicant shall comply with the conditions of Environmental Clearance granted by GOM vide No. SEAC-2009/CR-23/TC-2 dated 13/10/2010.
13. The Project Proponent need to obtained Amendment in Existing Environmental Clearance from Competent Authority, as per EIA Notification dt:14/09/2006 of MoEF,GOI as amended on date:1/12/2009.
14. **The applicant are hereby directed to submit resolution form company's Board within one month period stating that you have started construction activity without obtaining consent from the Board and violated the provisions of Environmental laws and in future you will not do such violations. If applicant fails to submit the above such resolution within one month period consent will be treated as cancelled. Applicant shall submit a separate Bank guarantee of Rs. 2.0 Lakhs against compliance of the same.**
15. The applicant shall submit a Bank Guarantee of Rs.10,00,000/- at Regional Officer, Mumbai within 15 days for Operation and Maintenance of Sewage Treatment Plant and Municipal Solid waste Processing Plant provided by Project proponent and compliance of Consent Conditions.
16. This is issued pursuant to the decision of Consent Committee of the Board in its Meeting held on 5th April, 2013.
16. The Capital investment of the Industry is Rs.71.36 Cr.


(V.V.Shinde)
 Regional Officer (HQ)
 I/c.HSM Division

To,
M/s.Mumbai Housing Area Development Board(MHADA)
CTS No. 1C/1/1(part), Shimpavali of village- Kandivali at
Charkop,Mumbai - 400 092

Copy to:

1. Regional Officer, MPCB, Mumbai - He is directed to obtain necessary Bank Guarantee from the applicant and ensure compliance of consent conditions
2. Sub Regional officer, Mumbai-IV MPCB.
3. Chief Accounts Officer, Mumbai, MPCB.


Received Consent fee of -


Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	75,100/-	264450	10/10/2011	Bank of Maharashtra
2.	1,10,100/-	396955	5/12/2012	Bank of Maharashtra

4. Cess Branch, MPCB, Mumbai.
 SRO Mumbai IV/I/O/L/56612000

5. Master file.

9. Energy conservation measures like installation of solar panels for lighting the area outside the building should be integrated part of the project design.
10. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
11. This consent shall not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deemed fit necessary.
12. The applicant shall comply with the conditions of Environmental Clearance granted by GOM vide No. SEAC-2009/CR-23/TC-2 dated 13/10/2010.
13. The Project Proponent need to obtained Amendment in Existing Environmental Clearance from Competent Authority, as per EIA Notification dt:14/09/2006 of MoEF,GOI as amended on date:1/12/2009.
14. **The applicant are hereby directed to submit resolution form company's Board within one month period stating that you have started construction activity without obtaining consent from the Board and violated the provisions of Environmental laws and in future you will not do such violations. If applicant fails to submit the above such resolution within one month period consent will be treated as cancelled. Applicant shall submit a separate Bank guarantee of Rs. 2.0 Lakhs against compliance of the same.**
15. The applicant shall submit a Bank Guarantee of Rs.10,00,000/- at Regional Officer, Mumbai within 15 days for Operation and Maintenance of Sewage Treatment Plant and Municipal Solid waste Processing Plant.
16. This is issued pursuant to the decision of Consent Committee of the Board in its Meeting held on 29th April, 2013.
17. The Capital investment of the Project is Rs.71.36 Cr.


 (V.V.Shinde)
 Regional Officer (HQ)
 I/c.HSM Division


 2/5/2013

To,
 M/s.Mumbai Housing Area Development Board(MHADA)
 CTS No. 1C/1/1(part), Shimpavali of village- Kandivali at
 Charkop,Mumbai - 400 092

Copy to:

1. Regional Officer, MPCB, Mumbai - He is directed to obtain necessary Bank Guarantee from the applicant and ensure compliance of consent conditions
2. Sub Regional officer, Mumbai-IV MPCB.
3. Chief Accounts Officer, Mumbai, MPCB.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	75,100/-	264450	10/10/2011	Bank of Maharashtra
2.	1,10,100/-	396955	5/12/2012	Bank of Maharashtra

4. Cess Branch, MPCB, Mumbai.

5. Master file.