MAHARASHTRA POLLUTION CONTROL BOARD Kalpataru Point, 2nd - 4th Fl. Tel: 24010437/24020781/24014701 MAHARASHTRA **Opp.** Cine Planet Cinema, Fax: 24024068 / 24023516 Near Sion Circle, Sion (E) Website: http://mpcb.gov.in Mumbai-400 022. 1 E-mail: mpcb@ysnl.net **RED/LSI** Date: 10/07/2013 Consent No: Format no. 1.0/BO/JD (APC)/TB-4/EIC No. PN-16845-13/REN/CAC-5849 To, M/s. Semco Electric Pvt. Ltd., (Unit-II) Plot No. A-2, MIDC Chakan, Tal- Khed, Dist - Pune. Subject: Consent to Renewal RED category. : 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No.PN-9048-11/R/CC-Ref 80. dtd. 16/12/2011. 2. Minutes of CAC meeting held on 31/05/2013 & 04/06/2013 Your application Dated: 01/02/2013. For: Renewal of consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III, IV annexed to this order: 1. The Consent to operate is granted for a period from 01/04/2013 to 31/03/2014. 2. The actual capital investment of the industry is Rs 82.65 Crs. (As per C.A. Certificate submitted by industry) The Consent is valid for the manufacture of -Maximum Quantity Product Name 700 MT/M Electrical wiring accessories in 1 aluminum 🍆 200 MT/M Automobile components, home 2 **Burners** (Gas appliances Hinges, Door Closures etc.) Fabrication of electrical wiring 470 MT/M 3 accessories in steel 100 MT/M Aluminum Die cast, machined 4 painted components for & (without instrumentation electroplating activity)

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	97.70	As per Schedule –I	On land & recycled
2.	Domestic effluent	100.90	As per Schedule –I	On land
				Julia Com

1

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

~	D C . 1.1	Number of Stack	Standards to be
Sr.	Description of stack /	Number of Stack	achieved
no.	source	4	
1.	D.G.Set (380 KVA)	<u> </u>	As per Schedule –II
2	Power Curing oven – 3 nos.	1	As per Schedule –II
3	Degreasing fume exhaust pretreatment	1	As per Schedule –II
4	Water Rince fume exhaust	1	As per Schedule –II
5	Central Melting furnace – 2nos.	1	As per Schedule –II
6	Mahicne exhaust combine -3 nos.	1	As per Schedule –II
7	Hanger cleaning oven -2 nos.	1	As per ScheduleII
8	Burner exhaust backing oven	1	As per Schedule -II
9	Paint booth exhaust	1	As per Schedule –II
10	Flash off zone exhaust	1	As per Schedule -II
11	DG Set (725 KVA)	1	X As per Schedule -II
12	DG Set (725 KVA)	1 1	As per Schedule –II
13	Burner curing oven – 3 nos.		As per Schedule –II
14	Burner exhaust drying oven – 3 nos.	n.	As per Schedule –II

6. Conditions about Non Hazardous Wastes:

sr. N	Type Of Waste	Quantity & UoN	Treatment	Disposal
1	Ferrous Scrap	254MT/M	Nil	Sale to Authorized Reprocessor
2	Aluminum Chips	12 MT/M	Nil	Sale to Authorized Reprocessor
3	Aluminum	20 MT/M	Nil	Sale to Authorized Reprocessor
4	Cantéen Waste	1 MT/M	Nil	Composting
5	Factory řubbish	24 MT/M	Nil	Sale to Authorized Reprocessor
6	Shot Blasting dust	100 Kg/M	Nil	Sale to Authorized Reprocessor

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

2000	al of hazaruous mus	and at an easily to an easy has done to be	The second s	and the participant of the second	States and a state of the states of the	Contraction for a second second
Sr.	ANTE Of Waster	Onegow	Quantit		Ireatment (§	Disposal
2 N0 8 1	Used /spent oil	5.1	850	Kg/M	-	Sale to Authorized Reprocessor
2	Oil soaked cotton /other Wastes	5.2	100	Kg/M	-	CHWTSDF
3	Zinc fines/dust/ash/skimm g (dispersible form)	6.2	0.50	MT/M	-	Sale to Authorized Reprocessor

1	Chemical sludge	34.3	500.0	Kg/M	CHWTSDF
4	from waste				
	water treatment				
5	Paint Sludge	21.1	1000	Kg/M	CHWTSDF
$\frac{5}{6}$	Chemical sludge	34.3	1.5	MT/M	CHWTSDF
0	from waste	0.10			
	water treatment				
7	Toxic metal	34.2	600	Kg/Yr.	CHWTSDF
'	containing	-			
	residue from				
	water purification				
8	Discarded	33.3	100	Nos/M	Sale to
0	containers/ barrels				Authorized
	/liners/used				Reprocessor
	for HZW/Chemicals				

- 8. This Board reserves the right to review, and the same shall be binding on the industry. braining necessary
- 9. This consent should not be construed as exemption from NOC/permission from any other Government agencies

or and on behalf of the Jaharashtra Pollution Control Board

> (V.M. Motghare Member Secretary

Receiv	ved Consent fee of :	0]	
Sr. No	Amount(Rs.) = DD.No.	Date	Drawn On
1	Rs.2,50,000/-* 050835	28/01/2013	ICICI Bank
1	Rs.50,000/~ 050836	28/01/2013	ICICI Bank
4	Rs.100/ 050838	28/01/2013	ICICI Bank
3	105.100/20 000000		

Copy to:

- 1. Regional Officer Pune and Sub-Regional Officer-Pune-II, MPCB, Pune They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

<u>Schedule-I</u> <u>Terms & conditions for compliance of Water Pollution Control</u>:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage treatment system (STP) with the design capacity of 300 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.		Limiting Concentration in mg/l, except for pH
	I. Compulsory Parameters	
01	pH	5.5 to 9.0
02	Oil & Grease	10 *
03	BOD (3 days 27oC)	30
04	Total Dissolved Solids	2100
	II Additional Parameters	.6
05	COD .	250
06	Suspended Solids	400
07	Chloride	6Q5 / 7
08	Sulphate	1000
09	Copper	5
10	Zinc	5

C) The treated effluent shall be disposed

- i) The treated effluent 85 GMP shall be recycled in the process & remaining 12.7 CMD shall be used on land for gardening/irrigation.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(2) BOD 3 days 27oC. Not to exceed 100 mg/1.	(1) (2)	Suspended Solids. BOD 3 days 27oC.	Not to exceed Not to exceed	100 100	mg/l. mg/l.	
--	------------	---------------------------------------	--------------------------------	------------	----------------	--

C] The treated sewage effluent shall be disposed on land for gardening

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	00
2.	Domestic purpose	103
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	133
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

5) The Applicant shall provide Specific Water Pollution control systems as per the conditions of EP Act,1986 and rule made there under from time to time/AEnvironmental Clearance / CREP guidelines.

<u>Schedule-II</u> <u>Terms & conditions for compliance of Air Pollution Control</u>:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

f	ollowing fuel patt	ern-			and the second se	- UoM	C 80/48	SO
Sr.	Stack	APC sel	Height	lype of	Quantity			KCD V
Nô.	Attached Tox		insl/ltrs.	Fuel			LOTA STATES LINEAR	160
1	D.G.Set (380	N.A.	4.0	Diesel	8.5 KL/Day	•••		100
	KVA)							
1	DG Set (725 x	N.A.						
	2 KVA)		5.5			<u> </u>		
2	Power Curing	N.A.	12.0	LPG/Prop	0.0 50			
	oven – 3 nos.			ane	8.0 T/D			
3	Degreasing	Wet	12.0					
1	fume exhaust	Scrubber						
	pretreatment						(Non A	+
4	Water Rinse	N.A.	12.0			L	7	
	fume exhaust				ļ		<u>† </u>	┼
5	Central	Dust	14.0					
	Melting	Collector			0	₹ ₹.		
	furnace –							
	2nos.							
6	Mahicne	N.A.	14.0					
1	exhaust			(
	combine – 3							
	nos.		10.0					
7	Hanger	N.A.	10.0	. Carrow and a second		1		
	cleaning oven			States -				
<u> </u>	– 2 nos.							
8	Burner	N.A.	17.0					
	exhaust		And Carlo	4 ⁴				
	backing oven	XX7 4	12.0	<u> </u>		-		
9	Paint booth	Water	12.0	1				
<u> </u>	exhaust	Curtain	12.0					
10	Flash off zone	N.A.	12.0					
	exhaust		14.0			+	1	1
13	Burner curing	N.A.	14.0			1		
	oven – 3 nos.	1 1 X	140					
14	Burner	N.A.	14.0		1			
1	exhaust	· ·						
	drying oven –							
	3-nos				_ <u>_</u>			<u></u>

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

۱,	so as to achieve	the level of pollutan	L3 CO CALC ADALO IT AND S	
•.	Particulate	Not to exceed	150 mg/Nm^3 .	
	matter			
	Acid Mist	Not to exceed	35 ppm	

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

	Consent	Amt of BG	Submission	Purpose of BG	Compliance Period	Validity Date
No. L	(C to R)	Imposed 5 Lakhs	Period 15 days	Operation & Maintenance of pollution control system		31/07/2014
2					<u> </u>	
					- FRG	2
				In In		
			Syx (O)	-		
		2				
	No. 1	Sho S				
	N.	Allo X	ilor -			

<u>Schedule-IV</u>

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill.site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG-set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m. 10 p.m. and 6 a.m.
- 19) The applicant shall maintain, good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.