MAHARASHTRA POLLUTION CONTROL BOARD

Kalpataru Point, 2nd - 4th Fl. Tel: 24010437/24020781/24014701 Opp. Cine Planet Cinema, Fax: 24024068 / 24023516 Near Sion Circle, Sion (E) Website: http://mpcb.gov.in Mumbai-400 022. E-mail: mpcb@vsnl.net

RED/LSI

Date: 18/07/2013

Consent No: Format 1.0/BO/JD (APC)/TB-4/EIC No. PN-16775-13/R/CAC- 603 9

To,

M/s. Piaggio Vehicles Pvt Ltd.,

F-19, MIDC Baramati, Tal-Baramati,

Dist-Pune, Pincode-413133.

Subject: Consent to Renewal in RED category.

Ref

- : 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No.PN-12610-12/O/CAC-391, dated 25/04/2012.
- 2. Minutes of CAC meeting held on 31/05/2013 & 04/06/2013.

Your application Dated: 28/1/2013.

For: Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III, IV annexed to this order:

- The Consent to operate is granted for a period from 01/04/2013 to 30/09/2014.
- The actual capital investment of the industry is Rs. 168.40 Crs. (As per C.A. Certificate submitted by industry)
- 3. The Consent is valid for the manufacture of

Sr. No.	Product Name	Maximum Quantity
1	Two Wheelers	150000 Nos/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	115	As per Schedule -I	On land & recycle
2.	Domestic effluent	65	As per Schedule -I	On land

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

	Sr.	Description of stack /	Number of Stack	Standards to be
no.		source		achieved
1.		Hot water rinse exhaust	1	As per Schedule -II
2.		Hot water generator-1	1	As per Schedule -II
3.		Hot water generator-2	1	As per Schedule -II
4.		Clear coat booth exhaust-2	1	As per Schedule -II
5.		Hot water generator-3	1	As per Schedule -II
6.		Primer booth exhaust-1	1	As per Schedule -II
7.		D.G set for CED stage	1	As per Schedule -II
8.		Primer booth exhaust-1	1	As per Schedule -II
9.		Hood exhaust	1	As per Schedule -II
10.		Hood exhaust	1	As per Schedule -II

SRO Pune I/I/R/L/47442000

Page 1

11.	Hood exhaust	1	As per Schedule -II
12.	sanding sealer,tackorag exhaust	1	As per Schedule -II
13.	Hood exhaust	1	As per Schedule -II
14.	Degreasing exhaust	1	As per Schedule -II
15.	exhaust	1	As per Schedule -II
16.	CED Exhaust	1	As per Schedule -II
17.	Base coat booth exhaust-1	1	As per Schedule -II
18.	Base coat booth exhaust-1	1	As per Schedule -II
19.	Clear coat booth exhaust-1	1	As per Schedule -II
20.	Clear coat booth exhaust-2	1	As per Schedule -II
21.	sanding, tack orag exhaust	1	As per Schedule -II
22.	exhaust	1	As per Schedule -II
23.	exhaust	1	As per Schedule -II
24	Flue gas extraction-2	1	As per Schedule -II
25	Degreasing exhaust	1	As per Schedule -II
26	exhaust	1	As per Schedule -II
27	Flue gas extraction-1	1	As per Schedule –II
28	Forced cooler exhaust	1	As per Schedule -II
29	Flue gas extraction-2	1	As per Schedule -II
30	Primer booth exhaust-2	1	As per Schedule -II
31	Base coat booth exhaust-1	1	As per Schedule -II
32	Base coat booth exhaust-2	1	As per Schedule -II
33	Phosphating Exhaust	1	As per Schedule -II
34	Cooling zone	1	As per Schedule -II
35	Clear coat booth exhaust-1	1	As per Schedule -II
36	Exhaust No.1	1	As per Schedule -II
37	Exhaust No.2	1	As per Schedule -II
38	Flue gas extraction	1	As per Schedule -II
39	Primer booth exhaust-1	/ (1	As per Schedule -II
40	Forced cooler exhaust	9 3. 1	As per Schedule -II
41	Flue gas extraction-1	1	As per Schedule -II
42	Flue gas extraction-2	1	As per Schedule -II
43	Forced cooler exhaust	<u>u,</u> 1	As per Schedule -II
44	Flue gas extraction-1	1	As per Schedule -II
45	Paint kitchen exhaust	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

S.No.		Qty	UOM	Tratment	Disposal
1	MS+Steel Scrap	2241.00	Kg/Day		sale to
	Language Control				authorised
					vendor
2	Wooden Planks	786.61	Kg/Day		sale to
	1				authorised
					vendor
3	Cartons	3229.37	Kg/Day		sale to
					authorised
					vendor
4	Garbage	1287.67	Kg/Day		sale to
			1		authorised
					vendor
5	Plastic drum and barrels	10.00	No/D		sale to
					authorised
					vendor
6	MS Can	51.00	No/D		sale to
					authorised
					vendor
7	Waste food	100.00	Kg/Day		sent to local
					municipal
					council

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

S.No.	Type Of Waste	Category	Qty	UOM	Treatment	Disposal
1	Used /spent oil	5.1	3.00	Kg/day	Nil	Sale to
					}	Authorized
						Reprocessor
2	Alkali residues	12.2	0.83	Kg/day	Nil	CHWTSDF
3	Phosphate sludge	12.5	5.30	Kg/day	Nil	CHWTSDF
4	Chemical sludge from waste water treatment	12.9	260.00	Kg/day	Nil	CHWTSDF
5	Spent solvents	20.2	21.00	Kg/day	Nil	Sale to Authorized Reprocessor
6	Wastes and residues	21.1	1841.00	Kg/day, (Plastic barrels)	Nil	CHWTSDF
7	Discarded containers / barrels / liners	33.3	153.00	Nos/day	Nil	Sale to Authorized Reprocessor

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the Maharashtra Pollution Control Board

(V.M. Motghare) | 5 | 3 | 3 |

Member Secretary

Received Consent fee of:-

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs.3,36,802/-	058974	24/01/2013	Axis Bank
2	Rs. 1,68,400/-	565834	08/07/2013	ICICI Bank
3	Rs. 100/-	058972	23/01/2013	Axis Bank

Copy to:

- 1. Regional Officer -Pune and Sub-Regional Officer-Pune-II, MPCB, Pune they are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with design capacity 7 Cubic Meter/hr.
 - B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Limiting Concentration in mg/l, except for pH
	I. Compulsory Parameters	
01	pН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
	II Additional Parameters	
05	COD	250
06	Suspended Solids	100
07	Chloride	600
08	Sulphate	1000
09	Total Metal	5.0
10	Iron	3.0
11	Nickel	3.0
12	Copper	3.0

- C) The treated effluent shall be disposed
 - i) Recycle maximum extend & excess used on land for gardening/irrigation- 115 CMD
- 2) A.] As per your consent application, you have provided the sewage treatment system with design capacity of 65 CMD
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

100 mg/l.

(2) BOD 3 days 27oC.

Not to exceed

100 mg/l.

- C] The treated sewage effluent shall be disposed on land for gardening/irrigation -65 CMD
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.0
2.	Domestic purpose	70.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	151.0

<u>Schedule-II</u> <u>Terms & conditions for compliance of Air Pollution Control:</u>

1. As per your application, you have erected following stack (s) and to observe the following fuel nattern-

1	following fuel patte							
Sr.	Stack	APC	Height	Type of	Quantity	UoM	S %	SO_2
No.	Attached To	System	in Mtrs.	Fuel				Kg/Day
1	Hot water	N.A.	10	(gi th h)	4.90	Ton/D		-
	generator- 3 Nos							
2	Water Dry off oven- 3 Nos	N.A.	14					
3	Metal top coat Oven-2 Nos	N.A.	14	T DO /D			,	
4	Water Dry off oven- 3 Nos	N.A.	14	LPG/Prop ane				
5	Plastic dry off Oven	N.A.	14					
6	Top coat Oven Plastic Painting- 4 Nos	N.A.	14			-		
2	Metal painting- 9 Nos	Water Curtain	14	N.A.				
5	D.G set for CED stage	N.A.	7	Diesel	0.14	Kl/day	1.5	4.0
6	ED Oven (4 Stacks)	N.A.	14					
9	Plastic painting- 7 Nos	Water Curtain	14	N.A.				
11	Paint Kitchen	N.A.	14	N.A.				
12	Plastic Pretreatment	N.A.	14	N.A.				
13	Metal Pretreatment- 3 Nos	Scrubber	14	N.A.				
14	CED Exhaust	N.A.	14	N.A.				
15	Dynamometer line-2 Nos	N.A.	14	N.A.				
16	Co2 Welding-2 Nos	N.A.	14	N.A.				
17	Paint Touch Up Booth	N.A.	14	N.A.				

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm³.
Acid mist	Not to exceed	35 mg/Nm^3 .

- 3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.
- 4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	(C to R)	5 Lakhs	15 days	Operation & Maintenance of pollution control system	992	31/01/2015

J6/29/13

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.