MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516 enquiry@mpcb.gov.in

Email

Visit At :

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Format No :- 1.0 BO/JD(APC)/EIC No.KN-6466-13/R/CC/(Ac - 6564 Date 03/08/20)3

M/s. JSW Steel Coated Products Ltd.,

Vill:- Vasind, Tal:- Shahapur,

Dist:-Thane.

Subject: Consent to Operate RED category.

: 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No.4801-11/R/CC-422 dated 09/09/2011 &

vide no. BO/JD(APC)/EIC No.52901-11/E/CC-CAC-300 dated 17/02/2012

2. Minutes of CC/CAC meeting held on 12/7/2013

Your application Dated:14/3/2013

For: Consent to 1st Operate & Amalgamation with existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

The consent is granted for a period from 12/07/2013 to 31/12/2013.

The actual capital investment of the industry is Rs.900.4Crs. (As per Undertaking C.A.Certificate (other consent application) submitted by industry)

The Consent is valid for the manufacture of -

No.	Product / By-Product Name	Maximum Quantity in
	Cold Rolled Coils, Sheets, Strips, Zinc coated products, Intermediate CRCA	27500 MT/M
	Power Generation	6500 Units/Hr
	Hot Rolled Coils/Plates	15000 T/M
	Colour Coated Coils/ Profile sheets	18750 MT/M

1. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	215	As per Schedule -I	Recycle
2.	Domestic effluent	425	As per Schedule -I	Recycle

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr Dogovinti 6	of) Act, 1981 for air emission	
Sr. Description of st	ack / Number of Stack	Standards to be
no. source		Standards to be
1 Boilon (France	11.0	achieved
1. Boiler (Furnace of	oil fired) 2	As per Schedule -II
	and the company of th	per Schedule -II

SRO Kalyan III/I/R/M/5301 1000

2.	Pickling Section	1	
3.	DG set (2 nos. of 375 MW)	1	As per Schedule -II
4.	HPH(LPG)	1	As per Schedule -II
5	ARP(LPG)	1	As per Schedule -II
6	Mill Exhaust (3 Nos.)	9	As per Schedule -II
7	Zinc coating (LPG)	1	As per Schedule -II
8	Hot Rolling Section (LPG)	1	As per Schedule -II
)	Incinerators [(2 nos.)RTO	1	As per Schedule -II
	type]	1	As per Schedule -II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Type Of Waste	Category	Quantity	UOM		Disposal
Chemical sludge from WWT	34.3	100	МТУМ	ment 	CHWTSDF
Spent Acid	12.1	42	KL/Day		Reuse in process after reprocess in ARP
Zinc dross/dust	6.3	200	MT/M		Sale to
Used/Spent oil	5.1	20.05	MT/M		CPCB/SPCB
Paint residue/sludge	21.1	300	Kg/year	-	authorized reprocess CHWTSDF
Discarded containers	33.3	6000	Nos./M		Sale to MPCB authorized recycler
	Chemical sludge from WWT Spent Acid Zinc dross/dust Used/Spent oil Paint residue/sludge Discarded	Chemical sludge from WWT Spent Acid 12.1 Zinc dross/dust 6.3 Used/Spent oil 5.1 Paint 21.1 residue/sludge Discarded 33.3	Chemical sludge from WWT 34.3 100 Spent Acid 12.1 42 Zinc dross/dust Used/Spent oil 6.3 200 Paint residue/sludge 21.1 300 Discarded 33.3 6000	Chemical sludge from WWT 34.3 100 MT/M Spent Acid 12.1 42 KL/Day Zinc dross/dust Used/Spent oil 6.3 200 MT/M Paint residue/sludge 21.1 300 Kg/year Discarded 33.3 6000 Nos./M	Chemical sludge from WWT 34.3 100 MT/M Spent Acid 12.1 42 KL/Day Zinc dross/dust Used/Spent oil 6.3 200 MT/M Paint residue/sludge 21.1 300 Kg/year Discarded 33.3 6000 Nos./M

- 7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 9. This consent supersedes earlier consent granted by Board vide no. BO/JD(APC)/EIC No.4801-11/R/CC-422 dated 09/09/2011

For and on behalf of the Maharashtra Pollution Control Board

(V. M. Motghare)

Member Secretary

Received Consent fee of-

Sr. Amount(Rs.) No.	DD. No.	Date	Drawn On
1 242100/-	224654	13/3/2013	State Bank of India

Copy to:

- Regional Officer -Kalyan and Sub-Regional Officer-Kalyan-III, MPCB, Kalyan. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I Terms & conditions for compliance of Water Pollution Control:

1) AJ As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 250CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP

Act, 1986 and Rules made there under from time to time, whichever is stringent. Sr No. |Parameters Standards as per EP Standards prescribed by Board Act,1986 (If any) I. Compulsory Limiting Concentration in Limiting Concentration in mg/l, Parameters mg/l, except for pH except for pH 01 рН 6.0-8.5 6.0-8,5 02 Oil & Grease 10 10 03 BOD (3 days 27oC) 100 100 04 Total Dissolved Solids 2100 2100 05 COD 250 250 06 Suspended Solids 100 100 06 Chloride 600 600 07 Sulphate 1000 1000 08 Iron 5.0 5.0

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 600CMD.

5.0

10.0

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

100 mg/l.

(2) BOD 3 days 27oC.

09

10

Zinc

Total Metal

Not to exceed

100 mg/l.

5.0

10.0

- C] The treated sewage shall be disposed on land for gardening/irrigation.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler feed	quantity (CMD) 818
2.	Domestic purpose	490
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	308

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.		the state of the s	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler 2 Nos.(Furnac e oil fired)	**	20 & 32	Furnace oil	40 KL/Day	4.5	3600
2	Pickling Section	Scrubber	25				
3	DG set (2 nos. of 375 MW)	A4 30	30.5.	LSHS	1.44 KL/Day	1	28
<u>4</u> 5	HPH(LPG) ARP(LPG)	 Scrubber	15 32	LPG LPG			
6	Mill Exhaust (3 Nos.)		1.5 each		65 T/Day		
7	Zinc coating (LPG)		20	LPG	00 17Day		
8	Hot Rolling Section (LPG)		51	LPG			
9	Incinerators [(2 nos.)RTO type]		20	Re- Gasified LNG	78 MT/Day		

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

T.	ne rever of politicants	to the	e following standards:	
Particulate	Not to exceed			
[Tiot to exceed	TOO	mg/Nm^3 .	
matter			9	
A 13 A 5				
Acid Mist	Not to exceed	35	/NT 0	
	110t to caceeu	30	mg/Nm^3	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1	R	Rs10 lacs	15	Operation & maintenance of pollution control system		31/10/20 14

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the contain in HW(MH&TM) the Rules 2008, recycled/processed/reused/recovered and only waste which has to be incinerated shall which go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- industry shallconstitute an Environmental cell staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at $0.5 \ \mathrm{meters}$ from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----