MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

Fax : 24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in

MAHARASHTRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No:- Formate 1.0/BO/RO(HQ)/EIC No MU-4685-13/R/CAC/ 6869 Date-17.08.2013

To,

M/s. Naval Dockyard,

Lion Gate,

Shahid Bhagatsingh Marg,

Mumbai.

Subject: Renewal of Consent in RED category LSI

Ref

: 1. Earlier Consent granted vide no. BO/ROMumbai/RO(HQ)/EIC No. MU-

1210-09/CC-16 dtd. 6/2/2010.

2. Minutes of CAC meeting held on 12.07.2013

Your application :-: CR1303000107.

Dated: :12.2.2013

For: Renewal of Consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III, & IV annexed to this order:

1. The consent is granted for a period from 31/12/2012 to 30/09/2014.

2. The actual capital investment of the industry is Rs.100 Crs.

3. The Consent is valid for

Naval Warships/Submarines Repair Activity (Defense Industrial Establishment)

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	···	Disposal
1.	Trade effluent	20	As per Schedule –I	Treated Trade effluent should be used for gardening purpose in their premises to the maximum extent and rest shall be connected to MCGM drainage line.
2.	Domestic effluent	1200	As per Schedule -I	The treated sewage effluent shall be soaked in a soak pit, which shall be got cleaned periodically. The overflow of septic tank shall be used for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be
no.	source		achieved
1.	New Bath	09	As per Schedule -II
2.	Old Bath	04	As per Schedule -II
3.	New Bath	01	As per Schedule -II
4.	Shot blasting Machine	01	As per Schedule -II
5.	Shot Paint	01	As per Schedule -II As per Schedule -II

SRO Mumbail/I/R/L/37348000

3,12

Page 1

6. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

s r. N o.	Type Of Waste	Category	Quanti ty(MT/ A)	(MT/A) [†]	Treat ment	Disposal
1	Oil Containing Sludge	3.1/5.1	2.0	MT/ A		CHWTSDF or CPCB authorized
2	Ballast water containing oil from ships	3.4	2.0	MT/ A		re-refiners
3	Zinc ash	6.2	0.5	MT/ A		CPCB Registered and MPCB Authorized reprocessor.
4	Sludge from WWT of Chemical cleaning and electroplating	12.9	1.3	MT/ A		CHWTSDF
5	Vaccum Ballast Powder	13.1	2.0	MT/ A		CHWTSDF for disposal as per CPCB Waste disposal criteria.

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the Maharashtra Pollution Control Board

> (V.M.Motghare) **Member Secretary**

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	3,75,000.00	689895	31/01/2013	Reserve Bank of India

Copy to:

- 1. Regional Officer Mumbai and Sub-Regional Officer-Mumbai-I. MPCB.
 - They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) Al As per your application, your trade effluent is 20 CMD..

B] Industry shall install and operate the effluent treatment plant to treat the industrial effluent so as to achieve the following standards/ prescribed under EP

Sr No.	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27 ^O C)	100
04	Total Dissolved Solids	2100
	II Additional Parameters	
01	Chromium (Hexavalent)	0.10
02	Lead	0.10
03	Cyanide	0.10
04	Suspended Solids	100
05	COD	250
06	Sulphate	1000
07	Iron	3.0
08	Zinc	5.0
. 09	Cadmium	2.0
10	Nickel	3.0

- C] The treated effluent shall be 100% recycle in the process to achieved zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2] A] Applicant shall provide sewage treatment Plant within 6 months.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. Not to exceed

100 mg/l.

(2) BOD 3 days 27°C. Not to exceed

100 mg/l.

- C] The treated sewage effluent shall be soaked in a soak pit, which shall be got cleaned periodically. The overflow of septic tank shall be used for gardening.
- 3] The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or extension or addition thereto.
- 4] The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof. The

5] Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Conditions under Water (P&CP) Cess Act 1977 and amended Rules 2003.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	80.0
2.	Domestic purpose	3200.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	20.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	50.0

2) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stacks and to observe the following fuel pattern-

Sr. No	Stack Attached To	Height in Mtrs.	No of Stack attach ed	Fuel	Quantity	UoM	S %	SO ₂ Kg/Day
1	New Bath	9.00	9	Electricity				
2	Old Bath	3.00	4				34	
3	New Bath	2.40	1				April 1	
4	Shot blasting	15.00	1			F		
	Machine							
	Shot Paint	24.00	1				Non	

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act,1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .
matter	3. 4	
SO ₂ Process	Not to exceed	50.0 ppm
NOx Process	Not to exceed	50.0 ppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No	Consent (C to	Amt of BG	Submissi on Period	Purpose of BG	Compliance Period	Validity Date
	E/O/R)	Imposed				
1	C to R	Rs 5.0 lakhs	Within 15 days	Operation and maintenance of STP & MSW Processing	Installing of STP Within 6 months from date of issue this consent	31/1/2015
				Plant	Consent	***

Sorre Vision,

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of (trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 19) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 20) The industry should not cause any nuisance in surrounding area.
- 21) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 22) The applicant shall maintain good housekeeping.
- 23) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 24) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 25) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 26) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

- 27) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 28) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 29) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

