


MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 nd - 4 th Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: http://mpcb.gov.in		Near Sion Circle, Sion (E)
E-mail: mpcb@vsnl.net , jdair@mpcb.gov.in		Mumbai-400 022.

Red/L.S.I

Consent No: BO/JD(APC)/EIC No. NK-13705-13/R/CC-7233 Date: 28/08/2013

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Innova Rubbers Pvt. Ltd.,
Plot No.H-107, MIDC Ambad,
Dist: Nashik.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 31.05.2016
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	DOVI Limits
1	Bare Rubber parts	8,94,400	Nos./Month
2	Bushes	18,00,000	Nos./Month
3	Engine Mounting	1,03,480	Nos./Month
4	Rubber to Metal/Bounded Parts	5,56,000	Nos./Month
5	Couplings	80,600	Nos./Month
6	Automotive & Industrial application	72,00,000	Nos./Month

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 11.0 M³.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 17.4 M³.
- (iii) Trade Effluent :

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards

Sr.No.	Parameter	Limits	
1	pH	Between	5.5 to 9.0
2	BOD 3 days 27° C	Not to exceed	30 mg/l
3	COD	Not to exceed	250 mg/l
4	Oil & Grease	Not to exceed	10 mg/l
5	Suspended Solids	Not to exceed	100 mg/l
6	TDS	Not to exceed	2100 mg/l
7	Sulphates	Not to exceed	1000 mg/l
8	Chloride	Not to exceed	600 mg/l
9	Dissolve Phosphate	Not to exceed	5.0 mg/l

(iv) **Trade Effluent Disposal:** The treated effluent shall be recycled to process to maximum extent and balance can be used on land for gardening in the premises only. There shall not be any discharge outside the factory premises.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Rubber Flash	2100	Kg/Month		
2	Empty Drum	20	Nos./Month (20 Lit.)		
		30	Nos./Month (30 Lit.)		
3	Black Plastic cut pieces	150	Kg/Month		
4	Chemlock Tin	45	Kg/Month		
5	M.S. Drum	05	Nos./Month		
6	Plastic Gunny Bags	150	kg/Month		
7	Grinding muck	500	Kg/month		

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

4. **The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

- | | | |
|------------------------------|-----|----------|
| (i) Domestic | ... | 19.0 CMD |
| (ii) Industrial Processing | ... | 13.5 CMD |
| (iii) Industrial Cooling | ... | 0.5 CMD |
| (iv) Agriculture / Gardening | ... | 0.0 CMD |

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT :**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. **Control Equipment:**

1. Fume extraction system followed by dust collection system of sufficient capacity shall be provided at all dust generating locations and operated properly and continuously.
2. There shall not be any secondary (fugitive) emissions.

b. **Standards for Emissions of Air Pollutants:**

- | | | | | |
|-------|-----------------|---------------|-----|--------------------|
| (i) | SPM/TPM | Not to exceed | 150 | mg/Nm ³ |
| (ii) | SO ₂ | Not to exceed | 70 | Kg/day |
| (iii) | Acid mist | Not to exceed | 35 | mg/Nm ³ |

- (i) The applicant shall observe the following fuel pattern:

S. No.	Type Of Fuel	Quantity	UOM
1	Diesel	60	Lit/hr.

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Scrubber-I	12.0
2	Scrubber-II	12.0
2	D.G. Sets (2x250 KVA)	2.5*

(* Above roof top of building in which it is installed)

- (C) Conditions for DG Sets: -

1. Noise from DG Sets shall be controlled by providing acoustic enclosure or by treating the room acoustically.
2. Applicant should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room shall be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss shall be done at different points at 0.5 meters from acoustic enclosure/ room and then average.
3. The Applicant should make efforts to bring down noise level due to DG Set, outside the premises, with ambient noise level requirements by proper setting and control measures.
4. Installation of DG Set must be strictly in compliance with recommendations of DG set manufacturer;
5. A proper routine and preventive maintenance procedure for DG Set shall be set and followed in consultation with the DG manufacturers, which would help to prevent noise levels of DG Sets from deteriorating with use.
6. The DG set shall be operated only in case of power failure. The applicant shall make arrangement for regular electrical power.
7. The Applicant shall not cause any nuisance in the surrounding area due to operation of DG sets.
8. In case of problems, the D.G. set shall not be operated until it is set back to satisfactory position.

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

- (vi) Other Conditions:

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. N	Type Of Waste	Quantity	UOM	Disposal
1	5.2 Waste Residue containing oil	500	Lit/Month	By Sale to authorized re-processor
	5.1 Used/Spent Oil	100	Lit/Month	By Sale to authorized re-processor
2	34.3 Chemical sludge from waste water treatment	500	Kg/Month	CHWTSDF
3	21.1 Paint residues	75	Kg/Month	CHWTSDF

(ii) The authorization is hereby granted to operate a facility for collection, storage, transport & disposal of hazardous waste.

1. The industry should comply with the Hazardous Waste (M&H) Rules, 2003.

a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. General conditions:

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (iii) The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

- (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
8. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
9. Industry shall submit the Bank Guarantee of Rs. 5/- Lakhs validity up to consent validity period in the Board within 15 days towards operation and maintenance of pollution controlling systems so as to achieve consent standards / and compliance of the same.
10. This Consent is issued pursuant to the decision of the Consent Committee meeting dtd. 22.08.2013.
11. The Capital investment of the industry is Rs. 27.64 Crs.

For and on behalf of the
Maharashtra Pollution Control Board

(V.M.Motghare)
Member Secretary

To,
M/s. Innova Rubbers Pvt. Ltd.,
Plot No.H-107, MIDC Ambad,
Dist: Nashik.

Copy to:

RO- MPCB Nashik /SRO-MPCB Nashik

- They are directed to obtain B.G. as per condition no. 9 and ensure the compliance of consent conditions & submit the performance report within 1 month period.

CAO/Cess-Branch/Master File

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD No.	Date	Drawn On
1	2,55,100	393398	28.03.2013	Central Bank