

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : enquiry@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kalptaru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

RED/LSI

Consent No: BO/JD(APC)/EIC No. AD-13030-13/R/CC-8184 Date: 01/10/2013

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. Endurance Technologies Pvt. Ltd.,  
K-120, MIDC Waluj,  
Aurangabad.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to 28/02/2016
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Plated Outer Tube	250000	Nos./M
2	Telescopic front fork assembly	350000	Nos./M
3	Shock Absorber for 2 wheeler	200000	Nos./M
4	Piston Rod	50000	Nos./M

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 67.0 M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 21.0 M<sup>3</sup>.
- (iii) Trade Effluent :  
Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with

reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

Sr.no	Parameter		Limits
1	pH	Between	5.5 to 9.0
2	Temperature	Should not exceed 5 c above the ambient temperature of the receiving body	
3	BOD 3 days 27 Deg. C	Not to exceed	30 mg/l
4	COD	Not to exceed	250 mg/l
5	Oil & Grease	Not to exceed	10 mg/l
6	Suspended Solids	Not to exceed	100 mg/l.
7	Cyandie	Not to exceed	0.2 mg/l.
8	Ammonical Nitrogen	Not to exceed	50 mg/l.
9	Total Residual Chlorine	Not to exceed	1.0 mg/l.
10	Cadmium	Not to exceed	2.0 mg/l.
11	Nickel	Not to exceed	3.0 mg/l.
12	Zinc	Not to exceed	5.0 mg/l.
13	Chromium	Not to exceed	0.1 mg/l.
14	Copper	Not to exceed	3.0 mg/l.
15	Lead	Not to exceed	0.1 mg/l.
16	Iron	Not to exceed	3.0 mg/l.
17	Total Metal	Not to exceed	10.0 mg/l.

(iv) **Trade Effluent Disposal:** Treated effluent shall be reused/ recycled to maximum and remaining shall be disposed to CETP. Industry should not discharge any effluent in to local nalla or shall not use on land for gardening/agriculture.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27° C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1.	Metal Scrap/ Turning/Grinding dust	85	MT/M	---	Sale
2	Grinding Buffing Wheels & belts	60	Nos./M	---	Sale
3	Paper/ Filter paper/packaging waste	3	MT/M	---	Sale
4	Wooden Scrap	4	MT/M	---	Sale

(viii) **Other Conditions:-**

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

(i) Domestic purpose	...	30.0 CMD
(ii) Industrial Processing	...	100.0 CMD
(iii) Industrial Cooling. Boiler	...	20.0 CMD
(iv) Agriculture / Gardening	...	--- CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**a. Control Equipment:**

- I. Dust Collection system of sufficient capacity shall be provided to source of SPM/TPM.
- II. Adequate fume extraction system followed by scrubber of sufficient capacity shall be provided to gases emission source.
- III. There shall not be any secondary (fugitive) emissions.

**b. Standards for Emissions of Air Pollutants:**

- |                |               |                        |
|----------------|---------------|------------------------|
| (i) SPM/TPM    | Not to exceed | 150 mg/Nm <sup>3</sup> |
| (ii) Acid Mist | Not to exceed | 35 mg/l                |

**6. Standards for Stack Emissions:**

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1.	HSD	587	Kg/D

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1.	Water drying oven	7
2	Powder curing oven	8
3	Scrubber to chrome & zinc plating, Degreasing	13 each
4	DG set of 750 & 100 KVA	8 & 4.5 respectively



8. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

9. Industry shall comply with following general conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air

pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

- xii. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xiii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

**10. The Board reserves the rights to add/amend/revoke any condition in this consent and the same shall be binding on the applicant.**


**11. The industry shall submit the Bank Guarantee of Rs.5/- Lakhs at Regional Office, Aurangabad within 15 days period towards operation and maintenance of pollution control system. The Bank Guarantee shall be valid upto 30/09/2014.**

**12. The total Capital investment of industry is Rs. 37.72 Crores.**

**13. This is issued with the approval of Consent Committee meeting held on 06/09/2013.**

**14. This consent supersedes earlier consent granted by Board vide no BO/APAE/TB-2/EIC No. AD-5364-10/O/CC-248 dated 2/12/2010.**

For and On Behalf of the  
Maharashtra Pollution Control Board,

  
(Rajeev Kumar Mital, IAS)  
Member Secretary

To,  
M/s. Endurance Technologies Pvt. Ltd.,  
K-120, MIDC Waluj,  
Aurangabad.

Copy to:

- a. RO- Aurangabad/ SRO-Aurangabad-I, MPCB, Aurangabad.-
- b. CAO/Cess Branch/Master File

Received Consent fee of –

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	225100/-	001128	16/4/2013	IDBI Bank