MAHARASHTRA POLLUTION CONTROL BOARD Kalpataru Point, 3rd & 4th floor, Sion-

Maharashtra

Phone:

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Fmail Visit At : idair@mpcb.gov.in

http://mpcb.gov.in Consent order No :- BO/JD(APC)/EIC No. NG-8202-12/E/CC

Planet Cinema, Near Sion Circle, Sion Mumbai - 400 022

Date-7/10/2013

Matunga Scheme Road No. 8, Opp. Cine

M/s JSW Ispat Steel Ltd., (Expansion Project),

Plot No. A-10/1, MIDC Indl. area,

kalmeshwar, Dist. Nagpur.

Subject:

Consent to Establish RED category.

Ref: Minutes of CAC meeting held on 12.09.2013.

Your application Dated: 11.12.2012

For: Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III,IV, V& IV annexed to this order:

1. The Consent to Establish is granted for a period up to - Commissioning of

the unit or 5 years whichever is earlier.

2. The proposed capital investment of the Expansion Project is Rs.69.08/-Crore. (As per the Certificate on Rs. 100/ stamp paper signed by Nitin Kale General Manager (Finance & Accounts) dated 25.10.2012 submitted by industry along with consent application)

3. The Consent is valid for the manufacture of -

	Product	By-Product	Maximum Quantity in MT/A
1	CR coils	 21	6000 MT/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Trade effluent	35.0	Schedule-I	land/Recycle
2.	Domestic effluent	1.2	Schedule-I	land/Recycle

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.no. Description of stack /	Number of Stack	Standards to be
source		achieved
1 Column F-10	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment Disposal
1	Steel Scrap	6000	MT/Annum	By Sale

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

•	ana arsposar or			
Sr.	Item No. of	Type of Waste	Quantity	Disposal
No	Process			
	Generating HW as			
į	Per schedule-l			

1	5.1	Used/Spent oil	10.0 KL/Month	Will be disposed by sale to authorized re- processor/recycler
2	34.3	Chemical Sludge from waste water treatment	2.0 MT/Month	CHWTSDF,Butibori Nagpur

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the Maharashtra Pollution Control Board

Received Consent fee of-

ecerveu C	onsent ice or			40
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	100000	661186	29.11.2012	SBI Bank
9		663410	4.12.2012	SBI Bank
1 9	100	1 000410	10 TO THE TO THE TO	

Copy to:

- 1. Regional Officer Nagpur and Sub-Regional Officer- Nagpur I, MPCB, Nagpur.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website up-dation purposes.

Schedule-I Terms & conditions for compliance of Water Pollution Control:

1)A] As per your application, you have proposed to install the Effluent Treatment Plant (ETP) with the design capacity of 35.0 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except
		for pH
01	рН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Bioassay Test	
	II Additional Parameters	
06	Mercury	2(3)
07	Arsenic	
08	Chromium (Hexavalent)	
09	Lead	
10	Cyanide	
11	Phenolics (C6H5OH)	
12	Sulphide (as S)	
13	Phosphate(as P)	4-1
14	Suspended Solids	100
15	COD	250
16	Chloride	600
17	Sulphate	1000
18	Iron	5.0

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2) A] As per your consent application, you have proposed to install/ provided the sewage treatment system with the design capacity of ---- CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids. N

Not to exceed

100 mg/l.

(2) BOD 3 days 27oC.

Not to exceed

100 mg/l.

- C] The treated sewage effluent shall be disposed on land for gardening
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess

returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler	21.0
	feed	1.5
2.	Domestic purpose	
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	50.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr.	Stack Attached To		of	Quantity	UoM	S %	SO ₂ Kg/Day
1	Column F10	14	 		J - i	llution	control

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

,	so as to acmeve t	HE LEVEL OF POLITICALITY	100	/NT3
	Particulate	Not to exceed	100	mg/Nm^3
	matter _		L	

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Schedule-III Details of Bank Guarantees

	Consent (C to E/O/R)	Submission Period	Purpose of BG	Complian ce Period	Validity Date
<u> </u>	l			•	

A STATE OF THE STA

Schedule-IV

General Conditions:

1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.

3) Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall

6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the

provision contain in the HW(MH&TM) Rules 2008, which can be recycled

9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every

11) An inspection book shall be opened and made available to the Board's officers during

their visit to the applicant.

12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to

13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

Environmental cell an constitute shall staff/personnel/agency to see the day to day compliance of consent condition towards

Environment Protection.

- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).

27) The industry shall submit official e-mail address and any change will be duly

informed to the MPCB.

28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----